~~SUSSEX~~ KENT RAINFALL 1911-20

ALLINGTON	{LOCK}	1911-13
ALLINGTON	{NURSERIES}	1913-15
ASHFORD	{BILTING HOUSE}	1912,14,15
"	{OAKWOOD}	1911-16
BARMING EAST	{MAIDSTONE W.W.}	1911-20
BECKENHAM		1911-20
BENENDEN	{NATIONAL SANITORIUM}	1911,14,16-20
BEXLEY HEATH		1919-20
BICKLEY	{"FARRANTS"}	1912-20
"	{SUNNYDENE}	1911-20
"	{ST LUKE VICARAGE}	1918-20
BICKNOR	{RECTORY}	1911-20
BIDDENDEN	{AUGUSTUS VILLA}	1915-20
"	{MARLAND}	1915-16
BIRCHINGTON	{FERNLEIGH}	1911,12,14
"	{HOLLYDENE}	1911-20
"	{ROSEBANK}	1911-20
BITCHET WOOD		1911-12
BOUGHTON	{VICARAGE}	1911-16
BRANDFORD		1911, 14-16, 19
BREDHURST	{VICARAGE}	1911-13

~~SUSSEX~~ KENT RAINFALL 1911-20

BROADSTAIRS	{DOMUS}	1920
"	{PROVIDENCE HOUSE}	1911-17
"	{ST PETERS}	1911-13, 15-20
"	{ST. PETERS COURT}	1911-20
BROMLEY	~~HAMMELTON~~ {HAMMELTON ROAD}	1919-20
"	{HAZEL CROFT}	1918-20
"	{KINGS AVENUE}	1916-20
"	{KINNARD AVENUE}	1911-12
"	{LANSDOWNE ROAD}	1911-16
"	{LYNCROFT}	1914-16
"	{RAVENSFELL}	1911-15
"	{THE PALACE}	1911-20
BROMLEY COMMON	{ELMFIELD}	1911-20
CANTERBURY	{10, LONDON ROAD}	1919-20
"	{MET OFFICE}	1919-20
"	{OATEN HILL HOUSE}	1911-20
"	{ST THOMAS HILL}	1911-18
CAPEL		1917-18
"	{LOWER STANDEN}	1911-19
CHARING	{PUMPING STATION}	1912-20
CHATHAM	{LUTON W.W}	1911-14, 16-20

~~SUSSEX~~ KENT	RAINFALL	1911-20
CHATHAM	{WOOLMANS WOOD}	1920
CHELSFIELD		1914-15, 17-19
CHIDDINGSTONE HOATH	{TRIGGERS}	1911-20
CHISLEHURST	{HAWKHURST}	1916
CHILHAM	{LOWER EMSDEN}	1911-20
CHISLEHURST	{FOXBURY}	1911-16
"	{HAWKWOOD}	1911-15, 17-20
CLIFTONVILLE		1911, 16-20
COBHAM	SCALES HILL	1915, 17-20
"	{SOLE STREET HOUSE}	1912, 14-20
CRANBROOK	{HARTLEY}	1911-16
CROCKHAM HILL	{THE WARREN}	1911
CROSSNESS		1911-20
CRUNDALE		1916-19
DARTFORD	{WEST HILL HOUSE}	1911-20
DEAL + WOOLMER	{W. W.}	1911-20
DETLING	{THE CROFT}	1911-20
DOVER		1912-13
"	{MET OFFICE}	1916, 19-20
"	~~{THE DOVER}~~ {THE DANES}	1913-14
"	{W. W}	1911-20

~~SUSSEX~~ KENT RAINFALL 1911-20

~~B~~ DOWNE	{COUNCIL SCHOOL}	1911-20
"	{PETLEYS}	1911,12,14
DUNGENESS		1919-20
DUNKIRK		1920
EASTCHURCH		1912-14
EAST MALLING	{BROADWATER}	1911-20
EASTRY		1911-14,16-18
EASTWELL PARK GARDENS		1912
EDENBRIDGE	{CLUNY}	1911-13
"	{BASSETTS FARM}	1911
EYNSFORD FARM		1915-20
FALCONHURST		1911-20
FAVERSHAM	{HARTY FACTORY}	1917
"	{THE COTTON POWDER CO.}	1911-19
"	{WESTWOOD COURT}	1912-14
FOLKESTONE	{CHERITON ROAD}	1911-20
"	{RADNOR PARK}	1917-18
"	{THE CHERRY GARDENS}	1911-18
"	{THE SANATORIUM}	1911-14
FRINDSBURY		1911-20
"	STONE HOUSE	1911-20

~~SUSSEX~~ KENT	RAINFALL	1911-20
FRINNINGHAM		1911-12
GOUDHURST	{FINCHCOCKS}	1914-16
GOUDHURST	{GORECOURT}	1911
"	{LIDWELLS}	1911-17, 19
"	{MAYPOLE}	1911-20
GRAVESEND	{PARK HOUSE}	1920
GT. MONGEHAM	{RECTORY}	1916-20
GROVE PARK		1920
HADLOW	~~Go~~ {GOLDEN GREEN}	1911-16
HADLOW PLACE		1911-20
HALLING	{PUMPING STATION}	1912-20
HALSTEAD	{RECTORY}	1911-15
HAYES PLACE		1911-20
HENGHERST		1914-20
HENSILL		1911-20
HIGHAM	{OAKLEIGH}	1911-18
"	{PUMPING STATION}	1912-20
"	{TELEGRAPH HILL}	1913-14
HIGH HALDEN	{BERYL LODGE}	1914, 17.
HIGH HALDEN	{MIDDLE QUARTER}	1920
HILDENBOROUGH	{"FAIRHILL"}	1911-12, 14.

~~SUSSEX~~ KENT	RAINFALL	1911-20
HILDENBOROUGH	{HOLLANDEN HOUSE}	1911-20
HORSHAM	{DENNE PARK}	1915
HORSMONDEN	{BROAD FORD HOUSE}	1911-12
"		1911-19
HUCKING		1915
HYTHE		1914-16, 18-20
"	{HILLCREST ROAD}	1911-14

~~SUSSEX~~ KENT	RAINFALL	1911-20
IGHTHAM	{BELMONT LODGE}	1911
ISLE OF GRAIN		1917-20
KEARSNEY	{CHILTON FARM}	1911-20
KENNINGTON		1917-19
KESTON	{FOREST LODGE}	1911-20
KILDOWN	{SCHOOL}	1914-20
KINGSTON		1915-18
KIPPINGTON GRANGE		1917-19
KNOCKHOLT		1915
"		1911-20
LANGLEY	{ROMWOOD GARDENS}	1911-20
LEEDS	{THE SCHOOL HOUSE}	1911-17
LENHAM	{WHITE COTTAGE}	1914-15
LINTON PARK		1911-20
LITTLEBOURNE HOUSE		1911-14
LYMINGE	{ELHAM VALLEY PUMPING STATION}	1915-20
LYMPNE	{AERODROME}	1920
MABLEDON PARK		1912-20
MAIDSTONE	{BENCHLEY GARDENS}	1911-20
"	{CORPARATION DEPOT}	1911-20
MARGATE	{MET OFFICE}	1911-20

~~SUSSEX~~ KENT	RAINFALL	1911-20
MARKBEECH	{"EDELLS"}	1911-20
"	{HIGH BUCKHURST}	1912, 14, 15, 17-19
MARTIN MILL	{PUMPING STATION}	1912-20
MATFIELD		1911-15, 17-20
MATFIELD GRANGE		1911-18, 20
MEOPHAM		1915
MERESBOROUGH		1912
MINSTER	{GAS WORKS}	1911-20
MOLASH	{WYTHERLING COURT}	1916-19
NORTON COURT		1920
ORPINGTON		1911-20
OSPRINGE	{LORENDEN}	1911-20
OTFORD	{BEECHY LEES GARDENS}	1911-20
OTHAM	{SYNYARDS}	1915-20
PEMBURY	{BRACKENHURST}	1915-16
"	{THE SPRING}	1918-20
"	{W.W}	1911-20
PENSHURST	{"PARKHOLT"}	1911-20
"	{PETRES FIELD}	1913-15
"	{THE QUARRY HOUSE}	1913-15
PENSHURST PLACE		1911-13, 15, 16, 18, 19.

~~SUSSEX~~ KENT	RAINFALL	1911-20
PLAXTOL	{SOAR FARM}	1911-20
RAINHAM	{MARDALE HOUSE}	1913-20
RAMSGATE	{ARCHER HOUSE}	1911-20
RAMSGATE	{SOUTHWOOD W. W.}	1911-20
"	{WEST CLIFFE TERRACE}	1913
RECULVER		1911-20
ROCHESTER	{KNIGHTS PLACE}	1911-20
"	{ST MARYS HALL}	1911-20
ST. LEONARDS		1911-17
SANDGATE		1911-13, 19-20
SANDLING PARK		1912-18, 20
SANDWICH	{GOLF COURSE}	1911-13
"	{THE DUNES}	1915
SCOTNEY CASTLE		1911-20
SELLING	{HAREFIELD}	1911-15
"	{LUTON}	1911-20
SEVENOAKS	{CHEVENING PARK GARDENS}	1911-20
"		1911-20
"	{RIVERHILL}	1911-20
"	{SPELDHURST CLOSE}	1912-20
"	{WILDERNESS GARDENS}	1911-13, 15, 16, 18-20

KENT	RAINFALL	1911-20'
SHARSTED COURT		1911-14, 17
SHEERNESS		1911-15
SHOREHAM	{"HIGHFIELD"}	1914-16
SHORTLAND	{THE GABLES}	1911-15
SIDCUP		1915-18
SNAVE	{POPLAR HOUSE}	1917, 18, 20
SOUTHBOROUGH	{BENTHAM HILL}	1911-13
"	{THE HALL}	1911-15
"	{THE OLD HALL}	1914-18
SOUTHFLEET		1911-20
SPELDHURST	{ETHERTON HILL}	1911-18
"	{LITTLE COURT}	1919-20
"	{RECTORY}	1911
SUNRIDGE	{COOMBE BANK}	1911-14, 16
TANKERTON		1911-15
TATSFIELD	{BETSOM HILL}	1911-20
TENTERDEN ①		1911-20
" ②		1911-20
TEYNHAM	{NEW GARDENS}	1911-17, 19-20
THONG		1911-17
TILMANSTONE	{DANEFIELD}	1911

KENT RAINFALL 1911-20

TONBRIDGE		1920
"		1911
"	{BEECHURST}	1911-12
"	{OAK MANOR}	1911-13
"	{THE MANOR HOUSE}	1912-15
TOVIL LOWER		1911-19
TUNBRIDGE WELLS	{BREDBURY}	1911-12
" "	{CALVERLEY PARK}	1914-20
" "	{COURTLANDS}	1911-19
" "	{FRANT ROAD}	1920
" "	{HAWKENBURY}	1911-20
" "	{SHANDON COURT}	1916
" "	{THE WHITE HOUSE}	1917, 19-20
ULCOMBE PLACE		1911-20
UPPER HARDRES	{"JUNIPERS"}	1911-13
UPTON HOUSE		1911-20
WATERINGBURY		1916, 17, 20
"	{MANOR FARM}	1918-20
WESTERHAM HILL		1911-20
WESTERHAM TOWN		1911-20
WESTGATE ON SEA		1912-15
WEST WICKAM		1911-20

KENT RAINFALL 1911-20

WHITSTABLE	{SEA SANDS}	1912-14
"	{WESTERN HOUSE}	1911-20
WICKHAMBREAUX		1911-20
WILMINGTON		1911-20
WOODCHURCH	{"HENGHERST"}	1913
WROTHAM	{WHITEHALL}	1911-12
WYE	{BILTON HOUSE}	1913
"	{SOUTH EASTERN AGRIC COLLEGE}	1911-16

Dly ✓ corr for WD 19.IV.12 ~~Wrong day~~

RE

Kept at Allington

in the County of W

by Mr J Rose

FORM A2. BRITISH RAINFALL.

23 JAN 1912

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

ALLINGTON LOCK

KENT

1911–13

IMPORTANT NOT … the result entered to the previous day. If an O… …versal rule, he is earnestly requested to add the rea… …ar in the space provided for it at the end of thi… …ment of rain, the selection and placi… …itish Rainfall Organization are given in " … …application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·12		·06							·01	1
2	·06			·71				·17			·01		2
3	·05			·04	·20						·10	·15	3
4	·06	·02			·13						·05	·16	4
5	·18	·02	·07	·31						1·27	·29	·13	5
6	·04	·02		·07						·41	·01	·12	6
7	·17		·02									·30	7
8	·06		·01	·03						·73	·30	·31	8
9	·10		·12	·03							·45	·13	9
10	·14		·06								·03	·03	10
11		·08	·01	·09							·02	·63	11
12	·38		·04								·74		12
13			·57		·02	·14					·05	·01	13
14			·08		·27	·02			·45	·15	·03	·17	14
15		·07			·10	·05						·38	15
16		·02	·32								·05	·01	16
17						·31					·43	·04	17
18			·10								·97	·09	18
19		·20	·02								·97	·16	19
20		·01			·01	·07			·08	·30	·13	·08	20
21	·02							·28	·13	·18		·69	21
22	·02	·17						·03		·71		·16	22
23			·12			·01		·02		·13		·39	23
24		·21	·08			1·00			·16	·03	·04	·11	24
25		·12				·15	·05			·26		·27	25
26		·05	·27	·02		·14		·03		·01	·10		26
27			·38	·27		·12				·17	·06	·20	27
28		·26	·10	·05					·12	·62	·02	·06	28
29				·10									29
30				·23		·11	·31		·20	·21			30
31								·02		·21			31
	—	·12	—	·06	—	—	—	—	—	—	·01	—	
Total	~~1·30~~ 1·28	~~1·25~~ 1·37	~~2·49~~ 2·37	~~1·95~~ 2·01	~~·79~~ ·73	2·12	·36	·55	1·14	5·39	~~4·55~~ 4·86	~~4·79~~ 4·78	TOTAL for year ~~26·98~~ 26·96 ✓
No. of Rain Days	~~15~~ ~~14~~ 12	~~13~~ ~~18~~ 14	~~18~~ 17	~~12~~ 13	~~7~~ 6	11	2	6	6 ~~8~~	15 ~~16~~	~~21~~ 22	~~25~~ ~~27~~ 24	~~149~~ 14

9,000, IX. '10.

DL/ cor'd for WD 19.IV.12 Wrong day

REGISTER OF RAINFALL IN 1911

55

FORM A2. BRITISH RAINFALL.

23 JAN 1912

Kept at Allington Lock

in the County of W. Kent 4

by Mr. J. Rose

Rain Gauge { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.12		.06							.01	1
2	.06			.71				.17			.01		2
3	.05			.04	.20						.10	.15	3
4	.06	.02			.13						.05	.16	4
5	.18	.02	.07	.31						1.27	.29	.13	5
6	.04	.02		.07						.41	.01	.12	6
7	.17		.02									.30	7
8	.06		.01	.03						.73	.30	.31	8
9	.10		.12	.03							.45	.13	9
10	.14		.06								.03	.03	10
11		.08	.01	.09							.02	.63	11
12	.38		.04								.74		12
13			.57		.02	.14					.05	.01	13
14			.08		.27	.02			.45	.15	.03	.17	14
15		.07			.10	.05						.38	15
16		.02	.32								.05	.01	16
17						.31					.43	.04	17
18			.10								.97	.09	18
19		.20	.02								.97	.16	19
20		.01			.01	.07			.08	.30	.13	.08	20
21	.02							.28	.13	.18		.69	21
22	.02	.17						.03		.71		.16	22
23			.12			.01		.02		.13		.39	23
24		.21	.08			1.00			.16	.03	.04	.11	24
25		.12				.15	.05			.26		.27	25
26		.05	.27	.02		.14		.03		.01	.10		26
27			.38	.27		.12				.17	.06	.20	27
28		.26	.10	.05					.12	.62	.02	.06	28
29				.10									29
30				.23		.11	.31		.20	.21			30
31								.02		.21			31
	—	.12	—	.06	—	—	—	—	—	—	.01	—	TOTAL for year
Total	~~1.30~~ 1.28	~~1.25~~ 1.37	~~2.49~~ 2.37	~~1.95~~ 2.01	~~.79~~ .73	2.12	.36	.55	1.14	5.39	~~4.85~~ 4.86	~~4.79~~ 4.78	~~26.98~~ 26.96
No. of Rain Days	~~13~~ ~~14~~ 12	~~13~~ ~~13~~ 14	~~18~~ 17	~~12~~ 13	~~7~~ 6	11	2	6	~~8~~ 6	~~16~~ 15	~~21~~ 22	~~25~~ ~~27~~ 24	~~149~~ 14

9,000, IX. '10.

82

Cor. for W.D. 31·III·13 Ex. [illegible]

61

FORM A2. BRITISH RAINFALL.

22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Allington Lock

in the County of Kent 4

by J. Rose

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03				·16	·11	1·37			1
2			·06			·14	·07		·07	·50		·16	2
3		·03	·36				·13	·09	·01	·09			3
4	·07	·07	·05		·06	·24		·25			·02	·05	4
5	·14		·55		·15	·20					·14		5
6	·08	·03	·15			·04		·20			·21	·02	6
7	·43	·04			·02			·21				·11	7
8		·01			·07	·63		·10				·03	8
9	·27	·29	·20			·14		·07	·02				9
10		·02		·04			·07					·10	10
11	·01	·03						·16	·04		·08	·22	11
12	·02	·19				·12		·05	·09			·25	12
13		·09	·01		·26	·20		·27			·03		13
14		·02						·01			·28		14
15					·02			·08		·05	·02		15
16			·05		·18	·59		·02			·04	·24	16
17	·15		·05			·05		·06		·05	·01		17
18	·56		·28					·03			·12	·08	18
19	·04		·25					·09		·04	·01	·07	19
20	·04	·12	·15				·16	·45					20
21		·01	·34					·09		·48			21
22		·02	·42					·09		·13	·17		22
23	·08	·23	·02		·03		·07	·09					23
24	·49	·20	·25			·15		·31		·07	·11	·10	24
25	·02	·03			·04	·25		·17				·11	25
26	·03					·16		·85			·37	·34	26
27	·01							·38		·32	·16	·47	27
28							·08			·09		·12	28
29		·03					·11		·04	·50	·45	·17	29
30							·01	·14	1·21	·14	·15		30
31					·12		·03	·12		·20			31
	—	—	·03	—	—	—	·16	·11	1·37	—	—	—	
Total	~~2·44~~	~~1·46~~	~~3·19~~	~~·07~~	~~·95~~	~~2·91~~	~~·73~~	~~4·54~~	~~1·59~~	~~4·03~~	~~2·40~~	~~2·64~~	TOTAL for year 26·95
No. of Rain Days.	16	18 ~~19~~	17 ~~21~~	~~2~~ 1	10	13	~~9~~ 10	26	8	13 ~~14~~	17	17	166
	2·44	1·46	3.22	·04	·95	2·91	·89	4·49	2·85	2·66	2·40	2·64	26.95

W. 8,000, X. '11.

67

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Allington Lock, Maidstone
in the County of Kent 4
by J. Rose

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·25	·02	·21						·17	.05	·06	1
2		·17			·03		·26				.10		2
3	·05		·03	·90	·29				·01			·07	3
4	·10			·06		·03			·02	·02	.02	·01	4
5	·29	·02				·04	·18		·62	·12	.06		5
6	·08	·02	·09			·03	·09		·03	·28	.10	·05	6
7		·07	·03	·01			·04	·19		·33	.05	·01	7
8		·01	·04		·07					·09	.04		8
9		·08		·01	·07			·35	·03		.03	·01	9
10				·02			·12	·02			.63		10
11	·40			·44						·53	·21		11
12					·02						.90		12
13	·42		·02					·05	·02		·26		13
14	·09		·04	·06			·50	·01		·12	.12		14
15	·12		·16	·11			·32		·71				15
16	·16	·01	·36	·14			·02						16
17	·01	·07	·05	·10			·15					·05	17
18			·08	·17					·05		.05		18
19	·12		·13				·10		·12				19
20	·49		·09	·04		·32				·32			20
21	·04		·28	·08			·02			·70	85		21
22	·26		·08	·03			·06	·02	·07			·01	22
23			·31				·02	·06	·02		.02	·46	23
24	·02		·03								.03		24
25				·19		·06						·01	25
26			·14					·05		1·10		·26	26
27		·02	·02		·42					·21			27
28	·11		·23	·02						·23			28
29	·19			·38	·21			·02		·20			29
30	·33			·17	·09			·09		·05			30
31			·03					·37		·05			31
Total	3·28	·72	2·26	3·14	1·20	·48	1·88	1·23	1·70	4·52	3.52	1·00	YEAR'S TOTAL 2493
Rain Days.	18	10	21 ~~22~~	19	8 9	5 6	13	11	11 ~~12~~	16	17	11	160

W. 7,500, XI. 12

ALLINGTON
{NURSERIES}
KENT
1913 - 1915

FORM A.
BRITISH RAINFALL
3- JAN 1914

REG … 3

Kept at Alling…   … a.m.
in the County of Ke…   … Barming
by Geo Bunyar…   … 5 in.
…ove Ground 1 ft. 5 in.
… Sea Level 112 ft.

IMPORTANT NO… d the result entered to the previous day. If an O… almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	0.25½	0.1½	0.25½	·	·	·	·	·	0.13	0.04	0.06	1
2	0.0.5	0.019	·	·	0.0.2	·	0.29	·	0.1½	0.01	0.09	0.01	2
3	·	·	0.3½	0.96	0.28	·	·	·	·	0.05	·	0.06	3
4	0.0.9	·	·	0.5	·	0.09	0.2½	·	·	0.01	0.02	0.02	4
5	0.028	0.2½	·	·	·	0.6½	0.16	·	0.71	0.13	0.07	0.05	5
6	00.8	0.02	0.9	·	0.02	0.4½	0.9	·	0.05	0.28	0.09	0.01	6
7	·	0.07	0.2	·	·	·	0.06	0.22	·	0.36	0.4½	·	7
8	·	0.02	0.02	0.02	0.1½	0.03	·	·	·	0.11	0.04	0.01	8
9	·	0.7½	·	0.02	0.8	·	·	0.54	0.4½	·	0.02	0.01	9
10	0.02	·	0.1½	0.02	·	·	0.08	0.02	·	·	0.66	·	10
11	0.0.42	·	·	0.45	·	·	·	·	·	0.54	0.24½	·	11
12	·	·	·	0.01	0.02	·	·	·	·	·	1.00	0.01	12
13	0.037	·	0.01	·	·	·	·	0.04	0.04	·	0.29	·	13
14	0010	·	0.04	0.06	·	·	0.56	0.03	·	0.14	0.12	·	14
15	0.013	·	0.016	0.11	·	·	0.29	·	·	·	0.01	·	15
16	018½	·	1.36	0.14½	·	·	0.4½	·	0.70	·	·	·	16
17	0.02	0.9½	0.07	0.08	·	·	0.17½	·	·	·	·	0.03	17
18	0.01	·	0.6½	0.020	·	·	·	·	0.06	·	0.5½	·	18
19	0.12½	·	0.14	·	0.01	·	0.9½	·	0.15½	·	·	·	19
20	0.52½	·	0.9½	0.05	0.01	0.12	·	·	0.01	0.35½	·	·	20
21	0.4½	·	0.27	0.04	·	·	0.2½	·	·	0.61	0.87½	·	21
22	0.29½	·	0.10	0.09	·	·	008	0.03	0.8½	·	·	0.01	22
23	0.0½	·	0.39	·	·	0.1½	0.04	0.06	·	0.04	0.1½	0.47	23
24	0.03	·	0.0.3	0.1½	·	·	·	0.01	·	·	0.3½	·	24
25	·	·	·	0.18	·	0.05	·	·	·	·	·	0.01	25
26	·	·	0.17	·	·	·	0.01	0.04	·	1.21	·	0.28	26
27	·	0.02	0.3½	·	0.28½	·	·	·	·	0.18	·	·	27
28	0.012	·	0.24	0.5½	·	·	·	·	·	0.28½	·	·	28
29	0.020	·	0.1	0.4½	0.19	·	·	0.06	·	0.23	·	·	29
30	0.31½		·	0.20	0.07	·	·	0.09	0.03	0.5½	·	·	30
31	·		0.1	·	·		·	0.34½		0.07		·	31
Total	3.41½	0.77	2.39½	3.47½	~~1.05~~ 1.05	0.41½	2.02½	1.28½	1.90	4.79½ 4.795	3.72	1.04	YEAR'S TOTAL 26.285
Rain Days	21	9	23	21	11	7	15	12	11	19	18	14	181

George Bunyard & Co Ltd

26285

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Allington
in the County of Kent
by Geo Bunyard & Co Ltd

4

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Barming
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	•	0.25½	0.1½	0.25½	•	•	•	•	•	0.13	0.04	0.06	1
2	0.0.5	0.019	•	•	0.02	•	0.29	•	0.1½	0.01	0.09	0.01	2
3	•	•	0.3½	0.96	0.28	•	•	•	•	0.05	•	0.06	3
4	0.0.9	•	•	0.5	•	0.09	0.2½	•	•	0.01	0.02	0.02	4
5	0.0.28	0.2½	•	•	•	0.6½	0.16	•	0.71	0.13	0.07	0.05	5
6	00.8	0.02	0.9	•	0.02	0.4½	0.9	•	0.05	0.28	0.09	0.01	6
7	•	0.07	0 2	•	•	•	0.06	0.22	•	0.36	0.4½	•	7
8	•	0.02	0.02	0.02	0.1½	0.03	•	•	•	0.11	0.04	0.01	8
9	•	0.7½	•	0.02	0.8	•	•	0.24	0.4½	•	0.02	0.01	9
10	0 02	•	0.1½	0.02	•	•	0.08	0.02	•	•	0.66	•	10
11	0.0.42	•	•	0.48	•	•	•	•	•	0.54	0.24½	•	11
12		•	•	0.01	0.02	•	•	•	•	•	1.00	0.01	12
13	037	•	0.01	•	•	•	•	0.04	0.04	•	0.29	•	13
14	0 010	•	0.0:4	0.06	•	•	0.56	0.13	•	0.14	0.12	•	14
15	0.013	•	0.016	0.11	•	•	0.29	•	•	•	0.01	•	15
16	0 18½	•	0.36	0.14½	•	•	0.4½	•	0.70	•	•	•	16
17	0.0 2	0.9½	0.07	0.08	•	•	0.17½	•	•	•	•	0.03	17
18	0.01	•	0.6½	0.020	•	•	•	•	0.06	•	0.5½	•	18
19	0 12½	•	0.14	•	0.01	•	0.9½	•	0.15½	•	•	•	19
20	0.52½	•	0.9½	0.05	0.01	0.12	•	•	0.01	0.35½	•	•	20
21	0.4½	•	0 27½	0.04	•	•	0.2½	•	•	0.61	0.87½	•	21
22	0.29½	•	0.10	0.09	•	•	0 08	0.03	0.8½	•	•	0.01	22
23	0.0½	•	0.39	•	•	0.1½	0.04	0.06	•	0.04	0.1½	0.47	23
24	0.03	•	0.0.3	0.1½	•	•	•	0.01	•	•	0.3½	•	24
25	•	•	•	0.18	•	0.05	•	•	•	•	•	0.01	25
26	•	•	0.17	•	•	•	0.01	0.04	•	1.21	•	0.28	26
27	•	0.02	0 3½	•	0.28½	•	•	•	•	0.18	•	•	27
28	0.012	•	0 24	0.5½	•	•	•	•	•	0.28½	•	•	28
29	0.020	•	0 1	0.46½	0.19	•	•	0.06	•	0.23	•	•	29
30	0.31½		•	0.20	0.07	•	•	0.09	0.03	0.5½	•	•	30
31	•		0.1	•	•		•	0.34½		0.07		•	31
Total	3.41½	077	2.39	3.47½	1.05 1·05	0.41½	2.02½	1.28½	1.90	4.79½ 4.795	3.72	1.04	YEAR'S TOTAL 26.285
Rain Days	21	9	23	21	11	7	15	12	11	19	18	14	181

Geo Bunyard & Co Ltd

26285

W. 7,500, XI. 12

cor^d for arith 16.11.15 W 83

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Allington
in the County of Kent. 4
by Messrs Geo Bunyard & Co Ltd

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Barming
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 112. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	·	·	0.6½	·	·	·03	0.3½	·	·	0.3½	0.3	1
2	·	·	·	·	·	·	·10½	·	·	·	0.8	0.23	2
3	·	·	0.21	0.1	0.13	·	·	·	·	·	·	0.1	3
4	·	·	0.4	0.15	0.2	·	·	0.2½	·	·	0.31	0.23	4
5	0.06	·	0.4	0.33	0.23	·	·17	0.14	·	·	·	·	5
6	·	0.05	·	0.12	0.1½	0.23	0.4	0.4	·	·	0.1½	0.18	6
7	·	0.27	0.27	0.19	0.4	0.28	0.4	· ·	·	·	·	0.16½	7
8	0.05	0.34	0.22½	0.2	·	0.23½	·	0.4½	·	·	0.1	0.7½	8
9	0.18½	·	1.7½	0.9½	·	·	·	·	0.7	·	·	1.45½	9
10	·	0.02	·	0.5½	0.5½	·	·	·	·	0.4	0.1	0.14½	10
11	·	0.39	0.37	0.4	0.2	0.02	·	·	0.24½	·	0.11	0.27	11
12	·	0.3½	0.10	·	·	·	0.15	·	0.30	0.2½	0.1	0.49	12
13	·	0.17	0.19	·	·	·	·	·	0.18	0.4	0.9	0.58	13
14	·	0.13	0.26	·	·	·	0.4	·	0.0½	0.38½	0.3	0.27	14
15	0.04	0.02	0.24½	·	·	·	0.15	0.1	·	·	1.02½	0.8	15
16	0.06	0.2½	0.4½	·	·	·	·	·	0.5	·	·	·	16
17	·	0.25½	0.15	·	·	·	·	·	0.5	·	·	0.5	17
18	·	0.16	0.24	·	·	·	·	·	·	·	·	0.34	18
19	·	0.5½	Snow 1.10	·	·	·	0.6	·	·	0.1½	Snow 0.30	0.11	19
20	·	0.12	0.21½	·	·	0.7	·	·	0.8	0.19½	·	0.11	20
21	·	0.88½	0.5	0.2	·	0.1	·	0.11	·	0.1½	0.2	0.9	21
22	·	0.1½	·	0.2	0.7	0.3	0.15½	0.1	·	0.25½	-	0.2	22
23	·	·	0.37	·	0.20	0.25	·	·	·	·	·	0.12	23
24		·	0.3	0.4	0.1	·		·	·	·	0.10	0.3½	24
25	0.07	·	0.38	·	0.2	·	·	0.4	·	0.34	0.2	·	25
26	·	·	0.6½	·	0.1	·	·	0.14	·	0.6	0.27	0.47	26
27	0.03	·	0.3	·	·	·	·	0.1	·	·	0.5	0.30	27
28	0.02	·	·	·	0.2½	·	·	·	·	0.24	0.34	0.56	28
29	0.2½		·	·	·	·	·	·	·	0.72	0.14½	·	29
30	·		0.3	·	·	·	[illegible]	·	·	0.9	0.89	0.10½	30
31	·		·		0.32½		0.4	·		·		0.3½	31
Total	0.56	~~3.02~~ 2.94	5.73	1.15½ 1.155	1.16 1.17	1.125 1.12½	0.98	.605 0.60½	0.98	~~2.42~~ 2.42	3.86 3.86	6.055	YEAR'S TOTAL 28.050
Rain Days.	10	16	23	13	14	8	11	11	8 7	13	~~19~~ 20	27	17 3

W.7 XI. 13

corr'd from mth 23.11.16. H.R.M.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

4 JAN 1916

Kept at Allington Nurseries

in the County of Kent 5

by Geo. Bunyard & Co Ltd

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Barming

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 112. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.25

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·63	0·8½	0·9	·	0·1	·	·	0·11	0·55	0·2	0·61	0·39	1
2	0·14	0·11	0·23½	0·6	0·1	·	·	0·31	0·1	0·4	·	0·3	2
3	0·37	·	0·4	0·19½	0·6	·	·	0·38	0·14	·	0·2	0·52	3
4	0·2½	·	·	·	·	·	·	0·20	·	0·2	·	0·58	4
5	0·3	0·30	·	0·3	·	·	·	0·13	·	0·5	0·5½	0·33	5
6	0·31	0·12	0·2½	0·38½	·	·	0·26	0·1	·	·	·	·06 0·6	6
7	0·34	0·26½	Snow 0·5	·	·	·	0·8	0·1	·	·	·	·37½ 0·[illegible]	7
8	0·3	0·47	Snow 0·1½	0·5	·	·	0·14	0·7	·	·	0·3½	·	8
9	0·2	0·28	·	·	·	0·14	·	0·20	·	·	0·33	1·63	9
10	0·34	·	0·½	0·2	·	0·11	·	·	·	·	·	0·51	10
11	0·4	0·1½	0·2½	·	·	·	·	·	·	·	0·4½	0·2	11
12	0·6½	0·9	·	0·26	0·35	·	·	0·4	·	0·1	0·42½	·	12
13	0·7	0·82	·	0·6½	1·9	·	·	0·1	·	0·2	·	·	13
14	0·4	0·5	·	·	·	·	0·14	0·7	0·5	·	·	0·22	14
15	0·15½	·	·	·	0·6	·	0·24	0·6	·	·	Snow	0·19	15
16	0·4	0·29	·	0·5	0·2½	·	0·79	0·5½	·	·	Snow 0·15	0·4	16
17	·	0·37	·	·	0·75	·	0·7	·	·	·	·	0·18	17
18	0·1	0·12	Snow 0·6	·	0·42	·	·	·	·	·	0·37	·	18
19	·	0·7	·	·	·	·	0·1	·	·	0·4½	·	·	19
20	0·26	0·2	0·1½	0·2	0·17½	·	·	0·4	·	·		0·20	20
21	Snow 0·7	0·5	·	·	·	·	·	·	·	·	·	0·5	21
22	Snow	0·7	0·2	0·1	·	·	0·74	·	·	·	·	0·17	22
23	0·16	Snow	0·32	·	·	0·1	0·11	·	·	0·12	·	0·36	23
24	0·1	Snow 0·19	0·½	0·13	·	0·1	0·50	·	0·28	0·11	·	0·54	24
25	·	·	0·13	0·23½	·	·	0·19	·	·	0·7	0·2	0·24	25
26	0·2	0·6	·	·	·	0·4½	·	·	·	·	·	0·41	26
27	Snow	0·5	Snow 0·7½	·	·	0·1½	0·11	·	0·2	0·32½	·	·09 0·9	27
28	·	0·2½	Snow 0·3	·	·	0·29	·	·	1·53	0·27	·	0·5	28
29	·		Snow 0·2	·	0·7	0·38	0·47	0·11	0·1	·	0·38	0·3	29
30	0·10	X	·	·	·	0·20	·	·	0·5	0·2½	0·43	0·1	30
31	0·6	X	·	X	·	X	·	0·34	X	0·47	X	0·25	31
Total	3·335 ~~3·22½~~	3·92 ~~3·74~~	1·14 ✓	1·51 ✓	3·02 ✓	1·20	3·85	2·145 2·14½	2·64 ✓	1·66½	3·77 3·27	6·47½ ✓	YEAR'S TOTAL 34·67
Rain Days.	24	22	~~14~~ 16	13	11	9	14	17	9	14	12	26	187

W. 8,000. X. 14.

Cnd forwa

REGI

ASHFO~~RD~~

BILTING HSE

KENT

1912 14 15

ASHFORD

FORM A2.
BRITISH RAINFALL.

JAN 1913

Kept at Bilting H

in the County of Kent

by W. W. Knigh

Funnel

in.

ound 1 ft. 3

a Level ft.

Can.

ame Wye

stance 2 mls Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"2	"	"8	"01	"	"32	"21	"	"5	"77	"	"26	1
2	"	"7	"11	"	"	"01	"9	"	"01	"15	"	"	2
3	"6	"8	"	"	"3	"25	"	"14	"01	"7	"	"6	3
4	"30	"	"68	"	"10	"82	"	"2	"	"	"19	"	4
5	"15	"10	"15	"01	"	"36	"	"31	"	"	"21	"2	5
6	"60	"8	"	"	"6	"	"	"73	"	"	"01	"2	6
7	"7	"	"2	"	"9	"27	"	"45	"	"	"	"6	7
8	"32	"25	"29	"	"	"10	"2	"19	"8	"	"01	"01	8
9	"	"2	"2	"3	"	"	"4	"3	"	"	"	"8	9
10	"2	"5	"	"	"	"	"	"10	"3	"	"8	"40	10
11	"3	"26	"01	"	"	"18	"	"16	"9	"	"	"15	11
12	"	"26	"01	"	"8	"	"2	"23	"	"	"2	"9	12
13	"	"22	"5	"	"	"3	"62	"2	"	"3	"43	"2	13
14	"	"01	"11	"	"9	"	"1	"14	"3	"4	"6	"	14
15	"	"2	"7	"	"15	"78	"	"4	"	"	"7	"38	15
16	"11	"01	"14	"	"14	"8	"	"12	"	"5	"2	"	16
17	"42	"	"61	"	"	"4	"	"5	"	"	"3	"8	17
18	"5	"	"32	"7	"	"	"18	"35	"	"8	"5	"47	18
19	"3	"20	"24	"	"	"	"75	"31	"	"	"2	"2	19
20	"2	"3	"58	"	"	"	"	"13	"	"80	"	"	20
21	"	"9	"26	"	"	"	"2	"10	"	"26	"12	"	21
22	"5	"29	"14	"	"	"01	"5	"11	"	"	"2	"2	22
23	"35	"26	"26	"	"8	"01	"	"57	"3	"6	"24	"8	23
24	"15	"2	"	"	"4	"	"	"27	"	"7	"2	"15	24
25	"11	"	"	"	"	"25	"	1"04	"	"	"34	"36	25
26	"01	"2	"	"	"	"	"	"69	"	"28	"36	"54	26
27	"	"	"	"	"	"	"5	"	"	"9	"	"31	27
28	"	"3	"2	"	"	"	"2	"4	"3	"59	"52	"15	28
29	"	"2	"	"8	"	"	"4	"30	1"29	"28	"18	"	29
30	"	"	"	"	"	"3	"2	1"05	2"08	"30	"	"	30
31	"3	"	"3	"	"5	"	"17	"15		"		"	31
Total	2"90	2·39 2"71	4"20	"20	"91	3"52	2"31 2·31	7"84	3"73	3"84	2"98	2"83 3·73	TOTAL for year 38·55
No. of Rain Days.	20	22	22	5	11	16	16	28	11	16	20	22	209

W. 8,000, X. '11.

Cond forwa

REG

ASHFORD
FORM A2.
BRITISH RAINFALL.
JAN 1913

Kept at Bilting House
in the County of Kent 2
by W. W. Knight Esqr. J.P.

RAIN GAUGE
Pattern Bottle & Funnel
Diameter of top 4 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ... ft.

Time of Observation 8·45 am.

Nearest Railway Station
Name Wye
Distance 2 mls Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"2	"	"8	"01	"	"32	"21	"	"5	"77	"	"26	1
2	"	"7	"11	"	"	"01	"9	"	"01	"15	"	"	2
3	"6	"8	"	"	"3	"25	"	"14	"01	"7	"	"6	3
4	"30	"	"68	"	"10	"82	"	"2	"	"	"19	"	4
5	"15	"10	"15	"01	"	"36	"	"31	"	"	"21	"2	5
6	"60	"8	"	"	"6	"	"	"73	"	"	"01	"2	6
7	"7	"	"2	"	"9	"27	"	"45	"	"	"	"6	7
8	"32	"25	"29	"	"	"10	"2	"19	"8	"	"01	"01	8
9	"	"2	"2	"3	"	"	"4	"3	"	"	"	"8	9
10	"2	"5	"	"	"	"	"	"10	"3	"	"8	"40	10
11	"3	"26	"01	"	"	"18	"	"16	"9	"	"	"15	11
12	"	"26	"01	"	"8	"	"2	"23	"	"	"2	"9	12
13	"	"22	"5	"	"	"3	"62	"2	"	"3	"43	"2	13
14	"	"01	"11	"	"9	"	"1	"14	"3	"4	"6	"	14
15	"	"2	"7	"	"15	"78	"	"4	"	"	"7	"38	15
16	"11	"01	"14	"	"14	"8	"	"12	"	"5	"2	"	16
17	"42	"	"61	"	"	"4	"	"5	"	"	"3	"8	17
18	"5	"	"32	"7	"	"	"18	"35	"	"8	"5	"47	18
19	"3	"20	"24	"	"	"	"75	"31	"	"	"2	"2	19
20	"2	"3	"58	"	"	"	"	"13	"	"80	"	"	20
21	"	"9	"26	"	"	"	"2	"18	"	"26	"12	"	21
22	"5	"29	"14	"	"	"01	"5	"11	"	"	"2	"2	22
23	"35	"26	"26	"	"8	"01	"	"57	"3	"6	"24	"8	23
24	"15	"2	"	"	"4	"	"	"27	"	"7	"2	"15	24
25	"11	"	"	"	"	"23	"	1"04	"	"	"34	"36	25
26	"01	"2	"	"	"	"	"	"69	"	"28	"36	"54	26
27	"	"	"	"	"	"	"5	"	"	"9	"	"31	27
28	"	"3	"2	"	"	"	"2	"4	"3	"59	"52	"15	28
29	"	"2	"	"8	"	"	"4	"30	1"29	"28	"18	"	29
30	"	"	"	"	"	"3	"2	1"05	2"08	"30	"	"	30
31	"3	"	"3	"	"5	"	"17	"15	"	"		"	31
Total	2"90	2·39 2"49	4"20	"20	"91	3"52	2"24 2·31	7"84	3"73	3"84	2"98	2"83 3·73	TOTAL for year 35·55
No. of Rain Days.	20	22	22	5	11	16	16	28	11	16	20	22	209

W. 8,000, X. '11.

Copied from MS. WLMcC cnd for Auth 13.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 MAR 1915

Kept at Billing House Ashford

in the County of Kent 2

by W W Knight

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·04	-		-	·03	-	-	·05	·28	1
2	-	-	-	·02	-		·17	-	-	-	·11	·18	2
3	·02	-	·14	·11	·16		·12	-	-	-	·03	·02	3
4	-	-	·03	·14	-		-	·40	-	-	·20	·19	4
5	·28	-	·09	·38	·10		·13	·06	-	-	·01	-	5
6	-	·02	-	·24	·03		-	·04	-	-	-	·35	6
7	-	·50	·24	·14	·01		-	-	-	-	-	·16	7
8	·11	·23	·53	·01	-		·13	·04	-	-	-	·10	8
9	·22	-	1·25	·07	-		-	-	·03	-	·02	1·39	9
10	·04	·03	-	·04	·08		-	-	-	·04	·01	·24	10
11	-	·40	·35	·04	-		-	-	·26	-	·13	·43	11
12	-	·07	·06	-	·05		·14	-	·24	·01	-	·46	12
13	-	·30	·36	-	·05		-	-	·16	·09	·07	·50	13
14	·08	·47	·10	-	-		-	-	-	·39	·05	·36	14
15	-	·04	·35	-	-		·70	-	-	-	1·72	·07	15
16	-	·16	·03	-	-		·04	-	·04	-	·05	-	16
17	-	·15	-	-	-		-	-	·24	·08	·02	·04	17
18	-	·17	·18	-	-		-	-	-	·49	·05	·42	18
19	-	·28	·78	-	-		·02	·01	-	·40	·40	·25	19
20	-	·34	·20	-	-		-	-	-	·36	-	·39	20
21	-	1·25	·11	·04	-		-	1·03	-	·03	-	·09	21
22	-	·02	-	·04	-		·35	·03	-	·28	-	-	22
23	-	-	·70	-	·23		-	-	-	·03	-	·05	23
24	·01	-	·02	·24	·05		-	-	-	·01	·14	-	24
25	·16	-	·09	-	·02		-	·06	-	·42	·02	-	25
26	-	-	-	-	·02		-	·21	-	·14	·10	·40	26
27	·05	-	·03	-	-		-	-	-	·01	·10	·53	27
28	·04	-	-	-	·04		-	-	-	·21	·30	·52	28
29	·03	-	-	-	-		-	-	-	1·66	·05	-	29
30	·02	×	·03	·01	-		-	-	-	·13	1·16	·03	30
31	-	×	-	×	·28	×	-	-	×	-	×	·03	31
Total	1·06 ~~·96~~	4·43	5·~~99~~67	1·56	1·12		1·80 ~~1·76~~	1·91	·97	4·78	4·79 ~~4·57~~	7·48	YEAR'S TOTAL ...
Rain Days.	12	16	21	15	13		9	10	6	18	22	25	...

W. 8,000. X. 14.

from ms. Cpd RL

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Bilting House Ashford

in the County of Kent

by Capt W. W Knight

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.67	.09	.08					.11	.61		.37	.19	1
2	.45	.24	.22	.08				.10	.25	.01	.01	.06	2
3	.35		.16	.14	.05			.16	.73		.01	.67	3
4	.03							.52		.11	.15	.40	4
5	.05	.19		.20				.03		.10	.13	.54	5
6	.29	.47		.50	.08					.01		.15	6
7	.39	.30	.09									.26	7
8		.31	.14	.03		.06	.38	.01			.02		8
9	.04	.45	.01	.03			.09	.02		.03	.35	.52	9
10	.39	.02										.77	10
11	.03	.05	.01								.55	.10	11
12	.05	.04		.58	.21			.28		.10	.63		12
13	.12	1.21		.11	1.60								13
14	.05	.04					.15	.67	.07			.31	14
15	.15				.06		.07	.66			.76	.27	15
16	.02	.27		.05	.03		1.34	.46				.02	16
17	.03	.75			1.10		.01	.35				.34	17
18		.15	.04		.67					.14	.04	.15	18
19	.02	.05					.03			.08			19
20	.43	.11		.02				.01		.02		.17	20
21	.04									.26		.05	21
22	.20		.04				.73					.18	22
23	.05	.15	.07			.04	.02		.19	.03		.43	23
24	.03	.02	.06	.25			.10			.07	.03	.61	24
25	.02		.06	.08			.20			.01		.15	25
26			.02						21	.01		.41	26
27		.05					.15			.28		.01	27
28	.03		.02			.14	.03		1.53	.26			28
29							.02	.29	.01		.52	.06	29
30	.15	X				.11	.01	.01	.01		.42	.01	30
31	.10	X		X		X			X	.48	X	.26	31
Total	4.18	4.66	1.02	2.07	3.80	.35	3.33	3.68	3.61	2.00	3.99	7.09	YEAR'S TOTAL 39.78
Rain Days.	26	20	14	12	8	4	15	15	9	17	14	26	180

W. 8,000. X. 15.

72

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

R 11

ASHFORD
{OAKWOOD}
KENT
1911 - 1916

Kept at Ashford
in the County of E. Ke
by H. F. Hors

5 in.
ve Ground 1 ft. 4 in.
Sea Level 170 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13			·61				·12			·02	·03	1
2	·05		·03		·28	·02					·11	·25	2
3	·13	·03			·07					·04	·07	·21	3
4	·06		·05	·40						·24	·25	·12	4
5	·04			·10						·14		·49	5
6	·20	·02								·72		·26	6
7	·09		·05								·42	·64	7
8	·07		·20								·52	·26	8
9	·31		·02	·05						·02	·29	·07	9
10		·09	·05	·11							·02	·95	10
11	·55		·70								·84		11
12	·08		·05			·13					·06		12
13			·30		·44	·01				·16	·11	·29	13
14		·08			·27				·59		·09	·41	14
15	·02	·06									·25		15
16						·54						·10	16
17		·11	·02								·11	·08	17
18											·96	·20	18
19					·02	·06			·21		·30	·16	19
20	·02							·69	·09	·08		·78	20
21	·03	·05						·56		·15		·22	21
22	·03		·18			·01		·15		·33		·55	22
23		·15	·13			1·25			·21	·77	·08	·09	23
24		·11	·01			·26	·07	·05		·06		·34	24
25		·04	·19	·10		·10		·08	·02	1·39			25.
26			·33	·18		·06				·01	·21	·23	26
27		·30		·20					·10	·29		·07	27
28		·28		·12					·21	·45	·02		28
29						·07	·12			·33			29
30				·04		·05				·32			30
31										·01			31
Total	1·81	1·32	2·31	1·91	1·08	2·56	·19	1·65	1·43	5·51	4·73	6·80	TOTAL for year 31·30 ✓
No. of Rain Days	15	12	15	10	5	12	2	6	7	18	19	23	144 ✓

9,000, IX. '10.

72

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Ashford

in the County of E. Kent 2

by H. F. Horsnaill

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 170 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13			·61				·12			·02	·03	1
2	·05		·03		·28	·02					·11	·25	2
3	·13	·03			·07					·04	·07	·21	3
4	·06		·05	·40						·24	·25	·12	4
5	·04			·10						·14		·49	5
6	·20	·02								·72		·26	6
7	·09		·05								·42	·64	7
8	·07		·20								·52	·26	8
9	·31		·02	·05						·02	·29	·07	9
10		·09	·05	·11							·02	·95	10
11	·55		·70								·84		11
12	·08		·05			·13					·06		12
13			·30		·44	·01				·16	·11	·29	13
14		·08			·27				·59		·09	·41	14
15	·02	·06									·25		15
16						·54						·10	16
17		·11	·02								·11	·08	17
18											·96	·20	18
19					·02	·06			·21		·30	·16	19
20	·02							·69	·09	·08		·78	20
21	·03	·05						·56		·15		·22	21
22	·03		·18			·01		·15		·33		·55	22
23		·15	·13			1·25			·21	·77	·08	·09	23
24		·11	·01			·26	·07	·05		·06		·34	24
25		·04	·19	·10		·10		·08	·02	1·39			25.
26			·33	·18		·06				·01	·21	·23	26
27		·30		·20					·10	·29		·07	27
28		·28		·12					·21	·45	·02		28
29						·07	·12			·33			29
30				·04		·05				·32			30
31										·01			31
Total	1·81	1·32	2·31	1·91	1·08	2·56	·19	1·65	1·43	5·51	4·73	6·80	TOTAL for year 31·30
No. of Rain Days	15	12	15	10	5	12	2	6	7	18	19	23	144

9,000, IX. '10.

51

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ashford
in the County of Kent 2
by H. F. Horsnaill

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.09			.35	.45		.09	.78		.20	1
2		.10	.09				.12		.01	.04			2
3	.05	.10	.01		.01	.35		.19		.01		.06	3
4	.22		.79		.16	.70		.02			.09	.01	4
5	.11	.03	.14		.05	.36		.27			.27		5
6	.52	.10	.06					.75					6
7	.34	.04			.13	.26		.36				.05	7
8	.01	.23	.23			.22		.14	.01		.01		8
9						.05	.08	.06				.06	9
10		.08		.04				.14	.03		.03	.38	10
11	.02	.36				.39	.01	.27	.06			.14	11
12		.30			.03			.18				.08	12
13		.16	.07				.05				.38		13
14			.06		.09			.13		.03	.03		14
15			.11		.10	.89		.01			.02	.42	15
16	.08	.02	.12		.02	.05		.08					16
17	.30		.56			.03		.05		.04		.03	17
18	.23		.36				.06	.49		.07		.46	18
19	.02	.17	.20				.43	.39					19
20	.01	.05	.52					.13		.80			20
21		.10	.28					.08		.24	.15		21
22	.05	.31	.06				.07	.08		.05			22
23	.33		.28					.50	.01			.08	23
24	.17		.01		.02			.15		.07	.19	.11	24
25	.12					.24		1.11			.21	.30	25
26		.02				.17		.49		.29	.46	.59	26
27			.03				.05			.07		.24	27
28							.03		.03	.62	.41	.13	28
29		.02		.09			.06	.19	1.11	.11	.20		29
30							.02	.66	2.14	.30			30
31			.04		.13		.20	.11					31
Total	2.60	2.19	4.11	.13	.74	4.06	1.63	7.03	3.49	3.52	2.45	3.34	TOTAL for year 35.29
No. of Rain Days.	17	17	21	2	10	13	13	26	9	15	13	17	173

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

57

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Ashford, Oakwood

in the County of Kent

by H. F. Horsnaill

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·30	·03	·07		·07				·15	·07		1
2	·07	·20		·03	·15		·32				·13	·01	2
3				·76	·28		·01					·07	3
4	·20		·05				·10		·02	·07	·08		4
5	·19	·06	·01	·05			·26		·67	·13	·01		5
6		·02			·03	·15	·12	·02	·03	·27	·23		6
7		·18	·18		·01		·01	·06		·45	·02		7
8		·01	·04	·03	·10	·07		·05		·38	·07	·07	8
9		·05		·02	·25		·02		·11		·03		9
10				·03			·25	·36			·31		10
11	·66			·54						·60	·30		11
12								·01			·72	·01	12
13	·69		·02					·09	·02	·15	·18		13
14	·16		·13	·06			·18				·24		14
15	·20	·03	·18	·07			·25				·01		15
16	·26		·59	·26			·07		·71			·07	16
17	·03	·05	·01	·11			·21	·02	·02				17
18			·07	·17				·01	·07				18
19	·09		·15		·02		·13	·04	·13				19
20	·65		·06	·15		·20			·03	·23			20
21	·12			·09	·08				·05	·77	·40		21
22	·21		·26		·01		·05			·11		·01	22
23			·02			·02	·04		·03		·26	·55	23
24								·04			·02		24
25				·26		·10							25
26			·16					·05		·69		·20	26
27		·03	·03							·13			27
28	·28		·23							·21		·02	28
29	·22		·12	·10	·07			·04		·05		·03	29
30	·42		·03	·22	·12			·49		·06		·15	30
31			·25					·23		·28			31
Total	4·45	·93	2·62	3·02	1·12	·61	2·02	1·51	1·89	4·73	3.08	1·19	YEAR'S TOTAL 27·17
Rain Days.	16	10	21	18	11	6	15	14	12	17	17	11	168

W. 7,500, XI. ·12

82 17. II. 15

47

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Ashford

in the County of Kent 2

by H. F. Horsnaill

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.05	.01							.25	1
2							.14	.03			.08	.24	2
3			.20	.06	.18		.04	.01			.13		3
4		.01	.04	.20	.01			.48			.24	.27	4
5			.08	.36	.06		.24	.17			.01		5
6	.13	.01		.27	.02	.23		.04				.45	6
7	.01	.48	.20	.08		.26	.03						7
8	.09	.22	.43				.11	.04				.01	8
9	.34		.92	.09					.03			1.08	9
10	.08			.04	.05				.21			.17	10
11		.40	.36	.03		.02	.61		.24			.41	11
12		.04	.07						.16			.49	12
13	.08	.34	.22		.03					.20		.48	13
14		.35	.26				.84			.36	.34	.46	14
15		.05	.26							.04	1.52	.04	15
16		.15					.03				.02		16
17		.10					.07		.26			.05	17
18		.16	.22							.32		.43	18
19		.10	.70				.07			.26	.34	.19	19
20		.18	.25					1.43		.25		.61	20
21		.91	.07				.10			.11		.09	21
22		.02				.11	.30	.04		.18		.01	22
23			.78	.02	.21	.20						.01	23
24					.03		.02				.10		24
25	.12		.11	.05	.02		.02	.07		.38	.02		25
26	.05		.03					.27		.13	.10	.30	26
27			.01							.24	.12	.72	27
28					.03		.02			1.48	.33	.38	28
29	.05		.03							.11	.10		29
30	.01										1.13	.01	30
31					.23							.09	31
													YEAR'S TOTAL
Total	.96	3.52	5.24	1.25	.88	.82	2.64	2.58	.90	4.06	4.58	7.24	34.67
Rain Days.	10	16	20	11	12	5	15	10	5	13	15	24	156

W.7,000, XI. 13

82 ✓

346
76

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at *Ashford*

in the County of *Kent* 2 [illegible]

by *H. F. Horsnaill*

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·56	·12	·12					·24	·49		·26	·22	1
2	·41	·25	·25					·11	·05			·09	2
3	·38		·08	·22	·06			·31	·59			·59	3
4	·04		—					·59		·16	·09	·42	4
5	·03	·20		·09							·18	·61	5
6		·19		·55	·25		·03	·03				·20	6
7	·50	·27	·11	—			·01					·36	7
8	·05	·25	·16				·20	·01					8
9		·38				·09		·02			·46	·55	9
10	·25					·01						·75	10
11		·02								·04	·64	·05	11
12		·03		·45	·13					·06	·70		12
13	·15	1·07		·12	1·41								13
14		·03					·17	·08	·07			·22	14
15	·15				·06		·06	·06			·64	·32	15
16		·35					1·37	·22			—		16
17	·05	·70			·98							·23	17
18		·13	·03		·32					·04	·02	·11	18
19	·05	·09					·02			·18			19
20	·10	·12		·06			·02			·03		·16	20
21	·25									·33		·07	21
22	·10		·03									·21	22
23		·10	·09				·06			·04		·43	23
24			·07	·18			·57		·02	·07		·68	24
25			·05				·06			·02		·19	25
26	·01	·02					·20					·48	26
27			·02			·05	·03			·18			27
28		·10	·02			·03	·09		1·20	·43			28
29							·02	·25	·35		·49	·07	29
30	·13	X				·19	·14		·04		·61	·01	30
31	·09	X		X		X			X	·60	X	·28	31
Total	3·30	4·42	1·03	1·67	3·21	·37	3·05	1·92	2·81	2·18	4·09	7·30	YEAR'S TOTAL 35·35
Rain Days.	18	19	12	7	7	5	16	11	8	13	10	24	150

W. 8,000. X. 14.

8L [illegible] 330 ~~46~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Ashford

in the County of Kent

by H. F. Horsnaill

Lat. ...... Long. ......

Time of Observation ......

Nearest Railway Station ......

Diameter of Funnel of Rain Gauge ...... in.

Height of top of Gauge above Ground ...... ft. ...... in.

" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10												1
2	·22												2
3													3
4	·13												4
5	·02												5
6													6
7	·01												7
8													8
9													9
10													10
11	·05												11
12	·09												12
13													13
14													14
15													15
16													16
17	·22												17
18	·05												18
19	·18												19
20	·05												20
21													21
22													22
23	·02												23
24													24
25													25
26													26
27	·02												27
28													28
29													29
30		X											30
31	·01	X		X		X			X		X		31
Total	1·17												YEAR'S TOTAL
Rain Days.	14												

W. 8,000. X. 15.

made

REC

BARMING EAST

{MAIDSTONE W.W.}

KENT

1911-20

FORM A2.
BRITISH RAINFALL
2 - JAN 1912
38

Kept at Barn
in the County of K
by Mr William

in.
round on Ground
ea Level 30'-0" ft. above OD
Name East Farleigh
Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the reac ear in the space provided for it at the end of this nent of rain, the selection and placin itish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07			·83				·20			·04		1
2		·02	·01	·05	·21		·03				·19	·15	2
3	·08				·11						·05	·25	3
4	·20	·01	·05	·40 Snow					·03	1·08	·17	·15	4
5	·05	·01		·21 Snow						·33		·10	5
6	·12		·06	·02 Snow								·40	6
7	·05		·05							·71	·35	·30	7
8	·19		·16	·03							·54	·15	8
9	·08		·09	·10							·02	·10	9
10	·08	·03	·04	·10								·68	10
11	·30		·07		·32						·48		11
12	·02		·60			·12					·04		12
13			·07		·18	·06			·56	·23		·15	13
14		·07	·03		·13							·32	14
15		·08	·31								·03	·08	15
16						·42					·52	·09	16
17			·31			·01					·90	·10	17
18		·12	·03								1·10	·21	18
19						·07			·12	·23	·12	·11	19
20			·01 Snow					·35	·18	·18		·61	20
21	·02	·09						·07		·54		·14	21
22	·03		·26 Snow			·06		·02		·22		·42	22
23		·20	·07 Snow			·95			·23	·12	·10	·10	23
24		·13	·06 Snow			·22	·15			·34		·44	24
25		·07	·25 Snow			·30			·02		·10	·06	25
26			·23	·25		·12				·22	·08	·22	26
27		·32	·10	·12					·10	·52		·05	27
28		·13		·01						·01	·02		28
29		X		·23		·30	·35		·21	·22			29
30		X		·01				·04	·07	·23		·02	30
31		X		X		X			X	·04	X		31
Total	1·29	1·28	2·86	2·36	·95	2·63	·53	·68	1·52	5·22	5·15	5·40	TOTAL for year 29·87 ✓
No. of Rain Days.	~~13~~	~~13~~	~~21~~	~~13~~	~~5~~	~~11~~	~~3~~	~~5~~	~~9~~	~~16~~	~~18~~	~~25~~	~~152~~

W. 8,000, X. '11.

[illegible] made

FORM A2.
BRITISH RAINFALL
2 - JAN 1912
3
8

REGISTER OF RAINFALL IN

Kept at Barming

in the County of Kent

by Mr William J Ware

Rain Gauge
Pattern
Diameter of top 8" in.
Height of top above Ground on Ground
" " " Sea Level 30'-0" ft. above OD

Time of Observation 9 am

Nearest Railway Station
Name East Farleigh
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07			·83				·20			·04		1
2		·02	·01	·05	·21		·03				·19	·15	2
3	·08				·11						·05	·25	3
4	·20	·01	·05	·40 Snow					·03	1·08	·17	·15	4
5	·05	·01		·21 Snow						·33		·10	5
6	·12		·06	·02 Snow								·40	6
7	·05		·05							·71	·35	·30	7
8	·19		·16	·03							·54	·15	8
9	·08		·09	·10							·02	·10	9
10	·08	·03	·04	·10								·68	10
11	·30		·07		·32						·48		11
12	·02		·60			·12					·04		12
13			·07		·18	·06			·56	·23		·15	13
14		·07	·03		·13							·32	14
15		·08	·31								·03	·08	15
16						·42					·52	·09	16
17			·31			·01					·90	·10	17
18		·12	·03								1·10	·21	18
19						·07			·12	·23	·12	·11	19
20			·01 Snow					·35	·18	·18		·61	20
21	·02	·09	·					·07		·54		·14	21
22	·03		·26 Snow			·06		·02		·22		·42	22
23		·20	·07 Snow			·95			·23	·12	·10	·10	23
24		·13	·06 Snow			·22	·15			·34		·44	24
25		·07	·25 Snow			·30			·02		·10	·06	25
26			·23	·25		·12				·22	·08	·22	26
27		·32	·10	·12					·10	·52		·05	27
28		·13		·01						·01	·02		28
29		X		·23		·30	·35		·21	·22			29
30		X		·01				·04	·07	·23		·02	30
31		X		X		X			X	·04	X		31
Total	1·29	1·28	2·86	2·36	·95	2·63	·53	·68	1·52	5·22	5·15	5·40	TOTAL for year 29·87 ✓
No. of Rain Days.	13	13	21	13	5	11	3	5	9	16	18	25	152

W. 8,000, X. '11.

[illegible]

FORM A.
BRITISH RAINFALL.

22 JAN 1913

358

REGISTER OF RAINFALL IN 1912

Kept at Barming [illegible]

in the County of Kent 4 4

by

Lat. 51° 15′ 30″ Long. 0° – 29′ E
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 8″ in.
Height of top of Gauge above Ground on Ground in.
„ „ „ „ Sea Level 30′-0″ above O.D.

MAIDSTONE WATER WORKS Co.
Date (21/1/13)
WILLIAM J. WARE, ENGR. AND MANGR.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·03		·16	·04	·01	·18	·43		·16	1
2		·05 Snow	·32			·08	·20	·10	·02	·07		·01	2
3	·05	·10 Snow	·01		·08	·25	·04	·25	·06		·01	·05	3
4	·16		·47		·30	·27		·02			·20	·02	4
5	·14	·03	·16			·07		·19			·12	·01	5
6	·40	·07			·03			·36				·10	6
7		·01	·05		·11	·62		·16			·02	·05	7
8	·31	·36	·22			·08		·07	·01	·01	·01	·04	8
9		·03		·04			·16	·18		·01	·01	·09	9
10		·04						·16		·02	·08	·23	10
11	·01	·24				·17		·10	·07	·01		·20	11
12	·04	·13	·02		·11	·10		·21	·03		·04	·04	12
13		·06					·01	·02			·21	·01	13
14					·04			·15	·05	·05	·02	·01	14
15		·01	·06		·20	·80		·02			·04	·25	15
16	·13		·03		·03	·06		·05		·07	·03	·02	16
17	·68		·30			·04		·03			·16	·12	17
18	·11		·32				·01	·10		·07	·02	·11	18
19	·04	·12	·20				·10	·39			·01	·01	19
20			·40					·12		·43	·01		20
21		·04	·44		·07			·06		·20	·12		21
22	·08	·15	·03		·03		·08	·08			·01		22
23	·51	·24	·39		·08			·35		·11	·14	·09	23
24	·05	·03	·01		·05	·13	·01	·18				·11	24
25	·04					·17		·83		·01	·34	·23	25
26	·02	·02				·03		·21		·40	·19	·52	26
27							·13			·06	·01	·12	27
28		·03				·02	·14	·03	·04	·59	·52	·26	28
29		·01					·05	·24	1·35	·12	·12	·01	29
30					·37	·02	·04	·27	1·15	·25	·04		30
31	·01 Snow				·03		·18	·08		·01		·02	31
Total	2·48	1·77	3·50	·07	1·53	3·07	1·19	5·02	2·96	3·22	2·48	2·89	YEAR'S TOTAL 30·48
Rain Days.	17	20	18	2	14	17	14	30	10	19	25	27	213

W. 7,500, XI. ·12

Re made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
12 JAN 1914
358

Kept at Barming Ex BR

in the County of Kent

by William J Ware

4

Lat 51° 15' 30" Long. 0° – 29' E
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground on Ground in.
" " " " Sea Level 30' – 0"

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·29	·02	·37	·07					·15	·05	·04	1
2	·09	·13				·02	·26			·05	·05	·01	2
3	·02		·11	·66	·29					·08		·08	3
4	·06			·04	·03	·07	·05			·03	·04	·02	4
5	·30	·02				·05	·22		·66	·16	·15	·10	5
6	·12	·05	·08			·06	·12		·07	·25	·08	·03	6
7		·09	·03				·04	·15		·33	·05	·03	7
8		·02	·03		·03	·03				·22	·10	·01	8
9		·09		·03	·07			·10	·09		·03		9
10				·04			·45	·02			·75		10
11	·44			·47						·46	·23	·01	11
12				·01						·02	1·00	·01	12
13	·50	·02						·01	·01	·03	·29		13
14	·12			·06			·49	·03	·07	·12	·13		14
15	·11		·17	·03			·25				·02		15
16	·20	·09	·35	·25			·02		·45				16
17	·04		·05	·07			·18		·02			·07	17
18	·04		·07				·01		·06		·01		18
19	·13				·04	·09			·15	·02			19
20	·46		·04	·08		·20				·40			20
21	·05		·20				·03			·54	·46		21
22	·35		·11	·32	·04		·18		·07	·02			22
23			·30				·05	·20	·02		·02	·56	23
24	·02		·06	·02					·02	·01	·06		24
25	·01			·16		·02					·02		25
26				·02				·07		1·14		·30	26
27		·01	·04		·08					·20			27
28	·13		·21	·05						·23		·04	28
29	·16	X	·02	·45	·10			·13		·10	·04		29
30	·27	X		·22	·05			·08	·03	·06	·01	·05	30
31		X		X		X		·36	X	·12	X		31
Total	3·66	·81	1·89	3·35	·80	·54	2·35	1·15	1·42	4·44	3·88	1·36	YEAR'S TOTAL 26·28
Rain Days.	~~22~~	~~10~~	~~17~~	~~17~~	~~10~~	~~8~~	~~14~~	~~10~~	~~13~~	~~23~~	~~21~~	~~15~~	~~183~~

W.7,000, XI. 13

Slipsmade 27/2/16

Ex LMCC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 9 - JAN 1915 35

Kept at Barming

in the County of Kent 4

by Mr. William J Ware

Lat. 51° - 16' Long. 0° - 29'

Time of Observation 9 am

Nearest Railway Station — —

Diameter of Rain Gauge Standard in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·05			·03	·03			·04	·03	1
2							·10				·08	·18	2
3			·19	·02	·12								3
4			·05	·20	·01			·01			·26	·21	4
5	·06		·04	·32	·19	·01	·14	·14					5
6		·01		·19	·01	·18		·02				·16	6
7		·36	·28	·16		·33	·03					·13	7
8	·06	·33	·22			·13	·05	·03				·06	8
9	·20		1·00	·10					·06			1·19	9
10	·02	·01		·01	·07					·03		·10	10
11		·40	·35	·06	·01	·01			·20		·10	·30	11
12	Snow ·02	·04	·10				·14		·25	·02	·03	·60	12
13	Snow ·02	·18	·18						·15	·06	·07	·42	13
14		·16	·22							·37		·25	14
15		·03	·22				·35	·02			1·08	·10	15
16	·05	·03	·04						·04				16
17		·20	·21						·03			·05	17
18		·15	·06									·30	18
19		·05	Rain & Snow 1·20				·05			·05	·30	·12	19
20		·15	·25			·07			·04	·17		·11	20
21		·82	·06	·01				·14		·01	·01	·11	21
22		·02		·05	·06	·02	·17	·02		·24		·03	22
23			·30		·31	·21				·04		·14	23
24			·04	·03							·12	·10	24
25	·07		·34		·02		·01	·05		·27	·01		25
26	·02		·06					·15		·06	·22	·40	26
27	·02		·03								·06	·30	27
28	·02	·01			·02					·26	·64	·56	28
29	·03	X								·78	·15		29
30		X	·02							·10	·80	·12	30
31		X		X	·36	X			X		X	·04	31
Total	·59	2·95	5·46	1·20	1·18	·96	1·07	·61	·77	2·46	3·97	6·13	YEAR'S TOTAL 27·35
Rain Days.	12	17	23	12	11	8	10	10	7	14	16	26	166

W. 8,000. X. 14.

435

FORM A. BRITISH RAINFALL

11 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Barming

in the County of Kent

by

Lat. 51° - 16 Long. 0° - 29

Time of Observation 9 am

Nearest Railway Station Maidstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58	·07	·09					·04	·43		·50	·28	1
2	·19	·09	·26	·07	·01			·26		·03		·03	2
3	·41		·03	·20	·07			·34	·13			·47	3
4	·05							·26				·52	4
5	·04	·26		·02				·11		·05	·03	·35	5
6	·35	·15	·03	·36			·25	·01				·03	6
7	·33	·26	·06				·05	·01			·01	·38	7
8	·03	·46		·01			·15	·07			·03		8
9		·21		·02		·10		·12			·26	·61	9
10	·30					·08						·59	10
11	·03	·02	·03								·54		11
12	·06	·11		·19	·40			·02		·01	·63		12
13	·07	·82		·05	1·11			·01		·02			13
14	·03	·04					·21	·04	·05			·18	14
15	·12				·05		·19	·22			Rain & Snow ·48	·18	15
16	·01	·26		·05	·06		·71	·03				·03	16
17		·36			·80		·04					·15	17
18	·01	·12	Snow ·07		·36						·04		18
19		·03								·05			19
20	·28	·02			·16							·19	20
21	Snow ·03											·05	21
22	Snow ·14	·02	·01				·81					·14	22
23	·02	Snow ·21	·25				·03			·14		·36	23
24			·01	·14			·21		·26	·11		·45	24
25			·11	·13			·21			·06		·21	25
26		·05										·37	26
27		·02	·07			·02	·10			·26		·03	27
28	·03	·05	Snow ·03			·59	·03		1·66	·23			28
29		×	Snow ·02		·10	·20	·40	·11			·45	·03	29
30	·07	×				1·15			·04		·30	·01	30
31	·05	×		×		×		·31	×	·51	×	·22	31
Total	3·23	3·63	1·07	1·24	3·12	2·14	3·39	1·96	2·57	1·47	3·27	5·86	YEAR'S TOTAL 32·95
Rain Days.	23	21	14	11	10	6	14	16	6	11	11	24	167

W. 8,000. X. 15.

Ex d C J P

422

FORM A. BRITISH RAINFALL. 11 JAN 1917 338

REGISTER OF RAINFALL IN 1916

Kept at Barming

in the County of Kent

by William J. Ware Engr + Manager Maidstone Water Co

Lat. 51°-16' Long. 0°-29'

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1'-6" in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07				·25				·10	·02	·35		1
2	·33	·04	·36		·08					·30	·18		2
3		·56	·32 Rain + Snow				·03		·06	·27	·17		3
4	·08	·10				·15				·02	·55		4
5					·07	·17	·11		·04	·02	·46		5
6	·01	·06	·23 Snow	·46		·37	·24			·01	·36		6
7	·03		·78 Snow		·10	·09	·10			·01	·53	·02	7
8			·01		·34							·26	8
9					·31	·03						·16	9
10		·10	·05	·06		·40	·31		·02	·01		·46	10
11	·02	·23	·03	·09		·07			·02			·02	11
12	·04	·04		·08	·30	·20	·01			·05			12
13	·01	·31	·21	·13	·26	·14	·14				·01		13
14		·50	·02					·01				·19 Snow + Rain	14
15		·25	·15					·33				·14	15
16		·04	·10	·14			·40	·07					16
17	·13	·06		·05			·11	·10	·31	·54			17
18	·01	·10		·12				·11	·01	·15	·77		18
19	·08		·05	·06		·05			·25		·62	·05 Snow + Rain	19
20	·08		·11	·05						·01	·07	·40	20
21	·02		·24	·05								·28	21
22	·03	·02 Snow	·13 Rain + Snow			·03					·02	·50	22
23	·03	·20 Snow	·06 Snow			·21				·04	·05	·06	23
24	·01	·01 Snow	·01			·01		·02		·28	·03	·31	24
25		·56 Snow	·12		·03			·45		·12	·03		25
26		·21 Snow				·11				·16			26
27	·02	·20 Snow	·60			·04		·34	·03	·25		·02	27
28		·36 Rain + Snow	·15 Rain + Snow			·06		·01	·10	·02		·15	28
29		·14				·12		·56	·04	·32		·25	29
30		✕			·01			·35		·26			30
31		✕		✕		✕			✕	·18	✕	·05	31
Total	1·00	4·09	3·72	1·29	1·45	2·25	1·45	2·35	·98	3·04	4·20	3·31	YEAR'S TOTAL 29·43
Rain Days.	17	21	20	11	10	17	9	11	11	21	15	17	

W. 8,000, VIII. 16

S. made

404

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

16. JAN 1918

358

Kept at Barming

in the County of Kent

by Maidstone Waterworks Co.

Lat. 51°-16' Long. 0°-29'

Time of Observation 9 am

Nearest Railway Station Maidstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

16/1/18

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·03	·20				1·82	·12		·06	·02	1
2				·20				·27			·03		2
3				·20			·04	·88		·05	·12		3
4		·15	·15				·07	·01		·35			4
5	·25	·03	·02	·32					·40	·16	·01		5
6				·07		·14			·08		·11		6
7	·18						·06			·42		·03	7
8	·04			·08			·60	·11	·02	·32	·23	·20	8
9	·08		·03	·08			·52	·03			·03	1·21	9
10			·12	·08				·06				·02	10
11	·09	·01	·26	·33				·10	·07	·25			11
12	·04	·04	·03	·04				·19		·38		·01	12
13	·01		·11	·03					·01	·23		·01	13
14	·02		·05	·21				·01					14
15	·07						·06	·05		·05		·01	15
16	·20	·10		·17	·30		·07			·12		·60	16
17		·01		·06	·60		·15		·24	·08			17
18	·05	·04		·10	·05		·06	·09	·15				18
19	·02	·08	·08	·01	·30	·13			·15				19
20		·16	·07		·92		·25	·03			·05		20
21			·02		·05						·01	·03	21
22			·12			·35		·18		·18		·01	22
23		·11	·04		·18	·05		·12		·08		·04	23
24						·03		·04		·12	·03	·05	24
25			·02			·09				·02	·05		25
26			·03			·01		·20	·01	·05	·85		26
27								·86					27
28			·05			1·25		·24				·10	28
29			·12		·07	·13	·40	·01		·32		·12	29
30	·04		·28				1·70	·10		·09		·03	30
31	·03		·15				·74			·01		·03	31
Total	1·12	·74	1·78	2·18	2·47	2·18	4·72	5·40	1·25	3·28	1·58	2·52	YEAR'S TOTAL 29·22
Rain Days.	14	11	20	16	8	9	13	21	10	19	12	17	170

W. 8 000, IX. 17.

Smale

100

FORM A.
BRITISH RAINF

15. 1 1935

REGISTER OF RAINFALL IN 1918

Kept at Barming
in the County of Kent
by Maidstone Waterworks Co
William J Ware Eng & Mngr

Lat. 51° – 16′ Long. 0° – 29′
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date 14/1/19

Jan. 1, following. ·24

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10 Snow								·14	·09	1
2		·02		·05				·25			·42	·14	2
3	—	·03	·07	·05	·39					·04	·40	·04	3
4		·03	·04		·05			·11	·28		·45	—	4
5		·09			·27			·04	·16	·03		·02	5
6	·17 Snow	·16		·13	·20			·01	·09			·04	6
7	·06	·04		·09	·36	—		·01	·17	·11		—	7
8		·11							·22		·11	·07	8
9	·03	·01		·01					·35	·29		·14	9
10				·08			·22		·12	·12	·01	·25	10
11				·03	·01		·07		·17	·82	·11	·11	11
12		·04			·07		·12		·01	·17		·02	12
13	·12 Snow	·02		·03	·10		·03		·07				13
14	·10			·01		·11	·08		·12	·21		·13	14
15	1·18			·70 R&S		·16	·15			·02		·18	15
16	·20			·16		·10	·10		·04				16
17	·30			·17	·10	·15	·19	·01				·24	17
18	·29			·02		·15			·44	·08		·05	18
19	·10		·05	·09 Snow		·10			·05	·35		·04	19
20	·04	·08		·35			·45		·13	·53		·11	20
21	·15	·01		·04		·01	·02		·44	·06			21
22	·08	·01					·08		·52			·17	22
23	·03			·01	·06		·65	·05	·01			·06	23
24		·22		·03	·12	·03			·17		·06		24
25						·05	·40	·27			·01		25
26							·46	·05	·02	·04	·10	·07	26
27				·18			·33	·13	·03		·06	·03	27
28		·02	·16	·08				·15		·01	·27	·06	28
29		X		·05					·92		·06		29
30		X	·41						·06	·03		·08	30
31		X		X		X			X	·03	X	·01	31
Total	2·85	·89	·83	2·36	1·73	·86	3·65	1·08	4·59	2·94	2·20	2·15	YEAR'S TOTAL 26·13
Rain Days.	14	15	6	21	11	9	15	11	23	17	13	23	178

W. 6,500, VII. 18. w w c

B. made

381

358

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Barming

in the County of Kent

by Maidstone Waterworks Co
William J Ware Engr & Mangr

Lat. 51° - 16′ Long. 0° - 29′
Time of Observation 9 am
Nearest Railway Station Maidstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·05			·03		·35			·11	·06	·42	1
2	·25				·03		·04			·02	·50	·21	2
3	·28		·30				·60		·25		·26	·30	3
4	·25	·02	·44			·07		·05			·07	·10	4
5	·07	·28	1·03								·12	·29	5
6	·05		·03							·02	·02	·11	6
7	·14		·26								·15		7
8	·29		·05								·05		8
9	·55		·03	·15							·32		9
10	·51		·03	·04							·12		10
11	·24		·21	·30			·03					·04	11
12	·06			·07			·56			·06	·03	·01	12
13	·03			·35						·03		·03	13
14	·19			·30			·22		·18			·03	14
15	·14	·03		·12						·05		·05	15
16	·10	·33		·01							·08	·07	16
17		·29							·05		·15	·06	17
18		·21	·03								·06	·04	18
19		·07	·40			·02	·31	·03	·12				19
20	·08	·05	·07			1·10	·25	·10	·01		·13	·02	20
21	·12	·24	·03				·09				·01		21
22		·03	·02				·16		·29		·06	·20	22
23						·06	·03		·36		·03	·05	23
24				·14		·02	·01	·05			·04	·02	24
25	·03				·19			·30		·04	·02	·02	25
26	·06	·08	·18	·07			·05		·10			·27	26
27	·36	·02	·04	1·48				·16				·03	27
28			·19	·08			·02	·68			·45	·40	28
29	·05	✕		·08				·61		·17	·05	·06	29
30		✕	·01	·24		·02		·52		·14	·09	·50	30
31	·10	✕	·02	✕		✕	·05		✕	·10	✕	·05	31
TOTAL	4·19	1·70	3·37	3·43	·25	1·29	2·77	2·50	1·36	·74	2·87	3·68	YEAR'S TOTAL 28·15
Days with ·01 in. or more	~~23~~	~~13~~	~~19~~	~~14~~	~~3~~	~~6~~	~~15~~	~~9~~	~~8~~	~~10~~	~~23~~	~~25~~	~~168~~

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Barming
in the County of Kent
by William J Ware

Lat. 51° - 16′ Long. 0° - 29′
Time of Observation 9 am
Nearest Railway Station Maidstone
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 250 ft.

MAIDSTONE WATER WORKS COMPANY
W. J. WARE
Engr. and Manager

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·21			·13			·61		·24	1
2			·21		·03			·14	·13	·05		·05	2
3				·05	·16	·03			·14			·03	3
4		·07		·14			·20	·01		·03		·07	4
5			·03		·01		·49	·05	·04			·10	5
6			·18		·10		·16	·01				·04	6
7				·08			·12					·08	7
8				·05	·05		·07					·01	8
9	·06			·01			·01						9
10	·80	·13		·20			·13					·03	10
11	·29		·08	·20		·02	·48					·10	11
12	·11	·02	·02	·23		·08							12
13	·30		·09	·01					·03		·03		13
14		·01	·30	·17		·08			·09	·03	·18		14
15	·02		·02	·20					·53	·12	·07	·03	15
16			·03	·03	·16				·24			·03	16
17	·01			·13	·16				·35			·12	17
18	·01		·02	·01	·05			1·29	·48			·08	18
19	·09			·17				·02 ~~1·31~~				·07	19
20	·05	·21		·20		·36			·40				20
21							·64	·01	·60			·07	21
22	·02			·41					·04			·31	22
23							·30					·41	23
24	·01		·02						·06			·02	24
25				·02	·04		·07		·02				25
26	·04		·04	·07			·03					·03	26
27	·21	·06		·17		·15	·09				·19	·16	27
28	·37		·02	·07	·12		·11				·22	·02	28
29	·38			·06	·02						·11	·13	29
30	·04	╳	·02	·01			·10		·18		·30	·10	30
31		╳		╳		╳			╳	·26	╳	·12	31
TOTAL	2·86	·50	1·08	2·90	·90	·42	3·13	1·53	3·28	1·10	1·10	2·45	YEAR'S TOTAL 21·55
Days with ·01 in. or more	~~19~~	~~6~~	~~14~~	~~24~~	~~11~~	~~6~~	~~16~~	~~7~~	~~15~~	~~6~~	~~7~~	~~15~~	~~155~~
Days with ·04 in. or more	~~13~~	~~4~~	~~1~~	~~18~~	~~3~~	~~4~~	~~14~~	~~4~~	~~12~~	~~4~~	~~6~~	~~17~~	~~110~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Kepr ... ty Nurse A. Gordon

2 - FEB 1912

BARMING
LONG REDE
KENT
1911

R ... 11.

Kept at Long Re ... Lon.

in the County of ... of Observation about 9 a.m.

by Rev. T. W. C ... eter 8

t of top above Ground 3 ft. 2 in.

„ Sea Level 280 ft.

NOTE.—Full instructions resp ... ng the Systematic Observation and Record of the Rainfall," which is sent po ... at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·95				·18			·02	·02	1
2	·03			·04	·20						·13	·15	2
3	·06				·13						·05	·17	3
4	·15	·03	·06	·34 s					·04	1·12	·19	·11	4
5	·03	·		·11						·35	·02	·13	5
6	·19	·03										·38	6
7	·06		·05							·62	·37	·35	7
8	·13		·02								·50	·14	8
9	·15		·17	·04							·03	·05	9
10		·08	·04	·07							·03	·65	10
11	·31		·08		·33						·74		11
12			·60								·07		12
13			·09		·20	·15			·54	·18	·03	·19	13
14		·07			·12	·05						·37	14
15		·02	·31							·01	·05	·03	15
16						·33				·01	·44	·07	16
17			·11								·93	·11	17
18		·20	·02			·07					·99	·21	18
19		·01							·11	·18	·23	·07	19
20	·04							·33	·18	·15		·76	20
21	·02	·14						·04		·67		·15	21
22	·01		·23			·02		·02		·18		·46	22
23		·22	·07			·98			·19	·08	·06	·10	23
24		·14				·24	·07			·29		·38	24
25		·07	·31	·03		·25		·03		·02	·06		25
26			·33	·29	·03	·04				·17	·04	·22	26
27		·30	·06	·10					·09	·46	·04	·07	27
28		·15	·01	·09						[illegible]	·02	·01	28
29			·01	·37		·20	·27		·23	·23	·01		29
30						·01		·07	·02	·22		·01	30
31										·01			31
Totals	1·25	1·46	2·57	2·43	1·01	2·34	·34	·67	1·40	4·95	5·05	5·36	Total for year in 29·83
Days' rain { Total from Jan. 1 }	13	13	18	11 ~~10 + 1 snow~~	6.	11.	2	6	8	18.	23	26	

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

Total days rain 155 including 1 snow.

Kep ly Nurse A. Gordon

2 - FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Long Rede, Barming, Maidstone

in the County of Kent 4

by Rev. T. W. Carr. by A. Rick

RAIN GAUGE.

Lat. Lon.

Time of Observation About 9 a.m.

Diameter 8

Height of top above Ground 3 ft. 2 in.

" " Sea Level 280 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·95				·18			·02	·02	1
2	·03			·04	·20						·13	·15	2
3	·06				·13						·05	·17	3
4	·15	·03	·06	·34 s					·04	1·12	·19	·11	4
5	·03	·		·11						·35	·02	·13	5
6	·19	·03										·38	6
7	·06		·05							·62	·37	·35	7
8	·13		·02								·50	·14	8
9	·15		·17	·04							·03	·05	9
10		·08	·04	·07							·03	·65	10
11	·31		·08		·33						·74		11
12			·60								·07		12
13			·09		·20	·15			·54	·18	·03	·19	13
14		·07			·12	·05						·37	14
15		·02	·31							·01	·05	·03	15
16						·33				·01	·44	·07	16
17			·11								·93	·11	17
18		·20	·02			·07					·99	·21	18
19		·01							·11	·18	·23	·07	19
20	·04							·33	·18	·15		·76	20
21	·02	·14						·04		·67		·15	21
22	·01		·23			·02		·02		·18		·46	22
23		·22	·07			·98			·19	·08	·06	·10	23
24		·14				·24	·07			·29		·38	24
25		·07	·31	·03		·25		·03		·02	·06		25
26			·33	·29	·03	·04				·17	·04	·22	26
27		·30	·06	·10					·09	·46	·04	·07	27
28		·15	·01	·09						[illegible]	·02	·01	28
29			·01	·37		·20	·27		·23	·23	·01		29
30						·01		·07	·02	·22		·01	30
31										01			31
Totals	1·25	1·46	2·57	2·43	1·01	2·34	·34	·67	1·40	4·95	5·05	5·36	Total for Year
Days rain Total from Jan. 1	13	13	18	11 ~~10+1 snow~~	6.	11.	2	6	8	18	23	26.	in 29·83

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

Total days rain 155 including 1 snow.

So

RE

BECKENHAM

KENT

1911-20

Form A2.
British Rainfall.
3 - JAN 1912

Kept at Beckenh

in the County of Kent

by J. A. Angell.
Engineer &S

her.

" in.

round 1 ft. - in.

ea Level 110 ft.

m Beckenham Junction NNE
Name Clock House NW.
Distance 1000 ~~Direction~~ yards(each).

IMPORTANT NOTE ... he result entered to the previous day. If an Obs ... rsal rule, he is earnestly requested to add the readi ... ar in the space provided for it at the end of this ... ent of rain, the selection and placing ... ish Rainfall Organization are given in ... pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	-	-	1·12	-	-	·03	·06	-	-	·02	-	1
2	·20	-	-	·20	·17	-	-	-	-	-	·18	·05	2
3	-	·03	-	-	·12	-	-	-	-	-	·08	·10	3
4	·03	·02	·12	·21 Snow	-	-	-	-	-	·12	·15	·30	4
5	·02	-	-	·04	-	-	-	-	-	·22	·05	·22	5
6	·28	-	·25	·01	-	-	-	-	-	-	·03	·28	6
7	·02	-	·02	·01	-	-	-	-	-	·15	·38	·20	7
8	·10	-	·10	·01	-	-	-	-	-	-	·35	·35	8
9	·22	-	·04	·04	-	-	-	-	-	-	·02	·07	9
10	-	·11	·09	-	-	-	-	-	-	-	·06	·76	10
11	·30	-	·01	-	-	-	-	-	-	-	·66	-	11
12	·05	-	·55	-	·23	-	-	-	·02	-	·15	·02	12
13	-	-	·08	-	·17	-	-	-	·27	·15	·04	·20	13
14	-	·10	·02	-	·22	-	-	-	-	-	-	·55	14
15	-	·04	·33	-	-	-	-	-	-	·04	·04	·03	15
16	-	-	-	-	-	·46	-	-	-	-	·60	·03	16
17	-	-	-	-	-	·04	-	-	-	-	·40	·18	17
18	-	·10	·03	-	-	-	-	-	-	-	·57	·25	18
19	-	-	-	-	·02	·22	-	-	·24	·24	·24	·11	19
20	-	·01	·04	-	-	-	-	·23	-	·06	-	·66	20
21	-	·12	-	-	-	-	-	·76	·03	·70	-	·16	21
22	·03	-	·22	-	-	·02	-	-	-	·08	-	·47	22
23	-	·15	·05	-	-	·86	-	-	·29	-	·04	·12	23
24	-	·14	-	-	-	·03	·04	-	-	1·77	-	·20	24
25	-	·03	·01	·03	-	·19	·16	·05	·03	·05	-	·03	25
26	-	-	·12	·18	·07	·20	-	-	-	·12	·02	·24	26
27	-	·34	·15	·04	-	-	-	-	·12	·02	·05	·10	27
28	-	·12	-	·23	-	-	·14	·10	-	-	·06	·01	28
29	-		-	·25	-	·23	·16	-	·12	·22	-	-	29
30	-		-	·01	-	·04	-	·86	·02	·24	-	-	30
31	-		-		·25		-	-		·02		-	31
Total	1·32	1·31	2·23	2·38	1·25	2·29	·53	2·06	1·14	4·20	4·19	5·69 5·69	28·59 Total for Year 28·59
No. of Rain Days.	11	13	18	14	8	10	5	6	9	16	22	26	158

W. 8,000, X. '11.

Go

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Beckenham

in the County of Kent

5

by J. A. Angell.
Engineer Surveyor to the U. D. Council

RAIN GAUGE { Pattern Glaisher.
Diameter of top 8" in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 110 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Beckenham Junction NNE / Clock House NW
Distance 1000 yards ~~Direction~~ (each).

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
☒

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	-	-	1·12	-	-	·03	·06	-	-	·02	-	1
2	·20	-	-	·20	·17	-	-	-	-	-	·18	·05	2
3	-	·03	-	-	·12	-	-	-	-	-	·08	·10	3
4	·03	·02	·12	·21 Snow	-	-	-	-	-	·12	·15	·30	4
5	·02	-	-	·04	-	-	-	-	-	·22	·05	·22	5
6	·28	-	·25	·01	-	-	-	-	-	-	·03	·28	6
7	·02	-	·02	·01	-	-	-	-	-	·15	·38	·20	7
8	·10	-	·10	·01	-	-	-	-	-	-	·35	·35	8
9	·22	-	·04	·04	-	-	-	-	-	-	·02	·07	9
10	-	·11	·09	-	-	-	-	-	-	-	·06	·76	10
11	·30	-	·01	-	-	-	-	-	-	-	·66	-	11
12	·05	-	·55	-	·23	-	-	-	·02	-	·15	·02	12
13	-	-	·08	-	·17	-	-	-	·27	·15	·04	·20	13
14	-	·10	·02	-	·22	-	-	-	-	-	-	·55	14
15	-	·04	·33	-	-	-	-	-	-	·04	·04	·03	15
16	-	-	-	-	-	·46	-	-	-	-	·60	·03	16
17	-	-	-	-	-	·04	-	-	-	-	·40	·18	17
18	-	·10	·03	-	-	-	-	-	-	-	·57	·25	18
19	-	-	-	-	·02	·22	-	-	·24	·24	·24	·11	19
20	-	·01	·04	-	-	-	-	·23	-	·06	-	·66	20
21	-	·12	-	-	-	-	-	·76	·03	·70	-	·16	21
22	·03	-	·22	-	-	·02	-	-	-	·08	-	·47	22
23	-	·15	·05	-	-	·86	-	-	·29	-	·04	·12	23
24	-	·14	-	-	-	·03	·04	-	-	177	-	·20	24
25	-	·03	·01	·03	-	·19	·16	·05	·03	·05	-	·03	25
26	-	-	·12	·18	·07	·20	-	-	-	·12	·02	·24	26
27	-	·34	·15	·04	-	-	-	-	·12	·02	·05	·10	27
28	-	·12	-	·23	-	-	·14	·10	-	-	·06	·01	28
29	-		-	·25	-	·23	·16	-	·12	·22	-	-	29
30	-		-	·01	-	·04	-	·86	·02	·24	-	-	30
31	-		-		·25		-	-		·02		-	31
Total	1·32	1·31	2·23	2·38	1·25	2·29	·53	2·06	1·14	4·20	4·19	5·69 5·69	28·59 for Year 28·59
No. of Rain Days.	11	13	18	14	8	10	5	6	9	16	22	26	158

W. 8,000, X. '11.

Smale

cwd for auth 5. 4. 13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
24 JAN 1913

Kept at Beckenham Ext

in the County of Kent 55

by J. A. Angell Engineer & Surveyor

Lat. 51·24 Long. 0°. 2' W.
Time of Observation 9 am
Nearest Railway Station Beckenham & Clock House
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	·15	-	-	·19	·31	-	·06	·70	-	·26	1
2	-	·03	·35	·02	-	-	·34	-	-	·05	-	-	2
3	·06	·22	·06	-	-	·10	·02	·40	-	-	·02	·09	3
4	·22	-	·76	-	·19	·22	-	·04	-	-	·20	-	4
5	·14	·05	·07	-	-	-	-	·30	-	-	·10	-	5
6	·56	·04	-	-	·02	-	-	·13	-	-	·01	·17	6
7	-	-	-	-	·09	·90	·12	·20	-	-	-	·05	7
8	·30	·41	·26	-	-	·05	·04	·35	·01	-	-	·01	8
9	·02	·10	-	·06	-	·30	-	·02	-	-	·01	·10	9
10	·02	·05 ~~·06~~	-	-	-	-	-	·49	·03	-	·16	·28	10
11	·05	·31	-	-	-	·05	-	·06	·02	·01	·02	·21	11
12	·04	·12	·07	-	·10	·15	-	·02	-	-	·02	·05	12
13	·02	·03	·01	-	·00	-	-	·06	-	-	·10	-	13
14	-	-	-	-	·03	-	-	·05	-	·08	-	·02	14
15	·02	·01	·20	-	·41	·71	-	-	-	~~·03~~	·08	·41	15
16	·39	-	·07	-	·05	·20	-	·10	-	·03	·05	-	16
17	·50	-	·35	-	-	·05	-	·06	-	-	·02	·08	17
18	·05	-	·17	-	-	-	-	·05	-	·07	·01	·13	18
19	·14	·09	·14	-	-	-	·03	·31	-	-	-	-	19
20	·02	·02	·49	-	-	-	-	·08	-	·48	·05	-	20
21	·22	·02	·40	-	·01	-	-	·10	-	·10	·05	-	21
22	·22	·13	·06	-	·04	-	·16	·12	-	·01	-	·04	22
23	·43	·39	·37	-	·02	-	-	·46	-	·07	·21	·13	23
24	·28	·02	-	-	-	·11	·04	·23	-	-	-	·17	24
25	·25	-	-	-	-	·23	-	1·09	-	-	·33	·53	25
26	·01	·05	-	-	-	-	-	·46	-	·26	·43	·27	26
27	-	-	-	-	-	-	·03	-	-	·15	-	·13	27
28	-	·05	-	·01	-	·08	·16	·05	·05	·46	·65	·11	28
29	-	·03	-	-	-	·06	·35	·15	1·45	·11	·09	-	29
30	-		-	-	·46	·14	·01	·14	1·65	·35	-	-	30
31	·03		·06		-		·10	·12		·04		-	31
Total	3·77	2·17	4·04	·09	1·42 1·41	3·54	1·71	5·64	3·27	2·97	2·61	3·24	YEAR'S TOTAL 34·4[illegible]
Rain Days	22	20	18	3	112	16	13	27	7	16	20	20	193

W. 7,500, XI. 12

11

4

Bayard a.

Cor. by Bayard. 31. III. 14.

21 MAR 1914

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Beckenham ~~W~~ DSS

in the County of Kent 5

by Beckenham Urban District Council
J. A. Angell

Lat. 51·24 Long. 0° 2 W

Time of Observation 9.– am.

Nearest Railway Station Beckenham Junc, & Clock House.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	29	·03	·20	-	-	·	-	·26	·02	·04	·14	1
2	·08	·18	-	-	·	-	·07	-	-	·23	·05	-	2
3	-	-	·01	·36	·25	-	-	-	-	-	-	·12	3
4	·22	-	·01	·05	·23	-	·09	-	·01	·16	·01	·10	4
5	·40	-	·01	-	-	-	·08	-	·46	·02	·03	·20	5
6	·04	·01	·10	-	·02	·07	·11	-	01	·15	·20	·09	6
7	-	·15	-	-	-	·	·05	·30	-	·40	·10	-	7
8	-	·02	·03	-	·15	·05	-	-	-	·05	·04	-	8
9	-	·12	-	·01	·03	·02	-	-	·12	-	·04	·02	9
10	·02	-	·26	·18	-	-	-	·02	-	-	·43	-	10
11	·32	-	-	·42	·20	-	-	-	-	·71	·24	-	11
12	-	·01	-	-	·02	-	-	-	-	·01	·40	-	12
13	·10	·01	·05	-	-	-	-	·01	-	-	·23	-	13
14	·09	-	·13	·10	-	-	·20	·09	·03	·13	·07	-	14
15	·41	09 ·09	·38	·23	-	·	·26	-	·04	-	·03	-	15
16	·15	-	·35	·15	-	·02	·01	-	·55	-	-	-	16
17	·05	SNOW ·08	·12	·03	-	·	·14	-	-	·	-	-	17
18	-	-	·12	·10	-	·	-	-	-	-	·05	-	18
19	·24	-	·23	·	-	·02	·16	-	·07	-	-	·	19
20	·26	-	·54	·05	-	·06	-	·	-	·56	·01	·	20
21	·04	-	·20	·03	-	-	·08	-	-	·32	·71	·	21
22	·36	-	34	·12	-	-	-	02	·14	-	-	-	22
23	-	-	·07	-	-	·02	-	·25	·03	·01	-	·40	23
24	·03	-	·02	·01	-	·01	-	·15	-	-	·04	·	24
25	-	·02	-	·23	-	-	-	-	-	·	-	·	25
26	-	·04	·22	·04	-	-	·01	·27	-	·91	·	·20	26
27	-	·01	·05	·13	·01	-	-	-	-	·04	·	·	27
28	·49	-	·26	·04	-	-	-	-	·	·20	·	·	28
29	·06		·05	·35	·29	-	-	·07	-	·04	·	·01	29
30	34		-	·10	-	-	-	·29	-	·14	·	·	30
31	—		·01		-		-	1·08		·07		·	31
Total	3·72	1·01 ~~1·02~~	3·59	2·93	1·20	0·27	1·26	2·55	1·72	4·17	2·72	1·28	YEAR'S TOTAL ~~26·43~~ 26·42
Rain Days.	20	1 snow 12 13	24	21	9	8	12	11	11	19	18	9	174 175

W.7,000, XI. 13

S/m Croydon Tables 84 P/L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 3 - MAR 1915

Kept at Beckenham Recreation Ground

in the County of Kent 5

by F C Bayard J. A. Angell

Lat. Long.

Time of Observation

Nearest Railway Station —

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02				.01	.20			.02	.03	1
2	.02						.13	.28			.13	.26	2
3	.01		10	.05	13		.12	.03			.01		3
4	.06		.03	.18				.04			.26	.32	4
5	.09		.04	.28	.11	.04	.26	.74			.03		5
6		.10	.01	.17		.27	.03	.02			.10	.15	6
7		.59	.24	.18	.48	.08	.17					.09	7
8	.12	.42	.47	.02		.09	.34	.08	.02			.05	8
9	.25		.87	.08		.06			.12			1.42	9
10	.02	.06	.07	.03	.06				.06		.01	.04	10
11		.65	.36		.04	.06			.26	.01	.12	.42	11
12	.02	.10	.16				.14		.14	.08	02	.53	12
13		.26	.17						17	.33	.10	.75	13
14		.09	.19			1.58	.37				.05	.52	14
15	.05	03	.20				.12	.09			1.10	.06	15
16			.04						.05				16
17		.32	.12						.02			.12	17
18		.10	.20								.02	.36	18
19		06	.25			.03	.12		.03	.01	.24	.37	19
20		.23	.40			.06			.08			.07	20
21		.87	.11							.01		.04	21
22		.05	.02	.02	23	.09	.18	.02		.05			22
23			.12		.17	.08	.07			.03		.03	23
24	.02		.18	.01						.01	.10		24
25	.02		.24				.03	.10		.24	.01	.11	25
26			.06				.04	.11		.05	.21	.56	26
27	.03		.02					.03			.04	.20	27
28	.02	.02								.05	.34	.81	28
29	06		.04							.40	.15		29
30		X	.03							.07	.47	.19	30
31		X		X	.27	X	.02		X	.01	X	.06	31
Total	.79	3.95	4.76	1.02	1.49	2.44	2.15	1.74	.95	1.35	3.53	7.56	YEAR'S TOTAL 31.73
Rain Days.	14	16	28	10	8	11	16	12	10	14	21	25	185

W. 8,000. X. 14.

cndly Obr. 26.11.16

489

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Beckenham

in the County of Kent

by Mangell Cr

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·59	·10	·02	-	04	-	-	05	05	03	43	41	1
2	·17	·21	21	15	01	02	-	90	-	06	-	06	2
3	·41	-	06	·19	04	-	-	39	02	-	-	63	3
4	·07	-	-	-	-	-	-	-	-	-	-	26	4
5	05	58	-	-	03	-	-	01	-	04	-	32	5
6	42	03	-	38	02	-	35	-	-	-	-	11	6
7	25	38	01	-	-	-	26	03	-	-	-	17	7
8	13	75	01	16	-	-	14	48	-	-	-	-	8
9	02	03	-	15	-	09	-	05	-	05	27	76	9
10	19	-	-	-	-	-	-	-	-	-	-	26	10
11	03	-	·01	-	-	-	-	-	-	-	55	04	11
12	05	04	-	45	46	-	-	35	-	04	49	01	12
13	-	73	-	-	1 36	-	-	65	-	-	-	-	13
14	-	03	-	-	-	-	29	18	02	-	-	27	14
15	09	-	-	-	05	-	~~29~~	28	-	-	20	10	15
16	-	42	-	02	01	-	56	12	-	-	-	23	16
17	-	39	-	-	(·82) 82	-	05	63	-	-	-	-	17
18	-	08	08	-	42	-	-	-	-	-	08	-	18
19	-	26	-	02	02	-	07	-	-	04	-	-	19
20	28	-	-	-	01	-	-	-	-	-	-	30	20
21	20	-	-	01	-	-	03	-	-	03	-	08	21
22	1·26	10	15	03	-		·87	-	-	-	-	07	22
23	-	46	04	03	-	07	30	-	04	52	-	34	23
24	01	01	03	·26	-	-	21	-	23	25	-	33	24
25	-	-	06	01	-	-	31	-	-	-	-	28	25
26	01	03	-	-	-	19	03	-	-	-	-	49	26
27	-	01	-	-	-	16	13	-	-	21	-	19	27
28	-	04	-	-	-	03	-	-	1·94	20		-	28
29	-	-	-	-	-	69	-	11	-	01	14	-	29
30	03	X	-		-	-	-	-	02	02	37	01	30
31	01	X	-	X		X			X	97	X	·35	31
Total	4·27	4·68	·68	1·86	3·29 ~~2·99~~	·65	3·60	4·23	2·32	2·47	2·53	5·98	YEAR'S TOTAL 36·56 ✓
Rain Days.	20	20	11	13	13	7	14	14	7	14	8	24	165 ✓

W. 8,000. X. 15.

RAILWAY STN BECKENHAM JUNCTION.

TELEPHONE 95 BROMLEY.

Beckenham Urban District Council.
Surveyor's Department.

JOHN A ANGELL, A.M.I.C.E.
ENGINEER & SURVEYOR TO THE COUNCIL.
ARCHITECT TO THE EDUCATION COMMITTEE.
In attendance at Office 10 to 11 am.

25th, February, 1916.

Dear Sir,

RAINFALL.

In reply to your letter of the 24th inst. I have turned up the Rainfall Records and regret to find that the entry of .52 for May 17th, is incorrect. The reading should be .82, a Printer's error having changed the 8 into a 5.

Regretting the trouble you have been put to.

Yours faithfully,

John A. Angell

Carle Salter Esq.,
62, Camden Square,
London, N.W..

Said 84

477

REGISTER OF RAINFALL IN 1916

FORM A, BRITISH RAINFALL.

30

Kept at Beckenham

in the County of Kent.

by J.A. Angell.

Lat. 51° 24 Long. 0 24

Time of Observation 9 a.m.

Nearest Railway Station ~~Beckenham Junction.~~ Clock House

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11	-	-	-	.60	-	-	-	.20	.16	.28	-	1
2	.28	.10	.12	-	.34	-	.04	-	.10	.34	.09	-	2
3	-	.98	.23	-	-	-	.03	-	.12	.21	.65	-	3
4	.27	.12	.01	.04	-	.29	-	-	.10	-	.66	-	4
5	.11	-	-	-	.16	.14	-	-	-	.07	.76	-	5
6	.-	.05	.58	.37	.03	.40	.03	-	-	.03	.70	-	6
7	.06	-	.71	-	.19	.20	.40	-	-	.02	1.62	.08	7
8	-	-	.03	-	.26	-	-	-	-	-	-	.41	8
9	.01	-	-	-	.17	-	.02	-	-	.07	-	.16	9
10	-	.22	-	.07	-	.35	.06	-	.02	-	-	.10	10
11	.04	.16	.05	.13	-	1.33	-	-	-	-	-	-	11
12	.02	.04	-	.06	.37	.22	.05	.04	-	.07	.01	-	12
13	-	.27	.27	.12	.05	.02	.17	.07	-	.05	-	-	13
14	-	.43	.01	-	.13	-	-	.20	-	-	-	.08	14
15	-	.26	.24	-	-	-	.06	.30	-	.01	-	.06	15
16	.01	.03	.16	.16	-	-	.18	.04	-	-	-	-	16
17	.07	.12	-	.03	-	-	.04	.33	.45	.63	-	-	17
18	.01	.12	.03	.47	-	-	-	.47	.09	.25	.85	.01	18
19	.05	.09	.14	.15	-	-	-	-	.09	-	.71	.04	19
20	.14	-	.26	.03	--	-	-	.20	-	-	.17	.47	20
21	-	-	.51	-	-	-	.09	-	-	-	.02	.44	21
22	-	.01	.09	-	-	.02	-	-	-	.01	-	.34	22
23	.02	.62	.02	-	-	.05	-	-	-	.04	.04	.14	23
24	-	.08	-	-	.08	-	-	.03	-	.16	.05	.40	24
25	-	.84	.15	-	-	-	-	.30	-	.07	.01	-	25
26	--	.21	.10	-	-	.14	-	.18	-	.13	-	.03	26
27	.03	-	.78	-	-	.89	-	.51	-	.86	-	-	27
28	-	.42	.31	-	-	.03	-	.04	.01	.01	-	.21	28
29	-	.08	-	-	-	.20	-	.87	.05	.38	-	.25	29
30	-	X	-	-	.06	-	-	.18	-	.36	-	-	30
31	-	X	-	X	-	X	-	.08	X	.10	X	.03	31
Total	1.23	5.25	4.80	1.63	2.44	3.28	1.15	3.84	1.23	4.03	6.02	3.25	YEAR'S TOTAL 38 15
Rain Days.	15	21	21	11	12	14	12	16	10	22	15	17	186

W. 8,000, VIII. 16

✓ Early 455

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

28. FEB 1[illegible]

Kept at Beckenham, Recreation Ground

in the County of Kent

by F. C. Bayard, J. A. Angell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·02	·19				1·56	·05		·10		1
2				·51		·03		·24			·08		2
3	·02			·16			·04	·39		·17	·21		3
4		·22	·10				·38	·13		·53			4
5	·28	·02	·06	·37				·02	·56	·19	·06		5
6			·08	·09		·05			·31	·03	·09		6
7	·17						·15			·28		·03	7
8	·11			·12			·67	·14	·06	·27	·15	·21	8
9	·02		·02	·06			·07	·10	·01		·06	·55	9
10	·19		·06	·15				·05				·04	10
11	·08	·01	·53	·17					·27	·21			11
12	·11	·01	·04	·08				·04		·47		·02	12
13	·06		·12	·08				·02	·03	·08			13
14	·01		·03	·18				·01			·01		14
15	·09			·02			·26	·49		·05		·05	15
16	·05	·23		·14	·26		·32			·17	·01	·53	16
17				·12	·71		·26	·10	·39	·12			17
18	·04	·07		·13	·05	·01	·35	·08	·17	·10			18
19	·02	·15	·08		·10	·02			·16				19
20	·03	·16	·05		·73		·04				·05		20
21	·03	·02	·03	·02	·01						·04		21
22			·03					·19		·12			22
23		·14			·20	·02		·08		·08		·02	23
24	·01	·02				·10	·03	·01		·12	·03	·03	24
25			·04			·01				·04	·05		25
26			·03					·31	·03	·01	·60		26
27			·04					·87				·02	27
28		·02				1·81		·04		·01		·06	28
29					·15	·30	·16	·03		·38		·18	29
30	·02	×	·31				2·65	·10		·02		·06	30
31	·10	×	·10	×		×	·72	·01	×		×	·02	31
Total	1·44	1·10	1·77	2·59	2·21	2·35	6·10	5·01	2·04	3·45	1·54	1·82	YEAR'S TOTAL 31·42
Rain Days.	19	13	19	17	8	9	14	23	11	21	14	14	182

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Beckenham,
in the County of Kent
by Beckenham Urban Dist: Council

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Stations Clockhouse Stn: Beckenham Junction.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	–	·05	–	–	–	·02	–	–	·26	·10	1
2	·02	·06	–	·03	–	–	–	·29	–	–	·18	·12	2
3	–	·02	·11	·05	·38	–	–	·03	–	·02	·60	·05	3
4	–	·01	·15	–	–	–	–	·04	·29	–	·43	–	4
5	–	·04	·02	–	·21	–	–	·11	1·23	·06	–	–	5
6	·26	·13	–	·28	·24	–	–	·03	·17	·03	–	·10	6
7	·05	·05	–	·16	·35	–	–	–	·07	·05	·04	·02	7
8	–	·04	–	–	–	–	–	–	·05	·02	·18	·03	8
9	·03	·01	–	·10	–	·07	·26	–	·37	·10	·02	·27	9
10	·01	–	–	·16	–	·02	·29	–	·03	·04	·05	·32	10
11	·01	–	–	·06	·03	–	1·12	–	·05	·30	·19	·17	11
12	–	·03	–	–	·27	–	·59	–	·04	·01	–	·03	12
13	·07	·02	–	·03	·12	–	·06	–	·07	–	–	–	13
14	·10	–	·02	·01	–	·54	·04	–	·10	·15	–	·21	14
15	1·42	–	–	·78	–	·04	·78	–	–	–	–	·10	15
16	·41	–	–	·26	–	·08	·02	–	·04	–	–	–	16
17	·32	–	–	·15	–	–	1·31	·04	–	–	–	·11	17
18	·46	–	–	–	·05	·12	·04	–	·52	·45	–	·20	18
19	·07	–	·05	·10	·01	·08	·10	–	·01	·18	–	·08	19
20	·03	·11	–	·82	–	·02	·23	–	·38	·37	·01	·05	20
21	·11	–	–	·48	–	–	–	–	·38	·12	–	·02	21
22	·02	–	–	·03	·43	–	·22	–	·12	–	–	·18	22
23	·02	–	–	·01	·22	–	·62	·09	·03	–	·03	·05	23
24	·01	·36	–	–	–	·05	·39	–	·19	–	·01	–	24
25	–	–	–	·81	–	–	·23	·24	–	·01	·06	·02	25
26	–	–	–	–	–	–	·46	·04	–	·08	·10	·10	26
27	–	·02	–	·15	–	–	·06	·17	·06	–	·14	·06	27
28	·03	·01	·20	·11	–	·02	–	·04	–	–	·26	·12	28
29	–		·02	–	–	–	–	–	1·36	–	·03	–	29
30	–	×	·47	–	–	–	–	–	·09	·04	·03	·18	30
31	·02	×	·10	×	–	×	–	·03	×	·07	×	·01	31
Total	3·46	·92	1·14	4·63	2·31	1·04	6·82	1·17	5·64	2·10	2·92	2·70	YEAR'S TOTAL 34·85
Rain Days.	20	15	9	21	11	10	18	13	22	18	18.	25	200.

W. 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at Beckenham,
in the County of Kent
by Beckenham Urban District Council.

Lat. 0° 2′ – W Long. 51° — 24
Time of Observation 9 a.m.
Nearest Railway Station Clock House ~~Beckenham Junc.~~
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·13	—	—	·01	—	·13	—	—	·10	·15	1.01	1
2	·21	—	—	—	·09	—	·16	·05	—	·04	·14	·18	2
3	·25	—	·76	—	·01	—	·16	—	·08	—	·06	·40	3
4	·12	—	·66	—	—	·10	·26	·01	—	—	·03	·26	4
5	·03	·41	·96	—	—	—	—	—	·02	—	·04	·29	5
6	·05	—	·05	—	—	—	—	—	—	·02	—	·10	6
7	·03	—	·27	—	—	—	—	—	—	—	·06	—	7
8	·22	—	·06	·01	—	—	—	—	—	—	·03	—	8
9	·28	—	·02	·07	·01	—	—	—	—	—	·04	—	9
10	·12	—	·03	·02	—	—	—	—	—	·01	—	·02	10
11	·05	—	·09	·37	—	—	·27	—	—	—	—	·01	11
12	·02	—	·05	·07	—	·01	·17	—	—	·06	—	—	12
13	·01	·02	—	·38	—	—	—	—	·03	·06	—	·03	13
14	·26	—	—	·33	—	—	·06	—	·50	—	—	·02	14
15	·21	·02	·06	·11	—	—	—	—	—	·02	—	·16	15
16	·15	·60	—	—	—	—	—	—	—	—	·13	·06	16
17	—	·70	·07	·01	—	—	—	—	—	—	·17	—	17
18	·02	·42	·06	—	—	—	—	—	·05	—	·10	·05	18
19	—	·07	·41	·01	—	·21	·43	·33	·05	—	·10	·05	19
20	·08	·08	·03	—	—	·84	·48	·15	·01	—	·02	·02	20
21	·27	·27	·02	—	—	—	·08	—	—	—	·03	·01	21
22	—	·06	·02	—	—	—	·28	—	·23	—	·03	·28	22
23	—	—	—	—	—	·01	·01	·03	·08	—	·02	·02	23
24	—	—	—	·32	—	·02	·06	—	—	·17	·07	—	24
25	·04	·02	—	—	—	—	—	·17	—	—	—	·05	25
26	·10	·28	·10	·08	—	—	—	·19	·09	—	·01	·24	26
27	·32	·12	·04	1.20	—	—	·03	·30	—	—	·03	·05	27
28	—	·01	·54	·04	—	·01	·04	·92	—	—	·31	·27	28
29	·06		—	·02	—	·01	—	·68	—	·36	·05	·09	29
30	—		—	·28	—	·15	—	·42	—	·07	·19	·49	30
31	·14		·03		—		·04	—		·04		·14	31
TOTAL	3·26	3.21	4·33	3.32	·12	1·36	2.66	3.25	1·14	·95	1·81	4·30	YEAR'S TOTAL 29.71
Days with ·01 in. or more	24	15	21	16	4	9	16	11	10	11	22	25	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W [illegible] [illegible] ·408

T.B. JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Beckenham

in the County of Kent

by Beckenham U. D. Council

Lat. 51° 24 Long. 0° 24
Time of Observation 9 a.m
Nearest Railway Stations Beckenham Junc. & Clock House
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	–	–	·22	·01	–	·30	–	–	·49	–	·26	1
2	–	–	·17	–	–	–	–	·35	·05	·08	–	·05	2
3	–	·05	–	·02	–	·03	·02	–	·10	·04	–	·04	3
4	–	·10	–	·17	–	–	·35	·03	·01	·06	–	·04	4
5	–	~~·10~~ ·01	·10	–	·05	–	·54	·09	·05	–	–	·03	5
6	–	–	·28	–	·19	–	·22	–	–	–	·01	·04	6
7	·03	·01	·02	·22	·03	–	·19	–	–	·01	–	·03	7
8	–	–	–	·11	·10	–	·18	–	–	–	–	–	8
9	·27	·05	–	·01	–	–	–	–	–	–	–	–	9
10	·45	·04	·08	·02	–	·13	·16	–	–	–	·05	·02	10
11	·12	–	·06	·23	·01	·03	·35	–	–	–	–	·29	11
12	·08	–	–	·15	–	·86	–	–	–	–	·01	–	12
13	·27	–	·15	·07	–	–	–	–	–	–	·02	·03	13
14	–	·01	·26	·15	–	·12	–	–	·10	·02	·18	·01	14
15	·01	–	·07	·32	–	–	–	–	1·32	·06	·05	·01	15
16	·01	–	·02	·05	–	·04	–	–	·15	·01	·01	–	16
17	·01	–	–	–	·13	·06	–	–	·35	–	·02	·07	17
18	·03	–	–	·05	·02	–	–	1·20	·18	–	–	·07	18
19	·16	–	–	·28	–	·04	–	·02	–	–	–	·08	19
20	·07	·31	–	·19	–	·52	–	–	·15	–	–	–	20
21	–	–	–	–	–	–	·76	·03	·73	–	–	·04	21
22	–	–	–	·37	–	–	–	–	·49	–	–	·36	22
23	–	–	–	–	–	–	·45	–	–	–	–	·26	23
24	·01	·01	·03	·02	–	–	–	–	–	–	·02	·01	24
25	–	·03	·01	·04	–	–	·12	–	·01	–	·01	–	25
26	·04	–	·33	·03	–	·01	·04	–	–	–	–	·02	26
27	·29	·07	–	·22	–	·19	·11	–	–	–	·36	·07	27
28	·38	–	·15	·19	·06	–	·10	–	–	–	·02	·03	28
29	·63	–	·04	·02	–	–	·01	–	–	–	·04	·13	29
30	·02		–	–	·03	·01	·11	–	·38	–	·20	·12	30
31	·01		–		·03		–	–		·34		·08	31
TOTAL	2·95	~~·78~~ ·69	1·77	3·15	·66	~~1·94~~ 2·04	4·01	1·72	4·07	1·11	1·00	2·19	YEAR'S TOTAL ~~25·35~~ 25·36
Days with ·01 in. or more	20	11	15	23	11	12	17	6	14	9	14	25	177
Days with ·04 in. or more	12	6	11	17	5	8	15	3	12	6	6	16	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

3 - FEB 1912

REG

BENENDEN

NATIONAL SANITORIUM

KENT

1911, 14, 16-20

Kept at The Nationa ... len
... in.
in the County of Ke ... und ... ft. 12 in.
... Level ?190 ft.
by Dr. J. D. Ma ... en
... me Biddenden
... stance 3m Direction ...

IMPORTANT NOTE. ... he result entered to the previous day. If an Obse ... sal rule, he is earnestly requested to add the readi ... r in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in ' ... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·76				·11			·05	·02	1
2			·03	·01	·31						·15	·25	2
3	·01	·02			·13						·11	·26	3
4	·24	·03	·06	·09						·26	·32	·19	4
5	·09	·02		·17						·44		·14	5
6	·22			·01						·04		·48	6
7			·06							·76	·61	·39	7
8	·14		·11	·03							·65	·22	8
9	·18		·07								·36	·07	9
10		·12	·01	·11						·02	·02	·90	10
11	·57										1·27		11
12			·78								·10	·02	12
13			·01		·41				·38	·14	·08	·25	13
14		·06	·02		·05	·05					·01	·37	14
15		·04	·35			·46				·10	·16	·03	15
16										·10	·52	·11	16
17			·05								·25	·11	17
18		·16		·01							·85	·28	18
19		·02				·02			·10	·19	·16	·18	19
20						·01		·66	·11	·15		·70	20
21		·14						·01		·58		·24	21
22	·07		·22			·06		·05		·75	·01	·52	22
23			·02			·94			·33	·45	·07	·19	23
24		·13				·07	·10	·02		·35		·34	24
25		·03	·05	·09		·07		·04	·04		·04		25
26	·02		·37	·23		·29				·33	·08	·27	26
27		·25	·07	·10					·15	·48	·01	·05	27
28		·29	·01	·19							·03		28
29				·14		·10	·50		·22	·34	·01		29
30									·04		·01		30
31													31
Total	1.54	1.31	2.29	1.94	·90	2.07	·60	·89	1.37	5.48	5.93	6.60	TOTAL for year 30.92
No. of Rain Days.	9	13	17	13	4	10	2	6	8	17	25	25	149

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.

3 - FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at The National Sanatorium Benenden

in the County of Kent

by Dr. J. D. Macfie

Rain Gauge
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
" " " Sea Level ?190 ft.

Time of Observation 9 Am

Nearest Railway Station
Name Biddenden
Distance 3m Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·76				·11			·05	·02	1
2			·03	·01	·31						·15	·25	2
3	·01	·02			·13						·11	·26	3
4	·24	·03	·06	·09						·26	·32	·19	4
5	·09	·02		·17						·44		·14	5
6	·22			·01						·04		·48	6
7			·06							·76	·61	·39	7
8	·14		·11	·03							·65	·22	8
9	·18		·07								·36	·07	9
10		·12	·01	·11						·02	·02	·90	10
11	·57										1·27		11
12			·78								·10	·02	12
13			·01		·41				·38	·14	·08	·25	13
14		·06	·02		·05	·05					·01	·37	14
15		·04	·35			·46				·10	·16	·03	15
16										·10	·52	·11	16
17			·05								·25	·11	17
18		·16		·01							·85	·28	18
19		·02				·02			·10	·19	·16	·18	19
20						·01		·66	·11	·15		·70	20
21		·14						·01		·58		·24	21
22	·07		·22			·06		·05		·75	·01	·52	22
23			·02			·94			·33	·45	·07	·19	23
24		·13				·07	·10	·02		·35		·34	24
25		·03	·05	·09		·07		·04	·04		·04		25
26	·02		·37	·23		·29				·33	·08	·27	26
27		·25	·07	·10					·15	·48	·01	·05	27
28		·29	·01	·19							·03		28
29				·14		·10	·50		·22	·34	·01		29
30									·04		·01		30
31													31
Total	1.54	1·31	2·29	1.94	·90	2.07	·60	·89	1·37	5.48	5.93	6.60	TOTAL for year 30.92
No. of Rain Days.	9	13	17	13	4	10	2	6	8	17	25	25	149

W. 8,000, X. '11.

recd Dec 30 referred 17·II·15 slip made 1/3/ Cordy obr 18·11·15 W LMcC

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Benenden Sanatorium

in the County of Kent

by Wm J Cox M.B. DPH

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Biddenden

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06			·33							1
2							·2				·23		2
3			·15				·22	·10					3
4											·33	·28	4
5	·18			·42				·30					5
6		·10		·24			·27					·60	6
7		·63		·29								·26	7
8	·07	·32	·92	·03		·10	·05	·05			·60	·15	8
9	·27		·83			·32						1·30	9
10						·1	·06						10
11		·37		·12					·15			·50	11
12		·04	·42	·12			·60		·25			·75	12
13		·48	·46									·60	13
14		·54	·96							·25		·25	14
15			·32						·40	·30		·05 05	15
16		·18	·07				·25					·11 11	16
17		·26	·18									·51	17
18		·09	·07				·03		·32				18
19		·17	·92		·50						·30	·52	19
20		·21	·07				·20			·32		·05	20
21		1·07					·01	·35					21
22		·07											22
23			·73		·05		·31			·26	·15		23
24						·55	·02				·05		24
25	·14		·26		·15					·41	·18		25
26			·10								·14		26
27												1·15	27
28			·10							·45	·30		28
29	·10				·05					·92	1·70	·40	29
30		X								·14		~~1·80~~	30
31		X		X		X			X		X	·42	31
Total	·76	4·53	~~5·72~~	1·22	~~·30~~	1·40	~~2·30~~	·80	1·12	3·05	3·98	~~8·99~~	YEAR'S TOTAL ~~34·17~~
Rain Days.	~~5~~	~~14~~	~~17~~	~~6~~	~~4~~	~~5~~	~~12~~	~~4~~	~~4~~	~~8~~	~~10~~	~~19~~ 17	~~104~~
W. 8,000. X. 14.			5·92		·75		2·22					7·90	33·65

Stations { Biddenden, 3 miles.
Headcorn, 7 "
Cranbrook, 7 "

Telegrams:
Sanatorium, Benenden, Kent.

NATIONAL ASSOCIATION FOR THE ESTABLISHMENT & MAINTENANCE OF SANATORIA FOR WORKERS SUFFERING FROM TUBERCULOSIS
1905

WM. J. COX, M.B., D.P.H.,
MEDICAL SUPERINTENDENT.

20 FEB 1915

THE NATIONAL SANATORIUM.

President - H.R.H. PRINCESS CHRISTIAN OF SCHLESWIG-HOLSTEIN.

BENENDEN,
KENT,

Feby 18 1915

Carle Salter Esq re

Dear Sir,

I am in receipt of your letter re rainfall record here.

I am sorry there were several errors.

With regard to the Record of 7.8" on Decr 30, I believe this was an error.

This amount of water was actually brought in to me in the bottle used for the purpose, but possibly it was put in the guage by accident or else as a hoax!

I remember the large amount when it was brought in, as I was surprised at the time.

Yours sincerely
Wm J Cox

I enclose the Register

FORM A.
BRITISH RAINFALL.

20 FEB 1915

Copy REGISTER OF RAINFALL IN 1914.

Kept at Benenden Sanatorium
in the County of Kent
by Wm. J. Cox, M.B., D.P.H.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Biddenden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground [illegible] ft. in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06		–		–					–	1
2			–		–		·20					–	2
3			·15		–		·22					–	3
4			–		–		–					·28	4
5			–		–		–					–	5
6			–		–		·27					·60	6
7			–		–		–					·26	7
8			·92		–		·05					·15	8
9			·83		–		–					1·30	9
10			–		–		·06					–	10
11			–		–		–					·50	11
12			·42		–		·60					·75	12
13			·46		–		–					·60	13
14			·26		–		–					·25	14
15			·32		–		–					·05	15
16			·07		–		·25					·11	16
17			·18		–		–					·51	17
18			·07		–		·03					–	18
19			·92		·50		–					·52	19
20			·07		–		·20					·05	20
21			–		–		·01					–	21
22			–		–		–					–	22
23			·73		·05		·31					–	23
24			–		–		·02					–	24
25			·26		·15		–					–	25
26			·10		–		–					–	26
27			–		–		–					1·15	27
28			·10		–		–					–	28
29			–		·05		–					·40	29
30		×	–		–		–					~~·60~~?	30
31		×	–	×	–	×	–		×		×	·42 WmJC	31
Total			5·72		·30		2·30					~~8·79~~ 7·90	YEAR'S TOTAL
Rain Days.			adds to 5·92		adds to ·75		adds to 2·22					adds to ~~9·08~~ [illegible]	

W. 8,000. X. 14.

cord for wrong glass. Exd

FORM A.
BRITISH RAINFALL.
16. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at National Sanatorium Benenden Kent

in the County of Kent

by A. Nivan Robertson MD.

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Biddenden.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·09				·05	·01	·20		1
2	·06	·03			·04					·12			2
3	·11	·11	·18				·02		·08	·08	·16		3
4	·01	·05	·08			·01			·02	·01	·11		4
5	·07	·01	·01	·01	·03	·15	·01			·05	·18		5
6		·05		·16	·01	·12	·1			·02	·12		6
7	·01	·01	·26 snow		·12	·10	·05				·18	·01	7
8	·01	·01	·01		·03	·02						·08	8
9			·01		·12							·08	9
10		·09	·01	·02			·01					·25	10
11	·02	·11		·03		·10			·01			·07	11
12	·07	·05		·02	·14	·08	·03			·04			12
13		·08	·07	·01	·07	·06	·07			·01		·02	13
14		·16	·01	·01	·03	·08		·06		·01		·05	14
15		·06	·05									·01	15
16		·01	·05	·06			·09	·02				·01	16
17		·05	·01	·05			·09	·01	·14	·34			17
18	·06	·04	·01	·03				·06	·07	·21	·27	·02	18
19	·01	·01	·01	·06					·04		·35	·02	19
20	·10		·01	·02		·02		·01			·02	·13	20
21	·02		·08	·03							·01	·16	21
22	·01		·07	·01		·01				·01	·01	·25	22
23	·01	·07	·04			·03	·01	·05			·03	·04	23
24	·01	·25 snow								·15	·04	·11	24
25		·20 snow	·05					·19		·05	·03		25
26		·15 snow				·11		·18		·04			26
27		·11 snow	·25			·08				·24			27
28	·01	·26	·05					·03	·05	·06		·06	28
29		·09			·03	·11		·30	·02	·20		·15	29
30		X	·01					·11		·20			30
31		X		X		X			X	·06	X	·01	31
Total	~~·53~~ 1·36	~~2·06~~ 5·27	~~1·33~~ 3·60	~~·52~~ 1·33	~~·71~~ 1·82	~~1·08~~ 2·76	~~·48~~ 1·23	~~1·02~~ 2·61	~~·48~~ 1·23	~~1·91~~ 4·89	~~1·[illegible]~~ 4·38	~~1·53~~ 3·92	YEAR'S TOTAL ~~13·36~~ 34·20
Rain Days.	16	24	22	14	11	15	10	11	9	20	14	19	185

W. 8,000. X. 14.

Stations { Biddenden, 3 miles.
Headcorn, 7 ,,
Cranbrook, 7 ,,

Telegrams:
Sanatorium, Benenden, Kent.

NATIONAL ASSOCIATION FOR THE ESTABLISHMENT & MAINTENANCE OF SANATORIA FOR WORKERS SUFFERING FROM TUBERCULOSIS
1905

NIVEN ROBERTSON, M.D., D.P.H.,
MEDICAL SUPERINTENDENT.

THE
NATIONAL SANATORIUM.

President - H.R.H. PRINCESS CHRISTIAN OF SCHLESWIG-HOLSTEIN.

BENENDEN,
KENT,

May 12 1917

Dear Sir.

You will perhaps remember that an error occurred in the Rainfall Observations for the year 1916 made by the observer here. The error was due to the observer using an 8 inch measure for a 5 inch gauge.

As you will have the record sent at the end of 1916 I presume that you can correct the estimate of 1916 by some form of calculation. I think if this can be done the result will not be very far out. The total given was

13.36 inches.

If this were corrected in the above card would the result not be a total of about 22 - 23 inches.

I am,
Yours v truly.
Niven Robertson

Carle Salter Esq
Assist Director
British Rainfall Organization.
Camden Square.

P.S. I have found a copy of our Record for 1916 & enclose it for correction cnd/μWD Exd DL

308

FORM A. BRITISH RAINFALL.

9. JAN 19

REGISTER OF RAINFALL IN 1917

Kept at National Sanatorium Benenden

in the County of Kent.

by [illegible] Robertson MD. DPH.

Lat. — Long.

Time of Observation 9AM

Nearest Railway Station Biddenden K&ESR.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·15	–	–	–	·4	–	–			1
2	–	–	·02	·1	–	–	–	1·52	·12	–			2
3	–	–	–	·1	–	–	·18	·26	–	–			3
4	–	–	–	–	–	–	·16	·81	–	·17			4
5	·25	–	·17	–	–	–	–	·02	·25	·4			5
6	–	–	·07	–	–	·1	–	–	·05	·12			6
7	·25	–	–	–	–	–	·37	–	–	–			7
8	·07	–	–	·53	–	–	·46	·01	–	·65			8
9	·02	–	–	–	–	–	·10	·04	–	·32			9
10	·1	–	–	·15	–	·02	–	–	–	–		·10	10
11	·2	–	·43	·07	–	–	–	·11	–	–		·12	11
12	·1	–	·02	·02	–	–	–	·01	·09	·17		–	12
13	·02	–	·17	–	–	–	–	·13	–	·33		–	13
14	·12	–	–	·25	–	–	–	·03	·02	·34		–	14
15	·07	–	–	–	1·02	–	–	·08	·03			–	15
16	·15	–	–	·28	·25	–	–	·66	–			–	16
17	–	·12	–	·1	·48	–	·17	–	–			·48	17
18	·02	–	–	·07	·07	–	·20	–	·22			–	18
19	–	·05	·12	–	–	·03	–	·06	·13			–	19
20	–	·12	·1	–	·76	–	·01	·01	·11			–	20
21	–	·15	·02	–	·02	·07	–	–	·12			–	21
22	–	–	·17	–	–	·26	–	–	–			·25	22
23	–	–	–	–	·25	–	–	·09	–			–	23
24	–	·23	–	–	–	·02	–	·14	–			·25	24
25	–	·02	–	–	–	–	·01	·2	–			·02	25
26	–	·12	·07	–	–	·01	–	·21	–			·02	26
27	–	–	–	–	–	·07	–	–	·02			·05	27
28	–	–	·07	–	–	1·78	–	·96	–			·12	28
29	–	–	·02	–	–	·10	·01	·63	–			·05	29
30	·02	X	·17	–	–	·01	·96	·06	–			–	30
31	–	X	–	X	–	X	·46 ·40	·17	X		X	–	31
Total	1·39	·81	·15 1·62 1·77	~~1·82~~ 1·67	2·85	2·41	~~3·09~~ 3·49	6·61 6·21	1·16	✓ imp	…	imp	YEAR'S TOTAL
Rain Days.	13	7	~~14~~ 15	~~11~~ 10	7	11	~~12~~ 13	~~23~~ 22	11	–			

W. 8,000. X. 15.

Stations { Biddenden, 3 miles.
Headcorn, 7 ,,
Cranbrook, 7 ,,

Chairman: C. BUCKLAND.
Vice-Chairman: R. H. DAVIS.
Treasurer: WILLIAM DAVIS.
Hon. Secretaries: F. E. DURRANT, H. TROLLOPE.
Med. Supt.: A. NIVEN ROBERTSON, M.D., D.P.H.
Matron: MISS A. FERGUSON.
Steward: ALFRED SMITH.

THE
National Sanatorium Association

President - - H.R.H. PRINCESS CHRISTIAN.
Vice-President - H.H. PRINCESS HELENA VICTORIA.

TELEGRAMS:
SANATORIUM, BENENDEN.
NEAREST STATION:
BIDDENDEN, VIA HEADCORN
(S. E. & C. R.)

THE NATIONAL SANATORIUM,
BENENDEN,
KENT,

Jan. 8. 1918.

Dear Sir.

I regret very much that the record of Rainfall this year is incomplete owing to the neglect of one of the patients who was told off to carry out the duty of recording it during the time of omission.

At the same time I must to some extent blame myself for not noticing that he wasn't doing the work, but unfortunately, since the War more than ever, I have so many more important duties to perform that I am afraid Rainfall is regarded by myself as one of the minor duties of my position.

However I must admit I am very sorry because the general results of Rainfall observation are a source of interest to myself and it is the first time the record has been broken since 1910.

Perhaps one could get an approximate reading for the vacant period from the averages of other observers in this area who have been more careful.

If I am not called away for War Service I shall certainly see that the 1918 record is kept

I am

Yours v truly.

Niven Robertson.

Dr H. R. Mill.
62 Camden Sq.
NW 1.

B.c 02

FORM A.
BRITISH RAINFALL.
2·1·19

REGISTER OF RAINFALL IN 1918

Kept at National Sanatorium Benenden
in the County of Kent
by Nixon Robertson MD. MRCP.

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Biddenden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	–	·03	·01	–	–	–	–	–	·03	·20	·06	1
2	–	·02	·30	–	–	–	–	·29	–	–	·46	·16	2
3	–	·02	–	–	·14	–	–	·14	–	·05	·15	·01	3
4	–	·03	·03	·01	·02	–	–	·01	·24	–	·70	·01	4
5	·06	·11	·01	–	·10	–	–	·11	–	·04	–	·05	5
6	·06	·40	–	·18	·28	–	–	·28	·41	–	·05	·04	6
7	–	·09	–	·09	–	–	–	–	·61	–	–	–	7
8	·04	·02	–	·10	–	·04	–	–	·36	–	·10	·05	8
9	–	–	–	·08	–	–	–	–	·55	·33	–	·07	9
10	–	–	–	·14	–	–	·10	–	·69	·06	·01	·26	10
11	–	–	–	·01	·01	–	·04	–	·46	·75	·06	·06	11
12	–	·08	–	–	·14	–	·05	–	·07	·21	–	·04	12
13	·14	–	–	–	·01	–	·01	–	–	–	–	·15	13
14	·08	–	·02	·02	–	·06	·04	–	·17	·33	–	–	14
15	1·20	–	–	·06	–	·04	·02	–	–	·02	–	·24	15
16	·25	–	–	·02	–	–	·20	–	–	–	–	·05	16
17	·25	–	–	·04	–	–	·03	·02	–	–	–	·05	17
18	·30	–	·0	–	–	·05	–	–	·41	–	–	·05	18
19	·09	–	·06	·02	–	·03	·03	–	–	·13	–	·02	19
20	–	·10	–	·18	–	–	1·00	–	·21	·57	–	·04	20
21	·08	–	–	–	–	–	·33	–	·16	·04	–	·05	21
22	·08	–	–	·04	·04	–	·04	–	·55	–	–	·03	22
23	·08	–	–	–	·03	–	·57	–	·02	–	·01	–	23
24	–	·50	–	·02	·06	·03	·03	–	·21	–	·03	–	24
25	–	–	–	·00	–	–	·13	·11	–	–	–	·10	25
26	–	–	–	–	–	–	·30	·01	–	·02	·10	–	26
27	–	–	–	–	–	–	·50	·20	·10	–	·05	–	27
28	–	·09	·01	·04	–	·09	–	·12	·08	–	·25	·05	28
29	–	–	–	·08	–	–	–	·01	–	–	·04	·14	29
30	–	X	·08	–	–	–	–	–	1·02	·08	–	·01	30
31	–	X	·01	X	–	X	–	–	X	·03	X	·04	31
Total	2·76	1·46	·55	1·14	·83?	·34	3·42	·1·30	6·32	2·69	2·21	1·80	YEAR'S TOTAL 24·82
Rain Days.	14	11	9	18	10	7	17	11	18	15	14	25	169

corrd for MWD

288

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at National Sanatorium Benenden
in the County of Kent
by Niven Robertson. MD.

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station Biddenden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·02	–	–	·20	–	–	–	–	–	·85	·64	1
2	·01	–	–	–	·06	–	·28	–	–	·14	·03	·18	2
3	·03	·02	·07	–	·21	–	·20	–	·16	·02	·14	·24	3
4	·15	–	·40	–	·02	–	·23	·05	·04	–	·06	·07	4
5	·02	–	·33	–	–	·01	–	·01	–	–	·19	·30	5
6	·01	·23	·65	–	–	–	–	–	–	–	·05	·03	6
7	·10	–	·05	–	–	–	–	–	–	–	·03	–	7
8	·01	–	·53	–	–	–	–	–	–	–	·15	–	8
9	·02	–	·10	–	–	–	–	–	–	–	–	–	9
10	·09	–	·06	·10	–	–	–	–	–	–	·17	·01	10
11	·07	–	·08	·03	–	–	–	–	–	–	·05	·07	11
12	·10	–	·12	·27	·02	–	–	–	–	–	–	–	12
13	·10	–	–	–	–	–	·09	–	–	·01	–	·07	13
14	–	·01	–	·42	–	–	–	–	–	·01	–	·04	14
15	·01	–	–	·65	–	–	·25	–	·11	–	–	·12	15
16	·19	·02	–	·12	–	–	–	–	–	·12	·05	·05	16
17	·11	·07	–	–	–	–	–	–	–	–	·18	·04	17
18	–	·20	–	–	–	–	–	–	–	–	·10	·04	18
19	–	–	·02	–	–	–	·01	·14	·02	–	·04	–	19
20	–	·01	·55	–	–	–	·01	·17	·04	–	·10	–	20
21	·01	·01	·24	–	–	·42	·08	–	–	–	–	–	21
22	–	·03	·05	–	–	·05	·01	–	–	–	·01	·14	22
23	–	–	·01	–	–	–	–	–	·32	–	·04	·04	23
24	–	–	–	–	–	·02	·07	·05	·31	–	·03	–	24
25	–	–	–	·22	–	–	·02	·57	–	–	·15	·09	25
26	·01	–	–	–	·13	–	·01	·05	–	–	·10	–	26
27	–	·11	·10	·12	–	–	·10	·22	·07	–	·06	·40	27
28	–	·05	·05	·99	–	–	–	1·16	–	–	·45	·31	28
29	–	–	·18	·41	–	–	·03	·71	–	–	·12	·18	29
30	–	╳	–	·08	–	–	·01	·67	–	·27	·15	·52	30
31	–	╳	–	╳	–	╳	–	·03	╳	·14	╳	–	31
TOTAL	·02 ~~1·04~~ 1·06	– ~~·78~~ ·76	– 3·59	·20 ~~3·41~~ 3·61	– ~~·64~~ ·44	– ·50	(–) 1·40	3·83	1·07	·71	2·80	3·48	YEAR'S TOTAL 23·25
Days with ·01 in. or more	~~17~~ 18	~~12~~ 11	18	~~11~~ 12	~~6~~ 5	4	15	12	8	7	24	21	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cond for WD Jan–Dec. 269

FORM A. 1. METEOROLOGICAL OFFICE.–BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at National Sanatorium Benenden
in the County of Kent
by Niven Robertson . MD.

Lat. .... Long. ....
Time of Observation 9 AM.
Nearest Railway Station Biddenden.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	~~June~~	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	–	–	·24	·03	–	·06	–	·01	·81	·11	·02	1
2	–	–	·31	–	–	–	–	–	–	·49	–	·03	2
3	–	–	–	–	–	–	–	·42	·05	·06	–	·10	3
4	–	·08	–	·09	–	·03	·50	–	·01	·01	–	·08	4
5	–	–	–	–	·04	–	·45	·11	–	·01	–	·09	5
6	–	–	·30	–	·14	–	·18	·04	·03	–	–	·13	6
7	·05	–	–	·08	·09	–	·07	–	–	–	–	–	7
8	–	–	–	·05	·06	–	·27	–	–	·01	–	·02	8
9	·28	·01	–	·01	·11	–	·10	–	–	–	–	–	9
10	·63	·13	·09	·21	–	–	·07	–	–	–	–	–	10
11	·44	–	·04	·17	–	–	·24	–	–	–	·03	·03	11
12	–	·06	–	·14	·02	·08	·07	–	–	–	–	·09	12
13	·30	·03	·14	–	–	·62	–	–	–	–	–	–	13
14	–	–	·43	·34	–	·03	–	–	·03	–	·09	–	14
15	·01	–	–	·06	–	–	–	–	·04	·10	·35	–	15
16	–	–	·02	·11	·27	–	–	–	·86	·87	·15	·06	16
17	–	–	·01	·12	·20	·03	–	–	·41	–	–	·01	17
18	·08	–	·01	–	·19	–	–	–	·64	–	–	–	18
19	·15	–	–	·29	–	–	–	1·06	·11	–	–	·12	19
20	·04	·14	–	·12	–	·58	–	·02	·02	–	–	·03	20
21	–	–	–	–	–	–	–	–	·58	–	–	–	21
22	·01	–	–	·22	–	–	·44	–	·05	–	–	·02	22
23	–	–	–	–	–	–	·01	–	·06	–	–	·02	23
24	–	–	·05	–	–	–	·58	–	·01	–	–	·03	24
25	·01	–	–	–	–	–	–	–	·03	–	–	·07	25
26	·07	–	·12	·10	–	–	·18	–	·01	–	–	–	26
27	·29	·08	–	·12	–	·03	·81	–	–	–	–	–	27
28	·09	–	·02	·16	·29	–	·12	–	–	–	·13	·02	28
29	·69	–	·05	·07	·01	·04	·02	–	–	–	·22	·02	29
30	·01	╳	–	·03	–	–	–	–	–	–	·09	·12	30
31	·03	╳	–	╳	–	╳	·02	–	╳	–	╳	·11	31
TOTAL	3·21	·53	1·59	2·73	1·44	~~1·44~~ ·06 1·58	~~3·69~~ 3·763	~~1·65~~ 1·6011	~~2·94~~ ·21 3·14	~~1·26~~ 1·1116	~~1·19~~ ·02 1·08	1·17 ·02	YEAR'S TOTAL ~~22·82~~ 22·84
Days with ·01 in. or more	18	7	13	20	12	~~8~~ 9	~~18~~ 17	~~5~~ 6	47	8	8	21	~~155~~ 156
Days with ·04 in. or more	12	5	9	18	9	~~4~~ 5	~~15~~ 14	4	~~9~~ 10	5	~~7~~ 6	9	106

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

The Rainfall at, National Sanatorium, Benenden, Kent

measured on the morning of January 1st, 1921

was......·02......

Signed......G. Niven Robertson......

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

PRINTED PAPER.

ON HIS MAJESTY'S SERVICE

~~Postage ½d.~~
~~if containing~~
~~nothing in~~
~~the nature~~
~~of a letter.~~

THE SUPERINTENDENT,

BRITISH RAINFALL ORGANIZATION,

62, CAMDEN SQUARE,

LONDON, N.W.1.

415

F[illegible]M A/1. METEOROLOGIC … IZATION.

REGIS

BEXLEY HEATH

KENT

1919-1920

Kept at Bexley … 8′ E … AT.

in the County of Kent … uge 5 in.

by G. B. Hamlin … round 1 ft. - in.

… a Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	-	-	0·25	-	-	0·21	-	-	0·19	-	0·22	1
2	-	-	0·11	-	-	-	-	~~0·28~~ ·29	0·06	0·~~16~~17	-	0·01	2
3	-	0·05	-	-	-	0·02	-	-	0·10	-	-	0·05	3
4	-	0·08	-	0·11	-	-	0·39	0·04	-	0·~~05~~ ·04	-	0·02	4
5	-	-	0·08	-	0·02	-	0·51	0·08	0·09	-	-	0·01	5
6	-	-	0·12	-	0·12	-	0·~~29~~ 31	-	-	-	-	0·03	6
7	-	-	0·04	0·12	0·01	-	0·22	-	-	-	-	0·03	7
8	-	·01	-	0·09	0·01	-	0·16	-	-	0·01	-	-	8
9	0·28	0·03	-	0·02	-	-	-	0·01	-	-	-	-	9
10	0·38	0·07	0·07	0·07	-	0·06	0·14	-	-	-	0·02	-	10
11	0·21	0·02	0·06	0·16	0·01	-	0·23	0·01	-	-	-	0·18	11
12	0·07	-	0·01	0·10	-	0·26	0·01	-	-	-	-	-	12
13	0·26	-	0·09	0·06	-	-	-	-	-	-	0·05	0·01	13
14	-	0·01	0·21	0·17	-	0·33	-	-	0·13	0·08	0·15	-	14
15	0·01	-	0·04	0·18	-	-	-	-	1·13	0·~~03~~ 02	0·05	0·01	15
16	-	-	0·01	0·10	-	0·09	-	-	0·24	0·13	-	-	16
17	-	-	-	0·02	0·08	0·05	0·01	-	0·38	0·01	-	0·06	17
18	0·01	-	-	0·05	-	-	-	1·02	0·21	-	-	0·05	18
19	0·15	0·01	-	0·23	-	0·05	-	-	-	-	-	0·11	19
20	0·05	0·26	-	0·11	-	0·47	-	-	0·19	-	-	-	20
21	-	-	-	-	-	-	0·66	0·04	0·98	0·01	-	0·02	21
22	-	-	-	0·29	-	-	-	-	0·39	0·01	-	0·44	22
23	-	-	-	-	-	-	0·30	-	-	0·01	-	0·34	23
24	-	-	0·02	-	-	-	-	-	-	-	-	0·01	24
25	-	0·03	-	0·05	0·16	-	0·13	-	0·03	-	-	-	25
26	0·02	-	0·10	0·05	-	0·01	0·01	-	-	0·01	-	·01	26
27	0·13	0·04	-	0·14	-	0·15	0·03	-	-	-	0·24	0·11	27
28	0·39	-	0·17	0·08	0·06	-	0·06	-	-	-	0·08	0·03	28
29	0·32	-	0·02	0·01	-	-	0·01	-	-	-	0·03	0·13	29
30	0·02	✕	-	-	0·05	0·01	0·19	-	0·35	-	0·25	0·14	30
31	0·01	✕	-	✕	-	✕	0·01	-	✕	0·23	✕	0·07	31
TOTAL	2·34	0·61	1·15	~~2·40~~ 2·46	0·52	~~1·51~~ 1·50	~~3·58~~ 3·59	~~1·48~~ 1·49	4·28	~~0·93~~ ·92	0·87	~~2·08~~ 2·09	YEAR'S TOTAL 21·82 ~~21·74~~
Days with ·01 in. or more	16	~~10~~ 11	15	22	9	11	19	7	13	13	8	23	~~165~~ 167
		Copied from	NO 3202.	10	5	8	~~14~~ 13	5	12	6	6	12	~~113~~ 112

(44,283). Wt. 20,958—218. 7500. 10/19. G. & S. 2. A.&E. W.

415

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bexley Heath (MO)
in the County of Kent
by G. B. Hamlin

Lat. 51° 28' N Long. 0° 8' E
Time of Observation 9 h GMT.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	-	-	0·25	-	-	0·21	-	-	0·19	-	0·22	1
2	-	-	0·11	-	-	-	-	~~0·28~~ ·29	0·06	0·~~16~~17	-	0·01	2
3	-	0·05	-	-	-	0·02	-	-	0·10	-	-	0·05	3
4	-	0·08	-	0·11	-	-	0·39	0·04	-	0·~~05~~ ·04	-	0·02	4
5	-	-	0·08	-	0·02	-	0·51	0·08	0·09	-	-	0·01	5
6	-	-	0·12	-	0·12	-	0·~~29~~ 31	-	-	-	-	0·03	6
7	-	-	0·04	0·12	0·01	-	0·22	-	-	-	-	0·03	7
8	-	·01	-	0·09	0·01	-	0·16	-	-	0·01	-	-	8
9	0·28	0·03	-	0·02	-	-	-	0·01	-	-	-	-	9
10	0·38	0·07	0·07	0·07	-	0·06	0·14	-	-	-	0·02	-	10
11	0·21	0·02	0·06	0·16	0·01	-	0·23	0·01	-	-	-	0·18	11
12	0·07	-	0·01	0·10	-	0·26	0·01	-	-	-	-	-	12
13	0·26	-	0·09	0·06	-	-	-	-	-	-	0·05	0·01	13
14	-	0·01	0·21	0·17	-	0·33	-	-	0·13	0·08	0·15	-	14
15	0·01	-	0·04	0·18	-	-	-	-	1·13	0·~~03~~ 02	0·05	0·01	15
16	-	-	0·01	0·10	-	0·09	-	-	0·24	0·13	-	-	16
17	-	-	-	0·02	0·08	0·05	0·01	-	0·38	0·01	-	0·06	17
18	0·01	-	-	0·05	-	-	-	1·02	0·21	-	-	0·05	18
19	0·15	0·01	-	0·23	-	0·05	-	-	-	-	-	0·11	19
20	0·05	0·26	-	0·11	-	0·4~~8~~7	-	-	0·19	-	-	-	20
21	-	-	-	-	-	-	0·66	0·04	0·98	0·01	-	0·02	21
22	-	-	-	0·29	-	-	-	-	0·39	0·01	-	0·44	22
23	-	-	-	-	-	-	0·30	-	-	0·01	-	0·34	23
24	-	-	0·02	-	-	-	-	-	-	-	-	0·01	24
25	-	0·03	-	0·05	0·16	-	0·13	-	0·03	-	-	-	25
26	0·02	-	0·10	0·05	-	0·01	0·01	-	-	0·01	-	·01	26
27	0·13	0·04	-	0·14	-	0·15	0·03	-	-	-	0·24	0·11	27
28	0·39	-	0·17	0·08	0·06	-	0·06	-	-	-	0·08	0·03	28
29	0·32	-	0·02	0·01	-	-	0·01	-	-	-	0·03	0·13	29
30	0·02		-	-	0·05	0·01	0·19	-	0·35	-	0·25	0·14	30
31	0·01		-		-		0·01	-		0·23		0·07	31
TOTAL	2·34	0·61	1·15	~~2·40~~ 2·46	0·52	~~1·51~~ 1·50	~~3·58~~ 3·59	~~1·48~~ 1·49	4·28	~~0·93~~ ·92	0·87	~~2·08~~ 2·09	YEAR'S TOTAL 21·82 ~~21·74~~
Days with ·01 in. or more	16	~~10~~ 11	15	22	9	11	19	7	13	13	8	23	~~165~~ 167
				19	5	8	~~14~~ 13	5	12	6	6	12	~~115~~ 112

(44,283). Wt. 21,958—218. 7500. 10/19. Gp. 132. A.&E.W.

Copied from MO 3202.

415

FORM A. BRITISH RAINFALL
8 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at "Rookwood" Broadway Bexleyheath
in the County of Kent
by G B Hamlin

Lat. N 51° 28' Long. E 0° 8'
Time of Observation 9h
Nearest Railway Station Bexleyheath S.E.Ry
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	—	·25	—	—	·21	trace	—	·19	—	·22	1
2	—	—	·11	trace	—	—	—	·29	·06	·17	—	·01	2
3	—	·05	—	—	—	·02	—	—	·10	trace	—	·05	3
4	—	·08	—	·11	—	—	·39	·04	—	·04	—	·02	4
5	—	—	·08	—	·02	—	·51	·08	·09	—	—	·01	5
6	—	—	·12	—	·12	—	·31	—	—	—	—	·03	6
7	—	trace	·04	·12	·01	—	·22	—	—	—	—	·03	7
8	trace	·01	—	·09	·01	—	·16	—	—	·01	—	trace	8
9	·28	·03	—	·02	—	—	—	·01	—	—	—	—	9
10	·38	·07	·07	·07	—	·06	·14	—	—	—	·02	—	10
11	·21	·02	·06	·16	·01	trace	·23	·01	—	—	—	snow ·18	11
12	·07	—	·01	·10	—	·26	·01	—	—	—	—	—	12
13	·26	—	·09	·06	—	—	—	—	—	—	·05	·01	13
14	trace	·01	·21	·17	—	·33	—	—	·13	·08	·15	—	14
15	·01	trace	·04	·20	—	—	—	—	1·13	·02	·05	·01	15
16	—	—	·01	·10	—	·09	—	—	·24	·13	—	trace	16
17	—	—	trace	·02	·08	·05	·01	—	·38	·01	—	·06	17
18	·01	—	—	·05	—	—	—	1·02	·21	—	—	·05	18
19	·15	·01	—	·23	—	·05	—	—	—	—	—	·11	19
20	·05	·26	—	·10	—	·47	—	—	·19	—	—	—	20
21	—	—	—	—	—	—	·66	·04	·98	·01	—	·02	21
22	—	—	—	·29	—	—	trace	—	·39	·01	—	·44	22
23	—	—	—	trace	—	—	·30	—	—	·01	—	·34	23
24	—	—	·02	—	—	—	—	—	trace	trace	—	·01	24
25	—	·03	—	·05	·16	—	·13	—	·03	—	—	—	25
26	·02	—	·10	·05	—	·01	·01	—	—	·01	—	·01	26
27	·13	·04	—	·14	—	·15	·03	—	—	—	·24	·11	27
28	·39	—	·17	·07	·06	—	·06	—	—	—	·08	·03	28
29	·32	—	·02	·01	—	—	·01	—	—	—	·03	·13	29
30	·02	X	—	—	·05	·01	·19	—	·35	—	·25	·14	30
31	·01	X	—	X	—	X	·01	—	X	·23	X	·07	31
Total	2·34	·61	1·15	2·46	·52	1·50	3·59	1·49	4·28	·92	·87	2·09	YEAR'S TOTAL 21·82
Rain Days.	16	11	15	22	9	11	19	7	13	13	8	23	167
	10	5	11	19	5	8	13	5	12	6	6	12	[illegible]

W. 8,000. X. 15. Standard Snowdon by NXZ No. 3403 Graduate HRM 874

415

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1920

Kept at "Rookwood" Broadway Bexleyheath

in the County of Kent

by G B Hamlin

Lat. N 51° 28′ Long. E 0° 8′

Time of Observation 9h.

Nearest Railway Station Bexleyheath S.E. Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	—	·25	—	—	·21	trace	—	·19	—	·22	1
2	—	—	·11	trace	—	—	—	·29	·06	·17	—	·01	2
3	—	·05	—	—	—	·02	—	—	·10	trace	—	·05	3
4	—	·08	—	·11	—	—	·39	·04	—	·04	—	·02	4
5	—	—	·08	—	·02	—	·51	·08	·09	—	—	·01	5
6	—	—	·12	—	·12	—	·31	—	—	—	—	·03	6
7	—	trace	·04	·12	·01	—	·22	—	—	—	—	·03	7
8	trace	·01	—	·09	·01	—	·16	—	—	·01	—	trace	8
9	·28	·03	—	·02	—	—	—	·01	—	—	—	—	9
10	·38	·07	·07	·07	—	·06	·14	—	—	—	·02	—	10
11	·21	·02	·06	·16	·01	trace	·23	·01	—	—	—	snow ·18	11
12	·07	—	·01	·10	—	·26	·01	—	—	—	—	—	12
13	·26	—	·09	·06	—	—	—	—	—	—	·05	·01	13
14	trace	·01	·21	·17	—	·33	—	—	·13	·08	·15	—	14
15	·01	trace	·04	·20	—	—	—	—	1·13	·02	·05	·01	15
16	—	—	·01	·10	—	·09	—	—	·24	·13	—	trace	16
17	—	—	trace	·02	·08	·05	·01	—	·38	·01	—	·06	17
18	·01	—	—	·05	—	—	—	1·02	·21	—	—	·05	18
19	·15	·01	—	·23	—	·05	—	—	—	—	—	·11	19
20	·05	·26	—	·10	—	·47	—	—	·19	—	—	—	20
21	—	—	—	—	—	—	·66	·04	·98	·01	—	·02	21
22	—	—	—	·29	—	—	trace	—	·39	·01	—	·44	22
23	—	—	—	trace	—	—	·30	—	—	·01	—	·34	23
24	—	—	·02	—	—	—	—	—	trace	trace	—	·01	24
25	—	·03	—	·05	·16	—	·13	—	·03	—	—	—	25
26	·02	—	·10	·05	—	·01	·01	—	—	·01	—	·01	26
27	·13	·04	—	·14	—	·15	·03	—	—	—	·24	·11	27
28	·39	—	·17	·07	·06	—	·06	—	—	—	·08	·03	28
29	·32	—	·02	·01	—	—	·01	—	—	—	·03	·13	29
30	·02	X	—	—	·05	·01	·19	—	·35	—	·25	·14	30
31	·01	X	—	X	—	X	·01	—	X	·23	X	·07	31
Total	2·34	·61	1·15	2·46	·52	1·50	3·59	1·49	4·28	·92	·87	2·09	YEAR'S TOTAL 21·82
Rain Days.	16 10	11 5	15 11	22 19	9 5	11 8	19 13	7 5	13 12	13 6	8 6	23 12	167 112

W. 8,000. X. 15. Standard Snowdon by NXZ No. 3403 Graduate HRM 874

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at "Rookwood"
283 Broadway
in the County of Bexley Heath Kent
by G B Hamlin

Lat. N 51° 28' Long. E 0° 8'
Time of Observation 9h
Nearest Railway Station Bexley Heath S.E.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	snow ·12	—	·04	·25	—	·27	—	—	·12	·14	·31	1
2	·13	·02	—	—	trace	—	·27	—	·02	·12	·09	·10	2
3	·20	—	·46	—	·05	—	·13	·01	·12	—	snow ·07	·29	3
4	·18	·03	·53	—	—	·04	·09	·11	—	—	·06	·10	4
5	·02	snow ·36	·69	—	—	—	—	—	·01	—	—	·27	5
6	·03	—	·02	—	—	—	—	—	—	trace	—	·05	6
7	·01	—	·23	—	—	—	—	—	—	—	·13	—	7
8	·14	—	·03	·02	—	—	—	—	—	—	·06	—	8
9	·25	—	·02	—	·10	—	—	—	—	—	·17	—	9
10	·13	—	—	·03	—	—	—	—	—	—	—	—	10
11	·03	—	·13	·29	—	—	·22	—	—	—	—	—	11
12	·01	—	·01	·10	—	·01	·18	—	—	·04	trace	—	12
13	·01	·01	—	·12	—	—	—	—	trace	·06	—	·02	13
14	·13	—	—	·40	—	—	·11	—	·29	—	—	·01	14
15	·14	·02	·02	·26	—	—	·12	—	—	·09	—	·18	15
16	·10	·43	—	·06	—	—	—	—	—	—	·13	·05	16
17	—	snow ·34	·02	·02	—	—	trace	—	—	—	·17	·01	17
18	·02	·57	·10	—	—	—	—	—	·05	—	·10	·05	18
19	·02	·04	·21	—	—	·22	·26	·29	·06	—	·03	·02	19
20	·07	·04	·08	·01	—	·89	·31	·13	·02	—	·02	—	20
21	·17	·19	trace	—	—	—	·09	—	—	—	·03	·02	21
22	—	·11	·01	—	—	·05	·17	—	·30	—	·06	·22	22
23	—	—	—	—	—	·05	·15	·07	·04	—	·01	·03	23
24	—	—	—	·17	—	·03	·02	—	—	·12	·04	—	24
25	·01	—	—	·05	·04	—	—	·12	—	—	—	·02	25
26	·06	·50	·16	·02	—	—	·08	·10	·12	—	—	·18	26
27	snow ·26	·05	·05	1·08	—	—	·04	·36	—	—	·01	·04	27
28	·04	·01	·23	·07	—	—	·03	·73	—	—	·19	·29	28
29	·05	✕	—	·05	—	—	—	·34	—	·27	·06	·06	29
30	·08	✕	—	·04	—	·13	—	·29	—	·07	·14	·28	30
31	·02	✕	·05	✕	—	✕	·02	—	✕	—	✕	·02	31
Total	2·50	2·84	3·05	2·83	·44	1·42	2·56	2·55	1·03	~~·85~~ ·89	1·71	2·62	YEAR'S TOTAL ~~24·40~~ 24·44
Rain Days.	27	16	19	18	4	8	18	11	10	8	20	23	182

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
2 - JAN 1913

REGIST

Kept at "Farrants"
in the County of He
by L. E. Chal

BICKLEY
{"FARRANTS"}
KENT
1912-20

n.
ickley
in. Square
ound 3 ft. 6 in.
Level ft.

IMPORTANT NOTE.- previous day. If an Obser requested to add the reading for it at the end of this p the selection and placing of Organization are given in "Ａ Dr. H. R. Mill, 62, Camder

result entered to the l rule, he is earnestly n the space provided of rain, Rainfall lication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	Apri							Nov.	Dec.	Date.
1			·12			·11			·5	·54		·21	1
2			·33			·1	·49		·7	·5			2
3	·7	·13	·3			·10		·24				·6	3
4	·23		60		·27	·15		·2			·13		4
5	·11	·2						·29			·12		5
6	·53			·1	·2			·6				·23	6
7		·2	·3		·6	·62	·8	·41		·1		·2	7
8	29	·39	·31			·4	·1	·35	·2				8
9		·9		·2		·22	·2	·1		Fogs		·7	9
10						·2		·30	·8	·1	·16	·27	10
11	·3	·28				·6		·4	·3	·1			11
12	·2	·12	·5		·17	·11		·3		·1	·1	·23	12
13								·8			·10		13
14					·2			·2		·8		·3	14
15		·2	·12		·42	64		·1			·6	43	15
16	·43		·3			·5		·10		·3	·10		16
17	·52		·28			2		·3			·4	·12	17
18	·5		·11		·1			·16		·5		·13	18
19	·11	·11	·8			·1	·4	·15			·3		19
20			·56					·8		·40	·2		20
21	·1	·3	·27		·3			·11		·9	·4		21
22	·15		·4		·3		·7	·13		·4		·9	22
23	·43	·46	·28		·1			·43		·6	·19	·8	23
24	·14	·1				·3		20		·1		·16	24
25	·18					·25		1·09			·31	·28	25
26		·4						·47		·28	·53	·53	26
27							·3			·9		·20	27
28							·4	·7	·4	·55	·58	·15	28
29		·5				7	·28	·10	1·15	·16	·5		29
30	·3				·24	·12		·11	1·50	·20			30
31			·9				15	·8	—	·3			31
Total	3·33	1·77	3·33	·03	1·28	2·63	1·21	5·17	2·94	2·70	2·47	3·29	YEAR'S TOTAL 30·15
Rain Days.	17	14	17	2	11	18	10	28	8	20	16	18	179

W. 7,500, XI. ·12

REGIST

FORM A.
BRITISH RAINFALL.
2- JAN 1913

Kept at "Farrants" Bickley
in the County of Kent 5
by L. E. Chalmers Esq.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Rain Gauge 8 in. Square
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·12			·11			·5	·54		·21	1
2			·33			·1	·49		·7	·5			2
3	·7	·13	·3			·10		·24				·6	3
4	·23		60		·27	·15		·2			·13		4
5	·11	·2						·29			·12		5
6	·53			·1	·2			·6				·23	6
7		·2	·3		·6	·62	·8	·41		·1		·2	7
8	29	·39	·31			·4	·1	·35	·2				8
9		·9		·2		·22	·2	·1		Fogs		·7	9
10						·2		·30	·8	·1	·16	·27	10
11	·3	·28				·6		·4	·3	·1			11
12	·2	·12	·5		·17	·11		·3		·1	·1	·23	12
13								·8			·10		13
14					·2			·2		·8		·3	14
15		·2	·12		·42	64		·1			·6	43	15
16	·43		·3			·5		·10		·3	·10		16
17	·52		·28			2		·3			·4	·12	17
18	·5		·11		·1			·16		·5		·13	18
19	·11	·11	·8			·1	·4	·15			·3		19
20			·56					·8		·40	·2		20
21	·1	·3	·27		·3			·11		·9	·4		21
22	·15		·4		·3		·7	·13		·4		·9	22
23	·43	·46	·28		·1			·43		·6	·19	·8	23
24	·14	·1				·3		20		·1		·16	24
25	·18					·25		1·09			·31	·28	25
26		·4						·47		·28	·53	·53	26
27							·3			·9		·20	27
28							·4	·7	·4	·55	·58	·15	28
29		·5				7	·28	10	1·15	·16	·5		29
30	·3				·24	·12		·11	1·50	·20			30
31			·9				15	·8	—	·3			31
Total	3·33	1·77	3·33	·03	1·28	2·63	1·21	5·17	2·94	2·70	2·47	3·29	YEAR'S TOTAL 30·15
Rain Days.	17	14	17	2	11	18	10	28	8	20	16	18	179

W. 7,500, XI. 12

Box 7

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Farrants Bickley Kent

in the County of Kent

by L. E. Chalmers Esq.

5

Lat. .... Long. ....

Time of Observation 9. a.m

Nearest Railway Station Bickley

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·2	·26	·2	·25	-	·2	·	-	·15	·2	·3	·9	1
2	-	·15	-	-	-	-	·9	-	-	·14	·5	·2	2
3	·6	-	·1	·36	·20	-	·7	·	-	-	-	·17	3
4	·22	-	·1	·6	·16	-	·7	-	-	·7	·6	·7	4
5	·35	-	·12	-	·1	·7	·24	-	·46	·2	·	·14	5
6	·10	·1	-	-	·2	·5	7	·	-	·17	·24	·6	6
7	-	·15	-	-	·4	·	-	·22	-	·20	·10	-	7
8	-	·1	·4	·	·9	·4	-	-	-	·13	·3	·2	8
9	-	·17	·	·	·6	-	·9	-	·13	-	·3	-	9
10	-	-	·22	·12	-	-	-	-	-	·	·69	-	10
11	·41	-	-	·38	·1	·	-	·1	-	·71	·15	-	11
12	-	-	-	-	·	-	·	·1	·	-	·40	·	12
13	·11	▯ ·1	·6	-	·	-	·	·4	·1	-	30	-	13
14	·10	-	·10	·8	·	-	·20	·7	·5	·12	·5	-	14
15	·49	·6	·29	·20	·	·	·28	·1	·2	-	·2	·	15
16	·19	-	·33	·13	·	-	-	·	·33	-	-	·	16
17	·5	× ·9	·7	·1	·	-	·12	-	-	-	·	·	17
18	-	-	·9	·10	·	-	-	-	-	-	-	·	18
19	·24	-	·16	·2	·	·2	△ ·15	-	·7	-	-	·	19
20	× 36	·	·48	-	·	·6	-	-	·	·52	·4	·	20
21	·1	-	·18	·15	-	-	·8	-	·	·28	·81	·	21
22	× ·36	-	·13	·3	·	·	-	·1	13	-	-	·	22
23	-	-	·11	-	·	·2	·1	·20	-	-	-	·39	23
24	·4	-	·1	·	·	·2	-	·19	·	-	·4	-	24
25	-	-	-	·20	-	·	·	-	·	▯ ·1	-	-	25
26	-	-	·19	·3	·	-	·1	·23	·	·88	-	·24	26
27	-	·3	·4	·6	·	·	-	-	·	·9	-	-	27
28	·25	-	·21	·5	·	·	-	·	·	·19	-	·	28
29	·5	-	·2	·31	△ ·19	·	-	·7	·	·8	-	·	29
30	·34	-	-	·15	-		·	·18	·	·4	·	·	30
31	-		·1		-		·	·75		·5	-	·	31
Total	3·75	·94	2·90	2·69	·78	·30	1·48	1·99	1·35	3·72	3·04	1·20	YEAR'S TOTAL 24·14
Rain Days.	19	10	23	19	9	8	13	13	·9	18	16	·9	166

W.7,000, XI. 13

× : Snow - ▯ : Fog - △ : Thunder storm.

C×ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at "Farrants" Bickley
in the County of Kent 5
by L. E. Chalmers Esq.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Rain Gauge 8 in. Square
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·14			·1	·10	1
2							·8	·27			·6	·18	2
3	·1		·14	·11	·10		·1	·3					3
4			·3	·14				·1			·23	·30	4
5	·10		·4	·27	·16	·4	·23	·69			·1		5
6		·12		·15		·23	·4	·1			·2	·17	6
7		·45	·21	·17	·24	·10	·5	·5				·9	7
8	·7	·41	·45	·6	·3	·30	·15	·3				·5	8
9	·21		·78	·8					·8			1·34	9
10	·4	·5	·7	3	·4				·4			·4	10
11		·52	·25		·6				·14		·26	·41	11
12	·2	·5	·12			·7	·2		·9			·50	12
13		·22	·17				·23		·12	·6	·11	·79	13
14		·10	·21			·15				·30	·7	·49	14
15	·5	·2	·19				·11	·3			·93	·4	15
16			·2				·1						16
17		·22	·13						·4			·10	17
18		·12	·14									·32	18
19		·3	·43				·10			·1	21	·20	19
20		·14	·39			·2				·1		·5	20
21		·85	·7									·5	21
22		·3	·1	·2	·76	·8	·15	·1		·15		·6	22
23			·6	·1	·10	·11	·4						23
24			·4	·2	·2		·1			·1	·7		24
25	·3		·30				·1	·6		·24			·5 25
26		×·1	·4				·2	·10	·2	·3	·17	~~5~~	49 26
27	·5		·1					·2	·5		·5	~~49~~	21 27
28	·2	·1								·2	·27	~~21~~	64 28
29	·4		·2							·45	·16	~~64~~	·1 29
30			·2							6	36	15	30
31					·28								31
Total	·64	3·35	4·34	1·06	1·79	1·10	1·26	1·45	·58	1·34	2·99	6·83	YEAR'S TOTAL 26·73
Rain Days.	11	17	26	11	10	9	16	13	·8	11	16	·25	173

W.7,000, XI. 13 × Fog.

ExMC

482

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

17 JAN. 1916

Kept at "Farrants" Bickley Kent
5
in the County of —
by L. E. Chalmers Esq.

Lat. — Long. —
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 8 in. 5V
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·8			·4				·4	·2	·34	·32	1
2	·8	·16	·17	·14				·68				·5	2
3	·30		·5	·18	·4			·43			·2	·49	3
4	·15							·1				·20	4
5	·6	·32						·1		·10		·22	5
6	·35	·4	·1	·34			·56					·6	6
7	·27	·29	·2				·14	·5				·14	7
8	·13	·56		·15			·7	·15					8
9		·3		·12		·3		·5		·6	27	·54	9
10	·18											·26	10
11	·4		·1								·41	·1	11
12	·4	·4		·41	·40			·34		·5	·36	·1	12
13		·58			1·23			·43	·2				13
14	·1	·5					·17	5				·21	14
15	·15				·3			21			·21	·10	15
16		·42		·3	·2		·43	·1				·43	16
17		·39	·1		·96		·7	·4					17
18	·1	·8	·8		·32					·1	·8		18
19		·26			·1		·5			·4			19
20	·27			·3								·23	20
21	·18	·2					·2			·2		·7	21
22	X·78	·8	·10	5			·57					·1	22
23		·38	·3			·6	·13			·31	·2	·27	23
24				·3			·10		·16	·16		·34	24
25			·11	·24			·12					·21	25
26	·3	·6				·9	·1		·1			·41	26
27		·8				·14	·8			·19		·2	27
28						·6			1·52	·9			28
29			X·2					·10	·1		8	·1	29
30	·1		·1								44	·2	30
31								·5		·64		·31	31
Total	3·58	3·92	·62	1·72	3·05	·38	2·46	2·61	1·76	1·69	2·23	4·94	YEAR'S TOTAL 28·96
Rain Days.	19	19	12	11	9	5	·14	15	6	12	10	25	157

W. 8,000. X. 15.

X = Snow 18 degrees Frost on Jan: 23 - 13" on March 29th.

Exd RJE

47°

FORM A.
BRITISH RAINFALL.
8 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at "Farrants" Bickley
in the County of Kent
by J. E. Chalmers Esq.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10				·27				·19	·11	·29		1
2	·22	·7	·6		23		·3		·10	·35	·9		2
3		·83	·20						·16	·22	·63		3
4	·22	·11				·26			·7	·5	·52		4
5	·1				·7	·19	·2			·9	·62		5
6		·7	·11	·40	·1	·22	·9			·3	59		6
7	·5		·54		·13	·15	·52			·4	·77	·7	7
8			·6		·8							·32	8
9					·22					·6		·17	9
10		·20	·12	·7		·42	·5				·2	·8	10
11	4	·12	·5	·20		·40							11
12	·2	·4		·3	·30	·22	·1	·4		·9			12
13		·19	·24	·10	·9	·7	·9	·1		·3	·1		13
14		·38	·2	·1	·11			·10				·7	14
15		·19	·20					·30		·3		·14	15
16			·13	·14			·20	·6				·4	16
17	·8	·10		·3			·7	·82	·33	·50			17
18	·1	·9		·24				·20		·21	·86		18
19	4	·5	·10	·11						·1	·70	·8	19
20	·14		·22	·1							·5	·42	20
21			·48				·11	·3				·12	21
22			·8							·2		·65	22
23	·1	39	·3		·8	·5				·4	·5	·14	23
24		·11				·3		·4		·13	·4	·21	24
25		·71	·11					·20		·9	·5	·10	25
26		·13	·10			·12		·8	·2	·13			26
27	·2	·4	·72			·72		·48		·95	·1	·14	27
28		·34	·20			·25			·18	·4			28
29		·7				·18		·69	·5	·27		·14	29
30		×			1·29			·17		·24			30
31		×		×		×			×	·14	×	4	31
Total	·96	4·23	3·77	1·34	2·88	3·28	1·19	3·22	1·10	3·87	5·30	2·93	YEAR'S TOTAL 34·07
Rain Days.	13	·20	·20	11	12	14	10	14	8	24	16	17	179

W. 8,000, VIII. 16

Box 8L

449

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Farrants Bickley

in the County of Kent

by L. E. Chalmers Esq

Lat. Long.

Time of Observation 9. a.m.

8. JAN 1918

Nearest Railway Station Bickley

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·2		×·29				1·73	·1		·7		1
2				×·21				·18			·11		2
3	·4			×·18			·2	·50		·14	·38		3
4		·26	·13				23	·12		·42			4
5	·19	·3		×·26				·2	·34	·16	·4		5
6			·4	×·14		·5			·17	·2	·6	·2	6
7	·16						·7			·24		·3	7
8	·9			×·8			·71	·35	·6	·26	·14	·26	8
9	·3		·2	×·7			·13	·9			4	·49	9
10	×·11	·1	·7	×·12				·4				·3	10
11		·2	·39	×·21					·28	·22			11
12	·21			·4				·8		·43			12
13	·4		·12					·1	·2	·9			13
14			·3	·20				·6					14
15	·8						·12			·4		·2	15
16		·18		·26	·18		·12			·22		·48	16
17	·5			·11	·71		·25		·31	·10			17
18	·3	·4		·20	·6	·3	·25	·18	·13	·2			18
19	·2	·17	·12	·2	·26				13				19
20	×·5	·12	·4		0·56	·5					·9		20
21	×·2	·2	·5		·2					·1	·2		21
22		·11	·7					·15		·8			22
23					·17	·5		·12		·8		·6	23
24						·3	·1			·12			24
25										·2	·7		25
26			·7					·36	·7	·1	·47	·2	26
27			·2					1·13					27
28		·3				1·77		·8				·7	28
29					·15	·34	·87	·2		·32		·8	29
30			×·29				2·30	·3				·17	173 30
31	·12		×·5				·62	·1				·1	31
Total	1·24	1·01	1·51	2·39	2·11	2·27	5·70	5·26	1·52	3·00	1·49	1·74	YEAR'S TOTAL 29·24
Rain Days.	15	12	·15	·15	8	7	·13	20	10	- 20	11	13	159

W. 8,000. X. 14.

X = Snow   0 = Thunderstorm

Exd. C.D.

144

FORM A.
BRITISH RAINFALL.
6·1·19

REGISTER OF RAINFALL IN 1918

Kept at Farrants Bickley
in the County of Kent.
by L. E. Chalmers Esq.

Lat. ____ Long. ____
Time of Observation 9. a. m.
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	×·3			·1				·1			·18	5	1
2		·7		·3				·31			·8	·12	2
3			·14	·2	·47			·3		·1	·42	·4	3
4		·12	·13					·3	·21		·51		4
5		·2			16			·7	·73	·4		·2	5
6	·20	·16		·19	·20			·4	·3	·1		·6	6
7	×·4	·5		·15	30			·1	·10	·8	·6	·1	7
8		·7			·1			·1	·8	·2	·11	·4	8
9	·2	·1		·5		·5	·39		·33	·9		·16	9
10				·16		·4	·22		·3	·6	·3	·34	10
11	·2			·3	·1		·72		·2	·24	·10	·12	11
12		·3			·12		·33		·3			·2	12
13	×·5	·2			·10		·5		·6				13
14	·9			·4		·39	·7		·6	·21		·11	14
15	1·10			×·52			°·16					·9	15
16	·48			·31		·13			·10				16
17	·25			·13	·45	·1	°1·09	·5		·2		·9	17
18	·41					·11	·5		52	·32		·12	18
19	·8		·7	·10	·2		·11			·24		·9	19
20	·3	·14		·55		·2	°·26		·33	·17		·4	20
21	·11	·1		·35			·3		·22	·11			21
22	·2			3	·16		·9		·16	·1		·19	22
23	·2			·7	·16		·78	·9	·2			·4	23
24		·28			·1	·4	·41		·18		·4		24
25				·8			·21	·14		·4	18		25
26		·2		·1			·41	·6		·4	·11	·10	26
27			·1	·9			·3	·10	·4		·9	·3	27
28	·1		·17	·5	·2			·6			·24	·11	28
29	·1		·1	·2					·93		·3		29
30		×	·35	·2					·4	·2	4	·11	30
31		×	·3	×		×		·4	×	4	×	·1	31
Total	2·97	1·00	·91	3·01	2·19	·79	5·41	1·05	4·22	1·77	2·22	2·11	YEAR'S TOTAL 27·65
Rain Days.	18	13	8	·23	14	8	18	15	21	19	15	24	196

1 Exd 427

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Farrants Bickley (Kent)
in the County of
by L. E. Chalmers Esq

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 / 0 ft. 6 / 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·9			·2		·16			·8	·13	·80	1
2	·15	·3	·2		·7		·25	·5		·6	·11	·20	2
3	·25		·46				·12		·3		·6	36	3
4	·12		·49	·1	·1	·4	·35	·2			·5	·21	4
5	·6	·12	53								·4	·27	5
6	·5	·11	·4							·1		·7	6
7	·2		·26								·7	#	7
8	·24		·4	·2							·8		8
9	·33			·2	·2						·6		9
10	·15		·4	·1									10
11	·6		·9	·21	·1		·17					·1	11
12	·1		·3	·5			·24			·4		·1	12
13		·3		·28					·3	·3		·2	13
14	·24			·36			·4		·46			·16	14
15	·15	·2	·3	·16						·1			15
16	·9	·43		·1							·10		16
17		·23	·5								·15		17
18		·50	·6	·2					·4		·7	·8	18
19		·7	·38			·14	·25	·38	·15		·8		19
20	·8	·7	·4	·1		·85	·36	·14	·1		·1		20
21	·17	·28	·3				·7				·2	·4	21
22		·7	·1			·1	·26		·27		·3	·19	22
23						·6	·3		·12		·1	·7	23
24				·23		·2	·3	·3		·16	·6		24
25		·1			·2			·11				·2	25
26	·8	·31	·10	·5			·19	·16	·9			·21	26
27	·26	·11	·4	1·09			·1	·25				·4	27
28	·3		·25	·2			·6	·85			·25	·24	28
29	·5			·4		·2		·41		·37	·2	·6	29
30			·1	·21		·8		37		10	·16	·40	30
31	·6		·3				·2			·2		·7	31
Total	2·89	2·48	3·03	2·80	·15	1·22	2·61	2·77	1·20	·88	1·56	3·53	Year's Total 25·12
Days with ·01 in. or more	22	16	22	18	6	8	17	11	9	10	20	21	180

From here to end of year record made from new Gauge 9" above ground.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1·09 in on April 27

Exd 970

402

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at "Farrants" Bickley

in the County of Kent

by L. E. Chalmers Esq. J.P.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bickley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·4			·18			·22			·21		·23	1
2			·9		·3	·3		·27	·5	·13		·4	2
3		·6							·7	·4		·6	3
4		·9		·15			·29	·3		·4		·4	4
5			·7		·5		58	·9	·6	·2		·2	5
6			·17		18		15					·5	6
7	·1		·1	·16	·3		·17					·3	7
8		·1		·7	·9		·18	·1				·1	8
9	·21	·4		·1			·1	·2					9
10	·32	·5	·9			·3	·21				·5		10
11	·23	1	·5	·27		·4	·23					·15 *	11
12	·7			·16		·30						— O	12
13	·25		·2	·8							·3		13
14			·31	·24		·14			·9	·5	·17	·3	14
15	·2		·6	·22					1·03	·8	·6	·1	15
16			·1	10		·3			·48				16
17				·1	·9	·22	·1		47	·1		·7	17
18	·4				·1			1·20	·17		·1	·6	18
19	·15			·31								·12	19
20	·6	·22		·20		·60			·8				20
21							·65		·80			·6	21
22	·1	·1		·33				·2	25			36	22
23		·1					·38					·24	23
24		·1	·3								·2		24
25		·2	·1	·5			·17						25
26	·3		·10	·3									26
27	·24	·9		·16		·13					·27	·13	27
28	·46		·12	·18	·6		·33				·3	2	28
29	51		4				·2				·4	·15	29
30	·4	X			·1	·2	·10		·34		23	·11	30
31		X		X	·3	X			X	·28	X	·6	31
TOTAL	2·69	·62	1·18	2·91	·58	1·54	3·70	1·64	3·89	·86	·91	2·05	YEAR'S TOTAL 22·57
Days with ·01 in. or more	17	12	15	19	10	10	16	7	12	9	10	22	1·59
Days with ·04 in. or more	13	6	10	16	5	6	13	3	12	7	6	16	1·13

O = 20 degrees of Frost.

* = Snow

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BICKLEY
SUNNYDENE
KENT
1911 - 1920

RE… 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Sunny…
in the County of
by I. Dru…

5 in.
Ground 1 ft. in.
Sea Level 270 ft.
9 a m
Name Bickley
Distance 1/4 Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05			77		30	06	02			03		1
2				29	15						15	07	2
3		01			14						05	17	3
4	04	02	09	12							13	29	4
5	03			06						14	03	18	5
6	21		19							32	02	30	6
7	04									19	40	17	7
8	09		09								28	33	8
9	20		04	09	09							02	9
10		10	04	02	07						03	81	10
11	25				23						67	02	11
12	02		46						06		18		12
13			10						18	06	07	16	13
14		02										50	14
15		04	33							03	04	05	15
16											60	04	16
17						03					36	19	17
18		09									73	22	18
19						12			23	15	21	13	19
20	01		05					23		10		68	20
21		07						33	18	48		13	21
22	02		21			03		01		17		47	22
23		11	05			80			24		02	11	23
24		12				02	03			87		15	24
25	01	03		02		20	25			05		03	25
26			12	18	08	18				12	02	21	26
27		25	13	03		~~18~~			13	02	04	05	27
28		09		21				05			02	~~5.48~~	28
29				18		25	20		10	18			29
30				01		03		63		21			30
31										02			31
Total	·97	·95	1·90	1·98	·76	1·96	·54	1·27	1·12	3·11	4·08	5·48	TOTAL for year 24·12
No. of Rain Days.	12	12	13	12	6	10	4	6	7	16	21	25	144

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL

Kept at Sunnydene Bickley

in the County of Kent 5

by J. Wunde Lowe

RAIN GAUGE: Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 270 ft.

Time of Observation 9 a m

Nearest Railway Station: Name Bickley
Distance ¼ Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05			77		30	06	02			03		1
2				29	15						15	07	2
3		01			14						05	17	3
4	04	02	09	12							13	29	4
5	08			06						14	03	18	5
6	21		19							32	02	30	6
7	02									19	40	17	7
8	09		09								28	33	8
9	20		04	09	09							02	9
10		10	04	02	07						03	81	10
11	25				23						67	02	11
12	02		46						06		18		12
13			10						18	06	07	16	13
14		02										50	14
15		04	33							03	04	05	15
16											60	04	16
17						03					36	19	17
18		09									73	22	18
19						12			23	15	21	13	19
20	01		05					23		10		68	20
21		07						33	18	48		13	21
22	02		21			03		01		17		47	22
23		11	05			80			24		02	11	23
24		12				02	03			87		15	24
25	01	03		02		20	25			05		03	25
26			12	18	08	18				12	02	21	26
27		25	13	03		~~18~~			13	02	04	05	27
28		09		21				05			02	~~5.48~~	28
29				18		25	20		10	18			29
30				01		03		63		21			30
31										02			31
Total	·97	·95	1·90	1·98	·76	1·96	·54	1·27	1·12	3·11	4·08	5·48	TOTAL for year 24·12
No. of Rain Days.	12	12	13	12	6	10	4	6	7	16	21	25	144

W. 8,000, X. '11.

Ex Mss   Cor. ty sur. stats. 28.III.13

FORM A. BRITISH RAINFALL.

15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sunnydene Bickley

in the County of Kent 5

by J. Wrench Towse

Lat. 51·24 Long. 5" East

Time of Observation 9 a.m.

Nearest Railway Station Bickley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			11	06		10	20	—	08	~~1.57~~	—	·19	1
2			31			04	27	01	05	54		—	2
3	·08		06			10	02	29	05	04		·06	3
4	20		55		21	15	—	—			11	—	4
5	10		09		01	—	—	36			12	01	5
6	50	17	—		02	—	—	05				·11	6
7	—	01	02		06	58	06	31				03	7
8	26	38	21			02	—	30	06			01	8
9	—	10	—	02		22	04	—	—			07	9
10	—	04	—			02		29	07	~~10~~	14	24	10
11	03	25	—			05		05	04	—	01	22	11
12	02	11	04		15	13		02			02	02	12
13	—	03	01		—	—		04			08	01	13
14	—	—	—		02	—		04	~~10~~	10	02	—	14
15	—	—	10		40	64		02	—	—	05	37	15
16	35	—	03		01	06		11	~~03~~	03	10	—	16
17	45	—	25			02		04	—	—	03	11	17
18	11	—	11			—		15	~~05~~	05	03	12	18
19	13	08	12			02	05	17	—	—	—	—	19
20	—	—	50			—		09	~~36~~	36	01	—	20
21	02	04	21		09	—		10	~~06~~	06	05	—	21
22	13	10	05		04	—	09	11	~~03~~	03	—	04	22
23	45	31	27		02	4		37	~~06~~	06	19	09	23
24	15	—	—			09		19	—		—	13	24
25	16	—	—			19		1.01	—		31	54	25
26	—	04	—			—		41		26	42	22	26
27	—	—	—			—	04	—		12	—	14	27
28	—	06	—			—	06	05		45	52	13	28
29	—	02	—			06	30	12	1.15	15	05	—	29
30	—		—		23	13	02	15	1.47	21	~~05~~	—	30
31	—		—				12	—		04		—	31
Total	3.14	1.74	3.04	·08	1.26	2.62	1.27	4.85	2.97 ~~1.50~~	2.50 ~~3.07~~	2.26	2.86	YEAR'S TOTAL 28.50
Rain Days.	16	15	18	2	12	18	12	26	7	16	18	21	181

W. 7,500, XI. 12

FORM A. BRITISH RAINFALL.

4 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sunnydene Bickley 5

in the County of Kent

by Sir J. Wrench Towse

Lat. 51.24 Long. 5' East

Time of Observation 9 a m

Nearest Railway Station Bickley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	25	—	—	—	01	—	—	16	01	02	09	1
2	07	13	02	24	—	—	11	—	—	14	05	—	2
3	02	—	01	35	17	—	—	—	—	—	—	14	3
4	21	—	—	06	16	—	08	—	—	07	01	07	4
5	32	—	—	—	—	07	09	—	47	02	02	16	5
6	—	—	11	—	01	06	20	—	01	15	21	06	6
7	—	13	—	—	03	—	09	24	—	25	09	—	7
8	—	02	05	—	10	05	—	—	—	08	04	—	8
9	—	11	—	—	06	01	—	—	11	—	02	02	9
10	—	—	19	11	—	—	05	01	—	—	67	—	10
11	38	—	—	36	—	—	—	01	—	66	16	—	11
12	—	—	—	—	—	—	—	01	—	—	34	—	12
13	10	—	05	—	—	—	—	04	01	—	27	—	13
14	10	—	08	07	—	—	25	10	06	11	05	—	14
15	45	04	23	16	—	—	29	—	01	—	02	—	15
16	17	—	29	12	—	—	—	—	42	—	01	—	16
17	03	11	08	—	—	—	12	—	—	—	—	—	17
18	—	—	08	10	—	—	—	—	—	—	—	—	18
19	22	—	16	—	—	10	15	—	07	—	—	—	19
20	29	—	46	06	—	07	—	—	—	48	03	—	20
21	02	—	14	09	—	—	07	—	—	27	77	—	21
22	30	—	15	—	—	—	01	01	10	—	—	—	22
23	—	—	06	—	—	02	—	23	04	—	—	36	23
24	03	—	01	03	—	03	—	20	—	—	02	—	24
25	—	—	—	09	—	—	—	—	—	—	—	—	25
26	—	02	18	02	—	—	01	26	—	82	—	21	26
27	—	—	02	05	—	—	07	—	—	06	—	—	27
28	24	—	20	04	—	—	—	—	—	18	—	—	28
29	06		03	29	24	—	—	08	—	03	—	—	29
30	30		—	13	—	—	—	22	—	08	—	—	30
31	—		—		—		—	75		03		—	31
Total	3.31	.81	2.60	2.57	0.77	0.42	1.53	2.16	1.46	3.44	2.80	1.11	YEAR'S TOTAL 22.98
Rain Days.	18	8	21	18	7	9	14	13 14	11	17	18 19	18	172 174

W.7,000; XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Ex. M.G.

Kept at Sunnydene Bickley
in the County of Kent 5
by Sir J. Wrench Towse

Lat. 51.26 Long. 5' East
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.02	.15			.01	.02	1
2							09	30			06	16	2
3	01		.13		.11		09	08					3
4	02		01	.24							30	28	4
5	09		03	26	16	.02	29	1.02			01		5
6		09		15		25		02				17	6
7		45	.20	16	28	08	04					09	7
8	08	40	43	07	03	23	18	08				04	8
9	~~24~~ 22		77	07		04			.07			1.46	9
10	02	04	06	02	05				03		02	.04	10
11	~~18~~	55	24		07	05			18		24	45	11
12	~~11~~	06	11				05		11		01	56	12
13	01	21	16						15	.05		78	13
14		06	17			08	48			39	12	50	14
15	05		18				12	02		01	1.15	07	15
16	~~02~~		02						02				16
17		24	14						03			09	17
18		09	.12									31	18
19		03	39				07				.20	20	19
20		13	40			06			12	01		05	20
21		85	07							01		05	21
22		03	01	02	90	07	17			15		06	22
23			06		09	12	04			01			23
24			04							01	08		24
25	01		30				02	08		26	01	09	25
26			03				02	10		05	22	48	26
27	04							02			05	22	27
28	02									01	27	56	28
29	03		02							52	18		29
30		X	02							07	44	14	30
31		X		X	26	X			X		X	04	31
Total	.60	3.23	4.11	0.99	1.95	1.00	1.68	1.87	0.71	1.55	3.37	6.91	YEAR'S TOTAL 27.97
Rain Days.	12	14	25	8	9	10	14	10	8	13	17	25	165

481

FORM A.
BRITISH RAINFALL.
17. JAN 1916

REGISTER OF RAINFALL IN 1915

5

Kept at Sunnydene Bickley
in the County of Kent
by Sir Wrench Towse

Lat. 51.24 Long. 0. 2' 30''
Time of Observation 9 a.m
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 227 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	56	09	—	—	02	—	—	—	04	03	46	41	1
2	09	16	17	12	02	—	—	72	—	06	—	05	2
3	29	—	05	19	03	—	—	54	—	—	—	59	3
4	16	—	—	—	—	—	—	—	—	—	—	24	4
5	06	38	—	—	—	—	—	—	—	05	—	27	5
6	36	04	—	33	—	—	56	—	—	—	—	05	6
7	28	32	—	—	—	—	14	06	—	—	—	18	7
8	12	59	03	11	—	—	07	20	—	—	—	—	8
9	—	04	—	13	—	04	—	06	—	06	32	62	9
10	20	—	—	—	—	01	—	—	—	—	—	28	10
11	08	—	—	—	—	—	—	—	—	—	55	—	11
12	04	04	—	40	39	—	—	55	—	06	41	02	12
13	03	65	—	—	26	—	—	50	—	—	—	—	13
14	01	06	—	—	05	—	20	09	01	—	—	26	14
15	12	—	—	—	—	—	—	16	—	—	25	10	15
16	—	48	—	01	—	—	53	—	—	—	—	46	16
17	—	40	—	—	1.00	—	04	06	—	—	—	—	17
18	—	09	05	—	31	—	—	—	—	—	07	—	18
19	—	22	04	—	—	—	06	—	—	05	—	—	19
20	27	—	—	01	01	—	—	—	—	—	—	33	20
21	11	01	—	—	—	—	01	—	—	02	—	07	21
22	1.20	11	09	04	—	—	55	—	—	—	—	08	22
23		57	05	—	—	09	16	—	—	35	02	30	23
24		—	04	—	—	01	08	—	22	20	—	29	24
25		—	05	26	—	—	21	—	—	—	—	24	25
26		02	—	—	—	—	—	—	—	—	—	45	26
27		02	—	—	—	27	10	—	—	21	—	03	27
28		07	—	—	—	10	—	—	1.85	12	—	~~[illegible]~~	28
29			01	—	—	01	—	11	—	—	.11	—	29
30	05	X	—	—	—	—	—	—	—	—	.50	01	30
31	01	X	—	X	—	X		62	X	42	X	36	31
Total	4.04	4.36	0.58	1.60	2.09	0.53	2.71	3.67	2.12	1.93	2.69	5.69	YEAR'S TOTAL 32.01
Rain Days.	19	20	10	10	9	7	13	12	4	12	9	23	148

W. 8,000. X. 15.

Esd FD

469

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

JAN 1917

Kept at Sunnydene Bickley
in the County of Kent
by Sir D'Arcy Power

Lat. 51.24 Long. 0.2′.30″ East
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 227 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08				·37		·02		·22	·15	·27		1
2	·22	·08	09		·31		·01		·06	·32	·09		2
3		·85	·22						·24	·22	·62		3
4	·22	·13				·24			·06	·02	·50		4
5	·01				·11	·16	·04			·05	·66		5
6		·06	·04	·44		·20	·24			·02	·62	·06	6
7	05		·48		·18	·12	·32			·03	·78	·30	7
8			·36		·21							·21	8
9					·16					·05		·09	9
10		·20	·15	07		·44	·05						10
11	·04	·26	·06	·14		·35							11
12	·02	·04		·06	27	·18	01	·02		·07			12
13		·21	·32	·07	·08	·04	·11			·05			13
14		·38	·02		·10			·12				03	14
15		·20	·34					·27				·11	15
16		·03	·15	·13			·20	07					16
17	·07	·09					·04	·70	·31	·48			17
18		·10	·02	·39				·21	·03	·23	·83		18
19	04	·05	·10	·11					·09		·71	04	19
20	·14		·25					·01			·07	·45	20
21			·54				·05					·33	21
22		·01	·12									·40	22
23		·54	·01			·04				·06	·03	·08	23
24					·01	02				·13	·05	·34	24
25		·83	·13		·02			·24		07	04		25
26		12	·08			·11		·05		·13			26
27		09	·68			·78		·37		·80			27
28		·43	·24			·18			·06	·01		·15	28
29		·08				·16		·65	05	·28		13	29
30		X			1·44			18		·26			30
31		X		X		X			X	·08	X	·05	31
Total	·89	4·78	4·40	1·41	3·26	3·02	1·09	2·89	1·12	3·51	5·27	2·77	YEAR'S TOTAL 34·41
Rain Days.	10	21	21	8	12	14	11	12	9	21	13	15	167

W. 8,000, VIII. 16

448

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

28. JAN 1918

Kept at Sunnyden Bickley

in the County of Kent

by Sir Wrench Towse

Lat. 51.24 Long. 5' East

Time of Observation 9 a m

Nearest Railway Station Bickley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 224 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
								1.46	~~02~~				
1			02	35				16	02		07		1
2				33				51			24		2
3				10			02	16		12	24		3
4	·04		11				26	01		38	18		4
5	·20	·37		28					29	0.16	05		5
6			05	10		05			18	·04	05		6
7	17						05			22			7
8	10						76	31	07	23	14	·42	8
9	02			08			15	11	02		05	·44	9
10	10		10	10				06			01		10
11	12		38	18					24	19			11
12	14		02	05				09		43	01		12
13	04		10	06				01	03	09			13
14				13									14
15	03						18	11		04		02	15
16	11	22		25	20	10	14			19		55	16
17				07	75		24		20	09			17
18	06	07		17	05	01	26	15	11	02			18
19	02	13	12	01	06	04			08				19
20		12	05		53						07		20
21			03	01							005		21
22			06					16		20	005		22
23		13			19	05		11		08			23
24						04	02			12	·005		24
25						01					·50		25
26			10					·38	·25	·005	06	07	26
27								·84					27
28						1·80		04				·10	28
29			01		20	34	1·12	04		33		18	29
30		✕	22				2·36	05				06	30
31		✕		✕		✕	65		✕	03	✕		31
Total	1·15 ✓	1·04 ✓	1·37 ✓	2·27 ✓	1·98 ✓	2·44 ✓	6·21 ✓	5·04 ✓	1·49 ✓	2·97	1·68	1·84 ✓	YEAR'S TOTAL 29.48 ✓
Rain Days.	13 ✓	6 ✓	14 ✓	16 ✓	7 ✓	9 ✓	13 ✓	19 ✓	11 ✓	19 ✓	~~15~~	18 ✓	~~147~~

W. 8,000, IX. 17.

5.54

14

149

~~W~~ EF.E. 143

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 13. 1. 19

Kept at Sunnydene Bickley

in the County of Kent

by Sir Wrench Towse

Lat. 51.24 Long. 5' East

Time of Observation 9 a.m.

Nearest Railway Station Bickley L C & D Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 227 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
												~~10~~	
1				.05	00						.20	10	1
2		.05			01			.48		01	.12	12	2
3			.14	~~.005~~	.47			02			.47	04	3
4	01	.11	.12	.03				04	.21		.60	09	4
5		.02	.005		.16			12	.75	06		.02	5
6	21	19		.18	.21			04	03	02		06	6
7	06			.20	.33				19	06			7
8	–	06							09	01	.16	.05	8
9	–			.07		.05	.47		39	10		.19	9
10	02			.14		.03	.26		08	10	.03	.33	10
11	01			.03	.02		.91			29	.11	.14	11
12	–	03			.13		.41		.08			02	12
13	05	01		02	.12		07				Between 11 & 26 unable to take daily a/c. But total is correct.		13
14	1.18		~~.006~~	.01		.41	~~.005~~		14	26		.12	14
15	.30			.75			.28					08	15
16	.42			.21		.12	.01						16
17				.13	.60		1.16	05	.11			.10	17
18	39					.12	07		50	39		.12	18
19	08			.10	01	~~.005~~	.11			13		05	19
20	03	.12		.62			29		42	33		03	20
21	09			.41			01		23	15			21
22	02			01	.54		08		16			19	22
23	02			03	20		.87	11				04	23
24		.27			01	.04	47		19		×		24
25				.14			37	.19		.01	×		25
26							47	05		05	.25	.10	26
27		01	.005	13				13	05			.04	27
28			.17	06				18			.33	.10	28
29				01					1.07		03		29
30		╳	.37									.14	30
31		╳	09	╳		╳		05	╳	06	╳		31
Total	2.89 ✓	.87 ✓	.90	3.33 ✓	2.81 ✓	.77	6.31	1.46 ✓	4.59 ✓	2.03 ✓	2.30 ✓	2.18	YEAR'S TOTAL 30.44
Rain Days.	15 ✓	10 ✓	8	24 ✓	13 ✓	6	18	12	17 ✓	16 ✓	(12)	22 ✓	(169)

W. 6,500, VII. 18. W W C

10 425

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

6 FEB 20

Kept at [illegible] Bexley
in the County of Kent
by Sir [illegible] Towse

Lat. 51·24 N Long. 5' East
Time of Observation 9 a m
Nearest Railway Station Bexley
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 227 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	—	—	—	04	—	05	—	—	07	26	69	1
2	—	—	·	—	07	—	35	04	—	05	20	19	2
3	39	—	·48	—	—	—	14	—	03	—	09	49	3
4	11	—	42	—	—	10	37	04	—	—	09	25	4
5	04	—	67	—	—	—	—	—	—	—	04	29	5
6	03	·49	04	—	—	—	—	—	—	01	—	09	6
7	02	—	27	—	—	—	—	—	—	—	12	—	7
8	24	—	04	—	—	—	—	—	—	—	14	—	8
9	27	—	03	·05	11	—	—	—	—	—	02	—	9
10	12	—	—	—	—	—	—	—	—	02	—	—	10
11	05	—	·11	·25	—	—	13	—	—	—	—	—	11
12	—	—	·03	·07	—	—	27	—		04	—	—	12
13	02	—	—	·19	—	—	—	—	02	03	—	02	13
14	21	—	—	·47	—	—	05	—	47	—	—	04	14
15	18	—	·02	15	—	—	—	—	—	—	—	15	15
16	13	35	—	—	—	—	—	—	—	—	35	07	16
17	—	50	03	—	—	—	—	—	—	—	30	05	17
18	—	56	06	—	—	19	—	—	—	—	16	07	18
19	—	05	41	—	—	1 80	19	36	05	—	10	05	19
20	08	05	09	—	—		25	14	02	—	02	005	20
21	20	31	02	—	—		05	—	—	—	04	—	21
22	—	07	—	—	—		25	—	25	—	02	23	22
23	—	—	—	—	—	05	02	—	12	—	—	10	23
24	—	—	—	30	—	02	02	—	—	19	12		24
25	—	—	—	—	—		—	09	—	—	—	03	25
26	—	38	·12	10	—		12	20	08	—	—	19	26
27	24	12	—	65	—		—	31	—	—	—	03	27
28	—	—	·35	30	—		02	75	—	02	24	26	28
29	—		—	07	—	02	—	43	—	34	02	08	29
30	—		—	14	—	08	—	39	—	14	24	37	30
31	—		—		—		02	—		02		09	31
TOTAL	2·54	2·82	3·19	2·74	0·22	1·24	2·30	2·75	1·04	0·93	2·51	3·83	YEAR'S TOTAL 26·11
Days with ·01 in. or more	17	10	17	12	3	7	16	10	8	11	19	23	153

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~Ext Copy~~ 400

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

29 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Sunnydene Bickley
in the County of Kent
by Sir [illegible] Power

Lat. 51 24 Long. 5" 9" East
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 227 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·08		—	0·24	0·005	—	—	—	—	0·28	0·28	0·24	1
2	—		0·10	—	—	—	0·21	0·33	0·005	·12	—	·05	2
3	·05	0·10	—	—	—	0·03	—	—	·10	—	—	·07	3
4	—	13	—	·23	—	—	·35	—	—	·06	—	·05	4
5	—	—		—	·005	—	·50	·12	08	—	—	—	5
6	—	—	0·21	·16	·23	—	·17	—	—	—	—	·005	6
7	·05	—	·05	·08	·05	—	·13	—	—	—	—	—	7
8	—	—	—	—	—	—	·12	—	—	—	—	—	8
9	·24	·08	—	04	·06	—	—	—	—	—	—	—	9
10	·43	·12	·10	·005	—	·05	·21	—	—	—	·05	—	10
11	·15	—	·07	·26	—	·04	·23	—	—	—	—	—	11
12	·08	—	—	16	—	·35	—	—	—	—	—	—	12
13	·30	—	·11	·08	—	—	—	—	—	—	·005	—	13
14	·05	—	·27	·22	—	·09	—	—	·05	·04	·18	—	14
15	·05	—	·09	·29	—	—	—	—	50	·10	·13	—	15
16	—	—	—	·12	—	03	—	—	1·10	·005	—	—	16
17	·05	—	—	—	·16	14	—	—	·55	—	—	—	17
18	·08	—	—	—	·005	—	—	—	·15	—	—	0·35	18
19	·19	—	—	·34	—	—	—	1·33	—	—	—	·08	19
20	·08	·25	—	·21	—	·50	—	·07	·07	—	—	—	20
21	—	—	—	—	—	—	·73	·04	·87	—	—	·04	21
22	—	—	—	·35	—	—	—	—	·27	—	—	·38	22
23	—	—	—	—	—	—	·44	—	—	—	—	·26	23
24	—	—	·08	·005	—	—	—	—	—	—	—	·005	24
25	—	·08	—	05	—	—	·19	—	04	—	—	—	25
26	·06	—	·14	—	—	—	—	—	—	—	—	—	26
27	·23	·10	—	·22	—	·11	·26	—	—	—	·26	·10	27
28	·45		·13	·16	~~·06~~	—	·09	—	—	—	—	·04	28
29	·33		07	—	—	—	·04	—	—	—	05	·17	29
30	·05		—	—	·005	—	·09	—	·32	—	·22	11	30
31	—		—		·04		—	—		—			31
TOTAL	3·00	0·86	1·42	3·22	0·625	1·34	3·75	1·89	4·105	0·605	1·17	1·95	YEAR'S TOTAL 23·92
Days with ·01 in. or more	19	7	12	18	8	9	15	5	13	6	8	14	~~133~~
Days with ·04 in. or more	19	7	12	17	6	7	15	5	12	5	7	13	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BICKL~~EY~~
ST. LUKE VICARAGE
KENT
1918-20

Simons

REGI

Kept at Bickley
in the County of Kent
by C. C. Gosselin

...m Bickley
Gauge 5 in.
Ground 2 ft. — in.
Sea Level ft.

FORM A. BRITISH RAINFALL.
13 3. 19

IMPORTANT NOTE ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				05	03						10	09	1
2		06		03	48			37			50	09	2
3		02	15	04				03			50	09	3
4		08	12					03	24				4
5		02	02	18	16			07	79	02		05	5
6	21	13			21			05	04		05	[illegible]	6
7		04		19	33				12	06	09	03	7
8		07							07			19	8
9	06	01		08		04			36	10	03	35	9
10				13		02	70		03	07	10	12	10
11				04	02		79		02	29		03	11
12	01	03			20		30		04				12
13				03	04				06			09	13
14	13	02	03	02		43	08		08	25		06	14
15	1·26			57			17		01			01	15
16	60			19		15			10	02		08	16
17	10			13	60	01	97	05		~~35~~		12	17
18	38					13	06		56	35		06	18
19	10		07	~~10~~	03		10			13			19
20		10		65	[illegible]		30		37	33			20
21	11	02		40			01		21	12		17	21
22	03			03	41		10		17			04	22
23	02			03	24		86	10	02		02		23
24		25			01	06	42		15		11		24
25				09			33	16		03	11	08	25
26							43	04		05	18	03	26
27				12			02	10	04		22	10	27
28			17	06				19			03		28
29			07						1.04	02		11	29
30		X	30						03	02		01	30
31		X	03	X		X		05	X	18	X		31
Total	3.01	·85	96	~~3.06~~	2.76	84	5.66	1.24	4.55	2.04	1.94	2.00	YEAR'S TOTAL ~~28.89~~
Rain Days.	12	13	9	21	13	7	16	12	22	16	13	22	176

3.16

28.99

W, 6,500, VII. 18. w w c

REGI

FORM A. BRITISH RAINFALL.

13 3. 19

Kept at Bickley

in the County of Kent

by C. C. Gosselin

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bickley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				05	03						10	09	1
2		06		03	48			37			50	09	2
3		02	15	04				03			50	09	3
4		08	12					03	24				4
5		02	02	18	16			07	79	02		05	5
6	21	13			21			05	04		05	~~05~~	6
7		04		19	33				12	06	09	03	7
8		07							07			19	8
9	06	01		08		04			36	10	03	35	9
10				13		02	70		03	07	10	12	10
11				04	02		79		02	29		03	11
12	01	03			20		30		04				12
13				03	04				06			09	13
14	13	02	03	02		43	08		08	25		06	14
15	1·26			57			17		01			01	15
16	60			19		15			10	02		08	16
17	10			13	60	01	97	05		~~35~~		12	17
18	38					13	06		56	35		06	18
19	10		07	10	03		10			13			19
20		10		65	~~[illegible]~~		30		37	33			20
21	11	02		40			01		21	12		17	21
22	03			03	41		10		17			04	22
23	02			03	24		86	10	02		02		23
24		25			01	06	42		15		11		24
25				09			33	16		03	11	08	25
26							43	04		05	18	03	26
27				12			02	10	04		22	10	27
28			17	06				19			03		28
29			07						1.04	02		11	29
30		✕	30						03	02		01	30
31		✕	03	✕		✕		05	✕	18	✕		31
Total	3.01	·85	96	~~306~~	2·76	84	5.64	1.24	4·55	2·04	1.94	2 00	YEAR'S TOTAL ~~2889~~
Rain Days.	12	13	9	21	13	7	16	12	22	16	13	22	176

3·16

28.99

W, 6,500, VII. 18. W W C

~~W.~~ [illegible]

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bickley (St Luke's Vicarage)

in the County of Kent

by C. C. Gosselin

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Bickley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18				01	—	14			07	11	90	1
2	16	17	01		08		40	06		05	10	09	2
3	24		48				17		03		05	31	3
4	12		55			06	10				05	14	4
5	05	36	54								05	24	5
6	05		03							02	02	09	6
7	02		18								08		7
8	21		05	03							07		8
9	30		03	02							08		9
10	14		01	02						01			10
11	06		10	22			+						11
12	02		03	04			+			03			12
13	01			30					02	03		02	13
14	16			31			+		46				14
15	16	03	05	12			away					16	15
16	08	49									11	04	16
17		31	04	03					04		12		17
18		50	07						10		07	04	18
19			41			15	+	30			09		19
20	09	12	05			80	+	12				02	20
21	21	28	03			01	+				02		21
22		06	01				+		28		03	24	22
23						03	+		15			03	23
24				27		01	+			14	06		24
25	02	01					1·65	13				03	25
26	08	34	10	09			21	16	09			20	26
27	31	11	02	99				28				04	27
28			25	03			07	80			28	24	28
29				06				36		32		06	29
30				23		07		37		11	17	39	30
31			05				04			02		13.	31
TOTAL	2·67	2·78	3·09	2·76	09	1·13	2·78	2 58	1·17	80	1·56	3·41	YEAR'S TOTAL 24·82 ~~24·02~~
Days with ·01 in. or more	21	12	22	15	2	7	(18)	9	8	10	18	20	(160)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

401

28 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at S^t Luke's Vicarage Bickley

in the County of Kent

by C. C. Gosselin

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bickley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04			20	02		22			23		23	1
2			09		02			26	04	13		03	2
3		06				04			06	03		05	3
4		10		19			26	02		03		03	4
5			09		05			08	06			01	5
6			18		16							04	6
7	01		02	16	04							02	7
8				08	08								8
9	21	03											9
10	30	01	07	02		06					04	17	10
11	13	01	05	24		05							11
12	06			15		37							12
13	26		11	12							01		13
14			20	21		11			07	05	12		14
15	01		04	15					89	10	05		15
16				10	01	03			61				16
17				01		12			45			10	17
18	02			02	09			102	17			07	18
19	12			28								11	19
20	06	21		16		54			09				20
21								03	82			04	21
22				32					23			36	22
23												24	23
24		02	02	02			250		02				24
25		02		03			18						25
26	02		08	03		01	02						26
27	25	05	01	15		12	23				26	10	27
28	46		17	15	07		08				03	03	28
29	49		03				02				03	12	29
30	02	×				02	09		30		23	10	30
31		×		×	04	×			×	30	×	05	31
TOTAL	2·46	·51	1·16	2·79	58	147	360	1.41	3·81	87	77	190	YEAR'S TOTAL 21 33
Days with ·01 in. or more	16	9	14	21	10	11	(16)	5	13	7	8	19	(149) ~~133~~
Days with ·04 in. or more	11	3 4	10	15	7	8	(13)	3	12	5	5	14	(106) ~~93~~

away from home
Total taken on return.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

from C.

BICKNOR
RECTORY
KENT
1911 - 1920

RE 19*11*.

FORM A2.
BRITISH RAINFALL.

29 FEB 1912

Kept at Bickno

in the County of J

by Rev. W. J.

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-											1
2	-	-											2
3	·12	-											3
4	·20	·10											4
5	·09	-											5
6	·22	-											6
7	·06	-											7
8	18	-											8
9	·27	-											9
10	-	09											10
11	·35	-											11
12	-	-											12
13	-	-											13
14	-	13											14
15	-	·02											15
16	-	-											16
17	-	-											17
18	-	·25											18
19	-	-											19
20	-	-											20
21	·06	·14											21
22	-	-											22
23	-	·25											23
24	-	·12											24
25	-	·09											25
26	-	-											26
27	-	·35											27
28	-	·17											28
29	-												29
30	-												30
31	-												31
Total	1·55	1·71											TOTAL for year
No. of Rain Days.	9	11											

W. 8,000, X. '11.

from C.

FORM A2.
BRITISH RAINFALL.
29 FEB 1912

REGISTER OF RAINFALL IN 1911.

Kept at Bicknor Rectory old g.

in the County of Kent 3

by Rev. W. T. Martin.

RAIN GAUGE
- Pattern
- Diameter of top in.
- Height of top above Ground ft. in.
- ,, ,, ,, Sea Level ft.

Time of Observation

Nearest Railway Station
- Name
- Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-											1
2	-	-											2
3	·12	-											3
4	·20	·10											4
5	·09	-											5
6	·22	-											6
7	·06	-											7
8	18	-											8
9	·27	-											9
10	-	·09											10
11	·35	-											11
12	-	-											12
13	-	-											13
14	-	·13											14
15	-	·02											15
16	-	-											16
17	-	-											17
18	-	·25											18
19	-	-											19
20	-	-											20
21	·06	·14											21
22	-	-											22
23	-	·25											23
24	-	·12											24
25	-	·09											25
26	-	-											26
27	-	·35											27
28	-	·17											28
29	-												29
30	-												30
31	-												31
Total	1·55	1·71											TOTAL for year
No. of Rain Days.	9	11											

W. 8,000, X. '11.

Df

W ~~N.W.N.~~ cor. by B 28.II.12

73

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at *Bicknor Rectory*

in the County of *E. Kent* 30

by *Rev. W. T. Martin*

Rain Gauge
Pattern Snowdon
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation ......

Nearest Railway Station
Name ......
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16			·95	·01			·09			·05	·03	1
2			·02	·03	·32						·15	·24	2
3	·14				·17						·07	·13	3
4	·23	·12	·11						·01	1·51	·26	·20	4
5	·10			·30						·25		·22	5
6	·25		·03									·29	6
7	·07		·06							·72	·39	·37	7
8	·21		·12							·02	·44	·18	8
9	·30		·06	·10							·12	·05	9
10		·11	·05	·08							·06	1·00	10
11	·40		·11								·90	·02	11
12			·36		·06	·06					·02		12
13			·40		·46	·06			·56	·21	·03	·27	13
14		·14			·28	·05						·44	14
15		·03	·43							·02	·06	·05	15
16						·39					·30	·08	16
17			·03			·02					·86	·14	17
18		·27	·06								1·06	·18	18
19						·09			·14	·12	·32	·17	19
20						·05		·19	·16	·30		·81	20
21	·06	·15						·12		·38		·27	21
22			·14			·03		·52		·37		·42	22
23		·26	·14			·99			·31	·08	·07	·15	23
24		·13				·08	·11			·30		·37	24
25		·09		·08		·35		·12	·04			·02	25
26			·44	·30		·16				·19	·11	·20	26
27		·37	·06	·08					·18	·69		·07	27
28		·19	·02	·15							·02	·02	28
29			·02	·19		·20	·13		·38	1·23			29
30				·07		·02			·10	·25	·02		30
31													31
Total	1·76 ~~1·92~~	1·86	2·66 ~~3·00~~	2·33	1·30	2·55	·24	1·04	1·88	5·64 ✓	5·31	6·39	TOTAL for year 32·96
No. of Rain Days	9 ✓	11	19	11	6	14	2 ~~3~~	5	9 ~~10~~	16 ~~17~~	20 ~~21~~	27	149 ~~150~~

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Bicknor Rectory

in the County of Kent 3

by Rev. W. T. Martin

RAIN GAUGE: Pattern ______ Diameter of top ______ in. Height of top above Ground ______ ft. ______ in. " " " Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station: Name ______ Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·07	·02		·17	·17		·09	·69		·21	1
2			·28			·05	·20	·06	·04	·12		·02	2
3	·07		·03		·11	·19		·16	·01			·08	3
4	·25		·55		·16	·37		·04			·19		4
5	·10	·16	·18			·08		·44			·15	·02	5
6	·50	·12			·03			·30			·01	·08	6
7			·02		·11	·71		·04				·02	7
8	·26	·26	·20			·06		·07	·07		·01	·03	8
9						·08	·11	·15				·13	9
10	·02							·13	·04		·11	·23	10
11		·35				·16		·06				·21	11
12			·02		·18	·25		·28				·03	12
13		·23	·02				·05	·03			·27	·02	13
14	·02				·02			·12	·04	·08	·03		14
15			·10		·30	·80		·03			·27	·40	15
16	·19		·04		·07	·09		·09		·08			16
17	·34		·43			·07		·07				·11	17
18	·45		·21					·05		·11	·03		18
19	·04	·22	·22				·17		·02		·02		19
20	·02	·03	·42		·02					·57			20
21		·03	·69					·73		·28	·08		21
22	·12	·25	·05		·02			·14				·02	22
23	·65	·33	·30		·20	·03	·10	·62		·04	·24	·05	23
24			·02		·04	·23	·02	·20				·11	24
25						·26		·88		·32	·34	·30	25
26	·08	·02				·05	·06	·55			·18		26
27			·04				·07			·07		·15	27
28		·04					·12	·03	·04	·59	·35	·32	28
29				·07			·09	·25	1·24	·21	·22		29
30					·04		·05	·18	1·66	·32		·01	30
31					·03		·18	·18					31
Total	3·13	2·04	3·59	·09	1·33	3·65	1·39	5·88	3·25	3·48	2·50	2·55	TOTAL for year 33·18
No. of Rain Days.	16	12	20	2	14 ~~11~~	17 ~~20~~	13	27 ~~20~~	10	13	16	21	181

W. 8,000, X. '11.

81 23.11.14 1+2 adjust ·50

Feb 1-3 ist. obvr agrees 24.11.14

Ex. H.R.M.

60

22 JAN 1914

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Bicknor Rectory

in the County of Kent 3

by Rev. W. T. Martin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02		·08	·28		·03			·01	·04		·06	1
2	·02	(·50)			·03		·35		·06				2
3			·06	·70	·35		·10					·18	3
4	·10		·01	·04	·03						·12	·02	4
5	·20						·42		1·38	·18	·11	·03	5
6	·25	·03	·08		·02	·07	·05		·02	·32	·11		6
7		·10		·03		·01	·12	·35		·23	·05		7
8		·01	·09	·01	·10	·03				·32	·06	·02	8
9		·10		·02	·08		·04	·38	·11	·01	·02	·02	9
10			·05	·07			·65	·05			·75		10
11	·43			·45				·01		·52	·25		11
12					·02					·01	1·25	·05	12
13	·38		·01					·10			·38		13
14	·16	·02	·08	·09			·43	·02		·17	·14		14
15	·11		·20	·11			·34						15
16	·35		·46	·26			·06		·42		·02		16
17	·02	·04	·03	·09			·11	·02				·06	17
18	·01		·09	·28			·01		·11		·09		18
19	·21		·10	·02		·58	·14		·18				19
20	·55		·05	·07					·03	·47			20
21	·07		·32	·07					·03	·70	·85		21
22	·28		·12	·15			·12		·07	·02	·02	·02	22
23	·01		·19			·03	·04	·10	·03	·03		·47	23
24	·03		·06			·02		·05			·03		24
25				·22		·11						·01	25
26			·16			·02		·05		1·05	·02	·25	26
27			·05				·03			·13			27
28	·17		·25	·03	·19					·35			28
29	·18		·03	·58				·05					29
30	·37			·20	·15			·10		·17			30
31			·04		·10			1·00					31
Total	3·92	(·80)	2·61	3·77	1·07	·90	3·01	2·28	2·45	4·72	4·27	1·19	YEAR'S TOTAL (30.99)
Rain Days.	21	(8) ~~7~~ 6	23	21	10	9	16	~~14~~ 13	~~13~~ 12	17	17	~~13~~ 12	179

W. 7,500, XI. ·12

30.99

9l

Cor'd pr auth. 9.11.15 Cor. fr W D in Feb. 24.II.15.

49

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Bichnor Rectory

in the County of Kent 30

by Rev. W. T. Martin

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·17							·04	·04	1
2	·02			·03		·02	·23	·05			·13	·16	2
3			·28	·02	·17		·06						3
4			·08	·15							·28	·31	4
5	·12		·04	·34	·13		·19	·24					5
6		·05		·20	·02	·17	·01	·04				·19	6
7	·02		·28	·14	·01	·29	·05					·20	7
8	·05	·37	·25	·08		·01	·07					·07	8
9	·41	·40	1·40	·14					·02			1·97	9
10	·09			·05	·08					·05	·02	·10	10
11	·02		·31	·06		·08			·20		·11	·30	11
12		·40	·10				·46		·25	·02		·58	12
13		·03	·21		·06				·23	·07	·07	·59	13
14		·22	·31				·19			·50	·02	·24	14
15	·02	·23	·26				·38	·02	·06		·73	·09	15
16		·04	·02				·01		·10		·02		16
17		·04	·08									·05	17
18		·20	·11								·02	·34	18
19		·21					·06			·12	·28	·11	19
20		·11	1·07			·06		·02		·28		·38	20
21		·12	·09	·02		·05				·04		·09	21
22		·86	·01	·02	·04	·18	·24			·38		·04	22
23		·07	·56		·12	·31				·06		·15	23
24		·01	·07	·16			·01			·01	·10	·09	24
25	·12		·34		·08		·04	·08		·32	·04		25
26			·08		·02			·18		·05	·26	·34	26
27	·02		·05				·02	·05		·02	·07	·45	27
28	·05				·04		·05			·25	·53	·52	28
29			·01							·96	·15		29
30			·05							·14	·90	·07	30
31					·29							·04	31
Total	·94	~~3·38~~ 3.36	6·06	1·58	1·06	1·17	2·07	·68	·86	3·27	3·77	7·51	YEAR'S TOTAL 32·33
Rain Days.	~~12~~ 11	17	25	14	~~11~~ 12	9	~~17~~ 16	~~7~~ 8	6	16	18	26	~~178~~

W.7,000, XI. 13

16 Burnt.

177

81

379
~~#8~~

FORM A.
BRITISH RAINFALL.
10 MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Bicknor Rectory

in the County of Kent 3

by Rev. W. T. Martin

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·56	·10						·04	·16		·65	·41	1
2	·18	·15						·33	·02	·02	·03	·04	2
3	·41							·30	·39		·01	·46	3
4	·02							·39			·02	·57	4
5	·03	·26						·11		·11	·16	·40	5
6	·27	·15									·01	·06	6
7	·28	·26										·31	7
8	·05	·58						·08			·02	·01	8
9	·04	·35						·13			·60	·47	9
10	·29											·54	10
11	·05							·09	–	·04	·58		11
12	·05	·10									·64	·01	12
13	·09	·80											13
14	·07	·06						·11	·13			·25	14
15	·12							·36			·42	·25	15
16	·03	·26						1·74				·03	16
17		·53						·03				·38	17
18		·16									·08		18
19		·15								·18		·01	19
20	·35	·07								·01		·27	20
21	·13	·02								·02		·08	21
22												·12	22
23	·16											·35	23
24	·02								·29	·14		·39	24
25										·06		·19	25
26	·06	·16										·37	26
27		·05								·32			27
28		·02							1·83	·26			28
29											}	·05	29
30	·09	×						·21	·07		·76 }	·02	30
31	·11	×		×		×		·33	×	·65	×	·25	31
Total	3·46	4·23						4·25	2·89	1·81	3·98	6·29	YEAR'S TOTAL
Rain Days.	23	19						14	7	11	14	26	

W. 8,000. X. 14.

Dl ✓ W Dh ~~48~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bicknor Rectory

in the County of Kent

by E. W. Edwards

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09				.01				.11	.08	.33		1
2	.29	.05	.55							.32			2
3		.55	.12				.06		.10	.31	.46		3
4	.06	.11	.06						.03	.05	.46		4
5	.02			.01	.12	.26	.10			.05	.48		5
6	.03	.06	}	.45		.36	.22			.03	.25		6
7	06		1.15 }		.28	.08	.27			.01	.65		7
8					.22	.05					.01	.30	8
9			.03		.46				.03		.		9
10		.25	.07	.12			.24					.69	10
11	.07	.15	.09	.19		.65						.03	11
12		.05	.15	.03		.11				.15			12
13		.25	.14	.09	.40	.23	.03			.11			13
14		.32	.04		.24	.26	.22					.25	14
15		.17	.03		.06			.04					15
16			.10	.20			.28	.07					16
17	.15			.07			.20	.09	.47	.74			17
18	.03	.08	.03	.07					.05	.13	.63		18
19	.11	.09	.02	.06					.15		.56		19
20	.07		.16	.11		.08			.01		.06	.54	20
21	.03		.97	.20			.04					.48	21
22		.12	.32	.03						.03		.03	22
23		.25	.08			.15		.08			.04	.30	23
24	.02		.02							.32	.04		24
25		.46	.21					.53		.19	.02	.16	25
26	01	.11	.01			.06	.01	.06		.17	.08		26
27	.07	.24	.57				.01	.83		.39			27
28	.01	.40	.08					.12	.10	.03			28
29		.12	.07			.16		.69	.03	.31		.23	29
30		X						.44		.20			30
31		X		X		X		.02	X	.19	X	.04	31
Total	1.12 ~~1.11~~	3.83	5.07	1.63	1.79 ~~1.91~~	2.45	1.68	2.97	1.08	3.81 3.81	4.07	3.05	YEAR'S TOTAL 32.55
Rain Days.	16	19	25	13	8	12	12	11	10	20	14	11	171

W. 8,000. X. 15.

DL W.D. card for author 356 ~~H3~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Bicknor Rectory

in the County of Kent

by E. W. Edwards

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·20				1·93					1
2				·15				·33			·10		2
3				·10			·01	1·46		·10			3
4		·29		·39			·11	·02		·38		·05	4
5	·19					·09			·20	·12			5
6			·16	·07							·04		6
7	·17						·09			·54	·15		7
8	·08			·10			·53	·04					8
9			·01	·08			·10		·01		·23 ~~·73~~	1·62	9
10			·09	·10				·14			·03		10
11	·18		·14	·36				·04	·15	·25			11
12	·18		·04	·03				·19		·36			12
13			·08		·07			·02		·23			13
14	·29		·06	·22				·09					14
15	·22			·10			·08	·12		·06			15
16	·02				·31		·03	·01		·10			16
17				·14	·38		·19		·23	·12		·50	17
18		·13					·07	·15	·10				18
19		·05	·08	·09	·20	·22			·17				19
20		·10	·14		·63	·02	·22	·05	·03		·08		20
21			·01		·06	·01							21
22			·22			·37		·08				·04	22
23		·08			·24	·05		·20		·18	·01	·06	23
24						·03							24
25								·02					25
26			·10			·05		·21			·96		26
27						·05		·91					27
28			·10		·06	·73	·04	·20				·16	28
29						·21	·45	·03		·60			29
30	·12	✕	·26				2·87	·14				·05	30
31		✕	·15	✕		✕	1·25	·02	✕	·11	✕		31
Total	1·45	·65	1·64	2·13	1·95	1·7~~3~~8	6·04	6·40	·89	3·15	1·60	2·48	YEAR'S TOTAL ~~39·16~~ 30·16
Rain Days.	9	5	15	14	8	11	14	23	7	13	8	~~8~~ 7	135

W. 8,000, VIII. 16

Dl

W DL

53

~~45~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
27.1.19

Kept at Bicknor Rectory

in the County of Kent

by E. W. Edwards

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06								·09	·08	1
2											·4	·15	2
3		·02			·28			·24		·04	·42		3
4		·05	·08		·21				·34		·33	·03	4
5		·18			·26			·14	·12	·05	·53	·04	5
6		·05		·26	·33			·05	·03			·04	6
7	·21	·10		·02	·34				·30	·04			7
8		·10		·02					·15	·23	·17	·05	8
9				·04		·17	·38		·38		·03		9
10				·21			·20		·30	·03	·10	·48	10
11				·02	·06	·06	·05		·04	·65		·15	11
12					·18		·05		·04	·12		·03	12
13	·14	·12		·06	·12		·05		·10				13
14	·13	·03				·16			·09			·12	14
15	1·13		·02	·40		·26				·19		·18	15
16	·28			·28		·15	·17			·04			16
17	·16			·29				·03				·30	17
18	·35			·02		·19			·45	·12		·06	18
19	·10		·22	·09		·16	·01		·10	·41			19
20	·03	·07		·20		·03	·77		·11	·75		·09	20
21	·16					·02	·11		·72	·08			21
22	·05				·05		·16		·80			·15	22
23	·05				·04		·50	·06			·08	·06	23
24		·36		·07	·05	·04			·18				24
25							·26		·03		·11		25
26							·40	·16	·03	·07		·15	26
27				·36			·35	·18				·03	27
28			·26	·02		·08		·19			·48	·09	28
29				·05	·02			·06	1·35		·03		29
30		X	·41						·10	·06		·05	30
31		X		X		X			X		X		31
Total	2·79	1·08	1·05	2·41	1·94	1·32	3·46	1·13	5·76	2·88	2·41	2·33	YEAR'S TOTAL 28·54
Rain Days.	12	10	6	17	12	11	14	9	21	15	15	21	163

W. 8,000, VIII. 16

Dl

~~W 8½~~ cert by B & surrounding Stns

335

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Bicknor Rectory

in the County of Kent

by E. N. Edwards

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	06			·03		·18	-		·02	·11	·56	1
2	·20		}		03		·11				·37	·24	2
3	·25		·31 }		02		·70	·03	·19		·12	·29	3
4	·26	·24	·42			·02	·03	·02	·01	·05		·07	4
5	·07		1·33								·21	·27	5
6	·05		·01								·05	·09	6
7	·13		·48								·13		7
8	·33		·08								}		8
9	·40		·05	·22							·34 }		9
10	·48		·04	·03							·02	·03	10
11	·23	—	·14	·41	·04		·12						11
12				·06			·30			·09	·04		12
13	·06			·53			·03			·04			13
14	·36			·40			·19		·27	·04			14
15	·14			·13					·05		·03	·05	15
16	·22	·39		·01				·01			·11	·06	16
17	·16	·70		·04							·18	·02	17
18	·02	·33							·06		·10	·12	18
19		·07	·36				(·15		·05		·07	·06	19
20		·09	·11			·90	(·20) ·15	·03				·03	20
21		·35	·09				(·18)	·11			·03	·26	21
22			·02				(·07)		·42		·06	·02	22
23				·02		·06	·02		·23		·02		23
24				·16				·03			·10		24
25	·07			·09				·31		·03			25
26	·07	·14	·12		·06		·10	·01	·10			·32	26
27	·28	·05	·03	1·35				·12				·07	27
28			·28			—	·07	·92			·50	·28	28
29	·11			·18				·71		·28	·11	·15	29
30		✕	·03	·25				·58		·31	·09	(·50) ~~·33~~	30
31	·20	✕	·07	✕		✕	·09		✕	·19	✕	·08	31
Total	4·38	2·32	3·97	3·88	·18	·98	2·69 ~~2·19~~	2·88	1·38	1·05	2·79	3·57 ~~3·30~~	YEAR'S TOTAL 30·07 ~~29·60~~
Rain Days.	22	10	19	15	5	3	17 ~~16~~	12	9	9	22	21	~~163~~ 164

W, 6,500, VII. 18. w w c

57

31

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Richnor Rectory

in the County of Kent

by E. W. Edwardes

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·32	·01		·12			·88		·21	1
2			·12		·02				·15	·11			2
3					·11	·13			·12	·03		·10	3
4		·08		·30			·64	·07					4
5				·01	·03		·48	·05	·07				5
6			·25		·13		·21	·01				·17	6
7	·03			·13	·10		·12			·01		·06	7
8				·04	·05		·16			·01		·05	8
9	·31				·03		·07	·02					9
10	·36	·12	·10	·26			·10						10
11	·23		·07	·16			·69					·18	11
12	·11	·06	·05	·23	·03	·41	·02						12
13	·29		·06			·02			·01		·08		13
14			·25	·12		·11	·01		·17	·07	·25		14
15	·02		·03	·34					·84	·09	·06	·03	15
16				·32	·08	·27			·15	·02		·11	16
17	·02			·01	·19	·12			·72			·13	17
18	·05			·22	·04				·66				18
19		·24		·04				1·43					19
20				·21		·46		·19	·64				20
21	·18			·20			·59	·03	1·14			·09	21
22	·03			·03					·11			·30	22
23				·30			·26		·07			·27	23
24				·01				(·09)				·02	24
25	·01		·03	·06	·13		·12						25
26	·07		·04	·08			·01						26
27	·21	·12	·04	·20		·12	·06				·18	·17	27
28	·37	·01		·07	·14		·13				·48	·05	28
29	·26			·01							·06		29
30	·03	X		·01			·15		·18		·40	·12	30
31		X	10 7	X		X	·01		X	·30	X	·16	31
TOTAL	2·63	·63	1·04	3·68	1·09	1·64	3·94	1·89 ✓	5·03	1·52	1·51	2·22	YEAR'S TOTAL 26·82 ✓
Days with ·01 in. or more	18	6	11	25	14	8	19	8 ✓	14	9	7	18	157 ✓
	13	5	9	19	10	7	15	5	13	5	7	17	125

(44,283). Wt.21,958—218, 7500. 10/19. Gp.132. A.&E.W.

BIDDENDEN
{AUGUSTUS VILLA}
KENT

1915 - 1920

8. JAN 1916

NEG A,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Ernest [illegible]

Time of Observation 9 am

YEAR 1915.

At Biddenden

County Kent

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1				Nil	Nil	Nil	Nil	0.15½	[illegible]	Nil	0.20	0.36
2				0.7¼	0.2	Nil	Nil	0.13½	0.4	Nil	0.2	0.11
3				0.22	0.14	Nil	Nil	0.25	0.42	Nil	Nil	0.63
4				Nil	Nil	Nil	Nil	0.15	Nil	0.3	Nil	0.44
5				0.3	Nil	Nil	Nil	0.12	Nil	0.2	0.3	0.49
6				0.46	0.12	Nil	0.22	Nil	Nil	Nil	Nil	0.23
7				Nil	Nil	Nil	0.6	Nil	Nil	Nil	Nil	[illegible]
8				0.2	Nil	Nil	0.6	Nil	Nil	Nil	Nil	Nil
9				0.2	Nil	0.9	Nil	0.7	Nil	Nil	0.38	0.57
10				Nil	Nil	0.32	Nil	Nil	Nil	Nil	Nil	0.68
11				Nil	Nil	Nil	Nil	Nil	Nil	0.2	0.57	0.6
12				0.14	0.30	Nil	Nil	Nil	Nil	0.2	1.0	Nil
13				0.4	Nil	Nil	Nil	Nil	0.9	Nil	0.1	Nil
14			Nil	Nil	1.40	Nil	0.33	Nil	Nil	0.2	Nil	0.22
15			Nil	Nil	0.6	Nil	0.11	0.25	Nil	Nil	0.42	0.24
16			Nil	0.4	Nil	Nil	1.[illegible]	0.26	Nil	Nil	Nil	0.6
17			Nil	Nil	1.61	Nil	0.2½	Nil	Nil	Nil	Nil	0.20
18			Nil	Nil	0.29	Nil	Nil	Nil	Nil	Nil	Nil	0.4
19			Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.5	Nil	Nil
20			Nil	0.5	Nil	Nil	Nil	0.55	Nil	Nil	Nil	0.19
21			Nil	Nil	Nil	Nil	Nil	[illegible]	Nil	0.11	Nil	0.9
22			0.2½	0.4	Nil	Nil	0.69	Nil	Nil	Nil	Nil	0.18
23			0.3	Nil	Nil	Nil	0.15	Nil	Nil	0.8	Nil	0.37
24			[illegible]	0.6	Nil	Nil	0.10	Nil	0.34	0.72	Nil	
25			0.4	0.2	Nil	Nil	0.32	Nil	Nil	Nil	Nil	
26			Nil	Nil	Nil	Nil	0.4	Nil	Nil	Nil	Nil	
27			Nil	Nil	Nil	0.21	0.16	Nil	Nil	0.28	Nil	
28			0.1	Nil	Nil	0.3	0.5	Nil	1.50	0.19	Nil	
29			Nil	Nil	Nil	Nil	0.28	0.16	Nil	Nil		1.57
30			Nil	Nil	Nil	0.17	Nil	Nil	0.5	Nil	1.8	Nil
31			Nil				Nil	Nil		0.64		0.35
Totals				1.21	3.94	0.82	3.99½	2.10	3.[illegible]	1.51	3.71	7.34
				13	8	5	15	9	7	12	9	



8. JAN 1916

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Ernest Hume

Time of Observation 9 am

YEAR 1915.

At Biddenden

County Kent

Rules for observing Rainfall will be found on back of this Chart.

Date	*Jan.*	*Feb.*	*March.*	*April.*	*May.*	*June.*	*July.*	*Aug.*	*Sept.*	*Oct.*	*Nov.*	*Dec.*
	in.	*in.*	*in*	*in*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*
1				Nil	Nil	Nil	Nil	0.15½	[illegible]	Nil	0.20	0.36
2				0.7¼	0.2	Nil	Nil	0.13½	0.4	Nil	0.2	0.11
3				0.22	0.14	Nil	Nil	0.25	0.42	Nil	Nil	0.63
4				Nil	Nil	Nil	Nil	0.15	Nil	0.3	Nil	0.44
5				0.3	Nil	Nil	Nil	0.12	Nil	0.2	0.3	0.49
6				0.46	0.12	Nil	0.22	Nil	Nil	Nil	Nil	0.23
7				Nil	Nil	Nil	0.6	Nil	Nil	Nil	Nil	[illegible]
8				0.2	Nil	Nil	0.6	Nil	Nil	Nil	Nil	Nil
9				0.2	Nil	0.9	Nil	0.7	Nil	Nil	0.38	0.57
10				Nil	Nil	0.32	Nil	[illegible]	Nil	Nil	Nil	0.68
11				Nil	Nil	Nil	Nil	Nil	Nil	0.2	0.57	0.6
12				0.14	0.30	Nil	Nil	Nil	Nil	0.2	1.0	Nil
13				0.4	Nil	Nil	Nil	Nil	0.9	Nil	0.1	Nil
14			Nil	Nil	1.40	Nil	0.33	Nil	Nil	0.2	Nil	0.22
15			Nil	Nil	0.6	Nil	0.11	0.25	Nil	Nil	0.42	0.24
16			Nil	0.74	Nil	Nil	1.[illegible]	0.26	Nil	Nil	Nil	0.6
17			Nil	Nil	1.61	Nil	0.2½	Nil	Nil	Nil	Nil	0.20
18			Nil	Nil	0.29	Nil	Nil	Nil	Nil	Nil	Nil	0.74
19			Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.5	Nil	Nil
20			Nil	0.5	Nil	Nil	Nil	0.55	Nil	Nil	Nil	0.19
21			Nil	Nil	Nil	Nil	Nil	[illegible]	Nil	0.11	Nil	0.9
22			0.2½	0.24	Nil	Nil	0.69	Nil	Nil	Nil	Nil	[illegible]
23			0.3	Nil	Nil	Nil	0.15	Nil	Nil	0.8	Nil	0.37
24			0.5	0.6	Nil	Nil	0.10	Nil	0.34	0.12	Nil	
25			0.4	0.2	Nil	Nil	0.32	Nil	Nil	Nil	Nil	
26			Nil	Nil	Nil	Nil	0.4	Nil	Nil	Nil	Nil	
27			Nil	Nil	Nil	0.21	0.16	Nil	Nil	0.28	Nil	C
28			0.1	Nil	Nil	0.3	0.5	Nil	1.5[illegible]	0.19	Nil	
29			Nil	Nil	Nil	Nil	0.28	0.16	Nil	Nil	[illegible]	1.57
30			Nil	Nil	Nil	0.17	Nil	Nil	0.5	Nil	1.8	Nil
31			Nil				Nil	Nil		0.64		0.35
Totals				1.21	3.94	0.82	3.99½	2.10	3.33	1.51	3.71	7.34
				13	8	5	15	9	7	12	9	✓

Inches | *Jan* | *Feb.* | *Mar.* | *Apr.* | *May.* | *June* | *July* | *Aug* | *Sept* | *Oct.* | *Nov.* | *Dec.*

9 — 8 — 7 — 6 — 5 — 4 — 3 — 2 — 1

MONTHLY TOTALS

esct 95

REGISTER OF RAINFALL IN 1916

FORM 4A.
BRITISH RAINFALL.
8 JAN 1917

Kept at Augustus Villa Biddenden
in the County of Kent
by Ernest Doune

Lat. Maidstone Long. Canterbury
Time of Observation 9 am 10 am Summer
Nearest Railway Station Biddenden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May. 10 am	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.14	Nil	0.1.	Nil	0 34½	Nil	Nil	Nil	0.10	0 36	0.49	Nil	1
2	0.20	0.6	0.33	Nil	0 13	Nil	Nil	Nil	Nil	Nil	0.1	Nil	2
3	0.1	0.39	0.18	Nil	Nil	Nil	0.6	Nil	0 15	0.7	0 41	Nil	3
4	0.14	0.15	Nil	Nil	Nil	Nil	Nil	Nil	0.82	0.13	0 43	Nil	4
5	0.1	0.13	Nil	Nil	0.7	0 35	0.11	Nil	0.81	0.10	0.45	Nil	5
6	Nil	0.9	Nil	0.44	0 3	0.2½	0 30	Nil	Nil	0.3½	0.25½	Nil	6
7	0.2½	Nil	0.65	0.1	0 30	0 15	0.20	Nil	Nil	0.4½	0.38	0.2	7
8	Nil	Nil	Nil	Nil	0.8	0.4	Nil	Nil	Nil	Nil	Nil	0.32	8
9	0.2	Nil	0.3	Nil	0.37	Nil	Nil	Nil	Nil	Nil	Nil	0.21	9
10	Nil	0.13	Nil	0.1	Nil	0.46	0.4	Nil	Nil	Nil	Nil	0.73	10
11	0.3	0.30	0.1	0.14	Nil	0.20	Nil	Nil	0.3	Nil	Nil	0.17	11
12	0.6	0.5½	Nil	0.8	0.25	0.18	0.5	Nil	Nil	0.7	Nil	Nil	12
13	0.3	0.15	0.15	0.4	0.17½	0.29	0.15½	Nil	0.4	0.5½	Nil	0.3	13
14	Nil	0.42	0.9	0.2½	0.10	Nil	Nil	0.22	Nil	0.4	Nil	0.17	14
15	Nil	0.9½	0.12	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.6	15
16	Nil	0.4	0.12	0.15	Nil	Nil	0.18	0.3	Nil	Nil	Nil	Nil	16
17	0.4	0.10	0.2	0.7	Nil	Nil	0.25	0.2	0.34	0.66	Nil	Nil	17
18	0.3	0.10	0.1	0.19	Nil	Nil	Nil	0.22	0.17	0.36	0.12	0.2	18
19	0.18	0.7	0.4	0.14	Nil	Nil	Nil	Nil	0.6½	0.13	0.8	0.6	19
20	0.8	Nil	0.2½	0.15	Nil	0.5	Nil	Nil	Nil	Nil	0.4	0.5	20
21	0.1	Nil	0.17	0.8	Nil	Nil	Nil	Nil	Nil	Nil	[illegible]	0.34	21
22	0.3	0.25	0.19	0.1	Nil	Nil	Nil	Nil	Nil	0.1½	Nil	0.7½	22
23	Nil	0.26	0.10	Nil	Nil 0.5	0.11	0.2	0.11	Nil	0.3	0.4½	0.6	23
24	Nil	Nil	0.2	Nil	0.5	0.1½	Nil	Nil	Nil	0.5½	0.5½		24
25	Nil	0.52	0.14	Nil	Nil	0.27	Nil	0.33	Nil	0.8	0.3		25
26	Nil	0.31		Nil	Nil	0.3	Nil	0.09	Nil	0.20	0.10		26
27	0.3	0.34		Nil	Nil	0.12	Nil	0.02	0.6½	0.11	Nil		27
28	Nil	0.74		Nil	0.6	Nil	Nil	0.15	0.8	0.8	Nil	0.28	28
29	Nil	0.20	0.74	Nil	Nil	0.23	Nil	0.68	0.2½	0.37	Nil	0.37	29
30	Nil	╳	Nil	Nil	Nil	0.6	Nil	0.17		0.60	Nil	Nil	30
31	Nil	╳	Nil	╳	Nil	╳		Nil	╳	0.5½	╳	0.4	31
Total	1.16	4.52	[illegible]	1.59½	1.96	2.70½	1.57½	2.17½	1.11½	6.97½	5.51½	4.28	YEAR'S TOTAL 37.02
Rain Days.	17	22	23	14	12	16	10	11	12	22	14	17	190

W. 8,000. X. 15.

Entd 18.1.18

H ~~Hit~~ and month

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

14. JAN 1918

Kept at Augustus Villa, Biddenden
in the County of Kent
by G. Donne

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	0.10½	0.04	0.20	Nil	Nil	Nil	1.47	0.35	Nil	0.04	0.03	1
2	Nil	Nil	Nil	0.17	Nil	Nil	Nil	0.26	Nil	Nil	0.02	Nil	2
3	0.02	Nil	Nil	0.11	Nil	Nil	Nil	0.79	Nil	0.14	0.02	Nil	3
4	Nil	Nil	0.12½	Nil	Nil	Nil	0.21	Nil	Nil	0.32	Nil	Nil	4
5	0.17	0.13	0.06½	0.10	Nil	Nil	Nil	Nil	0.12	0.12	Nil	Nil	5
6	Nil	Nil	Nil	0.09	Nil	0.09	Nil	Nil	0.09	Nil	0.28	Nil	6
7	0.31	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.50	Nil	0.03	7
8	0.12	Nil	Nil	0.10	Nil	Nil	0.53	0.02½	Nil	0.28	0.30	0.17	8
9	Nil	Nil	0.02	0.10	Nil	Nil	0.06	~~0.12~~ Nil	Nil	Nil	0.02	1.23	9
10	0.04	Nil	0.13	0.23	Nil	Nil	Nil	0.12	Nil	Nil	Nil	Nil	10
11	0.19	Nil	0.29	0.14½	Nil	Nil	Nil	0.03	0.48	0.35	Nil	0.03	11
12	0.06	0.05	0.05	0.06	Nil	Nil	Nil	0.09	Nil	0.17	Nil	Nil	12
13	0.03	Nil	0.12	Nil	Nil	Nil	Nil	0.02½	0.03	0.33	Nil	Nil	13
14	0.27	Nil	0.02	0.24	Nil	Nil	Nil	0.14	Nil	Nil	Nil	Nil	14
15		Nil	Nil	Nil	0.57	Nil	Nil	0.15	Nil	0.02	Nil	Nil	15
16	0.18	0.04	Nil	0.10½	0.34	Nil	Nil	Nil	Nil	0.17	Nil	0.59	16
17	Nil	0.01	Nil	0.09	0.37	Nil	0.15½	Nil	0.16	0.16	Nil	0.08	17
18	0.04	0.05	Nil	0.09	0.03	Nil	0.15	0.05	0.04½	Nil	Nil	Nil	18
19	Nil	0.08½	0.06	Nil	0.02	0.05	Nil	Nil	0.07	Nil	Nil	Nil	19
20	Nil	0.16	0.12	Nil	0.05	Nil	0.07	0.03	0.04	Nil	~~0.02~~ Nil	Nil	20
21	Nil	0.01	0.02	Nil	0.04	0.02	Nil	Nil	Nil	Nil	0.05	0.08	21
22	Nil	Nil	0.12	Nil	Nil	0.26	Nil	0.09	Nil	0.22	Nil	Nil	22
23	Nil	0.12	0.02	Nil	0.24	Nil	Nil	0.14	Nil	0.08	Nil	Nil	23
24	Nil	Nil	Nil	Nil	Nil	0.04	0.02	0.08½	Nil	0.14	0.02		24
25	Nil	0.09	0.05	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil		25
26	Nil	Nil	0.05	Nil	Nil	Nil	Nil	0.22	0.01	Nil	0.90		26
27	Nil	Nil	Nil	Nil	Nil	0.06	Nil	0.98	Nil	Nil	Nil		27
28	Nil	Nil	0.02½	Nil	Nil	1.34	Nil	0.57	Nil	Nil	Nil	0.27½	28
29	Nil		0.01	Nil	Nil	0.10	0.84	0.01	Nil	0.39	Nil	0.14	29
30		X	0.15	Nil	Nil	0.05	0.58	0.13	Nil	0.13	Nil	0.04	30
31	Nil	X	0.04	X		X	0.62½	Nil	X	0.03	X	0.03	31
Total	[illegible]	0.85	1.53½	1.83	2.20	2.02	~~3.35~~ 3.24	~~[illegible]~~ 5.425	1.42½	3.55½	1.68	~~1.72½~~ 2.725	YEAR'S TOTAL 27.995
Rain Days.	11	11	20	14	8	9	10	20	10	17	9	12	151

W. 8,000, VIII. 16

Ex 8L

68

FORM A.
BRITISH RAINFALL.

9.1.19

REGISTER OF RAINFALL IN 1918

Kept at Augustus Villa Biddenden

in the County of Kent

by Ernest Deane

Lat. 51°.12.10 N Long. 0.34.0

Time of Observation 9 am Summer Time 10

Nearest Railway Station Biddenden K&ESR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
		Nil	Nil	Nil					Nil		0.13		
1	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.40	0.04	1
2	Nil	0.03	0.09	0.07	Nil	Nil	Nil	Nil	Nil	Nil	0.53	0.11	2
3	Nil	0.05	0.03	0.07	0.34	Nil	Nil	absent	0.34	0.07	0.50	0.03	3
4	Nil	0.12	Nil	Nil	0.21	Nil	Nil	"	0.12	Nil	Nil	Nil	4
5	Nil	0.11	Nil	0.18	0.13	Nil	Nil	0.46	0.20	Nil	0.05	0.03	5
6	0.17	0.07	Nil	0.03	Nil	Nil	Nil	0.11	0.52	0.07	Nil	0.03	6
7	Nil	0.03	Nil	Nil	0.45	Nil	Nil	Nil	0.25	0.02	0.09	Nil	7
8	Nil	Nil	Nil	0.01	Nil	Nil	Nil	Nil	absent	Nil	Nil	0.03	8
9	0.04	Nil	Nil	0.11	Nil	0.05	Nil	Nil	"	0.19	Nil	0.03	9
10	Nil	Nil	Nil	0.07	Nil	0.02	0.10	Nil	"	0.25	0.28	0.26	10
11	Nil	[illegible]	Nil	Nil	[illegible]	Nil	0.41	Nil	"	[illegible]	Nil	0.10	11
12	Nil	0.01	Nil	Nil	0.15	Nil	0.13	Nil	1.28	0.18	Nil	0.02	12
13	Nil	Nil	0.05	Nil	0.11	Nil	0.06	Nil	0.04	Nil	Nil	Nil	13
14	0.14	Nil	Nil	0.24	Nil	0.04½	0.09	Nil	0.09	0.25	Nil	0.02	14
15	0.16	Nil	Nil	0.09	Nil	0.02	0.04	Nil	0.01	0.07	Nil	0.14	15
16	1.46	Nil	Nil	0.21	Nil	Nil	0.20	Nil	0.02½	Nil	Nil	Nil	16
17	0.32	Nil	0.08	0.02	Nil	0.03	0.04	0.04½	Nil	Nil	Nil	0.27	17
18	0.13	Nil	Nil	0.09½	Nil	0.20	Nil	Nil	0.28	Nil	Nil	0.09	18
19	0.32	0.05	Nil	0.30	Nil	0.07	Nil	Nil	absent	0.16	Nil	0.05	19
20	0.13	Nil	Nil	0.04	Nil	Nil	0.51	Nil	"	0.49	Nil	0.08	20
21	0.05	Nil	Nil	Nil	Nil	Nil	0.28	Nil	0.42	0.02	Nil	Nil	21
22	0.16	Nil	Nil	Nil	0.03	Nil	0.11	Nil	0.44	Nil	Nil	0.12	22
23	0.08	[illegible]	Nil	0.03	0.10	Nil	0.71	Nil	Nil	Nil	0.07	0.04	23
24	0.06	Nil	Nil	Nil	0.09	0.09	0.05	Nil	0.11	Nil	0.03½	absent	24
25	Nil	Nil	Nil	Nil	Nil	Nil	0.08	0.09	Nil	Nil	0.08	"	25
26	Nil	0.04½	Nil	0.11	Nil	Nil	0.27	0.02	0.03	0.03	0.05½	"	26
27	Nil	0.07	0.24	0.02	Nil	Nil	0.45	0.15	0.04	Nil	0.28	"	27
28	Nil		Nil	0.05	Nil	0.25	Nil	0.08	Nil	Nil	0.04	"	28
29	Nil		0.42	Nil	Nil	Nil	Nil	Nil	0.79	Nil	Nil	"	29
30	Nil	X	0.04		Nil	Nil	Nil	Nil	0.05	0.04		0.32	30
31		X		X	Nil	X	Nil	Nil	X	0.53	X	0.07	31
Total	3.22	0.91½	0.92	1.65½	1.63½	0.77½	3.53	0.95½	5.20	2.29	2.34	1.93	YEAR'S TOTAL 25.33½
Rain Days.	13	12	7	15	10	9	16	7	18	15	13	20	158

3.22

25.335

W. 6,500, VII. 18. w w c

cont for auth & surrounding stns.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Augustus Villa Biddenden Kent

in the County of Kent

by Ernest H Downe

Lat. 51° 12′ 20″ N Long. 0° 39′ 0″

Time of Observation 9 am Winter 10 am Summer

Nearest Railway Station Biddenden E.K.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.26	Snow 0.20½	Nil	Nil	0.03	Nil	0.13	Nil	Nil	0.15	0.03	0.53	1
2	0.32	Nil	0.04	Nil	0.15½	Nil	0.02	Nil	Nil	0.01	0.11	0.12	2
3	0.32½	Nil	0.39	Nil	0.02½	Nil	0.27	Nil	0.08	Nil	0.05½	0.16½	3
4	0.28	Nil	0.23½	Nil	Nil	0.05	0.01	0.04	Nil	Nil	0.19	0.06	4
5	0.08	Snow 0.29	0.65	Nil	Nil	Nil	Nil	Nil	Nil	Nil	absent	0.24	5
6	0.15	Nil	0.03	Nil	Nil	Nil	Nil	Nil	Nil	Nil		0.07	6
7	0.12	Nil	0.46	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.18	Nil	7
8	[illegible]	Nil	0.10½	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	8
9	0.31	Nil	0.02	0.03½	Nil	Nil	Nil	Nil	Nil	Nil	0.17	Nil	9
10	0.88	Nil	0.05	0.02	Nil	Nil	Nil	Nil	Nil	Nil	0.09	Nil	10
11	0.27	Nil	0.11	0.28	0.02½	Nil	Nil	Nil	Nil	Nil	Nil	0.05	11
12	0.07½	Nil	Nil	Nil	Nil	Nil	0.52	Nil	Nil	0.02	Nil	Nil	12
13	Nil	Nil	Nil	0.45	Nil	Nil	0.01	Nil	Nil	0.07	Nil	0.05	13
14	0.38	Nil	Nil	0.40	Nil	Nil	0.17	Nil	0.15	Nil	Nil	0.02½	14
15	0.19	0.07	Nil	0.12	Nil	Nil	Nil	Nil	Nil	0.08	Nil	0.08	15
16	0.19	0.34	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.17	0.05	16
17	Nil	0.30	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.12	0.05½	17
18	Nil	0.10	Nil	Nil	Nil	Nil	Nil	Nil	0.02	Nil	0.05	0.04½	18
19	Nil	0.16	0.60	Nil	Nil	Nil	0.18	0.05	0.02½	Nil	0.01	0.07	19
20	0.21	0.06	0.22	0.02½	Nil	0.46	0.22	0.15½	Nil	Nil	Nil	0.01	20
21	Nil	0.43	0.02	Nil	Nil	0.05	0.10	Nil	Nil	Nil	0.01½	0.01½	21
22	Nil	0.04	Nil	Nil	Nil	Nil	0.24	Nil	0.38	Nil	0.03	0.14½	22
23	Nil	Nil	Nil	Nil	Nil	0.06	0.10	Nil	0.30	Nil	0.07	0.03	23
24	Nil	Nil	Nil	0.19	Nil	Nil	0.03	0.04	Nil	Nil	[illegible]	0.04	24
25	0.4½	Nil	Nil	Nil	0.12½	Nil	Nil	0.86	Nil	Nil	Nil	Nil	25
26	Nil	0.10	0.14	0.11½	Nil	Nil	0.07½	0.03	0.07	Nil	0.03	0.40	26
27	0.58	0.04	0.01	1.26	Nil	Nil	Nil	0.21	Nil	Nil	Snow 0.04	0.04	27
28	Nil	Nil	0.22	0.17	Nil	Nil	0.03½	1.18	Nil	Nil	[illegible]	0.26	28
29	0.07		Nil	0.13	Nil	Nil	Nil	0.70	Nil	0.27½	0.08	0.14	29
30	Nil	╳	0.03	0.23	Nil	Nil	0.5	0.76	Nil	0.24	0.14	0.47½	30
31		╳	Nil	╳	Nil	╳		Nil	╳	0.30	╳	0.02½	31
Total	4.73	2.13½	3.33	3.42½ ~~2.16½~~	0.36	0.62	2.20	4.02½ ~~[illegible]~~	1.02½	1.09½	2.13	3.19	YEAR'S TOTAL 28.265
Rain Days.	19	12	17	13	5	4	16	10	7	8	21	25	157

3.42½ ✓ 4.02½

W. 8,000. X. 15.

July

26 Fri ~~30 20 57 59 67~~ 0.27
27 Sat ~~30 10 47 58 64~~ 0.45
28 Sun ~~30 40 49 53 60~~ Nil
29 Mon ~~30 50 57 63 69~~ Nil
30 Tues ~~30 40 57 64 67~~ Nil
31 Wed ~~30 40 57 60 70~~ Nil

Aug

1 Thur ~~30.30 53 60 70~~ Nil
2 Fri ~~30 60 60 63 72~~

3 to 5 absent

6 Tues ~~29 95 54 67 73~~ 0.46
7 Wed 30 ~~30 50 63~~ 71 ·4
8 Thur ~~30 30 57 60 72~~ Nil
9 Fri ~~30 40 52 62 68~~ Nil
10 Sat ~~30 60 52 59 69~~ Nil
11 Sun ~~30 60 53 63~~ 74 Nil
12 Mon ~~30 50 53 65 75~~ Nil
13 Tues 30 ~~60 55 64 78~~ Nil
14 Wed ~~30 50 54 66~~ 78 Nil
15 Thur ~~30 40 54 56~~ 76 Nil
16 Fri ~~30 40 52 56~~ 77 Nil
17 Sat 30 ~~30 55 60 78~~ 0.04
18 Sun ~~30 30 60 66 68~~ Nil
19 Mon ~~30 40 52 62 72~~ Nil
[illegible] ~~50 60 [illegible]~~ Nil
21 Wed ~~30 50 60 66~~ 79 Nil
22 Thur ~~30 40 62 73 82~~

Aug - 1918

23	Fri	~~30~~	~~40~~	~~60~~	~~58~~	~~69~~	Nil
24	Sat	~~30~~	~~30~~	~~52~~	~~65~~	~~74~~	Nil
25	Sun	~~30~~	~~30~~	~~49~~	~~59~~	~~72~~	0·09
26	Mon	~~30~~	~~10~~	~~55~~	~~60~~	~~69~~	0·02
27	Tues	~~30~~	~~20~~	~~52~~	~~60~~	~~69~~	0·15
28	Wed	~~30~~	~~10~~	~~55~~	~~60~~	~~63~~	0·05
29	Thur	~~30~~	~~30~~	~~49~~	~~57~~	~~66~~	Nil
30	Fri	~~30~~	~~50~~	~~50~~	~~58~~	~~68~~	Nil
31	Sat	30	~~20~~	~~57~~	~~58~~	~~65~~	Nil

Sept

1	Sun	30	~~0~~	~~48~~	~~52~~	~~65~~	Nil
2	Mon	~~30~~	~~0~~	~~49~~	~~58~~	~~64~~	Nil
3	Tues	30	~~30~~	~~46~~	~~58~~	66	Nil
4	Wed	30	~~25~~	~~52~~	~~58~~	~~68~~	0·36
5	Thur	30	~~20~~	~~58~~	~~61~~	~~69~~	0·13
6	Fri	~~30~~	~~20~~	~~53~~	~~61~~	~~74~~	0·20
7	Sat	30	20	55	~~60~~	~~72~~	0·52
8	Sun	29·	80	57	69·	72	0·25½
9	Mon	29·	~~80~~	~~48~~	~~57~~	~~66~~	1·28

up to 12 absent

13	Fri	~~30~~	~~25~~	~~49~~	~~59~~	~~64~~	~~1·28~~
14	Sat	30	~~28~~	~~52~~	~~56~~	60	0·07
15	Sun	30	30	~~47~~	~~62~~	~~68~~	0·09
16	Mon	30	~~10~~	~~55~~	~~65~~	~~76~~	0·07
17	Tues	~~30~~	~~0~~	~~60~~	~~64~~	~~70~~	0·92½ Nil

Sept

18 Wed ~~30 10 57 63 73~~ 0.38
19 Thur 30.10 53 55 72
Fri & Sat absent 0.42
22 Sun ~~29.80 45 58 64~~ 0.46
23 Mon ~~29.30 50 54 58~~ Nil
24 Tues ~~30.15 42 52 64~~ 0.11
25 Wed ~~30.15 53 58 62~~ Nil
26 Thur ~~30 40 46 54 56~~ 0.03
27 Fri ~~30.30 45 52 62~~ 0.04
28 Sat 30 ~~05 48 50 64~~ Nil
29 Sun ~~30 10 43 48 64~~ 0.79
30 Mon ~~30.0 43 44 55~~ 0.05

Oct

1 Tues ~~30 40 34 41 57~~ Nil
2 Wed ~~30 50 39 48 62~~ Nil
3 Thur ~~30 40 48 52 56~~ 0.04
4 Fri 30.~~30 46 50 62~~ Nil
5 Sat ~~30 40 39 50 64~~ Nil
6 Sun ~~30 20 50 55 57~~ 0.04
7 Mon ~~30.20 47 54 58~~ 0.02
8 Tues 30 ~~20 40 48 64~~ Nil
9 Wed ~~30 40 53 42 64~~ 0.19
10 Thur 30 40 43 60 60 0.05
11 Fri 30 30 56 57 65 0.18
12 Sat 30 10 50 48 60 0.18
~~13~~

Oct

13	Sun	30.30	45	48	50	Nil
14	Mon	~~30.25~~	~~37~~	~~47~~	54	0.25
15	Tues	~~30.10~~	~~48~~	~~49~~	54	0.07
16	Wed	~~30.0~~	~~41~~	~~42~~	~~50~~	Nil
17	Thur	~~30.0~~	~~40~~	~~45~~	52	Nil
18	Fri	~~30.10~~	~~32~~	~~35~~	~~66~~	Nil
19	Sat	~~30.15~~	~~36~~	~~46~~	54	0 [illegible]
20	Sun	~~30.30~~	~~47~~	~~52~~	~~70~~	0.49
21	Mon	30.~~20~~	~~49~~	~~51~~	53	0.92
22	Tues	~~30.30~~	~~53~~	~~64~~	~~58~~	Nil
23	Wed	~~30.40~~	~~38~~	~~47~~	~~76~~	Nil
24	Thur	~~30.40~~	~~47~~	~~48~~	53	Nil
25	Fri	~~30.20~~	~~49~~	~~46~~	~~55~~	Nil
26	Sat	~~30.20~~	~~43~~	~~44~~	~~54~~	0.03
27	Sun	~~30.30~~	~~39~~	~~48~~	~~73~~	Nil
28	Mon	~~30.50~~	~~48~~	~~64~~	58	Nil
29	Tues	~~30.60~~	~~50~~	~~53~~	~~58~~	Nil
30	Wed	~~30.40~~	~~47~~	50	71	0.04
31	Thur	30.~~20~~	~~45~~	~~53~~	~~62~~	0.05

Nov 1918

1	Fri	~~30.10~~	~~52~~	~~52~~	~~58~~	0.13
2	Sat	~~29.70~~	~~50~~	~~54~~	~~72~~	0.40
3	Sun	29.~~90~~	~~46~~	~~46~~	~~67~~	0.53
4	Mon	~~30.0~~	~~36~~	~~46~~	~~46~~	0.50
5	Tues	~~30.0~~	~~46~~	~~50~~	~~54~~	Nil
6	Wed	30.~~40~~	~~43~~	~~44~~	~~52~~	0.0[illegible]
7	Thur	~~30.10~~	~~42~~	~~44~~	~~47~~	Nil
8	Fri	~~30.10~~	~~44~~	~~50~~	7[illegible]	[illegible]
9	Sat	~~30.[illegible]~~	~~3[illegible]~~	~~35~~	[illegible]	[illegible]

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Augustus Villa Biddenden
in the County of Kent
by Ernest Donne

Lat. 57° 12' 20 N Long. 0° 39' 0
Time of Observation 9am Winter 10am Summer
Nearest Railway Station Biddenden E K & S.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	Nil	Nil	0.25	Nil	Nil	0.06	Nil	Nil	0.69	Nil	0.27	1
2	Nil	Nil	0.28	Nil	0.02	Nil	Nil	0.26	0.05	0.05	Nil	0.11	2
3	Nil	Nil	Nil	Nil	0.04	Nil	Nil	Nil	Nil	0.01	Nil	0.06	3
4	Nil	0.04	Nil	0.15	Nil	Nil	0.66	0.11	0.03	0.07	Nil	0.16	4
5	Nil	Nil	Nil	Nil	0.04	Nil	0.41	0.16	0.03	Nil	Nil	0.17	5
6	Nil	Nil	0.33	Nil	0.12½	Nil	0.10½	Nil	Nil	Nil	Nil	0.07½	6
7	0.02½	Nil	Nil	0.07	0.02	Nil	0.07	Nil	Nil	Nil	Nil	0.04	7
8	Nil	Nil	Nil	0.05	0.04	Nil	0.27	Nil	Nil	Nil	Nil	0.07	8
9	0.28	Nil	Nil	Nil	0.19	Nil	0.03½	Nil	Nil	Nil	Nil	Nil	9
10	0.59	0.11	[illegible]	0.20	Nil	Nil	0.05	Nil	Nil	Nil	0.02	Snow Nil	10
11	0.31	Nil	0.05	0.12	0.02½	Nil	0.40	Nil	Nil	Nil	Nil	Snow 0.1[illegible]	11
12	0.04	0.05	Nil	0.14½	Nil	0.28	0.01	Nil	Nil	Nil	Nil	Nil	12
13	0.34½	0.01	0.10½	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	13
14	Nil	0.02½	0.2[illegible]	0.36	Nil	0.03	Nil	Nil	0.04	0.17½	0.24	Nil	14
15	0.02	Nil	Nil	0.17½	Nil	Nil	Nil	Nil	0.84	0.35½	0.11	Nil	15
16	Nil	Nil	0.02½	0.03	0.25½	0.03	Nil	Nil	0.34	Nil	Nil	Snow 0.13	16
17	Nil	Nil	Nil	0.32	0.20½	Nil	Nil	Nil	0.31	Nil	Nil	Nil	17
18	0.06	Nil	Nil	0.01	0.10	Nil	Nil	1.13	0.11	Nil	Nil	0.10	18
19	0.13	Nil	Nil	0.26	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.0[illegible]	19
20	0.04	0.09	Nil	0.13	Nil	0.50	Nil	Nil	0.57	Nil	Nil	Nil	20
21	Nil	Nil	Nil	0.01	Nil	Nil	9.40	Nil	0.06½	Nil	Nil	0.22	21
22	Nil	Nil	Nil	0.20½	Nil	Nil	0.01	Nil	0.02½	Nil	Nil	0.30	22
23	Nil	Nil	Nil	Nil	Nil	Nil	0.53	Nil	Nil	Nil	Nil	0.28	23
24	Nil	Nil	0.04	Nil	Nil	Nil	Nil	Nil	0.04	Nil	Nil	0.04	24
25	0.01½	Nil	Nil	0.02	Nil	Nil	0.11	0.03½	0.01	Nil	Nil	Nil	25
26	Nil	Nil	0.14	0.04	Nil	Nil	× ✓	Nil	Nil	Nil	Nil	0.02	26
27	0.42	0.05	Nil	0.12	Nil	Nil	× ✓	Nil	Nil	Nil	0.18	0.25	27
28	0.38	Nil	Nil	0.12	0.23	Nil	–	Nil	Nil	Nil	0.14	0.02	28
29	0.25	Nil	0.04	0.11	0.01½	Nil	+	Nil	Nil	Nil	0.04	0.11	29
30	0.0[illegible]	╳	Nil	0.6	Nil	Nil	+	Nil	0.19	Nil	0.29	0.12	30
31	[illegible]	╳	Nil	╳	Nil	╳	Nil	Nil	╳	0.10	╳	0.23	31
TOTAL	3.40½	0.39	1.40	2.85	1.21½	0.84	3.7[illegible]	1.69	2.58	1.46	1.10½	2.86	YEAR'S TOTAL 23.75
Days with ·01 in. or more	17	7	10	22	13	4	(17)	5	14	7	8	22	(146)
	12	5	9	10	9	2	(13)	4	10	5	7	18	(112)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

written 24.11.16 [illegible]

331

REGIST

FORM A.
BRITISH RAINFALL.

—

BIDDENDEN

MARLAND

1915 - 1916

Kept at Marland. ... m
formerly called High Halden, Bery ... igh Halden
in the County of Ken
by R. Matt

ge 5 in.
round 1 ft. – in.
ea Level ft.

IMPORTANT NOTE.– e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the reading in the space provided for it at the end of this p ht of rain, the selection and placing of rain gauges, and particular h Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·61	·05	·06	—	—	—	—	·18	·64	—	·15	·30	1
2	·41	·19	·17	·07	—	—	—	·07	·05	·01	·02	·06	2
3	·37	·01	·02	·21	·12	—	—	·26	·32	—	—	·62	3
4	·05	—	—	—	—	—	—	·11	·01	·03	·01	·48	4
5	·02	·28	—	·04	—	—	—	·15	—	·01	·09	·45	5
6	·39	·14	·10	·43	·06	—	·28	—	—	—	—	·28	6
7	·17	·22	·07	—	—	—	·01	·01	—	—	—	·34	7
8	·02	·35	·08	·03	—	—	·10	·01	—	—	—	—	8
9	—	·26	—	·02	—	·08	—	·02	—	—	·46	·66	9
10	·25	·01	—	—	—	·49	—	—	—	—	—	·65	10
11	·01	·05	·03	—	—	—	—	—	—	·02	·61	·03	11
12	·04	·07	—	·24	·18	—	—	—	—	·02	·65	—	12
13	·06	1·02	—	·03	1·38	—	—	—	·03	—	—	—	13
14	·04	·02	—	—	—	—	·23	—	·08	·02	—	·24	14
15	·14	—	—	—	·07	—	·17	·63	—	—	·54	·21	15
16	·04	·38	—	·06	—	—	1·34	·13	—	—	—	·01	16
17	·01	·61	—	—	1·42	—	·02	—	—	—	—	·19	17
18	—	·22	·01	—	·26	—	—	—	—	·01	·01	·04	18
19	·01	·07	—	—	—	—	·02	—	—	·10	—	—	19
20	·22	·09	—	·03	—	—	—	·38	—	—	—	·20	20
21	·11	—	·03	—	—	—	—	—	—	·11	—	·05	21
22	·01	—	—	·01	—	—	·66	—	—	—	—	·18	22
23	·03	·13	·03	—	—	—	·02	—	—	·08	—	·41	23
24	—	·01	·07	·07	—	—	·04	—	·34	·11	—	·80	24
25	—	—	·03	·01	—	—	·24	—	—	—	—	·21	25
26	—	—	—	—	—	·11	·01	—	·04	—	—	·50	26
27	—	·01	·01	—	—	·04	·06	—	—	·23	—	·02	27
28	—	·13	·01	—	—	·10	·03	—	1·92	·29	—	—	28
29	—	X	—	—	·01	·09	·16	·21	—	·02	·61	·02	29
30	·14	X	—	—	—	·01	·03	—	·11	·03	·41	—	30
31	·04	X	—	X	—	X	—	·03	X	·52	X	·29	31
Total	3·19	4·35	·72	1·25	3·50	·92	3·42	2·19	3·54	1·61	3·56	7·24	YEAR'S TOTAL 35·46
Rain Days.	23	22	14	13	8	7	17	13	10	16	11	25	179

W. 8,000. X. 15.

331

FORM A.
BRITISH RAINFALL.

written 24.11.16 [illegible]

REGIST

Kept at Marland, Biddenden
formerly called High Halden, Beryl Lodge – not moved
in the County of Kent
by R. Matthews

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station High Halden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·05	·06	—	—	—	—	·18	·64	—	·15	·30	1
2	·41	·19	·17	·07	—	—	—	·07	·05	·01	·02	·06	2
3	·37	·01	·02	·21	·12	—	—	·26	·32	—	—	·62	3
4	·05	—	—	—	—	—	—	·11	·01	·03	·01	·48	4
5	·02	·28	—	·04	—	—	—	·15	—	·01	·09	·45	5
6	·39	·14	·10	·43	·06	—	·28	—	—	—	—	·28	6
7	·17	·22	·07	—	—	—	·01	·01	—	—	—	·34	7
8	·02	·35	·08	·03	—	—	·10	·01	—	—	—	—	8
9	—	·26	—	·02	—	·08	—	·02	—	—	·46	·66	9
10	·25	·01	—	—	—	·49	—	—	—	—	—	·65	10
11	·01	·05	·03	—	—	—	—	—	—	·02	·61	·03	11
12	·04	·07	—	·24	·18	—	—	—	—	·02	·65	—	12
13	·06	1·02	—	·03	1·38	—	—	—	·03	—	—	—	13
14	·04	·02	—	—	—	—	·23	—	·08	·02	—	·24	14
15	·14	—	—	—	·07	—	·17	·63	—	—	·54	·21	15
16	·04	·38	—	·06	—	—	1·34	·13	—	—	—	·01	16
17	·01	·61	—	—	1·42	—	·02	—	—	—	—	·19	17
18	—	·22	·01	—	·26	—	—	—	—	·01	·01	·04	18
19	·01	·07	—	—	—	—	·02	—	—	·10	—	—	19
20	·22	·09	—	·03	—	—	—	·38	—	—	—	·20	20
21	·11	—	·03	—	—	—	—	—	—	·11	—	·05	21
22	·01	—	—	·01	—	—	·66	—	—	—	—	·18	22
23	·03	·13	·03	—	—	—	·02	—	—	·08	—	·41	23
24	—	·01	·07	·07	—	—	·04	—	·34	·11	—	·80	24
25	—	—	·03	·01	—	—	·24	—	—	—	—	·21	25
26	—	—	—	—	—	·11	·01	—	·04	—	—	·50	26
27	—	·01	·01	—	—	·04	·06	—	—	·23	—	·02	27
28	—	·13	·01	—	—	·10	·03	—	1·92	·29	—	—	28
29	—	✕	—	—	·01	·09	·16	·21	—	·02	·61	·02	29
30	·14	✕	—	—	—	·01	·03	—	·11	·03	·41	—	30
31	·04	✕	—	✕	—	✕	—	·03	✕	·52	✕	·29	31
Total	3·19	4·35	·72	1·25	3·50	·92	3·42	2·19	3·54	1·61	3·56	7·24	YEAR'S TOTAL 35·46
Rain Days.	23	22	14	13	8	7	17	13	10	16	[illegible]	25	179

W. 8,000. X. 15.

✓ [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
15 JAN 1917

Kept at Marland, Biddenden
in the County of Kent
by R. Matthews

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station High Halden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	—	—	—	·34	—	—	—	·09	·03	·51	—	1
2	·23	·07	·30	—	·12	—	—	—	—	·33	—	—	2
3	—	·40	·21	—	—	—	·06	—	·03	·18	·37	—	3
4	·18	·08	—	—	—	·39	—	—	·01	·03	·49	—	4
5	·01	—	—	·02	·08	·15	·09	—	—	·10	·59	—	5
6	·01	·12	·03	·44	·04	·28	·24	—	—	—	·34	—	6
7	·02	—	·70	—	·27	·02	·13	—	—	·07	·42	·03	7
8	—	·01	—	—	·03	—	—	—	—	—	—	·30	8
9	·01	—	—	—	·36	—	—	—	—	—	—	·21	9
10	—	·14	·02	·06	—	·27	—	—	—	—	—	·67	10
11	·02	·34	—	·09	—	·16	—	—	·04	—	—	·10	11
12	·06	·07	—	·05	·32	·21	·07	—	—	·08	—	·02	12
13	—	·18	·20	·03	·15	·13	·17	—	·03	—	—	·05	13
14	—	·41	·07	—	·09	—	—	·12	—	·03	—	·14	14
15	—	·08	·11	—	—	—	—	—	—	—	—	·03	15
16	—	·04	·11	·19	—	—	·32	·05	—	—	—	—	16
17	·16	·03	·02	·14	—	—	·20	·02	·34	·90	—	—	17
18	·03	·16	—	·12	—	—	—	·31	·12	·36	·71	—	18
19	·22	—	·03	·18	—	·02	—	—	·10	—	·92	·07	19
20	·06	—	—	·15	—	·02	—	—	—	—	·14	·46	20
21	·02	—	·19	·07	—	—	—	—	—	—	—	·28	21
22	·02	·14	·19	—	—	·01	—	—	—	·04	—	·66	22
23	—	·31	·11	—	—	·10	·03	·07	—	—	·04	·05	23
24	—	—	·03	—	—	—	—	—	—	·43	·11	·32	24
25	—	·36	·14	—	—	—	—	·42	—	·17	·04	—	25
26	—	·26	—	—	—	·36	—	·22	—	·13	·15	—	26
27	·05	·31	·64	—	—	·01	—	·01	·05	·51	—	—	27
28	—	·64	·11	—	·25	·01	—	·11	·08	·15	—	·13	28
29	—	·17	—	—	—	·29	—	·73	·02	·49	—	·27	29
30	—	×	·03	—	·01	·01	—	·17	—	·46	—	—	30
31	—	×	—	×	—	×	—	—	×	·12	×	·04	31
Total	1·22	4·32	3·24	1·54	2·06	2·44	1·31	2·23	·91	4·61	4·83	3·83	YEAR'S TOTAL 32·54
Rain Days.	16	21	19	12	12	17	9	11	11	19	13	18	178

See copy
written 13.v.12

RE

BIRCHINGTON
FERNLEIGH
KENT
1911, 12, 14.

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at Fernleig 5 in.
Ground 1 ft. – in.
in the County of Ken Sea Level 40 ft.
Alfred Cook Gar a.m.
by R. Gaunt Name Birchington
Distance 1 mile Direction E.

IMPORTANT NOTE. the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	—	·02	·19	—	—	—	·10	—	·04	—	·02	1
2	·15	—	·02	·02	·15	—	·02	—	—	—	·12	·07	2
3	·08	·02	—	·05	·04	—	—	—	—	—	·02	·07	3
4	·06	·02	·05	·12	—	—	—	—	·02	·62	·08	·30	4
5	·07	·01	—	·01	—	—	—	—	—	·61	—	·09	5
6	·14	—	—	—	—	—	—	—	—	—	—	·06	6
7	—	—	—	—	—	—	—	—	—	1·10	·12	·35	7
8	·03	—	·02	—	—	—	—	—	·01	·01	·29	·09	8
9	·19	—	·15	·03	—	—	—	—	—	·03	·14	—	9
10	—	·03	—	·03	—	—	—	—	—	—	·03	·28	10
11	·30	·02	·02	—	—	—	—	—	—	—	·47	—	11
12	·03	—	·46	—	—	·09	—	—	—	—	—	·02	12
13	—	—	·02	—	·33	·02	—	—	·55	·60	·04	·11	13
14	—	·12	—	—	·25	—	—	—	—	·01	—	·17	14
15	—	·04	·25	—	—	—	—	—	—	·01	·01	·01	15
16	—	·01	—	—	—	·54	—	—	—	+	·13	·01	16
17	—	—	·02	—	—	·02	—	—	—	—	·05	·05	17
18	—	·04	·02	—	—	—	—	—	—	—	·56	·03	18
19	—	·05	—	—	·03	·02	—	—	·05	·01	·25	·05	19
20	—	—	—	—	—	—	—	·50	—	·03	—	·51	20
21	·02	·02	—	—	—	—	—	·15	·60	·50	—	·11	21
22	—	—	·95	—	—	—	—	+	—	·21	—	·33	22
23	—	·14	·06	—	—	1·03	—	+	·16	·01	·03	·01	23
24	—	·03	·03	—	—	·10	·22	·02	·01	·24	—	·24	24
25	—	·05	·10	·08	—	·18	—	·28	·02	—	·03	—	25
26	—	—	·16	·24	—	—	—	+	+	·07	·21	·15	26
27	—	·15	·05	·04	—	—	—	—	·15	·44	·	·02	27
28	—	·05	—	·06	—	—	·04	—	—	—	·01	·01	28
29	—	—	—	·08	—	·13	·04	·03	·18	·11	—	—	29
30	—	—	—	·05	·19	·01	—	·01	·05	·09	—	—	30
31	—	—	—	—	—	+	—	—	—	—	—	·01	31
Total	1·18	–·80	2·40	1·00	–·99	2,14	–·32	1·09	1·80	4·74	2·59	3·17	TOTAL for year 22.2
No. of Rain Days	11	16	17	13	6	10	4	7	11	19	18	26	158

9,000, IX. '10.

Vmates written 13.v.12 See copi

REGISTER OF RAINFALL IN 191

FORM A2. BRITISH RAINFALL.

18 JAN 1912

Kept at Fernleigh Birchington

in the County of Kent 2

Alfred Cook Gardener to

by A. Grant

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 40 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Birchington
Distance ~~2~~ 1 mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	–	·02	·19	–	–	–	·10	–	·04	–	·02	1
2	·15	–	·02	·02	·15	–	·02	–	–	–	·12	·07	2
3	·08	·02	–	·05	·04	–	–	–	–	–	·02	·07	3
4	·06	·02	·05	·12	–	–	–	–	·02	·62	·08	·30	4
5	·07	·01	–	·01	–	–	–	–	–	·61	–	·09	5
6	·14	–	–	–	–	–	–	–	–	–	–	·06	6
7	–	–	–	–	–	–	–	–	–	1·10	·12	·35	7
8	·03	–	·02	–	–	–	–	–	·01	·01	·29	·09	8
9	·19	–	·15	·03	–	–	–	–	–	·03	·14	–	9
10	–	·03	–	·03	–	–	–	–	–	–	·03	·28	10
11	·30	·02	·02	–	–	–	–	–	–	–	·47	–	11
12	·03	–	·46	–	–	·09	–	–	–	–	–	·02	12
13	–	–	·02	–	·33	·02	–	–	·55	·60	·04	·11	13
14	–	·12	–	–	·25	–	–	–	–	·01	–	·17	14
15	–	·04	·25	–	–	–	–	–	–	·01	·01	·01	15
16	–	·01	–	–	–	·54	–	–	–	–	·13	·01	16
17	–	–	·02	–	–	·02	–	–	–	–	·05	·05	17
18	–	·04	·02	–	–	–	–	–	–	–	·56	·03	18
19	–	·05	–	–	·03	·02	–	–	·05	·01	·25	·05	19
20	–	–	–	–	–	–	–	·50	–	·03	–	·51	20
21	·02	·02	–	–	–	–	–	·15	·60	·50	–	·11	21
22	–	–	·95	–	–	–	–	–	–	·21	–	·33	22
23	–	·11	·06	–	–	·03	–	–	·16	·01	·03	·01	23
24	–	·03	·03	–	–	·10	·22	·02	·01	·24	–	·24	24
25	–	·05	·10	·08	–	·18	–	·28	·02	–	·03	–	25
26	–	–	·16	·24	–	–	–	–	–	·07	·21	·15	26
27	–	·18	·05	·04	–	–	–	–	·15	·44	·	·02	27
28	–	·05	–	·06	–	–	·04	–	–	–	·01	·01	28
29	–	–	–	·08	–	·13	·04	·03	·18	·11	–	–	29
30	–	–	–	·05	·19	·01	–	·01	·05	·09	–	–	30
31	–	–	–	–	–	–	–	–	–	–	–	·01	31
Total	1·18	–·80	2·40	1·00	–·99	2,14	–·32	1·09	1·80	4·74	2·59	3·17	TOTAL for year 22·2
No. of Rain Days	11	16	17	13	6	10	4	7	11	19	18	26	158

9,000, IX. '10.

5 made

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

13 JAN 1913

Kept at Fernleigh, Birchington

in the County of Kent 2

by Alfred Cook Gardener to R. Grant

RAIN GAUGE
Pattern
Diameter of top 4/4 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Westgate on Sea
Distance 3/4 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·04	—	—	·15	·50	—	·11	·56	—	·11	1
2	—	—	·12	—	—	·02	·07	·26	·01	·12	—	·03	2
3	·12	·17	·02	·03	·03	·22	—	·04	—	·02	—	·03	3
4	·28	—	·31	—	·09	·50	—	·03	·02	—	·13	—	4
5	·11	·13	·10	·02	—	·12	—	·29	—	—	·25	·02	5
6	·39	·05	—	—	·06	·01	·19	·40	—	—	—	·01	6
7	·23	·27	·03	—	·02	·17	·01	·11	—	—	—	·01	7
8	·20	—	·10	—	—	·26	—	·03	[illegible]	—	—	·02	8
9	·01	—	—	·06	—	—	·04	—	[illegible]	—	—	·02	9
10	—	·03	·01	·04	—	—	—	·11	—	—	·05	·24	10
11	·02	·13	—	—	—	·03	—	—	[illegible]	—	·01	·10	11
12	—	·12	·02	—	·03	—	—	·06	—	—	·01	·03	12
13	—	·25	·02	—	—	·02	·05	·02	—	—	·23	·02	13
14	—	·01	·01	—	·08	—	—	·03	·06	—	03	—	14
15	—	·02	·10	—	·14	·62	—	·02	—	·08	03	·26	15
16	·22	—	·05	—	·07	·25	—	·09	—	·02	—	—	16
17	·15	—	·20	—	—	·03	—	·04	—	—	·04	—	17
18	·15	—	·32	·16	—	—	·10	·09	—	·07	·05	·25	18
19	·02	·07	·16	—	—	·02	1·10	·14	—	—	·02	—	19
20	·03	·02	·39	—	·02	—	—	·11	—	·67	·02	—	20
21	—	·03	·20	—	—	—	·01	·03	—	·25	·10	—	21
22	·05	·09	·03	—	·02	—	·10	·07	—	—	—	·02	22
23	·30	·15	·21	—	·06	—	—	·71	—	·06	·15	·03	23
24	·11	—	·03	—	—	·06	·09	·17	—	·04	—	·05	24
25	·07	—	—	—	—	·10	—	·96	—	—	.22	·20	25
26	·02	—	—	—	—	·03	·15	·48	—	[illegible]	·16	·32	26
27	—	—	·03	—	—	—	·17	—	—	·02	—	·11	27
28	—	—	—	—	—	—	·03	—	—	[illegible]	·17	·03	28
29	—	·03	·01	·07	—	—	·04	·08	·67	·02	·06	·10	29
30	—	—	—	—	·02	·02	—	·55	·35	·35	02	—	30
31	—	—	—	—	·02	—	·10	·12	—	·02	—	—	31
Total	2·50	1·57	2·51	0·38	0·66	2·63	2·75	5·04	[illegible]	2·83	1·75	2·01	TOTAL for year 27·32
No. of Rain Days.	19	16	23	6	13	18	16	26	9	16	19	22	202

203

W. 8,000, X. '11.

Slip made 2/3/15

~~W~~ LMcC cmd pr with 9/11.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
6 - JAN 1915

2

Kept at Fernleigh Birchington
in the County of Kent
by Robert Grant

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Westgate on Sea
Diameter of Rain Gauge in. usual size
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level Abt 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·04	–	–	–	·03	–	–	·06	·03	1
2	–	–	–	·06	–	–	·03	–	–	–	·03	·12	2
3	–	–	·08	–	·10	–	·13	–	–	–	–	–	3
4	–	–	·02	·09	–	–	–	·26	–	–	·28	·21	4
5	·23	–	·03	·31	·11	–	·22	·13	–	–	–	–	5
6	–	–	–	·21	·02	·33	·07	–	–	·05	–	·10	6
7	–	·12	·16	·12	–	·03	–	–	–	–	–	·04	7
8	·10	·03	·18	·01	–	–	·04	·03	–	–	–	·01	8
9	·37	–	·77	·03	–	–	–	–	–	–	–	1·10	9
10	16	–	·03	–	·01	–	–	–	–	·02	–	·02	10
11	–	·13	·14	·04	·02	·02	=	–	·18	–	·35	·39	11
12	·02	·02	·03	–	·03	–	–	–	·13	–	–	·23	12
13	·03	·06	·14	·02	–	·02	–	–	·14	·05	·08	·52	13
14	–	·03	·20	–	–	–	–	–	–	·40	·02	·28	14
15	–	·02	·20	–	–	–	·39	·02	–	–	1·27	·07	15
16	·03	·07	·03	–	–	–	·12	–	–	–	·05	–	16
17	·02	·02	·02	–	–	–	–	–	·08	·11	·02	·02	17
18	–	·15	·12	–	–	–	–	–	–	·85	·08	·20	18
19	–	·03	·76	–	–	–	–	–	–	·09	·27	·05	19
20	–	·05	·40	–	–	·04	–	–	–	·28	–	·35	20
21	–	·56	·14	·07	–	–	–	–	–	·05	–	·11	21
22	–	–	–	·11	·07	·11	·43	–	–	·11	–	·01	22
23	–	–	·47	·01	·58	·77	·03	–	–	–	–	·10	23
24	–	–	·04	·15	·01	–	–	–	–	·03	·08	–	24
25	·07	–	·16	–	·04	–	·04	–	–	·32	·01	–	25
26	·07	–	·12	–	·01	–	·05	·18	–	–	·10	·18	26
27	–	–	·04	–	–	–	·09	–	–	·07	·03	·28	27
28	·02	–	–	–	·03	–	–	–	–	·03	·12	·34	28
29	·02	–	–	–	–	–	–	–	–	·80	·03	–	29
30	·02	✕	–	–	–	–	–	–	–	·08	·43	·02	30
31	–	✕	–	✕	·30	✕	–	–	✕	–	✕	·04	31
Total	1·16	1·29	4·28	1·17	1·33	1·32	1·64	·65	·53	3·34	3·31	4·77 4·7	YEAR'S TOTAL 24·79 24·79
Rain Days.	13	13	23	14	13	7	12	6	4	16	18	25	days 163

W. 8,000. X. 14.

BIRCHINGTON

HOLLYDENE

KENT

1911-20

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

REG

Kept at Hollydene ... in.

... und 6 ft. - in.

in the County of Kent ... Level 74 ft.

by W. Tomlin ... Birchington

... nce 4 mile Direction W

IMPORTANT NOTE.— ... result entered to the previous day. If an Obser... al rule, he is earnestly requested to add the reading ... n the space provided for it at the end of this pa... of rain, the selection and placing ... Rainfall Organization are given in "R... cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·	·02	·22						·09	·01	·02	1
2	·15	·	·02	·03			·01			·	·14	·09	2
3	·10	·	·	·09	·15					·	·04	·12	3
4	·09	·04	·07	·	·05					·67	·12	·26	4
5	·05	·	·	·08						·58	·	·13	5
6	·14	·	·	·						·	·	·15	6
7	·01	·	·	·						1·09	· }	·40	7
8	·06	·03	·05	·						·	·15 }	·12	8
9	·	·	·13	·03						·	·39	· }	9
10	·18	·	·	·06						·	·04	·47 }	10
11	·40	·	·03	·						·	·58	·	11
12	·04	·	·54	·		·10				·	·01	·02	12
13	·	·02	·	·	·43	·03			·60	·59	·05	·13	13
14	·	·10	·	·	·20					·02	·	·10	14
15	·	·	·27	·							·03	·09	15
16	·	·06	·	·							·08	·02	16
17	·	·	·03	·							·13	·08	17
18	·	·07	·03	·	·04						·76	·04	18
19	·	·	·	·					·05		·12	·08	19
20	·	·	·	·				·48	·	·08	·	·53	20
21	·	·	·	·		·01		·16	·25	·60	·	·10	21
22	·	·	1·08	·				·		·08	·	·33	22
23	·	·14	·06	·		1·12		·	·19	·03	·02	·05	23
24	·	·	·03	·		·09		·02	·	·	·	·20	24
25	·	·06	·	·08		·14	·22	·32	·	·	·	·	25
26	·	·03	·43	·23			·	·	·15	· }	·25	·12	26
27	·	{	·06	·04			·	·	·	·50 }	·	·05	27
28	·	·33 }	·	·08			·04	·01	·	·03	·	·	28
29	·		·	·06		·12	·02	·	·19	·	·02	·	29
30	·		·02	·05	·22		·	·	·06	·18	·	·	30
31	·		·				·	·				·02	31
Total	1·27	·88	2·87	1·05	1·09	1·61	·29	·99	1·49	4·54	2·94	3·72	TOTAL for year 22·74
No. of Rain Days	11	11	16	12	6	7	4	5	7	14	19	26	138

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

Kept at Hollydene, Birchington
in the County of Kent 2
by W. Toulin Junr.

RAIN GAUGE
Pattern Symons
Diameter of top 6 in.
Height of top above Ground 6 ft. - in.
" " " Sea Level 74 ft.
Time of Observation 9 am.
Nearest Railway Station
Name Birchington
Distance 1 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·	·02	·22						·09	·01	·02	1
2	·15	·	·02	·03			·01			·	·14	·09	2
3	·10	·	·	·09	·15					·	·04	·12	3
4	·09	·04	·07	·	·05					·67	·12	·26	4
5	·05	·	·	·08						·58	·	·13	5
6	·14	·	·	·						·	·	·15	6
7	·01	·	·	·						1·09	· }	·40	7
8	·06	·03	·05	·						·	·15 }	·12	8
9	·	·	·13	·03						·	·39	· }	9
10	·18	·	·	·06						·	·04	·47 }	10
11	·40	·	·03	·						·	·58	·	11
12	·04	·	·54	·		·10				·	·01	·02	12
13	·	·02	·	·	·43	·03			·60	·59	·05	·13	13
14	·	·10	·	·	·20					·02	·	·10	14
15	·	·	·27	·							·03	·09	15
16	·	·06	·	·							·08	·02	16
17	·	·	·03	·							·13	·08	17
18	·	·07	·03	·	·04						·76	·04	18
19	·	·	·	·					·05		·12	·08	19
20	·	·	·	·				·48	·	·08	·	·53	20
21	·	·	·	·		·01		·16	·25	·60	·	·10	21
22	·	·	1·08	·				·	·15	·08	·	·33	22
23	·	·14	·06	·		1·12		·	·19	·03	·02	·05	23
24	·	·	·03	·		·09		·02	·	·	·	·20	24
25	·	·06	·	·08		·14	·22	·32	·	·	·	·	25
26	·	·03	·43	·23			·	·	·15	· }	·25	·12	26
27	·	{	·06	·04			·	·	·	·50 }	·	·05	27
28	·	{ ·33	·	·08			·04	·01	·	·03	·	·	28
29	·		·	·06		·12	·02	·	·19	·	·02	·	29
30	·		·02	·05	·22		·	·	·06	·18	·	·	30
31	·		·				·	·				·02	31
Total	1·27	·88	2·87	1·05	1·09	1·61	·29	·99	1·49	4·54	2·94	3·72	TOTAL for year 22·74
No. of Rain Days	11	11	16	12	6	7	4	5	7	14	19	26	138

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
16 JAN 1913

Kept at Birchington

in the County of Kent 2

by W. Towlin Supt.

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 6 ft. - in.
" " " Sea Level 75 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Birchington
Distance ¼ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·	·04	·		·16	·40	·	·	·69	·	·12	1
2		·	·11	·		·10	·08	·21	·	·07	·	·	2
3		·05	·	·	·03	·16	·	·06	·02	·	·	·	3
4		·20	·31	·	·08	·49	·	·12	·	·	·23	·	4
5	·18	·	·10	·	·06	·10	·	·27	·	·	·14	·	5
6	·22	·08	·	·		·	·19	·43	·	·	·	·03	6
7	·40	·	·03	·		·12	·	·11	·	·	·	·	7
8	·20	·18	·	·		·17	·	·07	·35	·	·	·02	8
9	·21	·	·	·06			·03	·01	·	·	·	·01	9
10	·	·03	·	·04	·02		·		·03	·	·	·	10
11	·	·	·	·		·02	·	·08	·10	·	·	·	11
12	·	·	·02	·			·		·	·09	·	·	12
13	·	·	·	·	·03		·05	·12	·	·	·26	·	13
14	·	·28	·03	·	·07		·	·07	·	·	·03	·27	14
15	·	·	·10	·		·65	·		·05	·02	·	·	15
16	·20	·	·05	·	·08	·17	·	·05	·	·	·	·	16
17	·	·	·23	·	·12	·03	·	·03	·	·	·06	·	17
18	·20	·	·30	·15	·		·10	·06	·	·	·07	·23	18
19	·	·06	·15	·	·01		1·10	·19	·	·	·02	·	19
20	·03	·03	·38	·			·	·05	·	·70	·	·15	20
21	·00	·05	·18	·			·	·03	·	·24	·	·	21
22	·04	·18	·	·			·10	·26	·	·	·08	·	22
23	·30	·	·	·			·	·50		·	·01	·	23
24	·12	·	·	·		·07	·09	·12	·	·09	·15	·04	24
25	·	·	·	·	·05	·11	·	1·08	·	·	·21	·15	25
26	·	·	·	·	·06		·15	·49	·	·22	·15	·20	26
27	·	·	·	·	·		·17	·	·	·28	·	·10	27
28	·	·01	·	·06	·	·03	·03	·	·	·03	·20	·11	28
29	·	·	·	·	·		·	·03	·	·14	·06	·	29
30	·		·	·	·	·03	·04	·59	·72	·22	·06	·	30
31	·		·03		·01		·12	·23	1·31	·02		·	31
Total	2·10	1·15	2·06	·31	·62	2·41	2·65	5·26	2·58	2·81	1·73	1·43	TOTAL for year 25·11
No. of Rain Days.	12	11	15	4	12	15	14	25	7	13	15	12	155

W. 8,000, X. '11.

M D Ca. fa auth. & by sum. stats 12. V. 14.

REGISTER W OF M RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8 MAY 1914

Kept at Birchington

in the County of Kent 2

by W. Tomlin Junr.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Birchington

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 6 ft. - in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·35				·21				·01	·10	·05	1
2	·03	·12			·10		·30					·01	2
3					·12					·02	·07	·02	3
4	·04						·05			·05	·03	·05	4
5							·33	·05	·64	·16	·02		5
6					·05	} ·11				} ·59	·11		6
7					·01								7
8		·03	·05	·02	·15					·16	·05		8
9		·06		·05	·28			·29	·12		·02		9
10	·43		·07					·03			·50		10
11				·41						·20	·03		11
12											·63		12
13								·03	·12		·49		13
14	·12		·07				·26	·01	·26		·35		14
15	·09	·15	·14	·03			·10						15
16	·27		·23	·06					·32				16
17	·02			·05				·05	·21			·07	17
18	·09		·03				·18	·02	·12				18
19	·12		·07		·03	·01	·10		·46				19
20	·42									·29			20
21	·04		·03		·13		·04		·04	·72	·57		21
22	·27		·07				·16		·04				22
23			·10	·10		·05							23
24			·03			·14		·02	·01		~~·20~~	·20	24
25													25
26			·16							·27	~~·34~~	·34	26
27					·31					·09			27
28	·30			·01						·13			28
29	·32		·03		·21							·05	29
30	·24		·13	·33	·11			·01		·07		·31	30
31			·38					·03					31
Total	~~2·70~~ 2·80	·71	1·59	1·06	1·50	·52	1·52	·54	2·34	2·76	2·97	1·10	YEAR'S TOTAL ~~19·31~~ 19·41
Rain Days.	15	5	15	9	11	6	9	10	11	~~13~~ 14	13	9	~~126~~ 127

FORM A.
BRITISH RAINFALL.
9 - APR 1915

REGISTER OF RAINFALL IN 1914

Kept at Birchington
in the County of Kent 2
by W. Tomlin Jnr

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Birchington
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 6 ft. - in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03				·03			·11	·08	1
2				·17			·03			·02	·03	·11	2
3			·07	·03	·08		·12			·01			3
4				·02				·30			·31	·17	4
5	·26		·05	·38	·09		·16	·08					5
6			·03	·21		·38	·07					·09	6
7		·11	·15	·12	·01	·01						·06	7
8	·14	·03	·03									·01	8
9	·39		·76									1·13	9
10			·06								·28	·03	10
11			·12		·01				·16		·07	·40	11
12		·03	·10		·03				·12	·01		·42	12
13		·07	·12						·12	·06	·07	·33	13
14		·04	·10							·38		·26	14
15		·01	·20				·43				1·33	·07	15
16	·05	·05	·02				·14				·06		16
17	·03	·02	·12						·07	}	·02	·03	17
18		·15	·26							·83}	·08	·21	18
19		·05	·82							·12	·26	·05	19
20		·59	·24			·03				·34		·40	20
21		·01	·12	·08		·09				·08		·09	21
22				·12	·05		·45					·01	22
23			·48		·56	·76	·02					·11	23
24			·05	·17	·06		·01			·03	·07		24
25	·11						·02			·30			25
26			·17				·08			·01	·12	·29	26
27			·12							·06		·13	27
28	·03		·05		·03					·04	·13	·33	28
29	·02									·83	·03	·01	29
30										·28	·40	·01	30
31	·01				·29							·04	31
Total	1·04	1·16	4·24	1·33	1·21 ~~1·19~~	1·27	1·53	·41	·47	3·40	3·37	4·87	YEAR'S TOTAL 24·30
Rain Days.	9	12	23	10	10	5	11	3	4	17	16	26	146

W.7,000, XI. 13

✓ Ch mx 372

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 14. JAN. 1916

Kept at Birchington

in the County of Kent 2

by W. Toulin Junr.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Birchington

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 6 ft. – in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.50	.15	.08						.40		.52	.08	1
2	.16	.09	.17	.04				.07				.46	2
3	.19		.12	.15	.03			.22	.69		.02		3
4	.07							.02		.15	.05	.33	4
5	.03	.09		.03				.04		.28		.21	5
6	.21	.04	.08	.23						.03		.06	6
7	.18	.10	.08	.04								.24	7
8		.15	.15										8
9	.03		.01			.02		.15		.05	.30	.52	9
10	.14					.12						.60	10
11	.05	.05									.46		11
12	.03	.09		.30	.31			.23		.04	.36		12
13	.09	.69		.07	1.11								13
14							.15	.11					14
15				.04	.04						.53	.14 }	15
16	.01	.08					.65	{ .27			.10		16
17		.28			.87		.04					.50	17
18		.08	.08		.54						.07	.10	18
19	.03	.01								.13 }		.01	19
20	.30							.02				.20	20
21	.29												21
22			.03				.32			.19		.12	22
23	.03	.15	.10									.28	23
24	.01			.10		.02	{ .30		.09	.05		.25	24
25			.16	.12		.10						.06	25
26						.04	.14		.04	.02	.11	.36	26
27		.02	.02	.01			.07				.03		27
28		.08				.08	.15	.15	2.30	48 }	.20	.06	28
29					.02		.02		~~[illegible]~~	02			29
30	.05										.42		30
31										.51		23	31
Total	2.40	2.15	1.08	1.13	2.92	.38	1.84	1.28	3.52	1.95	3.17	4.81	YEAR'S TOTAL 26.63 ✓
Rain Days.	19	16	12	11	7	6	10	11	5	14	13	21	145 ✓

W. 8,000. X. 14.

Exe DL

357

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
16. JAN 1917

Kept at Birchington

in the County of Kent

by W. Toulin Junr.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Birchington

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 6 ft. in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·02			·03				·05		·38		1
2	·36	·02	·18		·06					·40			2
3		·23								·08	·36		3
4	·08		·05							·01	·28		4
5	·03				·08	·27	·12				·25		5
6			1·00	·26		·03	·08				·25		6
7	·04				·30	·12	·18				·30	·01	7
8					·06							·05	8
9					·20	·06						·33	9
10		·30	·05			·08	·12		·02				10
11	03		·04	·30		·07						·40	11
12		·02		·06	·88	·20	·01	·01		·14			12
13		·17			·07	·02	·68			·02		002	13
14		·37	·18	·02		·02	·04					07	14
15		·15							·02			·10	15
16		·04	·02	·15	·01		·05			·02			16
17	·08			·15			·05	·02	·30	·60			17
18	·07	·10	·03	08				·07	·10	·10	·75		18
19	·06	·02		·05		·02		·06	·12	·03	·68	·05	19
20	·05			10							·02	·43	20
21			·26	·39							·03		21
22	·02	·30	·25	·12								·45	22
23			·03			·10		·02			·03	·03	23
24						·02		·10		·33	·02	·35	24
25		·68	·08				·01			·06	·03		25
26		·88				·60				·05	·05		26
27	·05		·52					·08		·56			27
28			·25		06	·02			·15	·04		·15	28
29		·30				·09		·59	·04	·20		·20	29
30								·30		·39			30
31												·02	31
Total	·90	3·60	2·94	1·68	1·75	1·72	1·34	1·25	·80	3·03	3·43	2·66	YEAR'S TOTAL 25·10
Rain Days.	12	~~16~~ 17	15	11	10	16	10	9	8	16	14	18	~~155~~ 156

W. 8,000. X. 15.

300

FORM A.
BRITISH RAINFALL.
17 APR 1918

REGISTER OF RAINFALL IN 1917

Kept at Birchington
in the County of Kent
by W. Tomlin

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Birchington
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·40				2·35					1
2	·03			·20				·19	·04	·06	·05		2
3	·02			·08				·97					3
4			·01					·12		·29			4
5	·23		·01	·06					·08	·02			5
6				·08		·03			·09		·18		6
7	·16						·02			·69		·02	7
8	·28			·10			·55	·40		·24	·15	·31	8
9	·38		·02	·11				·02			·16	·80	9
10			·09	·03				·09	·01		·07		10
11	·27		·60	·14				·07	·10	·10		·12	11
12	·17		·27	·02				·04		·37			12
13	·06		·09		·29					·38			13
14			·01	·20			·01					·03	14
15	·39							·04			·30		15
16	·29	·24		·09	·15						·38	·38	16
17	·09			·15	·45		·09		·08	·18		·03	17
18	·06			·11			·13	·09					18
19		·07	·15	·02					·07				19
20		·19	·06		·02	·07					·10		20
21		·02	·14		·04	·59					·04		21
22					·01	·25		·08		·16	·28	·03	22
23					·03							·03	23
24						·02		·01		·08		·01	24
25			·05										25
26			·06			·04		·09		·02			26
27			·02			·13		·70				·30	27
28						·55		·17				·13	28
29			·12			·05	2·33	·07		·23			29
30			·17				·60	·05		·16		·22	30
31							1·50						31
Total	2·43	·52	1·90	1·79	·99	1·73	5·23	5·55	·47	2·98	1·71	2·41	YEAR'S TOTAL 27·71
Rain Days.	13	4	17	15	7	9	8	18	7	14	10	13	135

W. 8,000, VIII. 16

W. E.F.E. and [illegible]

48

FORM A.
BRITISH RAINFALL.
17·1·19

REGISTER OF RAINFALL IN 1918.

Kept at Birchington.
in the County of Kent
by W. Toulin

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Birchington
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 75. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05	·20							·06	·08	1
2				·02				·19			·92}	·18}	2
3				·16	·05					·05			3
4		·03		·02	·75}			·20	·25		·30		4
5		·05						·11}	·05	·02			5
6	·25	·06		·04	·12				·01		·23		6
7		·03		·02	·15	·02			·60	·08			7
8		·03							·01		·09		8
9				·03		·13			·22	·12		·14	9
10						·03	·03		·12	·02	·01	·24{	10
11	·08				·12		·01		·15	·51	·05		11
12	·02	·15		·05	·14		·08		·08	·31		·02	12
13		·03			·07				·03				13
14	·12					·15	·07		·16	·13		·08	14
15	1·16			·32		·18	·17					·04	15
16	·10			·18			·03			·04			16
17	·40			·10			·03	02	·93			·16	17
18	·09					·10						·02	18
19	·02		·23	·06		·04			·04	·37			19
20		·04					1·80		·04	·32			20
21	·03						02		·03	·26		·01	21
22	·05								·80			·20	22
23	·05			·02	·20		84		·02				23
24		·20				·16			·08		·07		24
25					·08			01					25
26							47	03			·09	·28}	26
27				·10			06	08	·02	·02	·02		27
28		·04	·14	·03				03			·12	·06	28
29									·68		·08		29
30		✕	·35						·08	·10	·13		30
31		✕		✕		✕		06	✕	·06	✕	·30	31
Total	2·37 ~~2·57~~	·66 ✓	·77 ✓	1·35 ✓	1·68 ✓	·81 ✓	3·61 ✓	·73 ✓	4·40 ✓	2·41 ~~2·31~~	2·17 ~~2·07~~	1·81 ✓	YEAR'S TOTAL 22·77 ✓
Rain Days.	12 ✓	10 ✓	4 ✓	15 ✓	10 ✓	8 ✓	12 ✓	10 ✓	21 ✓	15 ✓	14 ✓	17 ✓	148 ✓

W. 8,000, IX 17.

330

FORM A.
BRITISH RAINFALL.
[illegible] JAN [illegible]

REGISTER OF RAINFALL IN 19/9

Kept at Birchington
in the County of Kent
by W. Toulin

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Birchington
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							82						
1	16	16		~~04~~	04		04				02	37	1
2	10				18		33	·06		25	20	23	2
3	20		35						02		06	21	3
4	08		33			04	03			03		09	4
5	28	40 }	1·00				04				05	20	5
6	03						03				06	09	6
7			06	06							16	02	7
8	20		05								70		8
9	12		05	21									9
10	25		02								15		10
11	15			37						05		07	11
12	03			04		03	46			07			12
13	04			46 }							1·04 }		13
14	10						33						14
15	04			18						05	24		15
16	04	48											16
17		50		·15					02		25	05	17
18		19					20				04	04	18
19		04	40 }				02		15		09		19
20	27	02				42	75	12	03			02	20
21		13	12			03	{ 27						21
22		02				07			15		04	46	22
23	07			06.		03	{ 04		47				23
24				·15				33			08		24
25	·08	12		15	08							08	25
26	08		13	65				04	05		04	20	26
27	09			20						05	02		27
28	07	02	21.					30	07	02	38	40	28
29	06			12				92		21	17	03	29
30		X		16				70		52	20	24	30
31		X	13	X		X		02	X	55	X	03	31
Total	2·54	2·08	2·85	2·96	·30	·62	3·36	2·19	·96	1·80	3·99	2·83	YEAR'S TOTAL 26·48 ✓
Rain Days.	22	12	13	15	3	6	14	8	8	10	21	18	150 ✓

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Birchington

in the County of Kent

by W. Toulin

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Birchington

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 6 ft. in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				22					02	44		25	1
2			22					22	04	23			2
3					05				05			13	3
4		05	02	24		12	05					29	4
5					02		47	07	11			25	5
6			06	16	15		08	03					6
7				11			12			02		·07	7
8	03			05			03						8
9	22 ~~05~~			07	09		02	14					9
10	26	02		02									10
11	19			12			38						11
12	10		05	25	02	09	36					20	12
13	26		03			04					07		13
14			14	11		03					09		14
15				02					54	08	02		15
16				05	05				16				16
17	02			20					25			30	17
18	02			03				1 inch 1·00	26				18
19	18			05				15					19
20	05			15	06	53			47				20
21							45		1·30			·32	21
22				15			35	25					22
23		28						06				·32	23
24		10		07					07				24
25				~~0~~			11		07				25
26	04		11	05		11	25						26
27	05	10		27							09	20	27
28	22				36		03				06	10	28
29	29		05		20		01				05		29
30	03								17		11	10	30
31	01									20			31
TOTAL	1·97	·55	·68	2·39	1·00	·92	2·71	1·92	3·46	·97	·49	2·73	YEAR'S TOTAL 19·79
Days with ·01 in. or more	16	5	8	20	9	6	14	8	13	5	7	15	128
	11	4	6	17	7	3	10	7	11	4	6	15	103

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

BIRCHINGTON
ROSE BANK

1911 - 1920

Cor
REG

I made

Kept at Ros
Fowl

in the County of

by G Howard
Lo

in.
ound ft. in.
Level ft.
e
nce Direction

IMPORTANT
previous day. If a
requested to add the
for it at the end of
the selection and p
Organization are give
Dr. H. R. Mill, 62,

result entered to the
l rule, he is earnestly
n the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

C
Aus
17
Dea

in answer to your letter you are quite right I did compared notes with Mr Grant gardener I don so as he was a better writer then myself thinking that it would not make any differences as we are so close I ar sorry to say I did not keep a record back of last years or I would be please to send it on

---

Date.	Jan.	Feb.	M								Nov.	Dec.	Date
	in.	in.									in.	in.	
1	·11	·									·	·02	1
2	·15	·									·12	07	2
3	·08	·02									·02	·03	3
4	·06	·02									08	·08	4
5	·07	·01									·	·09	5
6	·14	·									·	·06	6
7	·	·									12	·19	7
8	·03	·									·20	·5	8
9	·19	·									·14	—	9
10	·	·01									·02	·28	10
11	·30	·02									·47	—	11
12	·03	·									·	·02	12
13	·	·									·04	·11	13
14	·	·12	·				·	·	·	·01	·	[illegible]	14
15	·	·09	25	·	·	02	·	·	·	·01	·01	·01	15
16	·	·01	·	·	·	·54	·	·	·	·	·15	·01	16
17	·	·	02	·	·	·	·	·	·	·	·03	·05	17
18	·	·05	02	·	·	·	·	·	·	·	·55	03	18
19	·	·04	·	·	03	·03 ·022	·	·	05	·01	·23	·05	19
20	·	·	·	·	·	10	·	·50	·	·03	·	·51	20
21	·02	·02	·	·	·	·18	·	·15	60	·51	·	·11	21
22	·	·	95	·	·	·	·	·	·	·20	·	·33	22
23	·	·11	06	·	·	·	·	·	16	·01	03 ·03	·01	23
24	·	·03	03	·	·	·	·22	·02	01	·24	·	·24	24
25	·	·05	10	08	·	·	·	·28	02	·	03	—	25
26	·	·	16	24	·	·	·	·	1	·06	·21	15	26
27	·	·17	05	04	·	·	·	·	15	·45	·	·12	27
28	·	·06	·	06	-	·	·04	·	·	·	·01	·01	28
29	·	·	·	08	·	·13	·04	·02	18	·09	·	—	29
30	·	·	·	·05	·19	·01	·	·02	05	·11	·	—	30
31	·	·	·	·	·		·	·	·		·	·01	31
Total	1·18	·80	2·40	1·00	0·49	2·44	32	1·09	1·80	4·74	2·59	3·17	TOTAL for year 22·22
No. of Rain Days	11	·16	·17	·13	6	·10	·14	·07	·01	·19	·18	·26	158

9,000, IX. '10.

Cor.

made

REC

Kept at ~~Ros~~ Ferml

in the County of

by G. Hoar

Lo

IMPORTANT

previous day. If

requested to add th

for it at the end

the selection and

Organization are giv

Dr. H. R. Mill, 62,

in.

ound ft. in.

Level ft.

ne

ance Direction

e result entered to the

sal rule, he is earnestly

in the space provided

of rain,

Rainfall

ication to

Jan. 1, following.

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

Rose Bank
Birchington

Ans. 17. 8. 12. sent May

Dear Sir

in answer to your letter you are quite right I did compared notes with Mr Grant gardener I don so as he was a better writer then myself thinking that it would not make any differences as we are so close I ar sorry to say I did not keep a record back of last years or I would be please to send it on

---

Date.	Jan.	Feb.								t.	Nov.	Dec.	Date.
	in.	in.									in.	in.	
1	·11									4		·02	1
2	·15										·12	·07	2
3	·08	·02									·02	·67	3
4	·06	·02								2	08	·30	4
5	·07	·01								1		·07	5
6	·14											·06	6
7										0	12	·4	7
8	·03									1	·20	·5	8
9	·19									3	·14	—	9
10		·05									·03	·25	10
11	·30	·03									·47		11
12	·08											02	12
13										0	·04	·11	13
14		·11			·23					·01		·17	14
15		·04	25			02				·01	·01	·01	15
16		·01				·54					·15	·01	16
17			02								·03	·05	17
18		·05	02								·55	03	18
19		·04			·03	·03 ·02			05	·01	·23	·05	19
20						10		·50		·03		·51	20
21	·02	·02				18		·15	60	·51		·11	21
22			95							·20		·33	22
23		·11	06						16	·01	03 ·03	·01	23
24		·03	03				·22	·02	01	·24		·24	24
25		·05	10	03				·28	02		03	—	25
26			16	24					1	·06	·21	15	26
27		·17	05	·04					15	·45		12	27
28		·06		06			·04				·01	·01	28
29				08		·13	·04	·02	18	·09		—	29
30				·05	·19	·01		·02	05	·11		—	30
31												·01	31
Total	1·18	·30	2·40	1·00	0·49	2·14	·32	1·09	1·80	4·74	2·59	3·17	TOTAL for year 22·22
No. of Rain Days	11	·16	·17	·13	·6	·10	·14	·07	·01	·19	·18	·26	158

9,000, IX. '10.

made

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at ~~Rose Bank~~
Fordleigh (copied from)
in the County of Birchington Kent
by G. Hoare gardener To Lord Forester

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.
Time of Observation		
Nearest Railway Station	Name	
	Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11		·02	·19				·10		04		·02	1
2	·15		·02	02	15		·02				·12	·07	2
3	·08	·02		05	04						·02	·03	3
4	·06	·02	·05	·12					·02	·62	08	·38	4
5	·07	·01		·01						·61		·09	5
6	·12									1		·06	6
7										110	12	·19	7
8	·03		·02						01	·01	29	[illegible]	8
9	·19		·15	·03						·03	·14	—	9
10		·05		·03							·03	·28	10
11	·30	·12	02								·27	—	11
12	·03		46			·09						02	12
13			02		33	·02			55	·60	·04	·11	13
14		12			25					·01		·19	14
15		·04	25			02				·01	·01	·01	15
16		·01				·54					·15	·01	16
17			02								·03	·05	17
18		·05	02								·58	·03	18
19		·04			·03	022 ·03			05	·01	·23	·05	19
20						10		·50		·03		·51	20
21	·02	·02				·18		·15	60	·51		·11	21
22			95							·20		·33	22
23		11	06						16	·01	03 ·03	·01	23
24		·03	03				·22	·02	01	·24		·24	24
25		·05	10	08				·28	02		03	—	25
26			16	24						·06	·21	15	26
27		·17	05	04					15	·45		12	27
28		·06		06			·04				·01	·01	28
29				08		·13	·04	02	18	·09		—	29
30				·05	·19	·01		·02	05	·11		—	30
31												·01	31
Total	1·18	·80	2·40	1·00	0·49	2·14	·32	1·09	1·80	4·74	2·59	3·17	TOTAL for year 22·22
No. of Rain Days	11	16	·17	·13	6	10	·14	·07	·01	·19	·18	·26	158

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Rose Bank Birchington

in the County of Kent 2

by G. Hoare

Rain Gauge { Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station { Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	02	-	04	-	.	15	50	.	11	56	-	11	1
2	.	.	12	.	.	02	07	26	01	12	-	03	2
3	12	17	02	03	03	22	.	04	.	02	-	03	3
4	27	-	32	-	09	51	.	03	.	.	13	.	4
5	11	13	10	02	.	12	.	29	.	.	25	02	5
6	39	05	-	-	06	01	19	41	.	.	.	07	6
7	23	27	03	-	02	17	10	11	.	.	.	01	7
8	19	-	10	-	-	25	.	03	32	.	.	02	8
9	01	-	-	06	-	-	04	.	01	.	.	02	9
10	-	03	01	04	-	-	.	11	.	.	05	24	10
11	02	13	-	-	.	03	.	.	11	.	01	10	11
12	.	12	02	-	03	.	.	06	.	-	01	03	12
13	.	25	02	.	.	02	05	02	.	.	22	02	13
14	.	01	01	.	08	.	.	03	06	-	03	-	14
15	-	02	05	-	14	62	.	02	.	08	03	26	15
16	20	-	10	-	07	25	.	09	.	02	-	.	16
17	18	-	20	.	.	03	.	04	.	.	04	.	17
18	15	-	32	16	.	.	10	09	.	07	05	25	18
19	02	07	16	.	-	02	108	14	.	.	02	.	19
20	03	02	39	.	02	.	.	11	.	66	02	.	20
21	-	03	20	-	.	.	01	03	.	25	10	.	21
22	05	09	03	-	02	.	10	07	.	.	-	02	22
23	30	15	21	.	06	.	.	72	.	06	15	03	23
24	11	.	03	-	.	06	09	17	.	04	.	05	24
25	07	-	-	.	.	10	.	96	.		22	20	25
26	02	-	-	.	.	03	15	48	.	25	16	32	26
27	-	.	03	.	.	-	17	.	.	02	.	11	27
28	.	-	-	.	.	.	03	.	.	28	17	03	28
29	-	03	01	07	.	.	04	08	67	02	06	10	29
30	-	.	.	.	02	02	.	55	137	35	02	-	30
31	-	.	.	.	02	-	18	12	.	02	.	.	31
Total	249	157	252	.38	66	263	282	506	266	282	174	201	TOTAL for year 27.36
No. of Rain Days.	19	16	23	6	13	18	16	26	8	16	19	22	202

W. 8,000, X. '11.

Cor. for arith. & by rel. reed in Jan. 1.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
30 MAR 1914

Kept at Rose Bank Bridlington
in the County of Kent – 2
by E. J. Hore

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		36		9		22				1	4	4	1
2	05	13			5		30						2
3				46	11					3	6	2	3
4	03						5				2	8	4
5	03						34	10	66	6	1		5
6	01		2	1	4	13				16			6
7		3	5	2	1			2		17	9		7
8			1	2	22					41	6		8
9		5		4	30		4	34	11	19	2		9
10			9	8							50		10
11	41	1		39				4		33	7		11
12								1			67		12
13	13		3					3			37		13
14	3		7	5			26		27	23	35		14
15	13	1	16				7						15
16	24		8	10					36		3		16
17	4			4			15	3				6	17
18	5		3	5			2		33		2		18
19	13		11		3		9	3	41				19
20	41		8						5	15			20
21	6		4	12	16		3			84	56		21
22	27						20		4	1			22
23			10			5			2			40	23
24	2		2										24
25				15		17							25
26			16							27		15	26
27		5	1		31					6			27
28	26		13							17			28
29	31		7		17					6		18	29
30	25		2	35	13			1				19	30
31			48					3		3			31
Total	286	64	~~175~~ 1.76	~~167~~ 1.97	153	57	155	64	225	~~316~~ 3.18	~~292~~ 2.87	112	YEAR'S TOTAL 20.94
Rain Days.	19	7	20	15	11	4	11	10	9	17	15	8	146

W.7,000, XI. 13

W. 780

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Kept at Rosebank Pembury
in the County of Kent 2
by G Hore

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		36	.	9	.	22	.	.	.	1	4	4	1
2	05	13	.	.	5	.	30	.	.	.	.	.	2
3	.	.	.	46	11	.	.	.	.	3	6	2	3
4	03	.	.	.	.	.	5	.	.	.	2	8	4
5	03	.	.	.	.	.	34	10	66	6	1	.	5
6	01	.	2	1	4	13	.	.	.	16	.	.	6
7	.	3	5	2	1	.	.	2	.	17	9	.	7
8	.	.	1	2	22	.	.	.	.	41	6	.	8
9	.	5	.	4	30	.	4	34	11	19	2	.	9
10	.	.	9	8	.	.	.	.	.	.	50	.	10
11	41	1	.	39	.	.	.	4	.	33	7	.	11
12	.	.	.	.	.	.	.	1	.	.	67	.	12
13	13	.	3	.	.	.	.	3	.	.	37	.	13
14	3	.	7	5	.	.	26	.	27	23	35	.	14
15	13	1	16	.	.	.	7	.	.	.	.	.	15
16	24	.	08	10	.	.	.	.	36	.	3	.	16
17	4	.	.	4	.	.	15	3	.	.	.	6	17
18	5	.	3	5	.	.	2	.	33	.	2	.	18
19	13	.	11		3	.	9	3	41	.	.	.	19
20	41	.	8	.	.	.	.	.	5	15	.	.	20
21	6	.	4	12	16	.	3	.	.	84	56	.	21
22	27	.	.	.	.	.	20	.	4	1	.	.	22
23	.	.	10	.	.	5	.	.	2	.	.	40	23
24	2	.	2	.	.	.	.	.	.	.	.	.	24
25	+	.	.	15	.	17	.	.	.	.	.	.	25
26	.	.	16	.	.	.	.	.	.	27	.	15	26
27	.	5	1	.	31	.	.	.	.	6	.	.	27
28	26	.	13	.	.	.	.	.	.	17	.	.	28
29	31	.	7	.	17	.	.	.	.	6	.	18	29
30	25	.	2	35	13	.	.	1	.	.	.	19	30
31	.	.	48	.	.	.	.	3	.	3	.	.	31
Total	~~2.80~~	064	~~168~~	1.97	1.53	057	1.55	064	~~071~~	3.18	2.87	1.12	YEAR'S TOTAL ~~1.930~~
Rain Days.	2.86		1.76						2.25				20.86

W.7,000, XI. 13

Slip made 2/3/15

Corr by mm stats monthly } 9.11.15

~~W~~ LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

Kept at Lord Forester Rose Bank

in the County of Kent 2

by George Hoare

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·	·	·	·	3	·	·	10	8	1
2	·	·	·	9	·	·	2	·	·	·	2	14	2
3	·	·	8	·	7	·	12	·	·	·	·	·	3
4	·	·	1	9	·	·	·	25	·	·	23	21	4
5	25	·	3	35	6	·	20	14	·	2	·	·	5
6	1	·	·	22	1	35	7	·	·	·	·	10	6
7	·	15	17	12	·	2	·	·	·	·	·	5	7
8	11	3	20	·	·	·	3	2	·	·	·	2	8
9	36	·	72	3	·	·	·	·	·	·	·	117	9
10	15	·	4	·	·	·	·	·	16	·	·	2	10
11	·	15	·	4	1	·	·	·	12	·	36	37	11
12	1	2	4	·	4	·	·	·	14	6	·	23	12
13	2	8	14	1	·	·	·	·	·	41	8	50	13
14	·	4	20	·	·	·	·	·	·	·	·	29	14
15	·	·	20	·	·	·	38	·	·	·	130	8	15
16	3	9	30 ·03	·	·	·	12	·	6	12	4	·	16
17	2	2	·	·	·	·	·	·	·	·	·	2	17
18	·	15	14	·	·	·	·	·	·	88	11	22	18
19	·	3	76	·	·	·	·	·	·	10	25	5	19
20	·	5	35	·	·	4	·	·	·	·	·	25	20
21	·	56	14	·	·	·	·	·	·	·	·	12	21
22	·	·	·	17	5	10	41	·	·	15	·	·	22
23	·	·	47	·	59	47	2	·	·	·	·	11	23
24	·	·	3	16	4	·	·	·	·	2	8	·	24
25	7	·	15	·	·	·	2	·	·	30	·	·	25
26	7	·	13	·	·	·	5	17	·	·	12	20	26
27	·	·	4	·	·	·	7	·	·	7	4	25	27
28	2	·	·	·	2	·	·	·	·	3	14	38	28
29	7 ·01	·	·	·	·	·	·	·	·	80	2	·	29
30	·	╳	·	·	·	·	·	·	·	9	44	·	30
31	·	╳	·	╳	31	╳	·	·	╳	·	╳	6	31
Total	1·19 ~~125~~	137	407 ✓	128	120	128	151	61	48	305	333	492	YEAR'S TOTAL ~~2·435~~
Rain Days.	13	12	21	10	10	5	12	5	4	3·05 13	15	4·92 23	24·29 143

W. 8,000. X. 14.

373

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Rose Bank. Birchington
in the County of Kent 2
by Mr. G. Hoare

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	51	12	7						42		49	10	1
2	20	11	18	3	2			6	3		3	2	2
3	18		13	17				21	68			42	3
4	6							2		24	6	34	4
5	3	8								30	15	25	5
6	25	7	2	22						3		5	6
7	25	11	12	3								25	7
8		14	15										8
9	4	17	3			2		15		8	32	52	9
10	16		1			15						64	10
11	3	1		28						3	47	2	11
12	2			8	26			25		2	37		12
13	9	76			116								13
14		4					16	11	2			14	14
15	12	40			4						52	3	15
16		[illegible]		4	[illegible]		63	15			12		16
17					71		3	9				45	17
18		9	7		61					13	8	11	18
19	4									2		2	19
20	28					1	1					20	20
21	22				1					16			21
22	8		4				22					14	22
23	4	14	8			3	10			2		27	23
24				13			20		9	5		30	24
25	1		13	9		13	14					6	25
26	7								2		11	38	26
27			2				6		1	25	4		27
28		8				9	12		230	25			28
29			2		2		2	16	1	1	17	6	29
30	6	╳									45		30
31	4	╳		╳		╳			╳	59	╳	28	31
Total	278	232	107	107	283	42	179	120	358	218	338 338	[illegible]	YEAR'S TOTAL 29·67
Rain Days.	22	14	14	9	8	5	11	9	9	15	14	23	153

14.

Exd C.J.E.

358

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Lord Forester
in the County of Rose Bank Bockingford Kent
by George Hoare

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3		1		5				6		37		1
2	37	1	16		8								2
3		26	6							6	34		3
4	10	5				8				3	23		4
5	4			4	10	20	12			1	26		5
6		2	23	22		5	12				26		6
7	4		59		34	12					33		7
8					7		15					9	8
9					21	6						10	9
10			4	9		8	13		4			25	10
11	2	32	9	17		7						14	11
12	4	2		9	93	20				15		37	12
13		20	6	8	7	2	65			3		2	13
14		42	12	2		2	4					7	14
15		15	1									14	15
16		6		17			6			2			16
17	10		1	15			5	3	30	63			17
18	7	12	3	9				5	10	11	48		18
19	7	2		5				7	12	3	3	5	19
20	6			13							3	29	20
21			24	36							1	19	21
22	3	27	21	15								42	22
23		27	3		[illegible]	11		2			4	3	23
24		6				4				38	1	32	24
25		17	7					12		7	2		25
26		14				33				6	5		26
27	6	40	55			22		11		63			27
28		55	19	8				62	13	3		18	28
29		33				11			8	25		21	29
30		X						30		36			30
31	3	X		X		X			X		X	2	31
Total	106	384	270	184	185	171	132	132	80	285	346	289	YEAR'S TOTAL 2564
Rain Days.	14	20	18	15	8	15	8	8	7	16	14	17	170

end for auth

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL 3 JAN 1918

351

Kept at Rose Bank

in the County of Birchington Kent

by G Hoare

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3			20				240	4		4	3	1
2		3	3	32				17		6	3		2
3	1			10				103					3
4								5		29			4
5	24		3						8	3			5
6	17			15	[illegible]	4			10		19		6
7										62		2	7
8	33			10			53	48		24	17	29	8
9	35		2	11				3			17	18	9
10	4		10	3				10			5		10
11	25	38	61	14				1	12	13		14	11
12	15		23	5				7		37			12
13	7		16		23					28		2	13
14	28		2	20			2					3	14
15	10							5					15
16	20	16		10	160							38	16
17	11			15	40		12		8	13		8	17
18	6			12			11	16	3				18
19		8	14	3					5				19
20		16	6		2	8	1				9		20
21		3			5	65					3	9	21
22			16			22		9		16			22
23					4							6	23
24								2			2	1	24
25			4			2					2		25
26			7			5		11		3	67		26
27						14		70				26	27
28			2			54		19				10	28
29							201	7 ·01		12		18	29
30		×	15				45			19			30
31		×	17	×		×	143	5	×		×		31
Total	238 2·39	85	195	180	84	174	~~286~~ 4·68	569	50	279	145	247	YEAR'S TOTAL ~~2532~~ 27·14
Rain Days.	15	5	16	14	6	8	8	18	7	13	11	15	136

VIII. 16

5 made

FORM A.
BRITISH RAINFALL.
9.1.19

REGISTER OF RAINFALL IN 1918

Kept at Rose Bank
in the County of Birchington kent
by G Hoare

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			4	21							7	13	1
2		5						20			36	17	2
3				17	5						55	2	3
4		2		2	35			30	25		30		4
5		6			35			3	5	5			5
6	27	8		5	13			5		5	25	2	6
7		1			13				50	3			7
8		4									10		8
9	3			4					22	12		16	9
10						19	4		15	3		14	10
11	7				15				16	52	8	10	11
12		15			20		10		7	28	5	3	12
13		5			5				6				13
14	15					15	10		15	13			14
15	1.12			31		19	17			4		5	15
16	10			12			3						16
17	40			10			3					16	17
18	9					12		2	96			3	18
19	8		25	7					4	29			19
20	2	5				4	180		3	33			20
21	4						2			31			21
22	6								90			24	22
23	7				20		84					13	23
24		19			10	19			9		5		24
25						3							25
26							47	5			8	9	26
27							6	8	2	4	2	5	27
28		4	15	13				4	~~71~~		14	7	28
29									71		8		29
30		X	36						7	11			30
31		X		X		X		7	X	8	X	28	31
Total	2 50	74	80	1·22 1 23	171	·91 ~~87~~	3·66 360	84	4·43 437	2·39 ~~2 47~~	2 13	1·86	YEAR'S TOTAL 23·19
Rain Days.	13	11	4	10	10	7	11	9	17	15	13	17	1·87

17.

331

BRITISH RAINFALL FORM R
5 JAN 20

cord for aith

REGISTER OF RAINFALL IN 1919

Kept at Rose Bank Birchington
in the County of Kent
by George Hoare

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	17	18			1		84			28	1	42	1
2	10				7		4				22	24	2
3	20		34				30		3		3	22	3
4	8		35			4	4	1				10	4
5	28	30	95							3		22	5
6	4										8	8	6
7			7	7			2				16	2	7
8	20		3	2									8
9	14		6	24						2	92		9
10	14		2								16		10
11	25			38								8	11
12	6			4		4	44			7			12
13	4			9							75	3	13
14	10			38			34						14
15	5			19			1			4	24		15
16	5	49		7							10	8	16
17		46		12							18	4	17
18		16					25				5	3	18
19		5	30				3		13		10		19
20	30	8	10			42	65	11				2	20
21		14	12			3	10		4				21
22		3	4				18		15		4	48	22
23	9			5		7	5		51			8	23
24				14		4		3			9		24
25	10				10			35		5			25
26	10	12	5	15					4		3	20	26
27	9	2	12	62				6			4	5	27
28	8		27	26				28	6	3	39	40	28
29	11			15				82		23	38	4	29
30		X		18				71		50		22	30
31		X	18	X		X		1	X	58	X	4	31
Total	277	198	~~290~~ 3.00	309	18	64	329	~~237~~ 2.38 23.8	96	183	377	~~280~~ 3.04	YEAR'S TOTAL 26.93
Rain Days.	22	11	15	17	3	6	14	9	7	10	19	21	154

17.

308

28 JAN 1921

1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at "Rose Bank" Birchington on Sea

in the County of Kent.

by George Howe.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				26						43		21	1
2			22					22	5	21		11	2
3					8	9						4	3
4		3	3	28			5					25	4
5				15			47	7	11			25	5
6			5		18		8						6
7							12			3		7	7
8	3			9			3						8
9	23			2	10		2	15					9
10	23	3	4					3				3	10
11	22		8	15			38						11
12	9		2	18	3	9	36					12	12
13	26		4			5					5		13
14			13	12					6		10		14
15				2					55	8			15
16				5	6				14			31	16
17	2			20	4				23				17
18	5							37	25				18
19	17			17				13				5	19
20	5	25		5		52			47				20
21		12					41	8	130			6	21
22				16				15				48	22
23							26	5				30	23
24							7		6				24
25				6			12						25
26	6		12	6			21					2	26
27	6	10		25		12					15	19	27
28	21				34						9	3	28
29	31		7		12						6	8	29
30		×					10		20		11	8	30
31	2	×		×		×			×	27	×	4	31
Total	201	53	75	221	92	87	268	177	342	102	56	272	Year's Total 19.46
Days with ·01 in. or more	15 ~~16~~	5 ~~24~~	10 ~~21~~	17 ~~13~~	8 ~~23~~	5 ~~25~~	14 ~~17~~	9 ~~22~~	11 ~~19~~	5 ~~27~~	6 ~~24~~	19 ~~12~~	
	12	3	1	15	7	5	12	8	11	4	6	17	107

Wt.21 958—218 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

5 JAN 1912

RE

BITC~~HE~~T WOOD

KENT

1911 - 1912

Kept at Bitchet ... Kemsing

in the County of Kent ... 30 am

by Admiral Ba... 5 in.

e Ground 1 ft. in.

Sea Level 580 ft.

NOTE.—Rain should be measure ... instructions for the measurement of rain and particulars as to the Brit ... bers," sent post-free on application to Dr. H. R. MILL, 62, Camden Squ...

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03			0.80				(·06)			0.03		1
2	0.20		0.02	0.22	0.36						0 20	0.32	2
3		0.03			0 22						0.14		3
4	0.16	0.02	0.06					[illegible]	0.02	0.77	0.48	0.39	4
5	0.02	0.02		0.29						0 50		0.14	5
6	0.26		0 10							0.02	0.45	0 31	6
7	0.13		0.02							0.33		0 28	7
8	0.12		0.17								0.52	0 24	8
9	0.20		0.05								0.05	0.05	9
10		0.09	0.05	0.06								0. 80	10
11	·55		0.07		0.14						1.30		11
12			0.60			0.09					0.14		12
13			0 05		0 20			[illegible]	0.75	0.12	0.05	0 18	13
14		0.06			0.55							0 48	14
15		0.03	0.35								0.16	0 02	15
16						0.36				0.03	0.91	0.16	16
17			0.01			0.03					1.26	0.17	17
18		0.29	0.01								1.52	0.29	18
19		0 03				0.24			0.18	0.20	0.28	0.21	19
20	0.07		0.02						0.02	0.11	0.02	0.92	20
21	0.03	0.30					~~0.30~~	0.30		0.51		0 20	21
22			0 48			0.14	~~0.17~~	0.17		0.26			22
23	0.04	0 38	0 02			0.94	~~0.03~~	0.03	0.35		(·11)	0.50	23
24		(·26) 0.36				0.16				0.75		0.15	24
25		0.10		0 05		0.20	0 05		0.05	0.02		0.32	25
26			0 16	0.41	0 10	0.13	0.02			0.20			26
27		0.44	0 13	0.10					0.19	0.46	0.17	0.35	27
28		0.28		0.23				0.04			0.06	0.09	28
29				0 31		0.20			} (·22)	0.38			29
30						0.02	0 35	0.04		0.29		0 02	30
31					1.45					0.01			31
Total	1.81 ✓	2.33 ✓	2.37	2.47	3.62	2.51	0.42	0.64	1.78	4.96	7.85 ✓	6.59	TOTAL for year 36·75
No. of Rain Days	12 ✓	14	18	9	7	11	3	~~5~~ 6	~~8~~ 9	17	~~18~~ 19	23	148

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓

RE

5

FORM A.
BRITISH RAINFALL.

5 JAN 1912

Kept at Bitchet Wood -
in the County of Kent
by Admiral Bosanquet

Lat. Long.
Nearest Railway Station Kemsing
Time of Observation 8. 30 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 580 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03			0.80				(·06)			0.03		1
2	0.20		0.02	0.22	0.36						0 20	0.32	2
3		0.03			0 22						0 14		3
4	0.16	0.02	0.06					[illegible]	0.02	0.77	0.48	0.39	4
5	0.02	0.02		0.29						0 50		0.14	5
6	0.26		0 10							0 02	0.45	0.31	6
7	0.13		0.02							0.33		0 28	7
8	0.12		0.17								0.52	0 24	8
9	0.20		0.05								0.05	0.05	9
10		0.09	0.05	0.06								0.80	10
11	·55		0.07		0.14						1.30		11
12			0.60			0.09					0.14		12
13			0 05		0 20			[illegible]	0.75	0.12	0.05	0.18	13
14		0.06			0.55							0 48	14
15		0.03	0.35								0 16	0 02	15
16						0.36				0.03	0.91	0.16	16
17			0.01			0.03					1.26	0.17	17
18		0.29	0.01								1.52	0.29	18
19		0 03				0.24			0.18	0.20	0.28	0.21	19
20	0.07		0.02						0.02	0.11	0.02	0.92	20
21	0.03	0.30					~~0.30~~	0.30		0.51		0 20	21
22			0 48			0.14	~~0.17~~	0.17		0.26			22
23	0.04	0.38	0 02			0.94	~~0.03~~	0.03	0.35		(·11)	0.50	23
24		(.26) 0.26				0.16				0.75		0.15	24
25		0.10		0 05		0.20	0.05		0.05	0.02		0.32	25
26			0 16	0.41	0.10	0.13	0.02			0.20			26
27		0.44	0 13	0.10					0.19	0.46	0.17	0.35	27
28		0.28		0.23				0.04			0.06	0.09	28
29				0 31		0.20			}(.22)	0.38			29
30						0.02	0 35	0.04		0.29		0 02	30
31					1.45					0.01			31
Total	1.81✓	2.33	2.37	2.47	3.62	2.51	0.42	0.64	1.78	4.96	7.85✓	6.59	TOTAL for year 36.75
No. of Rain Days	12✓	14	18	9	7	11	3	~~5~~6	~~8~~9	17	19	23	148

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exe DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at Bitchet Wood.

in the County of Kent 5

by Admiral Bosanquet

RAIN GAUGE { Pattern Approved
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 580 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Kemsing
Distance 2¼ Direction No

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.16	0.04		0.19		0.11		0.67		0.20	1
2			0.18				0.37	0.22	0.02	0.07		0.10	2
3	0.07		0.03			0.13	0.11	0.04	0.03	0.01			3
4	0.23	0.18	0.72			0.30		0.23			0.15		4
5	0.11		0.27		0.38			0.14			0.28		5
6	0.52	0.03			0.03			0.21			0.03	0.16	6
7					0.19	0.98	0.04	0.35				0.07	7
8	0.33	0.43	0.23			0.10			0.02			0.03	8
9		0.15				0.09	0.08	0.30				0.23	9
10		0.05						0.25			0.12	0.29	10
11	0.03	0.37	0.02			0.08		0.18	0.09			0.32	11
12		0.14	0.04		0.28	0.07					0.03	0.03	12
13			0.03								0.29	0.07	13
14		0.02	0.03		0.03			0.06	0.xx	0.11		0.[illegible]2	14
15		0.02	0.10		0.21	0.77			x.xx	0.01	0.05	0.40	15
16	0.31	0.01	0.07			0.04		0.17	[illegible]	0.13	0.08		16
17	0.29		0.37			0.05		0.03			0.07	0.04	17
18	0.35		0.48					0.09	[illegible]	0.05		0.15	18
19	0.09	0.15	0.24				0.11	0.24					19
20			0.44				0.03	0.23	[illegible]	0.52			20
21	0.02	0.08	0.46		0.04			0.13	[illegible]	0.28	0.09		21
22	0.19	0.45	0.02		0.02		0.07	0.11				0.02	22
23	0.45	0.34	0.42		0.03			0.62	[illegible]	0.18	0.18		23
24	0.06	0.08						0.45	[illegible]	0.07			24
25	0.04					0.34		1-0			0.46	1.78	25
26		0.02						0.47		0.65	0.47		26
27						0.01	0.03			0.14		0.31	27
28		0.06				0.01	0.24	0.05	0.09	0.77	0.51	0.22	28
29		0.02				0.03		0.30	1.50	0.09	0.02		29
30					0.13		0.07	0.05	1.95	0.36			30
31			0.10				0.07	0.05		0.13			31
Total	3.11	2.60	4.91	0.04	1.34	3.19	1.22	6.08	3.70	4.24	2.76	4.44	TOTAL for year 37.63
No. of Rain Days.	15	18	20	1	10	15	11	26	7	17	15	20	175

W. 8,000, X. '11.

BOUGHTON VICARAGE

KENT

1911 - 1916

REG

FORM A.
BRITISH RAINFALL.
17 JAN 1912

Kept at Boughton Vi

in the County of Kent

by Rev. W. H. Rau

56' 17" E

elling

M.

5 ins

Ground 2 ft. 4 in.

Sea Level 46 ft.

NOTE.—Rain should be measured … nstructions for the measurement of rain and particulars as to the British … s," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.44	.01			.08			.05	.01	1
2	.15		.02	.01	.20						.10	.12	2
3	.10	.05			.08						.03	.13	3
4	.16	.02	.06	.27 Snow						.55	.22	.18	4
5	.04	.02		.02 Snow						.31		.16	5
6	.25	.03										.39	6
7	.02									.88	.27	.38	7
8	.12		.05							.01	.37	.17	8
9	.17		.06	.06						.15	.15	.05	9
10		.07	.01	.07								.88	10
11	.39		.02								.70		11
12	.01		.57								.07	.01	12
13			.09		.35	.06			.78	.29	.01	.24	13
14					.62	.13						.31	14
15		.08	.30							.01	.03	.03	15
16		.03				.39					.25	.04	16
17	.01		.09			.01				.01	.17	.10	17
18		.14	.03								1.00	.13	18
19						.06			.10	.06	.19	.14	19
20	.12							.33	.05	.13		.61	20
21	.01	.04						.21		.46		.20	21
22			.21			.01		.74		.28		.46	22
23	.05	.13	.14			1.26			.14	.09	.05	.08	23
24		.07	.01			.11	.14	.02		.76		.23	24
25		.02	.11	.05		.11		.06	.02	.02	.14		25
26			.24	.23		.07	.01			.17	.10	.20	26
27		.15	.06	.07					.15	.31		.03	27
28	.01	.12		.16						.14	.02		28
29		╳		.08		.14	.06		.16	.22			29
30		╳			.03	.01			.03				30
31		╳		╳		╳			~~.03~~		╳		31
Total	1.64	.97	2.07	1.46	1.29	2.36	.21	1.44	1.43	5.15	3.92	5.28	TOTAL for year 27.22
No. of Rain Days	16	14	17	11	6	12	3	6	8	19	19	25	156

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

129

Price 2d.

✓

REGISTER OF RAINFALL IN 1911

FORM A.
BRITISH RAINFALL.
~~17 JAN 1912~~

Kept at Boughton Vicarage

in the County of Kent

by Rev. W. H. Rammell

3

Lat. 51° 17′ 19″ Long. 0° 56′ 17″ E

Nearest Railway Station Selling

Time of Observation 9 A.M.

Diameter of Rain Gauge 5 ins

Height of top of Gauge above Ground 2 ft. 4 in.

" " " Sea Level 46 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.44	.01			.08			.05	.01	1
2	.15		.02	.01	.20						.10	.12	2
3	.10	.05			.08						.03	.13	3
4	.16	.02	.06	.27 Snow						.55	.22	.18	4
5	.04	.02		.02 Snow						.31		.16	5
6	.25	.03										.39	6
7	.02									.88	.27	.38	7
8	.12		.05							.01	.37	.17	8
9	.17		.06	.06						.15	.15	.05	9
10		.07	.01	.07								.88	10
11	.39		.02								.70		11
12	.01		.57								.07	.01	12
13			.09		.35	.06			.78	.29	.01	.24	13
14					.62	.13						.31	14
15		.08	.30							.01	.03	.03	15
16		.03				.39					.25	.04	16
17	.01		.09			.01				.01	.17	.10	17
18		.14	.03								1.00	.13	18
19						.06			.10	.06	.19	.14	19
20	.12							.33	.05	.13		.61	20
21	.01	.04						.21		.46		.20	21
22			.21			.01		.74		.28		.46	22
23	.05	.13	.14			1.26			.14	.09	.05	.08	23
24		.07	.01			.11	.14	.02		.76		.23	24
25		.02	.11	.05		.11		.06	.02	.02	.14		25
26			.24	.23		.07	.01			.17	.10	.20	26
27		.15	.06	.07					.15	.31		.03	27
28	.01	.12		.16						.14	.02		28
29				.08		.14	.06		.16	.22			29
30					.03	.01			.03				30
31									~~.03~~				31
Total	1.64	.97	2.07	1.46	1.29	2.36	.21	1.44	1.43	5.15	3.92	5.28	TOTAL for year
No. of Rain Days	16	14	17	11	6	12	3	6	8	19	19	25	27.22 156

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

129

Box. H66

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

8-JAN 1913

Kept at Boughton-Blean Vicarage

in the County of Kent 3

by Rev. W. H. Rammell

RAIN GAUGE: Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 4 in.
" " " Sea Level 116 ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Selling
Distance 1 mi. Direction E.S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.07			.25	.10		.05	.74		.20	1
2		.08 fm	.19				.12	.07		.14			2
3	.06	.07 fm	.01		.06	.21		.13				.01	3
4	.23		.14		.09	.58		.01			.20		4
5	.07	.05 fm				.16		.28			.15		5
6	.45	.02			.03			.74				.01	6
7	.03		.02		.06	.36		.46				.01	7
8	.25		.26	.03		.24		.10	.09			.01	8
9			.01			.01	.04	.08	.01			.03	9
10		.03	.01					.02	.02		.07	.25	10
11	.01	.19				.07		.01	.05	.01		.12	11
12		.33	.01		.04			.10		.01		.03	12
13							.01	.14			.32		13
14			.04		.07	.04		.10	.05	.04	.06		14
15		.05	.08		.15	.55					.05	.19	15
16	.20		.06		.18	.16		.02		.02	.01		16
17	.55		.68			.02		.04			.04	.22	17
18	.03		.26				.19	.30		.08	.10	.16	18
19	.03	.10	.22				.36	.36			.01		19
20	.02	.02	.45				.03	.02		.69			20
21	.01	.04	.39				.02	.07		.34	.10		21
22	.07	.19	.05				.07	.03					22
23	.41	.23	.19		.09			.40		.02	.14		23
24	.21				.01			.13		.02		.12	24
25	.07					.24		1.20			.20	.40	25
26						.02		.53		.20	.24	.31	26
27			.02				.05			.08		.09	27
28		.02					.20	.04	.01	.42	.43	.12	28
29		.01		.04			.05	.10	1.19	.22	.12		29
30					.02	.03	.02	.21	1.83	.23	.01		30
31					.02		.20	.15					31
Total	2.71	1.43	3.16	.07	.82	2.94	1.46	5.84	3.30	3.26	2.25	2.28	TOTAL for year
No. of Rain Days.	18	15	20	2	12	15	14	28	9	16	17	17	29.52

183

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
12 JAN 1914

REGISTER OF RAINFALL IN 1913

Ex DL

Kept at Boughton Vicarage
in the County of Kent
by Rev. W. H. Rammell

3

Lat. 51° 17′ 19″ Long. 0° 56′ 17″
Time of Observation 9 A.M.
Nearest Railway Station Selling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 4 in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.28	.05	.06		.10				.33	.02	.04	1
2	.02	.15					.41				.08		2
3			.03	.63	.27							.16	3
4	.15						.11		.03	.02	.02	.01	4
5	.20	.01				.01	.33		.31	.03	.15		5
6	.01		.04	.05	.02	.07	.02	.03		.53	.10		6
7		.08	.06				.06	.30		.30	.02		7
8					.17	.02		.02		.19	.02	.03	8
9		.04		.03	.09		.03	.12	.08		.01	~~.10~~ .01	9
10			.03	.14				.01			.55		10
11	.31		.01	.39			.04			.34	.06		11
12					.01			.01			.97		12
13	.40		.02					.04			.40		13
14	.12	.01	.05	.03					.05	.14	.18		14
15	.08		.17	.09			.35		.01				15
16	.56		.38				.46		.27				16
17	.01	.11	.04	.09				.02	.02			.14	17
18			.10	.10			.16		.12		.03		18
19	.11		.08		.06			.07	.05				19
20	.58		.08	.05		.13	.10		.03	.31			20
21	.07	.03	.03	.07	.10		.07			.65	.71		21
22	.18	.01	.22				.15		.05	.01	.01	.02	22
23			.16			.04		.03	.01			.44	23
24	.01							.03		.01	.01		24
25				.23		.28					.01		25
26			.14			.01		.04		.73			26
27		.01	.02		.12					.10		.14	27
28	.29		.20			.02		.02		.19			28
29	.25		.07	.29	.03			.03		.01			29
30	.38		.11	.25	.07			.37		.07		.07	Prov 30
31			.16					.12		.06			31
Total	3.73	.73	2.25	2.50	.94	.68	2.29	1.26	.99	4.02	3.35	1.06	YEAR'S TOTAL 23.80
Rain Days.	18	10	23	15	10	9	13	16	12	18	18	10	172

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Boughton Vicarage
in the County of Kent 3
by Rev W H Rammell

Lat. 51° 17' 19" Long. 0° 56' 17"
Time of Observation 9 am
Nearest Railway Station Selling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 4 in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				.04				.03			.04	.09	1
2				.04			.15				.10	.17	2
3			.08	.07	.12		.20						3
4	.02		.01	.18	.01			.33			.19	.11	4
5	.11		.03	.29			.12	.08			.01		5
6			.18	.18	.20	.32		.01				.22	6
7		.46	.30	.15		.12	.02					.18	7
8	.06	.29	1.40	.05								.03	8
9	.17		.01	.09				.02	.02			1.23	9
10	.05	.02		.02						.09		.05	10
11		.28	.27	.02		.06			.15		.25	.28	11
12			.05		.04		1.27		.15	.01		.53	12
13	.04	.27	.21		.01				.13	.04	.06	.44	13
14		.21	.23						.01	.30	.08	.35	14
15		.02	.26				.84	.01			1.12	.06	15
16	.01	.10	.05				.49		.03				16
17		.21	.16						.14	.03		.05	17
18		.17	.04							.33		.34	18
19		.04	.89				.01			.27	.34	.13	19
20		.15	.18						.03	.21		.30	20
21		.50	.06					.35		.01	.01	.11	21
22		.02		.04		.02	.30	.02		.13			22
23			.55		.43	.18	.01					.09	23
24			.04	.35	.01		.03				.05		24
25	.07		.18		.01			.06		.34	.02		25
26	.01		.01					.07		.02	.23	.33	26
27								.01		.04	.03	.51	27
28	.02				.02		.01			.23	.22	.50	28
29	.02									.77	.14		29
30										.15	.66	.02	30
31					.2~~8~~5								31
Total	.58	3.00	5.19	1.52	1.10	.70	3.45	.99	.66	2.97	3.55	6.12	YEAR'S TOTAL 29.83
Rain Days.	11	14	22	13	10	5	12	11	8	16	17	23	162

Mch 19th at 8.30 pm 1.26

July 12th 1.20 to 1.50 pm 1.25

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

380

FORM A.
BRITISH RAINFALL.
25 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Boughton under the Blean at the Vicarage

in the County of Kent

by Rev W H Rummell

3

Lat. 50° 17' 19" Long. 0° 56' 17"

Time of Observation 9 a.m.

Nearest Railway Station Selling

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 4 in.

" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.65	.04	Sn .05				.10	.15	.41		.27	.36	1
2	.25	.13	.12	.03				.13	.15		.01	.02	2
3	.27		.02	.08	.02			.12	.48			} .78	3
4	.01							.90		.20	.06		4
5	.02	.18		.22	~~.22~~			.11		.06		.39	5
6	.21	.11	.04	.28	~~.28~~		.02				.01	.14	6
7	.21	.21					.04					.27	7
8	.01	.44	Sn .05	.10	~~.10~~		.04				.01		8
9		.30		.02	~~.02~~	.06		.12		.05	.45	.43	9
10	.25											.54	10
11	.01									.01	.49		11
12	.03	.13		.47	.28 ~~.47~~			.82		.01	.34		12
13	.06	.89		.03	1.18 ~~.03~~								13
14	.02	.03					.06	.01	.03				14
15	.19				.05		.05	.42			Sn: .57	} .56	15
16	.01	.49		.05	~~.05~~		.92	.02		.03			16
17	.01	.64			1.45		.02	.11				.43	17
18		.16	Sn .04		.53					.06		.05	18
19		.01			.01					.08			19
20	.22	.01								.02			20
21	Sn .13									.04		.02	21
22	Sn .05		.01				.70					.20	22
23	.02	Sn .16	.04			.08	.11			.06		.28	23
24		Sn .01	.11	.13	~~.13~~		.05		.21	.04	.02	.40	24
25			.12	.05	~~.05~~	.02	.16		.01	.01		.15	25
26	.05	.05		.01	~~.01~~							.35	26
27		.02	.01			.02	.09			.16			27
28		.04	Sn .05			.11	.02		1.33	.22	.01		28
29					.05	.10	.12	.35			.60		29
30	.08					.11					.58	.04	30
31	.05							.08		.43		.34	31
Total	2.81	4.05	.69	1.47	3.55	.50	2.50	3.34	2.62	1.48	3.42	5.75	YEAR'S TOTAL 32.18
Rain Days.	23	20	12	12	8	7	15	13	7	16	13	22	168

W.7,000, XI. 13

365

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

10 AUG 1916

Kept at Boughton under the Blean at the Vicarage
in the County of Kent
by Revd W H Rammell

Lat. 51°17'19" Long. 0.56'17"
Time of Observation 9 a m
Nearest Railway Station Selling
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 4 in.
" " " " Sea Level 116 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07												1
2	.21	.05	.45										2
3		.09	.13			.01							3
4	.12	.08				.26							4
5			.01Sn			.11							5
6	.01	.11	.33Sn	.57		.11							6
7	.05		.98 R.Sn R.Sn			.09							7
8													8
9	.01		.02			.12							9
10		.04	.05	.06	May record lost	.41							10
11	.02	.15	.03	.06		.09							11
12	.03	.02	.06	.10									12
13		.20	.13	.08		} .38							13
14		.45	.05	.07									14
15		.12	.03										15
16		.02	.06	.11									16
17	.09	.06		.05									17
18	.04			.06									18
19	.09	.01	.02	.13		.03							19
20	.08		.12	.02									20
21			.78	.20									21
22		.17Sn	.24	.07		.02							22
23		.48Sn	.03			.11							23
24						.01							24
25		.35Sn	.13										25
26	.01	.26Sn				.09							26
27	.01	.34Sn	.65										27
28		.55	.15			.01							28
29		.16				.14							29
30		╳											30
31		╳		╳		╳			╳		╳		31
tal	.84	3.71	4.50	1.58		1.99							YEAR'S TOTAL
Rain Days.	14	20	21	13		17							

W. 8,000. X. 15.

✓

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

BRANDFORD

KENT

1911 14-16, 19.

REGI

Kept at Brandfo .... in.

in the County of Ken .... ound 2 ft. .... in.

.... a Level 238 ft.

by Dr Douglas .... 2. M.

.... ame Horsmonden

.... istance 1 3/4 miles Direction N.W.

IMPORTANT NOTE. .... he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	—	—	.97	—	—	—	.24	—	—	.03	.01	1
2	.02	—	.04	.03	.34	—	—	—	—	—	.17	.17	2
3	.05	.01	—	—	.18	—	—	—	—	—	.06	.25	3
4	.20	.03	.06	snow .30	—	.12	—	—	—	.99	.37	.20	4
5	.10	.01	—	snow .7	—	—	—	—	—	.57	.02	.16	5
6	.29	—	.01	—	—	—	—	—	—	.02	—	.56	6
7	.04	—	—	—	—	—	—	—	—	.61	.65	.43	7
8	.09	—	.12	—	—	—	—	—	—	—	.79	.21	8
9	.21	—	.02	.05	—	—	—	—	—	.01	.21	.09	9
10	—	.12	.05	.18	—	—	—	—	—	—	.05	1.08	10
11	.48	—	.04	.01	—	—	—	—	—	—	1.16	—	11
12	.01	—	snow & Rain .72	—	—	.02	—	—	—	—	.04	.01	12
13	—	—	.01	—	.28	—	—	—	.72	.35	.08	.25	13
14	—	.06	—	—	.39	—	—	—	—	—	—	.54	14
15	—	.02	Snow & Rain 27	—	—	—	—	—	—	.01	.11	.04	15
16	.02	—	—	—	—	.56	—	—	—	.01	.42	.14	16
17	—	—	—	—	—	.02	—	—	—	.01	.70	.17	17
18	—	.18	.06	—	—	.01	—	—	—	.01	1.00	.35	18
19	—	—	—	—	—	.03	—	—	.15	.31	.24	.15	19
20	.03	—	.04	.01	—	—	—	.66	.16	.16	.01	.78	20
21	.03	.11	—	—	—	—	—	.06	—	.73	—	.21	21
22	.01	—	.48	—	—	.06	—	.62	—	.47	.01	.60	22
23	—	.27	.03	—	—	1.20	—	—	.20	.23	.06	.19	23
24	.01	.12	—	—	—	.01	.15	.01	—	.29	—	.36	24
25	—	.04	snow 44	.06	—	.16	—	.05	.07	.04	.03	.02	25
26	—	—	.22	.27	.06	.14	—	—	—	.35	snow .14	.25	26
27	—	.20	.18	.28	—	—	—	—	.12	.48	.01	.04	27
28	—	.28	—	.20	—	—	—	.01	—	—	.02	.01	28
29	—		—	.08	—	.11	.95	—	.15	.29	.01	—	29
30	—		—	.05	—	.01	—	—	.04	.41	—	.01	30
31	—		—		—		—	—		.01		—	31
Total	1.67	1.45	2.79	2.56	1.25	2.45	1.10	1.65	1.61	6.36	6.39	7.28	TOTAL for year ✓
No. of Rain Days.	16	13	17	14	5	13	2	7	8	22	25	28	36.56

17°

W. 8,000, X. '11.

✓

REG

FORM A2.
BRITISH RAINFALL.
1 - JAN 1914

Kept at Brandfold

in the County of Kent 4

by Dr Douglas

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 238 ft.

Time of Observation 9 - a. m.

Nearest Railway Station
Name ~~Goudhurst~~ Horsmonden
Distance 1 3/4 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	—	—	.97	—	—	—	.24	—	—	.03	.01	1
2	.02	—	.04	.03	.34	—	—	—	—	—	.17	.17	2
3	.05	.01	—	—	.18	—	—	—	—	—	.06	.25	3
4	.20	.03	.06	snow .30	—	.12	—	—	—	.99	.37	.20	4
5	.10	.01	—	snow 7	—	—	—	—	—	.57	.02	.16	5
6	.29	—	.01	—	—	—	—	—	—	.02	—	.56	6
7	.04	—	—	—	—	—	—	—	—	.61	.68	.43	7
8	.09	—	.12	—	—	—	—	—	—	—	.79	.21	8
9	.21	—	.02	.05	—	—	—	—	—	.01	.21	.09	9
10	—	.12	.05	.18	—	—	—	—	—	—	.05	1.08	10
11	.48	—	.04	.01	—	—	—	—	—	—	1.16	—	11
12	.01	—	snow & Rain .72	—	—	.02	—	—	—	—	.04	.01	12
13	—	—	.01	—	.28	—	—	—	.72	.35	.08	.25	13
14	—	.06	—	—	.39	—	—	—	—	—	—	.54	14
15	—	.02	Snow & Rain 27	—	—	—	—	—	—	.01	.11	.04	15
16	.02	—	—	—	—	.56	—	—	—	.01	.42	14	16
17	—	—	—	—	—	.02	—	—	—	.01	.70	.17	17
18	—	.18	.06	—	—	.01	—	—	—	.01	1.00	.35	18
19	—	—	—	—	—	.03	—	—	.15	.31	.24	.15	19
20	.03	—	.04	.01	—	—	—	.66	.16	.16	.01	.78	20
21	.03	.11	—	—	—	—	—	.06	—	.73	—	.21	21
22	.01	—	.48	—	—	.06	—	.62	—	.47	.01	.60	22
23	—	.27	.03	—	—	1.20	—	—	.20	.23	.06	.19	23
24	.01	.12	—	—	—	.01	.15	.01	—	.29	—	.36	24
25	—	.04	Snow .44	.06	—	.16	—	.05	.07	.04	.03	.02	25
26	—	—	.22	.27	.06	.14	—	—	—	.35	Snow .14	.25	26
27	—	.20	.18	.28	—	—	—	—	.12	.48	.01	.04	27
28	—	.28	—	.20	—	—	—	.01	—	—	.02	.01	28
29	—		—	.08	—	.11	.95	—	.15	.29	.01	—	29
30	—		—	.05	—	.01	—	—	.04	.41	—	.01	30
31	—		—		—		—	—		.01		—	31
Total	1.67	1.45	2.79	2.56	1.25	2.45	1.10	1.65	1.61	6.36	6.39	7.28	TOTAL for year ✓
No. of Rain Days.	16	13	17	14	5	13	2	7	8	22	25	28	36.56 170

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Brandfold
in the County of Kent 4
by Dr Douglas

Lat. 51·7IN Long. 0·28E
Time of Observation 9·a m
Nearest Railway Station Horsmonden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 238 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	·07	—	—	·26	·02	—	—	·11	·22	1
2	·01	—	—	·05	—	—	·20	·01	—	—	·12	·27	2
3	—	—	·19	—	·27	—	—	·01	—	—	·02	·01	3
4	—	—	·01	·22	·02	—	—	·02	—	—	·36	·29	4
5	·11	—	·06	·43	·08	—	·23	·05	—	—	·01	—	5
6	—	·05	—	·20	·01	·15	—	·05	—	—	·01	·46	6
7	—	·72	·27	·31	—	·25	·08	—	—	—	—	·33	7
8	·05	·49	·37	·02	—	—	·05	·03	—	—	·01	·09	8
9	·28	—	1·20	·15	—	—	—	—	·08	—	—	1·78	9
10	·01	·03	·02	·06	·05	—	—	—	—	·03	—	·12	10
11	—	·41	·42	·04	·02	—	—	—	·21	—	·21	·49	11
12	·02	·06	·10	—	—	—	·48	—	·26	·01	·04	·65	12
13	·02	·56	·34	—	—	·10	—	—	·12	·11	·10	·82	13
14	—	·37	·35	—	—	—	·27	—	—	·49	·12	·46	14
15	—	·05	·30	—	—	—	·12	·01	—	—	·70	·10	15
16	·02	·09	·07	—	—	—	·16	—	·05	—	·01	·03	16
17	—	·24	·17	—	—	—	—	—	·16	—	—	·18	17
18	—	·18	·11	—	—	—	—	—	—	·02	·03	·58	18
19	—	·10	1·26	—	—	—	·18	—	—	·12	·34	·25	19
20	—	·27	·06	—	—	·05	—	—	·03	·03	—	·16	20
21	—	1·12	·06	—	—	—	—	·07	—	·01	—	·03	21
22	—	·04	·05	—	·18	·02	·27	·02	—	·24	—	·01	22
23	—	—	·46	—	·11	·20	·03	—	—	·01	—	·14	23
24	·01	—	·06	—	—	—	—	—	—	—	·15	—	24
25	·11	—	·25	—	—	—	·02	·06	—	·33	·05	—	25
26	·02	—	·02	—	·01	—	·01	·41	—	·15	·35	·49	26
27	·03	—	—	—	—	—	—	·01	—	·01	·09	·71	27
28	·02	·02	—	—	—	—	—	—	—	·39	·39	·49	28
29	·05		—	—	—	—	—	—	—	·88	·37	—	29
30	—	×	·07	—	—	—	—	—	—	·13	1·27	·21	30
31	·02	×	—	×	·33	×	·01	—	×	—	×	·04	31
Total	·78	4·80	6·28	1·55	1·08	·77	2·37	·77	·91	2·96	4·86	9·41	YEAR'S TOTAL 36·54
Rain Days.	15	17	25	10	10	6	15	13	7	16	22	27	183

W. 8,000. X. 14.

notified 23/2/16

crd fr auth 23.11.16

W Mee

398

FORM A.
BRITISH RAINFALL.

3 - JAN

REGISTER OF RAINFALL IN 1915

Kept at Brandfold Goudhurst

in the County of Kent 4

by Dr Douglas

Lat. 51 7 N Long. 0 - 28 E

Time of Observation 9 . a m

Nearest Railway Station Horsmonden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 238 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.80	.08	.02	—	—	—	—	—	48	.01	.20	.65	1
2	.33	.21	.23	.17	.02	—	—	.22	.01	—	—	.11	2
3	.40	—	.02	.18	.15	—	—	.63	.14	—	.02	.70	3
4	.04	—	—	.02	—	—	—	.35	—	.02	—	.59	4
5	.03	.42	—	.08	—	—	—	.12	—	.03	.03	.60	5
6	.42	.10	.01	.58	.08	—	.25	—	—	—	—	.12	6
7	.23	.39	.04	—	—	—	.01	—	—	—	—	.40	7
8	—	.64	.02	.02	—	—	.06	—	—	—	.02	—	8
9	.02	.45	—	.03	—	.11	—	.07	—	.01	.72	.72	9
10	.30	—	—	—	—	.11	—	—	—	—	—	.70	10
11	—	.05	.02	—	—	—	—	—	—	.02	.58	.14	11
12	.05	.14	—	.16	.29	—	—	—	—	—	1.00	—	12
13	.06	1.28	—	.02	2.08	—	—	—	.06	.01	—	—	13
14	.02	.03	—	—	—	—	.13	.04	—	—	—	.38	14
15	.20	—	—	—	.06	—	.43	—	—	—	.13	.46	15
16	—	.63	—	.01	.08	—	1.37	.07	—	—	.19	.05	16
17	—	.69	—	—	2.52	—	.01	.30	—	—	.01	.28	17
18	—	.21	.02	—	.30	—	—	—	—	—	.01	—	18
19	.01	.12	—	—	—	—	—	—	—	.08	—	—	19
20	.25	—	—	—	.05	—	—	—	—	—	—	.21	20
21	.08	.02	—	.05	—	—	—	—	—	.02	—	.06	21
22	.07	.02	.01	—	—	.03	.89	—	—	—	—	.21	22
23	.03	—	.23	.01	—	.01	.05	—	—	.21	—	.45	23
24	—	snow .20	.05	.05	—	—	.11	—	.29	.16	—	.57	24
25	—	—	.04	.01	—	.04	.33	—	—	—	—	.27	25
26	—	.04	—	—	—	.07	—	—	—	—	—	.61	26
27	—	.02	—	—	—	.04	.06	—	—	.25	—	.07	27
28	—	.10	—	—	—	—	.07	—	2.57	.34	.02	—	28
29	—		—	—	—	—	.03	.13	.01	—	.66	.01	29
30	.15	X	—	—	—	.05	—	—	.02	.14	.59	.01	30
31	—	X	—	X	—	X	—	.11	X	.52	X	.41	31
Total	3.49	5.84	.71	1.39	5.60	.46	3.80 2.80	2.04	3.58	1.82	4.18	8.78	YEAR'S TOTAL 40.79 41.69
Rain Days.	19	20 snow	12	14	10	8	14	12	8	14	14	25	169

W. 8,000. X. 15.

381.

FORM A. BRITISH RAINFALL.

2 JAN 1917

cnd pr. auth

REGISTER OF RAINFALL IN 1916.

Kept at Brandfold Goudhurst

in the County of Kent

by Dr Douglas

Lat. 51° 7' N Long. 0° 28' E.

Time of Observation 9. a. m.

Nearest Railway Station Horsmonden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 238 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.22	—	.02	—	.28	—	—	—	.15	.06	.33	—	1
2	.30	.10	.43	—	.15	—	—	—	—	.33	.01	—	2
3	—	.90	.16	—	.02	—	.02	—	.06	.37	.44	—	3
4	.20	.19	—	—	—	.43	—	—	.06	.03	.68	—	4
5	.01	.02	.02	.01	.11	.05	—	—	.03	.12	.50	.01	5
6	—	.17	.02	.50	.02	.31	.24	—	—	.06	.61	—	6
7	.04	—	.76	—	—	.15	.13	—	—	.03	.42	.01	7
8	—	—	.01	—	.12	—	—	—	—	—	—	.37	8
9	.01	—	.02	—	.44	—	—	—	—	—	—	.30	9
10	—	.18	.03	.03	—	.40	.10	—	—	—	—	.72	10
11	.02	.32	.02	.10	—	.34	—	—	—	—	—	.07	11
12	.04	.07	—	.09	.29	.17	.07	—	.01	.06	—	.01	12
13	—	.19	.18	.05	—	.14	.22	—	—	.03	—	—	13
14	—	.25	.01	.02	.19	—	—	.05	—	.02	—	.14	14
15	—	.11	.12	—	—	—	—	.14	—	.01	—	.06	15
16	—	.03	—	.14	—	—	.31	—	—	—	—	.02	16
17	.24	.11	—	.08	—	—	.23	.04	.32	.96	—	—	17
18	.02	.12	—	—	—	—	—	.34	.19	.60	.68	—	18
19	.27	—	.04	.28	—	.07	—	—	.20	—	.85	.12	19
20	.13	.01	.03	.19	—	—	—	.04	—	—	.25	.60	20
21	.01	—	.24	.05	—	—	—	—	—	.04	.03	.42	21
22	—	snow .67	.19	—	—	.02	—	—	—	—	.02	.73	22
23	.02	snow .26	.05	—	—	.21	.02	.03	—	.43	.05	.08	23
24	—	snow .05	.01	—	.08	—	—	—	—	.20	.10	.41	24
25	.01	snow .61	.03	—	.02	—	—	.45	—	.23	—	—	25
26	.02	.52	.04	—	—	—	—	.01	—	.20	.08	—	26
27	—	.08	.80	—	—	.16	—	.15	.12	.50	—	—	27
28	—	.38	.13	—	—	—	—	.07	.03	.19	.01	.17	28
29	—	.27	—	—	—	.30	—	.76	—	.57	—	31	29
30	—	╳	—	—	—	—	—	.20	—	.48	—	—	30
31	—	╳	—	╳	—	╳	—	—	╳	.10	╳	03	31
Total	1.56	5.81	3.26	1.54	1.82	2.75	1.34	2.28	1.17	5.62	5.06	4.58	YEAR'S TOTAL 36.69
Rain Days.	16	~~19~~ 23 4 snow	3.36 23	12	1.42 11	13	9	12	10	23	16	19	36.79 183

W. 8,000, VIII. 16

Ex. [illegible] 347

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Brandfold

in the County of Kent

by C Markwell

Lat. 51.7 Long. 0°28' E

Time of Observation 9. a. m.

Nearest Railway Station Horsmonden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

„ „ „ „ Sea Level 238 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.62	.02	—	.04	—	.30	—	—	.16	.03	.90	1
2	.32	.17	.03	—	.15	—	.16	—	—	—	.31	.12	2
3	.36	—	.36	.01	—	.06	.32	—	.13	—	.04	.26	3
4	.35	—	.45	—	—	—	—	—	—	—	.21	.06	4
5	.08	.19	.94	—	—	—	—	.05	—	—	.15	.36	5
6	.13	—	.04	—	—	—	—	—	—	.04	.05	.06	6
7	.17	—	.59	—	—	—	—	—	—	—	.26	—	7
8	.41	—	.11	—	—	—	—	—	—	—	.02	—	8
9	.55	—	.03	.08	—	—	—	—	—	—	.36	—	9
10	.70	—	.06	03	—	—	—	—	—	—	—	.02	10
11	.27	—	.18	.30	.01	—	—	—	—	—	—	.04	11
12	.10	—	.01	.02	—	—	.64	—	—	—	.02	—	12
13	.01	—	—	43	—	—	—	—	—	.03	—	.02	13
14	.63	—	—	.67	—	—	.06	—	.18	—	—	.02	14
15	.15	.02	—	.07	—	—	—	—	—	.04	—	.08	15
16	.21	.34	—	.01	—	—	—	—	—	—	.15	—	16
17	—	.27	04	.02	—	—	—	—	—	—	.14	.08	17
18	—	.06	.04	—	—	—	—	—	—	—	.06	.03	18
19	.03	.14	.68	—	—	.01	.19	.07	.02	—	.10	—	19
20	.19	.09	.17	—	—	.68	.53	.21	07	—	—	.01	20
21	.04	.47	.02	—	—	—	.06	—	—	—	.02	.19	21
22	—	.03	—	.01	—	—	.25	—	.29	—	.03	—	22
23	—	—	—	—	—	.01	.10	—	.41	—	.02	.04	23
24	—	—	—	.14	—	.01	.02	.07	—	.02	.20	.06	24
25	.04	—	—	—	.18	—	.03	.47	—	—	—	—	25
26	—	.12	.11	.10	—	—	.12	—	.05	—	—	.51	26
27	.24	—	.03	1.37	—	—	—	.30	—	—	.02	.04	27
28	—	.02	Snow .21	—	—	—	—	1.11	—	—	.70	.28	28
29	.08	—	—	.28	—	—	—	.88	—	.20	.03	.22	29
30	—	✗	02	.10	—	.01	—	.44	—	.11	.22	.65	30
31	.19	✗	—	✗	—	✗	.02	—	✗	.10	✗	.02	31
TOTAL	5.62	1.94	4.14	3.64	.38	.78	2.80	3.60	1.15	.70	3.14	4.07	YEAR'S TOTAL 31.96
Days with .01 in. or more	23	13	21	16	4	6	14	9	7	8	22	23	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8L/ ✓

REGIS

BREDHURST

VICARAGE

KENT

1911 - 1913

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Bredhurst

in the County of W. Ke

by Rev. E. E. T

in.

nd ft. 9 in.

Level 440 ft.

nce Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·79				·20			·02		1
2	·06			·06	·25						·17	·15	2
3	·05	·04			·17						·03	·21	3
4	·19	·02	·09	·25						1·15	·34	·19	4
5	·10	·02		·13						·40		·12	5
6	·24		·02									·26	6
7	·04		·02							·93	·24	·28	7
8	·12		·15								·44	·15	8
9	·22		·04	·09							·04	·02	9
10		·07	·05	·04							·02	·76	10
11	·25		·07								·78		11
12			·67			·03					·04		12
13			·05		·42	·18			·53	·19	·02	·20	13
14		·15			·10	·02						·34	14
15		·02	·37							·02	·07		15
16						·39					·56	·08	16
17			·04								·87	·15	17
18		·15	·05								·98	·18	18
19						·07			·09	·43	·28	·14	19
20								·25	·16	·22		·67	20
21	·05	·06						·10		·75		·23	21
22	·02		·17			·03		·36		·21		·47	22
23		·16	·13			·98			·25		·04	·11	23
24		·14				·25	·04	·03		·42		·29	24
25		·04	·22	·03		·18			·01	·02	·09	·01	25
26			·31	·23		·19				·16	·14	·27	26
27		·32	·06	·05					·16	·61	·01	·06	27
28		·15		·13									28
29				·13		·10	·37		·19	·19			29
30				·07		·01			·08	·20			30
31			·01										31
Total	1·43	1·34	2·52	2·00	·94	2·43	·41	·94	1·47	5·90	5·18	5·34	TOTAL for year 29·90
No. of Rain Days	12	13	18	12	4	12	2	5	8	15	20	23	144

2,000. IX. '10.

88

66

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Bredhurst Vicarage

in the County of W. Kent 4

by Rev. E. E. Phillips

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 440 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·79				·20			·02		1
2	·06			·06	·25						·17	·15	2
3	·05	·04			·17						·03	·21	3
4	·19	·02	·09	·25						1·15	·34	·19	4
5	·10	·02		·13						·40		·12	5
6	·24		·02									·26	6
7	·04		·02							·93	·24	·28	7
8	·12		·15								·44	·15	8
9	·22		·04	·09							·04	·02	9
10		·07	·05	·04							·02	·76	10
11	·25		·07								·78		11
12			·67			·03					·04		12
13			·05		·42	·18			·53	·19	·02	·20	13
14		·15			·10	·02						·34	14
15		·02	·37							·02	·07		15
16						·39					·56	·08	16
17			·04								·87	·15	17
18		·15	·05								·98	·18	18
19						·07			·09	·43	·28	·14	19
20								·25	·16	·22		·67	20
21	·05	·06						·10		·75		·23	21
22	·02		·17			·03		·36		·21		·47	22
23		·16	·13			·98			·25		·04	·11	23
24		·14				·25	·04	·03		·42		·29	24
25		·04	·22	·03		·18			·01	·02	·09	·01	25
26			·31	·23		·19				·16	·14	·27	26
27		·32	·06	·05					·16	·61	·01	·06	27
28		·15		·13									28
29				·13		·10	·37		·19	·19			29
30				·07		·01			·08	·20			30
31			·01										31
Total	1·43	1·34	2·52	2·00	·94	2·43	·41	·94	1·47	5·90	5·18	5·34	TOTAL for year 29·90
No. of Rain Days	12	13	18	12	4	12	2	5	8	15	20	23	144

2,000. IX. '10.

82 Ex. H86 66

FORM A2.
BRITISH RAINFALL.

22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bredhurst Vicarage

in the County of Kent 4

by Rev. E. E. Phillips

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	·02		·10	·07		·07	·57		·16	1
2		·05	·43	—		·06	·17	·08		·13			2
3	·09	·09	·04		·05	·17	·02	·14				·07	3
4	·28		·49		·16	·30		·02			·20		4
5	·13	·07	·19			·04		·23			·13	·03	5
6	·39	·07			·03			·23				·08	6
7		·01			·09	·96		·07				·03	7
8	·30	·25	·18			·21		·24	·08			·02	8
9		·02		·01		·03	·15	·04			·03	—	9
10		·04						·17	·08		·15	·23	10
11	·03	·19				·11		·05	·06			·26	11
12		·12			·27	·32	·03	·24		—		·05	12
13		·03	·02				·01	·07			·25		13
14					·05			·04		·06			14
15			·09		·33	·68						·27	15
16	·19	—	·05		·08	·12		·06		·07			16
17	·60		·40			·05		·04			·20	·07	17
18	·08		·29				·01	·05		·07		·01	18
19	·06	·18	·18				·19	·54					19
20		·01	·34	·04				·10		·50			20
21	—	·02	·46					·10		·19			21
22	·16	·25	·10		·05		·15	·18			·12	·08	22
23	·60	·26	·31			·08	·10	·46	—	·07	·16	·03	23
24	·04	·04			·02	·30	·02	·22				·16	24
25	·04					·22		·90			·25	·39	25
26	·01					·14		·63		·31	·19	·40	26
27							·06			·11		·11	27
28		·03					·12	·02	·04	·52	·37	·25	28
29				·01	—		·02	·18	1·27	·19	·16		29
30					·09	·01	·07	·14	1·55	·21			30
31	·03		·04		·02		·20	·15					31
Total	3·03	1·73	3·69	·08	1·24	3·90	1·39	5·39	3·15	3·00	2·21	2·70	TOTAL for year 31·51
No. of Rain Days.	16	18	17	4	12	18	16	28	7	13	12	19	180

W. 8,000, X. '11.

82 cod for W.D. 7.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

22 JAN 1914

71

Ex. HGb

4

Kept at Bredhurst Vicarage

in the County of Kent

Rev. J. A. Finch

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1													1
2		·32	·02										2
3	·04	·13											3
4			·02										4
5	·11		·02										5
6	·21												6
7	·20	·03	·07										7
8		·07											8
9		·01	·08										9
10		·09											10
11			·04										11
12	·34												12
13													13
14	·57												14
15	·07		·05										15
16	·06		·13										16
17	·20	·02	·35										17
18	·03	·02	·03										18
19			·12										19
20	·10		·13										20
21	·55		·02										21
22	·04	·02	·18										22
23	·28		·07										23
24			·31										24
25	·04												25
26													26
27			·21										27
28		·04	·02										28
29	·13		·18										29
30	·18												30
31	·33												31
Total	3·48	·75	2·05										YEAR'S TOTAL
Rain Days.	18	10	19										

W. 7,500, XI. ·12

Form A. 1. METEOROLO ANIZATION.

REC

1 FEB 1921

BROADSTAIRS

{DOMUS}

KENT

1920

Kept at Domus

in the County of Ke

by Capt W. B. Mc

1°. 26'

AM

Broadstairs

Gauge 8 in.

Ground 1 ft. 0 in.

Sea Level 60 ft.

IMPORTANT NOTE.— ered to the previous day.

If an Observer prefers not to ted to add
the reading at 9 a.m. on 1st J the end of
this paragraph. Full instructic ain gauges,
and particulars as to the Bri *Observers,"*
sent post-free on application 2, Camden
Square, London, N.W. 1.

Rec

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04			0.21						0.37		0.26	1
2	0.02		0.02		0.05		0.04	0.33		0.17		0.03	2
3					0.03	0.18	0.02		0.04	0.02			3
4				0.24			0.05					0.20	4
5				0.15	0.03		0.46	0.04	0.11			0.18	5
6					0.19		0.12					0.04	6
7			0.03	0.19	0.02		0.03			0.04		0.02	7
8				0.06	0.03		0.02			0.02			8
9	0.19							0.13				0.02	9
10	0.25	0.01	0.06	0.01	0.02			0.02			0.02	0.09	10
11	0.22		0.03	0.10			0.44						11
12	0.10		0.01	0.19		0.15	0.12					0.25	12
13	0.31		0.12	0.19		0.07							13
14				0.03		0.04			0.13		0.18	0.12	14
15									0.39	0.15	0.07	0.18	15
16				0.02	0.04				0.13			0.02	16
17				0.20	0.01				0.15				17
18	0.06			0.01	0.08			0.98	0.81				18
19	0.17			0.26				0.31					19
20	0.05	0.45		0.03		0.55			0.69			0.02	20
21		0.08							1.07			0.04	21
22				0.10			0.13	0.14		0.01		0.30	22
23								0.09				0.32	23
24							0.26		0.08			0.01	24
25	0.02			0.12									25
26	0.04		0.06	0.10		0.14	0.14					0.01	26
27	0.04	0.09		0.21			0.27	0.01	0.03		0.17	0.20	27
28	0.19				0.51		0.03				0.05	0.08	28
29	0.15		0.07		0.21		0.05		0.02		0.08	0.05	29
30	0.03	×		0.01	0.05		0.16		0.14		0.09	0.05	30
31		×		×	0.01	×		0.01	×	0.17	×	0.05	31
Total	1.88	0.63	0.40	2.43	1.28	1.13	2.34	2.06	3.79	0.95	0.66	2.54	Year's total 20.09
Days with ·01 in. or more	16	4	8	20	14	6	16	10	13	8	7	23	145
+·04	13	3	4	14	7	6	12	7	11	5	6	16	104

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at Domus Broadstairs

in the County of Kent

by Capt W. B. Marling

Lat. N 51° 22' Long E 1° 26'

Time of Observation 9 AM

Nearest Railway Station Broadstairs

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04			0.21						0.37		0.26	1
2	0.02		0.02		0.05		0.04	0.33		0.17		0.03	2
3					0.03	0.18	0.02		0.04	0.02			3
4				0.24			0.05					0.20	4
5				0.15	0.03		0.46	0.04	0.11			0.18	5
6					0.19		0.12					0.04	6
7			0.03	0.19	0.02		0.03			0.04		0.02	7
8				0.06	0.03		0.02			0.02			8
9	0.19							0.13				0.02	9
10	0.25	0.01	0.06	0.01	0.02			0.02			0.02	0.09	10
11	0.22		0.03	0.10			0.44						11
12	0.10		0.01	0.19		0.15	0.12					0.25	12
13	0.31		0.12	0.19		0.07							13
14				0.03		0.04			0.13		0.18	0.12	14
15									0.39	0.15	0.07	0.18	15
16				0.02	0.04				0.13			0.02	16
17				0.20	0.01				0.15				17
18	0.06			0.01	0.08			0.98	0.81				18
19	0.17			0.26				0.31					19
20	0.05	0.45		0.03		0.55			0.69			0.02	20
21		0.08							1.07			0.04	21
22				0.10			0.13	0.14		0.01		0.30	22
23								0.09				0.32	23
24							0.26		0.08			0.01	24
25	0.02			0.12									25
26	0.04		0.06	0.10		0.14	0.14					0.01	26
27	0.04	0.09		0.21			0.27	0.01	0.03		0.17	0.20	27
28	0.19				0.51		0.03				0.05	0.08	28
29	0.15		0.07		0.21		0.05		0.02		0.08	0.05	29
30	0.03	×		0.01	0.05		0.16		0.14		0.09	0.05	30
31		×		×	0.01	×		0.01	×	0.17	×	0.05	31
TOTAL	1.88	0.63	0.40	2.43	1.28	1.13	2.34	2.06	3.79	0.95	0.66	2.54	YEAR'S TOTAL 20.09
Days with ·01 in. or more	16	4	8	20	14	6	16	10	13	8	7	23	145

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 13 3 4 14 7 6 12 7 11 5 6 16 104

BROAD~~STAIRS~~
PROVIDENCE HSE
KENT
1911 - 1914

RE

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Providen

in the County of Kent

by Cecil Ham

5 in.

Ground 2 ft. - in.

Sea Level 50 ft. T

30 a.m.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·	·03	·21	·	-	·04	·19	·	·02	·	·01	1
2	·06	·	·03	·02	·16	·	·05	·	·	·	·15	·06	2
3	·13	·03	·	·14	·04	·	·	·	·	·13	·02	·14	3
4	·12	·	·07	·07	·	·	·	·	·02	·66	·13	·12	4
5	·07	·01	·	·01	·	·	·	·06	·	·02	·	·10	5
6	·15	·	·	·	·	·	·	·	·	·	·	·17	6
7	·	·	·	·	·	·	·	·	·	1·15	·18	·37	7
8	·08	·	·09	·	·	·	·	·	·	·01	·44	·16	8
9	·19	-	·11	·02	·	-	·	·	·	·04	·61	·02	9
10	-	·03	·	·03	·	-	·	·	·	·	·12	·32	10
11	·48	·01	·02	·	·	·	·	·	·	·	·60	·	11
12	·05	·	·64	·	·	·07	·	·	·	·03	·03	·	12
13	·	·	·02	·	·45	·	·	·	·52	·87	·08	·13	13
14	·	·15	·	·	·36	·01	·	·	·04	·	·	·22	14
15	·	·06	·16	·	·	·	·	·	·05	·	·01	·03	15
16	·	·	·01	·	·	·40	·	·	-	·	·17	·02	16
17	·	·	·03	·	·	·01	~	·	·	·	·25	·07	17
18	·	·08	·02	·01	·	-	·	·	·	·	·70	·06	18
19	·	·02	·	·	·05	·03	·	·	·08	·	·33	·09	19
20	·	·	·	·	·	·02	-	·52	·04	·08	·	·52	20
21	·01	·02	·	·	·	·	-	·02	·32	·77	·	·15	21
22	·	·	·34	·	·	·	·	·	·	·32	·	·37	22
23	-	·16	·07	·	·	·74	~	·	·21	·	·05	·03	23
24	·	·03	·03	·	·	·13	·14	·04	·	·52	·	·24	24
25	·	·06	·24	·10	·	·13	·	·24	·07	·	·22	·	25
26	·	·	·28	·27	·	·	·	·	·	·11	·30	·14	26
27	·	·29	·06	·08	·	·	·	·	·12	·36	·	·03	27
28	·	·08	·	·12	·	·	·12	·	·	·	·	·	28
29	·		·	·05	·	·23	·01	·	·23	·18	·	·	29
30	·		·	·06	·18	·01	·	·	·05	·19	·	·01	30
31	·		·01		·		·	·				·	31
Total	1·53	1·03	2·26	1·19	1·24	1·78	0·36	1·07	1·75	5·46	4·39	3·58	TOTAL for year 25·64
No. of Rain Days	11	14	19	14	6	11	5	6	12	17	18	25	158
9,000, IX. '10.		2·56	4·82	6·01	7·25	9·03	9·39	10·46	12·21	17·67	22·06		

FORM A2. BRITISH RAINFALL. 9 - JAN 1912

REGISTER OF

Kept at Providence House Broadstairs

in the County of Kent 2

by Cecil Hammersley

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. – in.
" " " Sea Level 50 ft. T

Time of Observation 9·30 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·	·03	·21	·	-	·04	·19	·	·02	-	·01	1
2	·06	·	·03	·02	·16	·	·05	·	·	·	·15	·06	2
3	·13	·03	·	·14	·04	·	·	·	·	·13	·02	·14	3
4	·12	·	·07	·07	·	·	·	·	·02	·66	·13	·12	4
5	·07	·01	·	·01	·	·	·	·06	·	·02	·	·10	5
6	·15	-	·	·	·	·	·	·	·	·	·	·17	6
7	·	·	·	·	·	·	·	·	·	1·15	·18	·37	7
8	·08	-	·09	·	·	·	·	·	·	·01	·44	·16	8
9	·19	-	·11	·02	·	-	·	·	·	·04	·61	·02	9
10	-	·03	·	·03	·	·	·	·	·	·	·12	·32	10
11	·48	·01	·02	·	·	·	·	·	·	-	·60	·	11
12	·05	·	·64	·	·	·07	·	·	·	·03	·03	·	12
13	·	·	·02	·	·45	·	·	·	·52	·87	·08	·13	13
14	·	·15	·	·	·36	·01	·	·	·04	·	·	·22	14
15	·	·06	·16	·	·	·	·	·	·05	·	·01	·03	15
16	·	·	·01	·	·	·40	·	·	-	·	·17	·02	16
17	·	-	·03	·	·	·01	-	·	·	·	·25	·07	17
18	·	·08	·02	·01	·	-	·	·	·	·	·70	·06	18
19	·	·02	·	·	·05	·03	·	·	·08	·	·33	·09	19
20	·	·	·	·	·	·02	-	·52	·04	·08	·	·52	20
21	·01	·02	·	-	·	·	-	·02	·32	·77	·	·15	21
22	·	·	·34	·	·	·	·	·	·	·32	·	·37	22
23	·	·16	·07	·	·	·74	-	·	·21	·	·05	·03	23
24	·	·03	·03	·	·	·13	·14	·04	·	·52	·	·24	24
25	·	·06	·24	·10	·	·13	·	·24	·07	·	·22	·	25
26	·	·	·28	·27	·	·	·	·	·	·11	·30	·14	26
27	·	·29	·06	·08	·	·	·	·	·12	·36	·	·03	27
28	·	·08	·	·12	·	·	·12	·	·	·	·	·	28
29	·		·	·05	·	·23	·01	·	·23	·18	·	·	29
30	·		·	·06	·18	·01	·	·	·05	·19	·	·01	30
31	·		·01		·		·	·				·	31
Total	1·53	1·03	2·26	1·19	1·24	1·78	0·36	1·07	1·75	5·46	4·39	3·58	TOTAL for year 25·64
No. of Rain Days	11	14	19	14	6	11	5	6	12	17	18	25	158
		2·56	4·82	6·01	7·25	9·03	9·39	10·46	12·21	17·67	22·06		

9,000, IX. '10.

Ex 3c.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 9 JAN 1913

Kept at Providence House

in the County of Kent 2 Broadstairs

by Cecil Hammersley

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 50 ft. T

Time of Observation 9·30

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·	·09	·	·	·23	·17	·	·10	·58	·	·12	1
2	·	·11 s	·11	·03	·	·23	·08	·26	-	·14	·	·04	2
3	·13	·11 s	·	·	·02	·13	·	·06	·03	·02	·	·04	3
4	·37	·	·46	·	·07	·67	·	·	·	·	·22	·	4
5	·13	·11 s	·14	·02	·	·09	·	·23	-	·	·12	·02	5
6	·36	·07	-	·	·07	·	·18	·49	-	·	·	·	6
7	·18	·	·04	·	·03	·21	·	·11	-	·	·	·	7
8	·21	·05	·14	·	·	·85	·	·11	·42	·	·	·	8
9	·	·	·06	·09	·	·	·10	·01	·	·	·	·02	9
10	-	·01	·	·05	·	·	·	·17	·08	·	·	·23	10
11	·01	·10	·06	·	·	·02	·	·	·11	·	·09	·08	11
12	·	·09	·02	·	·03	·	·	·10	·	·	·	·03	12
13	·	·13	·01	·	·	·05	·06	·01	·	·	·37	·01	13
14	·	·	·02	·	·12	·	·	·06	·05	·05	·05	·	14
15	·	·02	·09	·	·10	·74	·	·02	·	·	·03	·30	15
16	·17	·	·07	·	·06	·12	·	·15	·	·02	·01	·	16
17	·52	·	·23	·	·	·03	·	·02	·	·	·03	·	17
18	·01	-	·21	·08	·	·	·11	·36	·	·10	·03	·32	18
19	·	·13	·10	·	·02	·	·23	·17	·	·	·01	·	19
20	·01	·01	·46	·	·	·	·	·02	·	·81	·03	·	20
21	·	·04	·11	·	·	·	·02	·10	·	·19	·06	·	21
22	·05	·12	·02	·	·07	·	·11	·07	·	·	·	·01	22
23	·27	·14	·23	·	·30	·	·	·75	·01	·21	·15	·	23
24	·07	·	·03	·	·01	·	·05	·27	·	·01	·	·07	24
25	·07	·	·	·	·	·10	·01	·78	·	·	·22	·24	25
26	·01	·	·	·	·	·	·12	·68	·	·28	·24	·25	26
27	·	·	·05	·	·	·	·27	·	·	·02	·01	·13	27
28	·	·	·	·03	·	·	·01	·04	·	·28	·10	·11	28
29	·	·01	·	·17	·	·	·29	·07	·87	·19	·09	·	29
30	·		·		·05	·01	·	·74	1·16	·22	·	·	30
31	·02		·		·04		·14	·14		·02		·	31
Total	2·60	1·25	2·75	0·47	0·99	3·48	1·95	5·99	2·83	3·14	1·86	2·02	TOTAL for year
No. of Rain Days.	18	16 34	22 56	7 63	14 77	14 91	16 107	27 134	9 143	16 159	18 177	17 194	29·33 ✓
W. 8,000; X. '11.		3·85	6·60	7·07	8·06	11·54	13·49	19·48	22·31	25·45	27·31	29·33	194

cor. 23.1.14

FORM A2. BRITISH RAINFALL. 4-JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Providence House Broadstairs

in the County of Kent 2

by Cecil Hamenley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 50 ft. I

Time of Observation 9·30.

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·40	·	·05	·	·26	·	·	·	·	·03	·03	1
2	·01	·10	·	·	·	·	·30	·	·	·	·03	·01	2
3	·	·	·01	·49	·19	·	·	·	·	·02	·	·01	3
4	·02	·	·	·	·	·	·06	·	·	·27	·03	·01	4
5	·	·01	·	·01	·~~04~~	·	·36	·	·49	·21	·02	·17	5
6	·02	·	·01	·	·04	·24	·	·02	·	·35	·09	·	6
7	·	·02	·06	·02	·03	·	·03	·03	·	·45	·02	·	7
8	·	·	·03	·03	·20	·01	·	·	·	·40	·04	·	8
9	·	·05	·	·05	·32	·	·13	·32	·12	·	·02	·	9
10	·	·	·12	·07	·	·	·	·02	·	·	·59	·	10
11	·39	·	·	·53	·	·	·	·	·	·35	·02	·	11
12	·	·	·	·02	·03	·	·	·01	·	·	·53	·	12
13	·20	·	·02	·	·	·	·	·07	·	·	·35	·	13
14	·05	·	·03	·06	·	·	·60	·	1·05	·28	·35	·	14
15	·15	·	·14	·	·	·	·12	·	·	·	·	·	15
16	·26	·	·22	·10	·	·	·	·	·14	·	·05	·04	16
17	·13	·02	·	·06	·	·	·13	·02	·21	·	·	·13	17
18	·04	·	·04	·03	·	·	·01	·01	·15	·	·03	·	18
19	·07	·	·09	·	·01	·	·10	·12	·19	·	·	·	19
20	·45	·	·04	·02	·	·01	·	·	·06	·36	·	·	20
21	·01	·	·02	·12	·22	·	·02	·	·	·67	·53	·	21
22	·27	·	·33	·	·	·	·19	·	·02	·	·	·01	22
23	·	·	·01	·	·	·04	·01	·	·01	·06	·	·42	23
24	·02	·	·	·	·	·03	·	·	·	·	·02	·	24
25	·03	·	·	·13	·	·08	·	·	·	·	·	·	25
26	·01	·	·16	·	·	·	·	·	·	·41	·	·18	26
27	·	·03	·01	·	·07	·	·	·	·	·10	·	·	27
28	·18	·	·15	·	·	·	·	·	·	·17	·	·	28
29	·30	~~·06~~	·	·	·14	·	·	·02	·	·	·	·25	29
30	·22		·12	·34	·19	·	·	·	·	·09	·	·31	30
31	·		·35		·		·	·		·06		·01	31
Total	2·83	0·63 ✓	1·96	2·13	1·44	0·67	2·06	0·64	2·44	4·25	2·75	1·58	TOTAL for year
No. of Rain Days.	20	7 ✓ 27	20 47	17 64	11 75	7 82	13 95	10 ~~95~~ 105	10 115	16 131	17 148	13 161	23·38 ✓ on 161 days
W. 8,000, X. '11.		3·46	5·42	7·55	8·99	9·66	11·72	12·36	14·80	·19·05	21·80	23·38 ✓	

ex LMC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

5 - JAN 1915

Kept at Providence House, Broadstairs
in the County of Kent 2
by Cecil Hammersley

Lat. Long.
Time of Observation 9·30
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 50 ft. T

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	·06	·	·	·	·03	·	-	·15	·22	1
2	·	·	·	·	·	·	·02	·	·	·04	·01	·13	2
3	·	·	·09	·	·12	·	·18	·07	·	-	·	·	3
4	·	·	·01	·08	·02	·	·	·20	·	-	·24	·20	4
5	·27	·	·03	·28	·05	·	·19	·13	·	·	·	·	5
6	·	·	·	·17	·01	·34	·06	·	·	·01	·	·08	6
7	-	·10	·17	·09	·02	·04	·	·	·	·	·	·06	7
8	·17	·03	·27	·02	·	·	·09	·05	·	·	·	·04	8
9	·36	·	·51	·02	·	·	·	·	·	·02	·	·88	9
10	·13	·	·02	·04	·03	·	·	·	·	·02	·	·02	10
11	·	·15	·13	·01	·02	·01	·	·	·19	·	·37	·28	11
12	·01 s	·01	·08	·	·08	·	·	·	·14	·	·	·24	12
13	·03	·06	·18	·01	-	·	·	·	·14	·10	·08	·34	13
14	·	·02	·15	-	·	·	·01	·	·	·39	·	·34	14
15	-	·	·21	-	·	·	·46	·02	-	·	·96	·07	15
16	·02	·12	·05	-	-	·	·54	·	·	·	·04	·	16
17	·	·02	·	·	-	·	·	·	·09	·28	·05	·03	17
18	·	·08	·19	·	·	·	·	·	·	·61	·09	·23	18
19	·	·03	·51	·	·	·	·	·	·01	·16	·23	·10	19
20	·	·11	·53	·	·	·10	·	·	·07	·23	·	·30	20
21	·	·49	·21	·09	·	·	·	·	·	·03	·	·13	21
22	-	·02	-	·03	·69	·34	2·03	-	·	·05	·	·06	22
23	·	·	·55	·01	·44	·28	·03	·	·	·09	·	·20	23
24	·	·	·04	·23	·04	-	-	-	·	·01	·05	·	24
25	·10	·	·28	·	·05	-	·06	·	·	·33	·	·	25
26	·05	·	·16	·	·	·	·09	·15	·	·	·10	·16	26
27	·	·	·01	·	·	·	·07	·01	·	·13	·04	·25	27
28	·02	·	-	·	·01	-	·	·	·	·01	·24	·30	28
29	·01		·	·	·	-	·	·	·	·55	·05	·	29
30	·01		·	·01	·	·	·	·	-	·06	·26	·01	30
31			·		·34		·	·		·		·10	31
Total	1·18	1·24	4·38	1·15	1·92	1·11	3·83	0·66	0·64	3·12	2·96	4·77	YEAR'S TOTAL 26·96
Rain Days.	12	13 25	22 47	15 62	14 76	6 82	13 95	8 103	6 109	19 128	16 144	25 169	169
W.7,000, XI. 13	2·42	6·80	7·95	9·87	10·98	14·81	15·47	16·11	19·23	22·19			?

368

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Providence House. Broadstairs
in the County of Kent 2
by Cecil Hamersley

Lat. Long.
Time of Observation 9·30
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 50 ft. T

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·16	·08	·	·	·	·	·	·39	·	·46	·07	1
2	·15	·08	·21	·07	·	·	·	·05	·55	·	·12	·	2
3	·10	·	·14	·21	·04	·	·	·14	1·14	·	·01	·48	3
4	·08	·	·	·	·	·	·	·01	·	·37	·01	·28	4
5	·03	·09	·	·05	·	·	·	·04	·	·40	·18	·35	5
6	·37	·16	·06	·25	·02	·	·02	·	·	·	·	·08	6
7	·18	·10	·17	·05	·	·	·01	·	·	·	·	·20	7
8	·	·06	·16 s	·	·	·	·14	·	·	·	·	·	8
9	·03	·29	·05	·	·	·08	·02	·04	·	·05	·27	·58	9
10	·14	·01	·02	·	·	·05	·	·	·	·	·	·63	10
11	·02	·	·	·	·	·	·	·	·	·03	·49	·01	11
12	·	·	·	·30	·29	·	·	~~·01~~	·	·08	·62	·	12
13	·12	·67	·	·08	1·08	·	·	·	·	·	·	·	13
14	·	·01	·	·	·01	·	·28	·44	·01	·	·	·11	14
15	·12	·	·	·	·04	·	·	·08	·	·	·40	·04	15
16	·	·05	·	·06	·	·	·75	·08	·	·	·03	·	16
17	·06	·28	·	·	·82	·	·04	·06	·	·	·	·43	17
18	·	·18	·14	·	·54	·	·	·	·	·15	·10	·02	18
19	·04	·	·	·	·	·	·	·	·	·02	·	·01	19
20	·37	·	·	·	·	·	·02	·02	·	·	·	·23	20
21	·24	·10	·	·	·04	·	·	·	·	·13	·	·02	21
J. 22	·09	·	·02	·02	·	·	·42	·	·	·	·	·12	22
23	·06	·26 s.	·08	·	·	·03	·04	·	·	·	·01	·32	23
24	·12	·	·	·20	·	·	·30	·	·07	·04	·	·42	24
25	·	·	·12	·05	·	·24	·19	·	·	·01	·	·09	25
26	·05	·	·	·	·	·	·	·	·	·04	·08	·37	26
27	·	·01	·02 s	·	·	·	·01	·	·01	·24	·02	·01	27
28	·	·09	·01 s	·	·	·04	·	·	1·83	·67	·	·	28
29	·		·02 s	·	·01	·	·04	·33	·09	·05	·21	·05	29
30	·08	X	·	·	·	·05	·	·	·01	·	·23	·	30
31	·01	X	·	X	·	X	·	·	X	·65	X	·32	31
Total	2·82	2·60	1·30	1·34	2·89	0·49	2·28	1·29	4·10	2·93	3·24	5·24	YEAR'S TOTAL 30·52
Rain Days.	22	17 39	15 54	11 65	10 75	6 81	14 95	11 106	9 115	15 130	16 146	24 170	170
W. 8,000. X. 14.	5·42	6·72	8·06	10·95	11·44	13·72	15·01	19·11	22·04	25·28	30·52		

Exd CSE

353

FORM A.
BRITISH RAINFALL.
6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Providence House Broadstairs
in the County of Kent
by Cecil Hamersley

Lat. .... Long. ....
Time of Observation 9·30
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 50 ft. T

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·	·	·	·03	·	·	·	·06	·04	·54	·	1
2	·44	·	·28	·	·09	·	·	·	·	·34	·	·	2
3	·	·18	·05	·	·	·04	·	·	·02	·14	·20	·	3
4	·08	·06	·	·	·	·09	·	·	·	·01	·18	·	4
5	·05	·	·	·01	·02	·17	·09	·	·01	·01	·30	·02	5
6	·	·03	·29 s	·21	·	·14	·18	·01 ~~·06~~	·	·	·20	·	6
7	·03	·01	·65	·	·37	·05	·19	·	·	·	·42	·02	7
8	·	·	·01	·	·05	·	·	·	·	·	·	·06	8
9	·01	·	·01	·	·18	·07	·	·	·	·	·	·03	9
10	·	·	·02	·09	·	·02	·02	·	·	·	·	·23	10
11	·02	·48	·02	·17	·	·11	·	·	·	·	·	·06	11
12	·05	·01	·	·06	·94	·26	·02	·	·	·19	·	·39	12
13	·	·20	·08	·04	·07	·08	·55	·	·	·03	·	·05	13
14	·	·41	·09	·03	·01	·03	·17	·03	·	·	·	·06	14
15	·	·15	·01	·	·	·	·	·	·03	·	·	·	15
16	·	·03	·	·18	·	·	·07	·	·	·03	·	·06	16
17	·10	·02	·	·12	·	·	·04	·07	·33	·72	·	·	17
18	·06	·13	·02	·11	·	·	·	·01	·14	·12	·63	·	18
19	·06	·	·	·11	·	·02	·	·14	·21	·03	·66	·01	19
20	·05	·	·	·10	·	·01	·	·02	·01	·	·05	·43	20
21	·	·	·33	·20	·	·	·	·	·	·	·02	·12	21
22	·02	·31 s	·20	·17	·	·01	·	·	·	·	·	·51	22
23	·	·61 s	·02	·	·	·11	·	·03	·	·18	·04	·04	23
24	·	·	·	·	·	·	·	·	·	·46	·03	·29	24
25	·	·12	·09	·	·02	·	·	·17	·	·36	·02	·	25
26	·	·12	·	·	·	·35	·	·	·	·06	·05	·	26
27	·06	·18	·52	·	·	·08	·	·31	·	·92	·	·01 Fog.	27
28	·	·49	·15	·	·07	·02	·	·	·11	·07	·	·14	28
29	·	·26	·	·	·02	·10	·	1·05	·02	·28	·	·19	29
30	·	X	·	·	·	·03	·	·31	·19	·31	·	·	30
31	·02	X	·	X	·	X	·	·	X	·02	X	·03	31
Total	1·07	3·80	2·84	1·60	1·87	1·79	1·33	2·15	1·13	4·32	3·34	2·75	YEAR'S TOTAL ~~26·92~~ 27·99 ✓
Rain Days.	15	19 34	18 52	14 66	12 78	20 98	9 107	11 118	11 129	20 149	14 163	20. 183	183 ✓
W. 8,000. X. 15.	4·87	~~6·64~~	~~8·24~~	~~10·11~~	~~11·90~~	~~13·23~~	~~15·38~~	~~16·51~~	~~20·83~~	~~24·17~~	~~26·92~~		

346

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Providence House, Broadstairs
in the County of Kent
by Cecil Hamersley

Lat. .... Long. ....
Time of Observation 9·30
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 50 ft. T

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	-	·	·13^{s}	·	·	·	2·10	·08	-	·04	·01	1
2	·05	-	·01	·25^{s}	·	·	·	·27	·	·05	·03	·	2
3	·01	-	·	·16	·	·	·	·98	·	·	·	·	3
4	·	·09^{s}	·01^{s}	·	·	·	·	·04	-	·34	·	·	4
5	·29	·06^{s}	·02	·05	·	·	-	-	·41	·02	·18	·	5
6	·	·	·	·11	·	·06	·	-	·03	·	-	·	6
7	·14	·	·05^{s}	·	·	·	·06	-	·	·74	·	·02	7
8	·55	·	·	·09	·	·	·42	·28	·	·26	·13	·34	8
9	·40	·	·02^{s}	·09^{s}	-	·	·	·04	·01	·	·15	·65	9
10	·14	-	·05	·03^{s}	·	-	·	·09	·	·	·01	·	10
11	·15	·08	·49	·10	·	·	·	·01	·08	·14	·	·14	11
12	·20	-	·05	·01^{s}	-	·	·	·02	·	·40	·	·	12
13	·07	-	·14	·	·04	·	·	·	·01	·26	·	·	13
14	·52^{s}	·	·01	·17	·02	·	·03	·	·	·	·	·03	14
15	·06	·	·	·	·	·	-	·10	·	·	-	·03	15
16	·09	·02	·	·08-	·15	·	·20	·	·	·	-	·18	16
17	·15	·	-	·13	·25	·	·11	·	·09	·14	-	·04	17
18	·07	·	-	·10	·	·	·12	-	·04	·	·	·	18
19	·	·07	·17	·01	·	·	·	·	·05	-	·	·	19
20	·01	·19	·06	·	·01	·13	·01	1·21	·01	·	·11	·	20
21	·	·06	·02	-	·05	·33	·	·12	·	·	·02	·11	21
22	·	·01	·17^{s}	·	· ·	·23	·	·07	·	·18	-	·05	22
23	·	·01	·	·	·06	·	·	·01	·	·	·	·04	23
24	·	-	·	·	·	·03	·05	·06	·	·10	·01	·	24
25	·	·	·07	-	·	/	·	·	·	·	·01^{s}	·01^{s}	25
26	·	·	·04^{s}	·	·	·05	·	·11	·	·01	·59	·14^{s}	26
27	·	·	·	·	-	·14	·	·70	·	·	·	·08	27
28	·	·01	·02	-	-	·49	·	·17	·	·	·	·03	28
29	·	✕	·	·	-	·06	·55	·09	·	·20	·	·15	29
30	·07^{s}	✕	·10	·	·	·01	·40	·08	·	·26	·	·01	30
31	·01^{s}	✕	·19	✕	·	✕	1·53	·	✕	·	✕	·02^{s}	31
Total	2·98	0·60	1·69	1·51	0·58	1·53	3·48	6·55	0·81	3·10	1·28	2·08	YEAR'S TOTAL 26·19
Rain Days.	18	10	19	15	7	10	11	20	10	14	11	19	164
W. 8,000, VIII. 16		3·58	5·27	6·78	7·36	8·89	12·37	18·92	19·73	22·83	24·11		

BROADSTAIRS
{ST PETERS}
KENT
1911-13, 15-20

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGI

Kept at St Peter's
in the County of Kent
by H.C.V. Snowd

ton"
in.
nd 0 ft. 9 in.
Level 140 ft.
Broadstairs
nce ½ mile Direction E.S.E.

IMPORTANT NOTE.– … result entered to the previous day. If an Obser … al rule, he is earnestly requested to add the reading … in the space provided for it at the end of this p … of rain, the selection and placing … Rainfall Organization are given in " … ication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	some snow ·18	—	·02	·19	—	—	—	·15	—	·02	—	·01	1
2	·08	—	·03	·01	·19	—	·04	—	—	—	·15	·05	2
3	·11	·04	—	snow ·16	·05	—	—	—	—	·27	·05	·09	3
4	·11	·01	·07	snow ·09	—	—	—	—	·02	·87	·14	·16	4
5	·07	—	—	snow ·01	—	—	—	—	—	·05	—	·11	5
6	·18	—	—	—	—	—	—	—	—	—	—	·09	6
7	·01	—	—	—	—	—	—	—	—	1·15	·19	·43	7
8	·07	—	·08	—	—	—	—	—	—	·03	·35	·18	8
9	·19	—	·13	·02	—	—	—	—	—	—	thunder ·41	·04	9
10	—	·03	—	—	—	—	—	—	—	—	·12	·41	10
11	·44	·01	·02	—	—	—	—	—	—	—	·52	—	11
12	blizzard ·07	—	·60	—	—	·08	—	—	—	—	·05	·01	12
13	—	—	—	—	·40	—	—	—	·53	·78	·06	·09	13
14	—	·14	—	—	·31	—	—	—	—	·01	—	·18	14
15	—	·05	·13	—	—	—	—	—	·08	—	·02	·03	15
16	—	—	·01	—	—	·38	—	—	—	—	·15	·02	16
17	—	—	—	—	—	—	—	—	—	—	·29 ~~·28~~	·09	17
18	—	·07	·03	—	—	—	—	—	—	—	·72	·06	18
19	—	·01	—	—	·03	·03	—	—	·08	—	·18	·09	19
20	—	—	—	—	·01	—	—	·45	·03	·09	—	·44	20
21	mist ·01	·03	—	—	—	—	—	·03	·49	·97	—	·10	21
22	—	—	thunder ·35	—	—	—	—	—	—	·21	—	·26	22
23	—	·14	·07	—	—	·84	—	—	·22	·02	—	·04	23
24	—	·03	snow ·03	—	—	·11	·20	·05	—	·26	~~·26~~	·25	24
25	—	·06	snow & thunder ·30	·11	—	·11	—	·24	·09	—	snow & hail ·23	—	25
26	—	—	·21	·27	—	—	—	—	—	·10	snow ·30	·15	26
27	—	·33	·04	·08	—	—	—	—	·14	·32	—	·04	27
28	—	·09	—	·10	—	—	·08	—	—	—	—	·01	28
29	—		—	·04	—	·14	·06	—	·23	·20	·02	—	29
30	—		—	·05	·18	·01	—	—	·04	·26	—	mist ·01	30
31	—		—		—		—	—		—		—	31
Total	1·52	1·04 ~~·90~~	2·12	1·13	1·17	1·70	·38	·92	1·95	5·61	3.95	3.44	TOTAL for year ~~14·79~~ 24·93
No. of Rain Days	12	14	16	12	7	8	4	5	11	17	18	27	~~150~~ 151

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

Kept at St Peter's Hildersham House

in the County of Kent

by H. C. V. Snowden

RAIN GAUGE
Pattern "Snowdon"
Diameter of top 5 in.
Height of top above Ground 0 ft.
" " " Sea Level 140 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Broadstairs
Distance ½ mile Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	some snow ·18	—	·02	·19	—	—	—	·15	—	·02	—	·01	1
2	·08	—	·03	·01	·19	—	·04	—	—	—	·15	·05	2
3	·11	·04	—	snow ·16	·05	—	—	—	—	·27	·05	·09	3
4	·11	·01	·07	snow ·09	—	—	—	—	·02	·87	·14	·16	4
5	·07	—	—	snow ·01	—	—	—	—	—	·05	—	·11	5
6	·18	—	—	—	—	—	—	—	—	—	—	·09	6
7	·01	—	—	—	—	—	—	—	—	1·15	·19	·43	7
8	·07	—	·08	—	—	—	—	—	—	·03	·35	·18	8
9	·19	—	·13	·02	—	—	—	—	—	—	thunder ·41	·04	9
10	—	·03	—	—	—	—	—	—	—	—	·12	·41	10
11	·44	·01	·02	—	—	—	—	—	—	—	·52	—	11
12	blizzard ·07	—	·60	—	—	·08	—	—	—	—	·05	·01	12
13	—	—	—	—	·40	—	—	—	·53	·78	·06	·09	13
14	—	·14	—	—	·31	—	—	—	—	·01	—	·18	14
15	—	·05	·13	—	—	—	—	—	·08	—	·02	·03	15
16	—	—	·01	—	—	·38	—	—	—	—	·15	·02	16
17	—	—	—	—	—	—	—	—	—	—	·29 ~~·20~~	·09	17
18	—	·07	·03	—	—	—	—	—	—	—	·72	·06	18
19	—	·01	—	—	·03	·03	—	—	·08	—	·18	·09	19
20	—	—	—	—	·01	—	—	·45	·03	·09	—	·24	20
21	mist ·01	·03	—	—	—	—	—	·03	·49	·97	—	·10	21
22	—	—	thunder ·35	—	—	—	—	—	—	·21	—	·26	22
23	—	·14	·07	—	—	·84	—	—	·22	·02	—	·04	23
24	—	·03	snow ·03	—	—	·11	·20	·05	—	·26	~~·26~~ —	·25	24
25	—	·06	snow & thunder ·30	·11	—	·11	—	·24	·09	—	snow & sleet ·23	—	25
26	—	—	·21	·27	—	—	—	—	—	·10	snow ·30	·15	26
27	—	·33	·04	·08	—	—	—	—	·14	·32	—	·04	27
28	—	·09	—	·10	—	—	·08	—	—	—	—	·01	28
29	—		—	·04	—	·14	·06	—	·23	·20	·02	—	29
30	—		—	·05	·18	·01	—	—	·04	·26	—	mist ·01	30
31	—		—		—		—	—		—		—	31
Total	1·52	~~·90~~ 1·04	2·12	1·13	1·17	1·70	·38	·92	1·95	5·61	3·95	3·44 ✓	TOTAL for year ~~24·79~~ 24·93
No. of Rain Days	12	~~13~~ 14	16	12	7	8	4	5	11	17	18	27	~~150~~ 151

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at St Peter's

in the County of Kent 2

by Wg. C. V. Snowden

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground – ft. 9 in.
" " " Sea Level 140 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Broadstairs
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	mist ·02	–	·09	–	–	·18	·25	–	·08	·62	–	·12	1
2	–	snow ·08	·11	·02	–	·18	·07	·15	·01	·15	–	·04	2
3	·09	snow ·11	·01	–	·03	·09	–	·06	·03	·04	–	·04	3
4	·20	–	thunder ·44	–	·08	thunder ·71	–	–	–	–	·14	–	4
5	·11	·12	·10	–	–	·08	–	·23	–	–	·17	·03	5
6	·35	·08	–	–	·07	–	·19	·35	–	–	–	–	6
7	·12	·01	·03	–	·04	·17	–	·09	–	–	–		7
8	·21	·06	·13	–	–	·87	–	·07	·41	–	–		8
9	mist ·02	·02	·06	·08	–	–	·08	·03	·01	–	–	·04	9
10	mist ·01	·02	mist ·01	·05	–	–	–	·16	·07	–	·09	·24	10
11	mist ·02	–	·04	–	–	–	–	·01	·12	–	–	·09	11
12	–	·08	·02	–	·03	·02	–	·05	–	–	–	·04	12
13	–	·15	·02	–	–	·03	thunder ·06	–	·06	–	·31	·02	13
14	–	·01	·02	–	·12	–	–	–	–	·05	·04	–	14
15	–	·02	·07	–	·08	·61	–	·02	–	–	·04	·30	15
16	·12	–	·08	–	·08	·08	–	·14	–	·04	·02	–	16
17	·32	–	·25	–	–	·04	–	·03	–	–	·03	·01	17
18	·04	–	·19	·06	–	·01	·13	·22	–	·08	·04	·27	18
19	·01	·12	·12	–	·03	–	·15	·12	–	–	·02		19
20	·01	·03	·44	–	–	–	–	frost ·06	–	·63	·03	·02	20
21	·01	·05	·14	–	–	–	·02	·09	–	·21	·06	·02	21
22	·06	·14	·03	–	·07	–	·10	·07	–	–	–	·02	22
23	·21	·16	·26	–	·23	–	–	·72	–	·31	·15	–	23
24	·06	–	·03	–	·02	–	thunder ·07	·22	–	·02 ~~·03~~	–	·04	24
25	·07	–	–	–	–	·10	–	·86	–	–	·23	·12	25
26	·01	–	–	–	–	·02	·09	·73	–	·29	·20	·28	26
27	–	–	·05	–	–	–	thunder ·18	–	–	·02	–	·13	27
28	–	–	–	·01	–	–	·04	·05	–	·28	·11	·10	28
29	–	·02	–	·17	–	–	·18	·07	·75	·17	·12	·02	29
30	–		–	–	·03	·02	–	thunder ·53	1·33	·19	·02	–	30
31	·01		–		·04		·16	·14		·02		–	31
Total	2·08	1·28	2·74	·39	·95	3·21	1·77	5·26	2·87	3·02	1·82	1·99	TOTAL for year 27·38
No. of Rain Days.	22	18	24	6	14	16	15	26	10	16	18	21	206

W. 8,000, X. '11.

cop'd by Obr. 4-1-14

REGISTER OF RAINFALL IN 1913

Ex. [illegible]

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Kept at St Peter's

in the County of Kent

by J. G. C. V. Snowden

2

Lat. 51° 22' N. Long. 1.27 E.

Time of Observation 9.a.m.

Nearest Railway Station Broadstairs

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–	·43	·02	·05	–	·25	–	–	–	·01	·04	–	1
2	·03	·07	–	–	–	–	·30	–	–	–	·05	·03	2
3	–	–	·02	·48	·18	–	–	–	–	–	–	·03	3
4	·02	–	·01	–	–	·02	·07	·05	–	Thunder ·03	·05	·01	4
5	–	·01	·01	·01	–	–	·36	·02	·60	·20	~~·04~~ ·01	·15	5
6	–	–	·02	–	·05	·21	–	·01	–	·41	·09	–	6
7	–	·05	·06	·03	·05	·01	·02	·03	–	·44	·61	·01	7
8	·03	–	·03	·05	·20	–	–	–	–	·28	·04		8
9	–	·06	–	–	·30	–	·06	Thunder ·30	·11	–	·04		9
10	–	–	·11	·06	–	–	–	·03	–	–	·55		10
11	·36	·01	–	·52	–	–	–	–	–	·36	·03		11
12	–	–	–	·04	·03	–	–	–	–	–	·46		12
13	·19	–	·03	–	–	–	–	·04	–	–	·37		13
14	·04	–	·06	·06	–	–	Thunder ·31	–	·85	·28	·36		14
15	·12	–	·13	·03	–	–	·09	–		–	–		15
16	·22	–	·16	·09	–	–	·01	–	·28	–	·06	·02	16
17	·09	·03	–	·04	–	–	·12	·02	·18	–	–	·11	17
18	·05	–	·05	·05	–	–	·02	·01	·13	–	·04		18
19	·06	–	·11	–	·02	–	·09	·10	·24	–	–		19
20	·31	–	·03	·03	–	–	–	–	·07	·28	–		20
21	·02	·01	·03	·12	·21	–	·03	–		·67	·53		21
22	~~·22~~ ~~·07~~ ·27	–	·33	–	–	–	·18	–	·03	·01	–	·01	22
23	·02	–	–	–	–	·03	·01	–	·01	·05	–	·40	23
24	·03	–	–	–	–	·03	–	–	–	–	·02	–	24
25	·04	–	–	·13	–	·11	·01	–	–	·01	·01	–	25
26	–	–	·15	–	–	–	–	–	–	·39	–	·14	26
27	–	·04	·02	–	Thunder ·19	–	–	–	–	·13	mist ·01		27
28	·17		·12	–	–	–	–	–	–	·15	–		28
29	·31		·07	–	Thunder ·16	–	–	·01	–	·01	–	snow thunder ·38	29
30	·19		·10	·35	·17	–	–	–	–	·09	–	snow ·29	30
31	–		·37				–	–		·05		–	31
Total	2·57	·71	2·04	2·14	1·56	~~·46~~ ·66	1.68	·62	2.50	3·45	2·77	1·58	YEAR'S TOTAL 22·68
Rain Days.	20	9	23	17	11	~~6~~ 7	15	11	10	19	19	12	173

22·68
173

2

Corrected

Telegrams, St Peter's, Broadstairs.
Station, Broadstairs.

Hildersham House.
St. Peter's,
Broadstairs.

4 JAN 1914

Jan. 4. 1914.

Dear Sir

In sending you my Rainfall Returns I find that I omitted to enter ·21 for June 6th bringing the Total of the Month to ·66 in. & of the Year 22·68 in. & thus there were 173 "wet days" in the year. I am exceedingly sorry to give you this additional trouble.

Yrs v. truly
+ E. C. V. Snowden

370

FORM A.
BRITISH RAINFALL
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at St Peter's

in the County of Kent 2

by H. C. V. Snowden.

Lat. 51° 22' N. Long. 1° 27' E

Time of Observation 9 a.m.

Nearest Railway Station Broadstairs

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 140 – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.12	.08	–	–	–	–	–	.38	–	.41	.10	1
2	~~.07~~ .12	.07	.20	.05	– ~~.04~~	–	–	.06	hail .46	–	–	.01	2
3	.09	–	.12	.18	.04	–	–	.13	Very stormy .91	–	.01	.41	3
4	.07	–	–	–	–	–	–	–		.39	–	.25	4
5	.03	.08	–	.06	–	–	–	.06		.48	.17	.29	5
6	.27	.17	.02	.18	.04	–	.02	–		–	–	.08	6
7	.17	.10	snow & sleet .13	hail .09	–	–	.02	–		–	–	.19	7
8	–	.03	blizzards .17	–	–	–	.21	–		–	–	–	8
9	.03	.15	.09	–	–	.03	–	.08		.05	.25	.53	9
10	.10	.03	.02	–	–	.05	–	–			–	.53	10
11	.02	.01	–	–	–	–	–	–		.02	.43	.02	11
12	.02	–	–	.31	.28	–	–	–		.11	.46	–	12
13	.09	.43	–	.07	1.16	–	–	–		–	–	–	13
14	.01	–	–	–		–	.31	.10	.01	–	–	.13	14
15	.06	–	–	–	.05	–	.01	.11		–	Sleet .41	.03	15
16	–	.01	–	.05	–	–	.72	.11		–	–	–	16
17	.06	.12	–	–	.81	–	.03	.24		–	–	.37	17
18	–	.11	snow .13	–	.45	–	–	–		.12	.11	.12	18
19	.04	–	–	–	–	–	.04	–				.03	19
20	.28	–	–	–	–	–	–	.02		.01		.29	20
21	snow .25	.03	–	–	.03	–	–	–		.13		.02	21
22	snow .01		.04	.04	–	–	.40	–		–		.12	22
23	.05	snow .21	.09		–	.01	.04	–		–		.27	23
24	.08		.02	20	–		.36	–	.07	.04		.24	24
25	.01		.10	.05	–	.22	.18	–		.01		.09	25
26	.05	.01	–	.01	–		–	–		.06	snow .07	.32	26
27			snow .02		–		.03	–	~~.06~~ .01	.27	snow .03	.01	27
28		hail & thunder .08	–		–	.04	.01	–	2.02	.57		.01	28
29			snow .03		.02		.03	.30	.05	.01	.16	.07	29
30	.09	╳			–	.09		–	–	–	.36	–	30
31	.02	╳		╳	–	╳		–	╳	.63	╳	.23	31
Total	2.37	1.76	1.26	1.29	1.88	0.44	2.41	1.21	3.90	2.90	2.87	4.76	YEAR'S TOTAL 28.05
Rain Days.	25	17	15	12	9	6	15	10	8	15	12	26	170

W. 8,000. X. 14.

Exd C.J.E.

355

v

FORM A.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at St Peters

in the County of Kent

by The Rev H. C. V. Snowden

Lat. 51·22 N Long. 1.27 E

Time of Observation 9 a.m. always Greenwich mean time

Nearest Railway Station Broadstairs

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		–	–	dist. thunder ·05	–	–	–	·06	·03	·50	–	1
2	·34	·01	·18	–	do. ·10	–	–	–	–	·37	–	–	2
3	–	·16	·04	–	–	·04	·01	–	·02	·10	·28	–	3
4	·08	·05	–	–	–	·10	–	–	–	·04	·15	–	4
5	·05	–	–	·03	·04	·21	·08	–		·02	·26	–	5
6	–	·04	snow ·30	·20	–	thunder ·13	·20	–		·01	·25	–	6
7	·04	·01	snow ·64	–	·39	thunder ·03	·15	–		·01	·37	·03	7
8	–	–	·02	–	·06	–	–	–	–	–	–	·06	8
9	·01	–	·01	–	·19	thunder ·06	–	–	–	–	–	·06	9
10		·06	·02	·07	–	thunder ·02	·04	–	–	–	–	·22	10
11	·01	·41	·01	·12	–	·09	–	–	·01	–	–	·04	11
12	·05	·02	–	·08	·90	·20	·02	·02	–	·19	–	·48	12
13	–	·20	thunder ·05	·04	·06	·04	·50	–	–	·03	–	–	13
14	–	·32	·08	·01	·01	·03	·22	·03	–	–	–	·07	14
15	–	·12	·01	–	–	–	–	–	·03	·01	–	–	15
16	–	·03	–	·20	–	–	·07	–		·03	–	·02	16
17	·13	·02	–	·12	–	–	·06	·09	·33	·79	–	·04	17
18	·06	·11	·02	·10	–	–	–	·01	·15	·13	·53	–	18
19	·05	·01	–	·09	–	·02	–	·19	·26	·03	·60	·02	19
20	·05	–	–	·16	–	–	–	·01			·06	·32	20
21	–	–	·25	·19	–	–	–	–			·03	·09	21
22		snow ·23	·18	·16	–	–	–	–			~~·05~~	·37	22
23		snow ·60	·03	–	–	·12	–	·03		·22	·05	·04	23
24		snow ·02	–	–	·01	–	–	–		·47	·02	·25	24
25		snow ·09	·07	–	·01	–	–	·14		·25	·02	·01	25
26		snow ·09	–	–	–	·35	–	–		·07	·04	–	26
27	·09	snow ·19	·44	–	–	·06	–	·28		·62	–	–	27
28		·38	·16	–	·06	·02	–	·07	·12	·08	–	·17	28
29		·27	–	–	–	·09	–	thunder ·95	·01	·25	–	·17	29
30		✕	–	–	–	·01	–	·27	·30	·55	–	–	30
31	·02	✕	–	✕	–	✕	–	–	✕	–	✕	·04	31
Total	1·00	3.24	2·50	1·57	1·88	1.62	1·35	2·09	1·29	4·30	3·16	2·50	YEAR'S TOTAL 26·70
Rain Days.	14	23	18	14	12	18	10	12	10	22	14	19	186

W. 8,000, VIII. 16

348

FORM A.
BRITISH RAINFALL.

-2 JAN 191

REGISTER OF RAINFALL IN 1917

Kept at St Peter's Broadstairs
in the County of Kent
by The Rev H.C.V. Snowden

Lat. 51.22 N. Long. 1.27 E.
Time of Observation 9 a.m.
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground – ft. nine in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	snow ·15	–	–	–	1·92	·20	–	·07	·02	1
2	·05	–	–	snow ·22	–	–	–	·24	–	·07	·04	–	2
3	·01	–	–	snow ·16	–	–	–	·71	–	·02	–	–	3
4	–	snow ·10	snow ·02	–	–	–	–	·05	–	·36	–	–	4
5	·28	snow ·03	–	·04	–	–	–	–	thunder ·37	·03	–	–	5
6	–	–	–	·10	–	thunder ·05	–	–	·03	–	·21	–	6
7	·15	–	snow ·05	–	–	–	·04	·01	–	thunder ·80	–	·03	7
8	snow, sleet ·43	–	snow ·01	·09	–	–	·44	·48	–	·25	·19	·32	8
9	snow sleet ·32	–	·03	snow ·08	–	–	–	·04	·01	–	·14	·61	9
10	snow ·10	–	·08	snow ·02	–	–	–	·07	–	–	·02	–	10
11	·23	·07	·50	·18	–	–	–	·01	·09	·15	–	·15	11
12	·18	–	·10	snow ·01	–	–	–	·02	–	·50	–	–	12
13	·05	–	·13	–	·03	–	–	–	·01	·29	–	·01	13
14	snow ·57	–	·01	·15	·04	–	·04	·01	–	–	–	·02	14
15	snow ·06	–	–	–	–	–	–	·11	–	–	–	·03	15
16	snow ·07	·02	–	·08	·14	–	·15	–	–	–	–	snow ·24	16
17	snow, hail ·14	·01	–	sleet ·12	·29	–	·20	–	·10	·15	–	snow ·10	17
18	·06	–	–	·10	–	–	·03	·02	·05	–	–	–	18
19	–	·05	·16	·03	–	–	–	–	·06	–	–	–	19
20	snow ·01	·20	snow ·08	–	–	thunder ·11	·03	thunder ·35	–	–	·12	–	20
21	–	·06	snow ·02	–	·06	·42	–	·08	–	·02	–	·06	21
22	–	·02	snow ·18	–	·01	·17	–	·06	–	·20	–	snow ·03	22
23	–	–		–	·05	·01 ~~·04~~	–	·02	–	–	–	·04	23
24	–	–		–	–	·03	·03	·06	–	gale ·11	–	·01	24
25	–	–	·06	–	–	–	–	–	–	–	snow ·06	snow ·02	25
26	–	–	snow ·08	–	–	·02	–	·11	·01	·02	·47	snow ·06	26
27	–	–	–	–	–	·13	–	gale ·85		–	–	snow ·12	27
28	–	·01	·03	–	–	·51	–	·18		–	–	·02	28
29	snow ·01		–	–	–	·04	·63	·09		·22	–	·12	29
30	snow ·10	X	·12	–	–	–	·55	·08		·19	–	–	30
31	snow ·01	X	·20	X	–	X	1·70		X	·02	X	snow ·02	31
Total	2·83	·57	1·85	1·53	·62	1·49	3·84	5·57	·93	3·40	1·32	2·03	YEAR'S TOTAL 25·98
Rain Days.	19	10	18	15	7	10	11	23	10	17	9	20	169

W. 8,000. X. 15.

Esc DL

46

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

9. 1. 19

Kept at St Peter's

in the County of Kent

by H. C. V. Snowden

Lat. 51.22 N. Long. 1.27 E.

Time of Observation 9 a.m.

Nearest Railway Station Broadstairs

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground – ft. nine in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·05	·18	–	–	–			–	·05	·11	1
2	snow ·01	·04	·01	–	–	–	–	·23		–	·25	·16	2
3	–	–	–	·17	·02	–	–			·04	·62	·02	3
4	–	·02	–	·04	·46	–	–	thunder ·67	·40	–	·20		4
5	–	·09	–	–	·27	–	–	·05		·04	–	mist ·01.	5
6	·23	·04	–	–	·11	–	–	·14		·02	·34	mist ·01	6
7	snow ·01	·02	–	–	·13	–	–		·62	·03	–		7
8	–	·01	–	–		–	–	·01	·05	·07	·10		8
9	snow ·03	–	–	·06		·11	–		·28	·13	·03	·18	9
10	·07	–	–	·04		–	·16		·27	·03	–	·11	10
11	–	–	–	–	·08	–	·11		·41	·34	·07	·12	11
12	·06	·15	–	–	thunder ·19	–	–		·18	·31	·04	·03	12
13	snow ·09	·06	–	–	·08	–	·03		·10	–	–		13
14	·06	–	–	·02		·16	·07		·14	·21	–	·08	14
15	1·00	–	–	·23		·17	thunder ·04		–	·16	–	·04	15
16	snow ·27	–	–	·12		·05	·05		·03	·03	–		16
17	·27	–	–	·06		–	thunder ·15	·01	–	–	–	·15	17
18	·08	–	–	·02		·15	–		·79	·01	–	·03	18
19	·07	–	·23	snow. ·06		·02	·02		·06	·27	–		19
20	·01	·06		–		·07	th. storms ·94	·01	·08	·29	–		20
21	·03	–		–		·01	·07		·08	·15	–	·04	21
22	·07	–		·08		–	·17		·52	–	–	·21	22
23	·07	–			·30	–	·80			–	–	–	23
24	–	·14		thunder ·06	·09	·22			·12	–	·08	–	24
25	–	–		–		·04	·08			–	·02	–	25
26	–	–		–		–	·46	·05		·06	·11	·14	26
27	–	–		·09		–	·14	·15	·03	·03	·03	·04	27
28	–	·03	·19	·04		–	–			·03	·15	·05	28
29	–		·02	–		–	–		·84	–	·09	–	29
30	–	X	·37	–		–	–		·07	·19	–	–	30
31	–	X	·01	X		X	–	·09	X	·10	X	·21	31
Total	2·43	·66	·88	1·27	1·73	1·00	3·29	1·41	4·77	2·54	2.18	1·74	YEAR'S TOTAL 23·90
Rain Days.	17	11	7	15	10	10	15	10	19	21	15	19	169

W. 6,500. VII. 18. w w c

328

REGISTER OF RAINFALL IN 19 19

FORM A.
BRITISH RAINFALL.
2 JAN 20

Kept at St Peter's
in the County of Kent
by H. C. V. Snowden

Lat. 51.22 Long. 1.27
Time of Observation 9 a.m.
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	m ·05	–	–	·01	–	·61	–	–	·19	·01	·28	1
2	·10	–	·03	–	·08	·02	·02	·01	–	–	·18	·14	2
3	·16	–	·39	–	·01	–	·44	–	·02	–	·02	·22	3
4	·06	–	·33	–	–	–	·05	·01	–	·04	–	Th. ·15	4
5	·17	m ·34	·87	–	–	–	–	–	–	–	·01	·15	5
6	–	·02	·01	–	–	–	–	–	–	·01	·05	·08	6
7	–	–	·07	–	–	–	·03	–	–	–	·20	·10	7
8	16	–	·04	·02	–	–	–	–	–	–	·02	–	8
9	·18	–	·07	·15	–	–	–	–	–	·05	·91	–	9
10	·18	–	·01	–	thun. ·04	–	–	–	–	–	some fog ·09	–	10
11	·15	–	·10	·32	–	–	·03	–	–	·09	sn ·06	·06	11
12	·03	–	–	·05	–	·05	–	–	–	–	sn ·21	·01	12
13	·02	–	–	·13	–	–	·39	–	–	–	sn. ·11		13
14	·08	–	–	·29	–	–	·27	–	–	–	~~bliz. ·14~~ –	–	14
15	·03	·03	[illegible]	·22	–	–	·03	–	–	·03	bliz. ·14	·01	15
16	·05	·49		·05	–	–	–	–	–	–	·10	–	16
17	–	·46		·08	–	–	–	–	–	–	·19	·03	17
18	–	–	·02	–	–	–	thun. ·77	–	·05	–	·06	·04	18
19	–	·08	·22	–	–	–	·03	–	·04	–	·09		19
20	·15	·02	·07	–	–	·37	·65	·07	·04	–	–	·01	20
21	–	·13	m ·06	–	–	·09	·12	–	–	–	–	·01	21
22	–	·03	m ·17	–	–		·17	–	·20	–	·04	·49	22
23	m ·09	–	–	·04	–	·08	·16	·02	·38	–	–	·06	23
24		–	–	·19		·15	–	–	–	–	·11	–	24
25	·12	–	·07	·01	·09	·04	–	·41	–	·07		–	25
26	·11	·14		·11	–		–		·08	–	·13	·15	26
27	·03	·08	·11	some snow ·51	–		–	·07	–	·01	·07	·05	27
28	·11		m ·26	·18	–		·01	·21	·06	·01	·65	·36	28
29	·11		–	·12	–			·54	–	·31	·16	·04	29
30	–	X	–	·18	–			61	–	·47	·02	·19	30
31	m ·12	X	m ·14	X		X	·01	–	X	some snow ·65	X	·04	31
Total	2.33	1.87	3.04	2.65	0.23	0.80	3.79	1.95	0.87	1.93	3.63	2.67	YEAR'S TOTAL 25·76
Rain Days.	22	12	19	17	5	7	17	9	8	12	24	22	174

W. 8,000, IX. 17.

305

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

4 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at St Peter's
in the County of Kent
by H. C. V. Snowden

Lat. 51° 22' N Long. 1° 27'
Time of Observation 9 a.m. Greenwich
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in **Millimetres** should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·21	·01	—	·04	—	—	·48	—	·15	1
2	—	—	·03	—	·02	—	·02	·27	·03	·12	—	·08	2
3	—	—	—	—	·06	·18	—	—	·04		—	·03	3
4	—	·04	—	·25	—	—	·08	·01	—		—	·12	4
5	—	—	—	·12	·05	—	·46	dist. th. ·04	·13		—	·27	5
6	—	—	·05	—	·15	—	·14	—	—		—	·02	6
7	—	—	—	·15	·02	—	·03	—	—	·03	—	·05	7
8	·02	—	—	·10	·02	—	·03	—	—		—	—	8
9	·18	—	—	·04	·10	—	—	—	—		—	—	9
10	·12	·03	·07	·02	—	—	—	·16	—		·02	sn. ·13	10
11	·21	—	·06	·12	—	—	th. ·14	·03	—		—	sn ·28	11
12	·08	—	·03	·16	·02	th. ·14	th. ·36	—	—		—	—	12
13	·25	—	·03	·05	—	·06	—	—	·02		·09	—	13
14	—	—	·14	·13	—	·04	—	—	·11		·07	—	14
15	—	—	—	—	—	—	—	—	·53	·09	·04	sn ·09	15
16	—	—	—	—	·04	—	—	—	·12		~~sn~~ ~~·09~~	sn ·24	16
17	·02	—	—	·14	·01	—	·02	—	·12			·03	17
18	·05	—	—	·02	·05	—	—	1·22	·73			·02	18
19	·15	—	—	th. ·18	—	—	—	·22	—			·01	19
20	·06	·36	—	·06	—	·55	—	—	—			—	20
21	—	·06	—	—	—	—	·17	·07	th. 1·10			·03	21
22	—	—	—	·11	—	—	—	·11	th. ·89			·28	22
23	—	—	—	—	—	—	·30	·10	—			·29	23
24	—	—	—	—	—	—	—	—	·10			·01	24
25	·01	—	—	·08	—	—	·13	—	·01			—	25
26	·04	—	·10	·14	—	·02	·23	—	—			·01	26
27	·05	·09	·03	·21	—	·13	·02	—	—		·10	·19	27
28	·20		—	·01	·47	—	·05	—	—		·15	·05	28
29	·12		·09	—	th. ·19	—	·01	—	—		·07	·10	29
30	·02	✕	—	·03	·05	—	·17	—	·17		·10	·05	30
31	—	✕	—	✕		✕	—	—	✕	·18	✕	·03	31
Total	1·59	·58 x7	·63	2·32	1·26	1·12	2·40	2·23	4·10	·90	·64	2·56	Year's Total 20·33
Days with ·01 in. or more	17	5	10	21	15	7	18	10	14	5	8	24	
Days with ·04 in. or more	12	22 4	32 6	53 17	68 9	75 6	93 12	103 8	117 11	122 4	130 7	154 15	154 111

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REC

BROADSTAIRS

ST. PETERS COURT

KENT

1911 - 1920

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at St. Peter's (

in the County of

by A. J.

owdon

5 in.

Ground 1 ft. in.

Sea Level 135 ft.

in

Name Broadstairs

Distance ½ mile Direction S. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11		.03	.21			.01	.14		.02		.02	1
2	.08		.03	.01	.19						.16	.07	2
3	.11	.04		.14	.05		.03			.22	.04	.10	3
4	.11	.01	.08	.11					.02	.87	.14	.16	4
5	.08	.01		.01						.06		.15	5
6	.20											.14	6
7	.01		.01							1.06	.21	.50	7
8	.06		.08							.03	.38	.18	8
9	.21		.13	.02						.01	.43	.04	9
10		.03	.01	.02							.14	.41	10
11	.38	.01	.01								.61		11
12	.06		.59			.09					.05	.01	12
13			.01		.44				.56	.83	.08	.13	13
14		.15			.35					.02		.22	14
15		.07	.15						.08		.02	.04	15
16			.02			.39					.15	.02	16
17			.01			.01					.27	.08	17
18		.07	.02								.74	.06	18
19		.01			.03	.03			.08		.29	.09	19
20								.43	.03	.09		.52	20
21	.01	.04						.03	.44	.98		.12	21
22			.31							.29		.33	22
23		.14	.08			.80			.22	.02	.06	.03	23
24		.05	.03			.12	.20	.04		.37		.26	24
25		.06	.28	.10		.12		.27	.09		.19		25
26			.23	.28		.01				.15	.32	.16	26
27		.31	.04	.09					.14	.38		.03	27
28		.09		.12			.10						28
29				.06			.04		.23	.20			29
30				.04	.17	.19			.05	.25			30
31													31
Total	1.42	1.09	2.15	1.21	1.23	1.76	.38	.91	1.94	5.85	4.28	3.87	TOTAL for year 26.09
No. of Rain Days.	12	15	20	13	6	9	5	5	11	18	18	25	157

W. 8,000, X. '11.

REC

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at St. Peter's Court, Broadstairs

in the County of Kent

by A. J. Richardson

RAIN GAUGE Pattern owdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 135 ft.

Time of Observation 9. am

Nearest Railway Station Name Broadstairs
Distance ½ mile Direction S. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11		.03	.21			.01	.14		.02		.02	1
2	.08		.03	.01	.19						.16	.07	2
3	.11	.04		.14	.05		.03			.22	.04	.10	3
4	.11	.01	.08	.11					.02	.87	.14	.16	4
5	.08	.01	.	.01					.	.06		.15	5
6	.20											.14	6
7	.01		.01							1.06	.21	.50	7
8	.06		.08							.03	.38	.18	8
9	.21		.13	.02						.01	.43	.04	9
10		.03	.01	.02							.14	.41	10
11	.38	.01	.01								.61		11
12	.06		.59			.09					.05	.01	12
13			.01		.44				.56	.83	.08	.13	13
14		.15			.35					.02		.22	14
15		.07	.15						.08		.02	.04	15
16			.02			.39					.15	.02	16
17			.01			.01					.27	.08	17
18		.07	.02								.74	.06	18
19		.01			.03	.03			.08		.29	.09	19
20								.43	.03	.09		.52	20
21	.01	.04						.03	.44	.98		.12	21
22			.31							.29		.33	22
23		.14	.08			.80			.22	.02	.06	.03	23
24		.05	.03			.12	.20	.04	—	.37		.26	24
25		.06	.28	.10		.12		.27	.09		.19		25
26			.23	.28		.01				.15	.32	.16	26
27		.31	.04	.09					.14	.38		.03	27
28		.09		.12			.10						28
29				.06			.04		.23	.20			29
30				.04	.17	.19			.05	.25			30
31													31
Total	1.42	1.09	2.15	1.21	1.23	1.76	.38	.91	1.94	5.85	4.28	3.87	TOTAL for year 26.09
No. of Rain Days.	12	15	20	13	6	9	5	5	11	18	18	25	157

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at St Peters Court. Broadstairs

in the County of Kent 2

by A. L. Richardson.

Rain Gauge: Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 135 ft.

Time of Observation 9. am

Nearest Railway Station: Name Broadstairs
Distance ½ m. Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.08			.20	.29		.08	.57		.12	1
2		.09	.10	.02		.18	.08	.17	.01	.12		.03	2
3	.13	.15			.03	.10		.05	.02	.04		.05	3
4	.35		.42		.07	.68					.16		4
5	.11	.09	.13	.02		.09		.21			.18	.02	5
6	.34	.07			.07	.17	.19	.44					6
7	.12		.02		.03			.09					7
8	.21	.05	.15			1.02		.06	.37			.01	8
9	.01	.01	.05	.07			.08	.01				.02	9
10		.01		.07		.01		.19	.08		.06	.22	10
11	.02	.10	.04					.01	.10			.09	11
12		.09	.02		.02			.05				.04	12
13		.15	.02			.02	.05				.31	.01	13
14		.01	.02		.13			.01	.06	.05	.03		14
15		.01	.07		.10	.73					.02	.24	15
16	.15		.08		.05	.08		.15		.03	.01		16
17	.47		.25			.03		.02			.03		17
18	.01		.14	.07			.10	.25		.07	.03	.31	18
19		.12	.11		.02		.18	.11	.06			.01	19
20	.01	.02	.46					.05		.74	.02		20
21		.03	.17					.10		.21	.05	.01	21
22	.05	.12	.02		.05		.09	.09				.01	22
23	.30	.15	.25		.24			.72		.29	.15		23
24	.06		.03		.01		.06	.24		.01		.05	24
25	.07					.10	.01	.86			.22	.21	25
26							.09	.83		.26	.18	.32	26
27			.04				.21			.01	.14	.14	27
28				.01			.02	.95		.27	.14	.09	28
29				.16			.22	.07	.71	.20		.01	29
30					.05	.01		.52	1.29	.25			30
31					.03		.17	.14		.02			31
Total	2.42	1.27	2.72	.42	.90	3.42	1.84	5.49	2.78	3.14	1.73	2.01	TOTAL for year 28.14
No. of Rain Days.	17	17	22	7	14	14	15	26	10	16	16	21	195

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL

6- JAN 1914

Kept at St Peters Court. Broadstairs

in the County of Kent 2

by A. J. Richardson

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Broadstairs

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.41		.05		.24					.02	.02	1
2	.02	.12					.28				.04		2
3				.49	.18			.04		.01	—	.01	3
4						.01	.06	.01		.04	.04		4
5	.01	.01					.35	.01	.52	.20	.01	.13	5
6	.03		.01		.04	.21				.33	.09		6
7		.02	.05	.02	.04		.01	.03		.40	.01	.01	7
8			.02	.04	.19					.33	.04		8
9		.05		.04	.31		.06	.32	.10		.03		9
10			.09	.07				.03			.58		10
11	.31			.55						.33	.04		11
12				.01	.02						.51		12
13	.23		.03					.05			.39		13
14	.04			.06					.81	.26	.28		14
15	.14		.17	.01			.31			.01	.01		15
16	.22		.21	.04			.09		.21		.05		16
17	.12	.02		.04					.17			.10	17
18	.05		.03	.03				.02	.13		.03		18
19	.06		.13		.01		.12	.10	.22				19
20	.46		.02	.02			.09		.06	.26			20
21	.01		.02	.12	.20		.02			.67	.51		21
22	.26		.34			.02	.16		.02	.01			22
23			.01			.03	.01		.01	.06		.39	23
24	.02					.08					.01		24
25	.03			.15									25
26			.15							.39		.11	26
27		.02	.01		.15					.13			27
28	.16		.13							.16			28
29	.29		.07		.16			.01		.01		.33	29
30	.26		.10	.35	.17					.09		.22	30
31			.36							.05			31
Total	2.72	.65	1.45	2.09	1.47	.59	1.56	.62	2.25	3.73	2.69	1.32	YEAR'S TOTAL 21.64
Rain Days.	19	7	19	17	11	6	12	10	10	19	18	9	157

W.7,000, XI. 13

cwdy obr. 6.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at St. Peter's Court Broadstairs 2
in the County of Kent
by A. J. Richardson.

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Broadstairs
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.04				.02		.03	.16	.19	1
2				.01			.01				.01	.13	2
3			.07	.03	.09		.14	.03					3
4			.01	.07				.21			.20	.17	4
5	.23		.02	.32	.09		.24	.15					5
6				.18	.02	.34	.02					.09	6
7		.08	.17	.06		.02						.06	7
8	.14	.04	.26	.01			.07	.03				.07	8
9	.37		.55	.02								.97	9
10			.02	.02	.01					.03		.02	10
11		.17	.15	.03	.01				.13		.38	.23	11
12	.01	.01	.04		.04				.15			.19	12
13	.03	.06	.19	.01					.15	.09	.07	.32	13
14		.03	.19							.39		.35	14
15			.21				.60	.02			.16	.07	15
16	.02	.11	.03				.26				.03		16
17	.01	.02							.09	.23	.04	.03	17
18		.12	.19							.71	.10	.23	18
19		.04	.51							.13	.19	.10	19
20		.09	.54			.08				.24		.35	20
21		.45	.20	.08						.04		.10	21
22		.03		.04	.29	.36	1.82			.05		.08	22
23			.57	.01	.54	.18	.04			.05		.30	23
24			.05	.22	.04					.02	.06		24
25	.07		.26		.03		.02	.02		.35			25
26	.07		.18				.07	.12			.10	.20	26
27			.02				.05			.10	.04	.25	27
28	.03				.01					.61	.25	.31	28
29	.01									.05	.04		29
30	.01				.30						.25	.01	30
31												.08	31
Total	1.01	1.25	4.43	1.15	1.47	.98	3.34	.60	.52	3.12	3.08	4.90 4.90	YEAR'S TOTAL 25.85 ~~25.85~~
Rain Days.	13	13	22	16	12	5	12	8	4	16	16	25	162

W. 8,000. X. 14.

esc 78

REGISTER OF RAINFALL IN 19 15

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at St. Peter's Court, Broadstairs
in the County of Kent 2
by Wm A. J. Richardson

Lat. 51° 21' 35" Long. 1° 26 E.
Time of Observation 9. am
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.49	.16	.05						.35		.46	.10	1
2	.16	.10	.19	.04				.05	.48		.15	.01	2
3	.09	.01	.10	.20	.03			.12	1.09			.44	3
4	.07									.32	.02	.27	4
5	.03	.08		.04				.05		.38	.13	.30	5
6	.34	.13	.02	.25	.03		.01					.08	6
7	.19	.10	.13	.08			.02					.20	7
8	.01	.06	.12				.12	.01					8
9		.27	.06			.03	.03	.05		.05	.23	.56	9
10	.17	.02				.04						.59	10
11	.02									.02	.48	.02	11
12	.03	.01		.30	.33					.10	.50		12
13	.09	.59		.06	1.16								13
14		.03			.01		.29	.11				.12	14
15	.11				.05			.09			.37	.04	15
16		.03					.78	.10			.04		16
17	.05	.33		.06	.70			.19				.39	17
18		.16	.08		.50		.02			.09	.10	.09	18
19	.03						.02			.01		.02	19
20	.36							.02				.21	20
21	.28	.02			.04					.15		.02	21
22	.02		.02	.03			.39					.13	22
23	.04	.22	.07			02	.05					.32	23
24	.08		.01	.17			.36		.07	.02		.35	24
25	.01		.08	.05		.22	.17			.01		.09	25
26	.05	.02								.03	.06	.39	26
27							.03			.25	.03	.02	27
28		.06	.02			.02			1.91	.64			28
29			.03		.02		.04	.28	.08	.02	.16	.02	29
30	.08	X				.07					.35	.05	30
31	.01	X		X		X		.03	X	.57	X	.33	31
Total	2.81	2.40	.98	1.28	2.93	.40	2.33	1.10	3.98	2.66	3.08	5.16	YEAR'S TOTAL 29.11
Rain Days.	24	19	14	11	10	6	14	12	6	15	14	26	171

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at St Peter's Court, Broadstairs
in the County of Kent
by A. J. Richardson

Lat. 51°. 21'. 35" N Long. 1° 26' E
Time of Observation 9. am
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.01		.05					.01	.51		1
2	.46		.19		.09					.35			2
3		.27	.04						.02	.12	.23		3
4	.07	.05				.06				.03	.10		4
5	.05			.01	.03	.11	.08			.02	.29		5
6	.04	.03	.31	.19		.19	.26				.27		6
7			.75		.35	.11	.10				.42	.02	7
8			.02		.04	.03						.06	8
9			.01		.23	.06						.06	9
10		.05	.02	.08		.02	.03		.01			.20	10
11	.02	.44	.01	.13		.10						.03	11
12	.05	.02		.09	.94	.18	.02					.38	12
13		.19	.06	.04	.65	.04	.48			.18			13
14		.42	.09	.02	.01	.03	.19	.03		.03		.05	14
15		.13	.01						.02			.05	15
16	.11	.02		.18			.06			.04		.02	16
17	.06	.01		.10			.07	.08	.31	.79		.05	17
18	.07	.12		.09				.01	.13	.10	.58	.02	18
19		.01	.02	.10		.01		.24	.18	.03	.55	.26	19
20	.05			.16				.01			.13	.19	20
21		.30	.31	.18							.05		21
22	.02		.18	.16							←	.44	22
23		.52	.03			.10		.02		.18	.04	.04	23
24		.02								.46	.02	.21	24
25		.11	.09		.01			.25		.16	.03		25
26		.09				.34				.06	.04		26
27		.21	.48			.05		.35		.77			27
28	.06	.43	.15		.06	.02		.07	.11	.68		.16	28
29		.26				.09		.80		.26		.18	29
30		X						.28	.26	.58			30
31	.02	X		X		X		.06	X	.01	X	.04	31
Total	1.11	3.10	2.78	1.53	1.86	1.54	1.29	2.20	1.04	4.26	3.26	2.46	YEAR'S TOTAL 27.03
Rain Days.	14	21	19	14	11	17	9	12	8	20	14	19	178

Exd C.F.

349

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

19 JAN 1918

Kept at St Peters Court, Broadstairs

in the County of Kent

by A. J. Richardson

Lat. 51° 21' 35" N Long. 1° 26. E

Time of Observation 9. a.m. greenwich

Nearest Railway Station Broadstairs

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.12				1.95	.19		.05		1
2	.05			.28				.27		.06	.03		2
3	.01			.16				.86		.01			3
4		.08	.01	.01				.03		.35			4
5	.28	.02		.05					.37	.01			5
6				.10		.05		.	.03	.01	.19		6
7	.14		.03				.06	.01		.08		.03	7
8	.43			.10			.44	.48		.25	.19		8
9	.29		.02	.05				.04			.14	.19	9
10	.11		.07	.04				.07			.11		10
11	.20	.06	.48	.13				.01	.09	.14		.05	11
12	.16	.01	.09					.02		.37			12
13	.05		.13		.03				.01			.03	13
14	.47		.01	.18	.03		.63	.01		.05			14
15	.07			.07				.08					15
16	.07	.02			.16		.15					.35	16
17	.13			.15	.23		.20		.10			.25	17
18	.05			.08			.03		.03	.12			18
19		.05	.12	.02					.06	.05			19
20	.01	.20	.05			.10	.03	.36			.19		20
21		.06	.02		.05	.39		.08			.02	.10	21
22		.02	.12		.05	.16		.06		.18			22
23						.01		.01			.18	.05	23
24							.03	.06		.12			24
25			.05										25
26			.07			.02		.10				.07	26
27						.13		.82				.10	27
28			.03			.50		.17				.04 ~~.05~~	28
29	.01					.03	.58	.07		.23		.15	29
30	.06		.12				.47	.06		.23			30
31	.01		.20				1.64	.01				.03	31
Total	2.60 ✓	.52 ✓	1.62 ✓	1.54 ✓	.55 ✓	1.39 ✓	3.66 ✓	5.63 ✓	.88 ✓	2.26 ✓	1.10	1.44 ✓	YEAR'S TOTAL 23.19 ✓
Rain Days.	19 ✓	9 ✓	17 ✓	15 ✓	6 ✓	9 ✓	11 ✓	23 ✓	8 ✓	16 ✓	9 ✓	13 ✓	155 ✓

W. 8,000, IX. 17.

Ex. DL

47

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

20 1 19

Kept at St. Peters Court, Broadstairs
in the County of Kent
by A. J. Richardson

Lat. 50° 21' 35" N Long. 1. 26. E
Time of Observation 9. am
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.02	.05	.20	~~.02~~					.01	.05	.10	1
2			.02					.25			.46	.13	2
3			.01	.16	.02				.40	.03	.51		3
4			.02	.06	.20			.70			.26		4
5		.10			.50			.06		.02			5
6	.25	.07		.05	.15			.16			.34		6
7					.10				.59	.03			7
8				.04					.04	.05	.09	.18	8
9	.03			.06		.10			.29	.13		.17	9
10				.03			.19		.27	.02			10
11	.10	.03			.07				.11	.34	.03		11
12	.03	.15			.25		.08		.17	.30	.06	.04	12
13	.08	.05			.06				.09				13
14	.17					.14			.10	.20		.07	14
15	1.15			.25		.16	.04			.20		.05	15
16				.09		.04	.07		.09				16
17				.05			.18					.15	17
18	.52					.14			.78	.03		.04	18
19	.09		.20	.06		.01			.05	.25			19
20	.08	.06				.06			.07	.29			20
21	.03						.94		.07	.21		.04	21
22	.07			.06			.15		.52			.25	22
23	.09	.15			.35		.15					.10	23
24				.07	.05	.23	.95		.12		.09		24
25						.03	.08	.01					25
26							.50	.05			.12	.10	26
27				.06			.15	.15	.02	.06		.04	27
28		.03	.16	.03						.01	.23	.07	28
29			.02						.74	.01	.06		29
30		✗	.26					.07	.04	.19			30
31		✗	.02	✗		✗			✗	.09	✗	.20	31
Total	2.71	.66	.76	1.27	1.75	.91	3.48	1.45	4.56	2.47	2.30	1.73	YEAR'S TOTAL 24.05
Rain Days.	14	9	9	15	10	9	12	8	19	20	12	16	153

W, 6,500, VII. 18. W W 6

329

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at St Peters Court, Broadstairs
in the County of Kent
by A. J Richardson

Lat. 50° 21' 35" N Long. 1° 26' E
Time of Observation 9. am
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.04			.02		.60			.18	.01	.33	1
2	.10		.02		.08		.01	.01			.20	.25	2
3	.16		.40		.01		.40		.02		.02	.18	3
4	.05		.35			.02	.05	.01		.03		.10	4
5	.20	.27	.86									.21	5
6	.05	.01	.01		.					.01	.03	.08	6
7			.07				.02				.19	.13	7
8	.21		.03							.	.02		8
9	.20		.05	.16						.05	.90		9
10	.22		.01	.01	.04						.08		10
11	.15		.09	.32			.03				.07	.08	11
12	.03			.04		.04				.08	.21	.01	12
13	.02			.20			.40				.11		13
14	.07			.22			.27						14
15	.08	.01	.01	.21			.03			.02	.14		15
16	.05	.49		.04							.09	.01	16
17	.	.46		.07							.17	.03	17
18		.10	.01				.74		.03		.04	.04	18
19		.08	.18				.02		.03		.11		19
20	.19	.01	.08			.35	.65	.07	.08				20
21		.13	.05			.09	.12						21
22		.02	.17				.17		.20		.04	.52	22
23	.08		.01	.04		.06	.16	.02	.37			.07	23
24				.18		.14					.13		24
25	.10			.01	.07	.03		.41		.12		.01	25
26	.10	.13	.06	.10					.07		.13	.21	26
27	.03	.09	.12	.58				.07		.01	.09	.06	27
28	.10	.02	.23	.28			.01	.21	.03	.01	.70	.42	28
29	.10			.17				.54		.29	.25	.03	29
30		X		.19				.61		.48	.01	.20	30
31	.10	X	.15	X		X	.01		X	.61	X	.04	31
TOTAL	2.50	1.86	2.96	2.82	.22	.73	3.69	1.95	.78	1.89	3.74	3.01	YEAR'S TOTAL 26.15
Days with ·01 in. or more	23	14	21	17	5	7	17	9	8	12	23	21	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd 306

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at St. Peter's Court, Broadstairs

in the County of Kent

by A. J. Richardson

Lat. 50° 21′ 35″ N Long. 1° 26′ E

Time of Observation 9 a.m

Nearest Railway Station Broadstairs

Diameter of **Funnel** of **Rain** Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.20	.03		.03			.50	.02	.17	1
2			.02	~~.20~~	.02		.01	.27	.03	.16		.07	2
3			.01		.04	.17			.04			.03	3
4		.02		.28	~~.04~~		.07	.01				.10	4
5			.03	.11	.05		.48	.03	.08			.29	5
6			.01	.01	.14 ~~.05~~		.14					.02	6
7				.15	.01 ~~.14~~		.02					.04	7
8	.02			.09	.02		.02						8
9	.23			.04	.10			.15		.03			9
10	.18	.01	.04	.02				.02			.01		10
11	.18		.04	.13			.14					.11	11
12	.10		.04	.14	.01	.12	.36					.28	12
13	.26		.03	.04		.06			.01		.08		13
14			.13	.17		.03			.10		.10		14
15						.01			.51	.07	.02	.07	15
16					.03				.10			.22	16
17				.12	.01		.01		.12			.02	17
18	.04			.01	.04			1.23	.75			.02	18
19	.15			.20				.24				.01	19
20	.05	.36		.05		.56			1.06				20
21		.07					.16	.07	.90			.03	21
22				.09				.11				.31	22
23							.30	.13				.29	23
24									.10			.02	24
25	.01	.01		.07			.13		.01				25
26	.04		.10	.11		.01	.28					.01	26
27	.04	.07	.01	.19		.14	.02				.06	.19	27
28	.20				.46		.06				.17	.04	28
29	.28		.08		.20		.01				.07	.10	29
30	.02				.03		.16		.15		.10	.07	30
31	.01									.15		.04	31
Total	1.81	.54	.54	2.22	1.19	1.10	2.40	2.26	3.96	.91	.63	2.55	YEAR'S TOTAL 20.11
Days with ·01 in. or more	16	6	12	20	15	8	18	10	14	5	9	24	157
Days with ·04 in. or more	12	3	6	17	7	~~4~~5	11	7	11	4	6	16	10~~6~~5

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

105

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at "Selwyn House" St Peters
in the County of Kent
by David Hewitt

Lat. 51° 22′ N Long. 1° 27′ E
Time of Observation 9 A.M.
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4½ in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	-	-	·20	-	+	-	-	-	·16	·03	·21	1
2	-	-	·02	-	·06	-	-	-	-	·50	-	·08	2
3	-	-	-	-	·05	-	-	·27	·05	·05	-	·01	3
4	-	-	-	·29	-	·19	-	-	·04	-	-	·12	4
5	-	-	-	·13	·06	-	·14	·01	-	-	-	·31	5
6	-	-	·04	-	·13	-	·49	·03	·11	-	-	·03	6
7	-	-	-	-	-	-	·15	-	-	-	-	·05	7
8	·02	-	-	·23	-	-	·04	-	-	·03	-	·04	8
9	-	-	-	-	·14	-	·01	-	-	-	-	-	9
10	·21	-	·10	-	-	-	-	·16	-	-	·01	·14	10
11	·11	-	-	·18	-	-	-	-	-	-	-	·22	11
12	·09	-	-	·14	-	-	·14	-	-	-	-	-	12
13	·26	-	·05	·08	-	-	·31	-	-	-	·08	-	13
14	-	-	·09	·12	-	·18	-	-	·01	-	·08	-	14
15	-	-	-	-	-	·04	-	-	·11	-	·01	·07	15
16	-	-	-	-	·05	-	-	-	·50	·08	-	·26	16
17	-	-	-	-	-	-	-	-	·11	-	-	·01	17
18	·05	-	-	·14	-	-	-	-	·08	-	-	·02	18
19	·12	-	-	·20	-	-	-	1·30	·69	-	-	·01	19
20	·04	·38	-	·04	-	-	-	·25	-	-	-	-	20
21	-	·06	-	-	-	·59	-	-	1·11	-	-	·03	21
22	-	-	-	·10	-	-	-	·07	·85	-	-	·30	22
23	-	-	-	-	-	-	·21	-	-	-	-	·29	23
24	-	-	-	-	-	-	·30	·23	-	-	-	-	24
25	·02	-	-	·08	-	-	-	-	·10	-	-	-	25
26	·04	-	·09	·14	-	-	·13	-	-	-	-	-	26
27	·03	·08	·05	·20	-	-	·27	-	-	-	-	·18	27
28	·20	-	·09	-	·53	·11	·02	-	-	-	·23	·03	28
29	·20	-	-	-	·20	-	·05	-	-	-	·05	·10	29
30	-	✕	-	-	·05	-	-	-	-	-	-	·06	30
31	·03	✕	-	✕	-	✕	·20	-	✕ ·15	·17	✕	·02	31
TOTAL	1·43	·52	·53	2·27	1·27	1·11 ✓	2·46 ✓	2·32 ✓	~~2·76~~ 3·91	~~·98~~ ·83	·49	2·59	YEAR'S TOTAL 19·73
Days with ·01 in. or more	15	3	8	15	9	5	14	8	13	5	7	23	~~125~~
Days with ·04 in. or more	10	3	7	15	9	5	12	6	12	4	4	15	102 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BR~~O~~MLEY
HAMMELTON RD
KENT
1919 - 20

Form A. 1. **METEOROLOGI** … **NIZATION.**

REGI

14 JAN 20

Kept at 20 Hammelto … .30 a.m
… romley North SE&CR

in the County of … Gauge 5 in.

… Ground 1 ft. in.

by Rev F N … Sea Level ~~205~~ 231 ft.

IMPORTANT NOTE.—Rain should be measured daily … red to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19						·16			·12	·16	×1.05	1
2	·17	·10			·08		·08	·06		·16	·09	·07	2
3	·22		·51				·12		·03		·05	·44	3
4	·09		·58			·06	·26				·06	·23	4
5	·03	·30	·61								·02	·27	5
6	·02		·03									·08	6
7	·04		·29								·05		7
8	·15		·05	·02							·06		8
9	·31		·02		·08						·05		9
10	·11		·01	·08									10
11			·11	·26			·19						11
12			·04	·08			·18						12
13				·31			·05			·07			13
14	·20			·31					·48				14
15	·16		·05	·20								·13	15
16	·13	·57									·10	·06	16
17		·61	·06								·14		17
18		·32	·06						·03		·08	·04	18
19		·03	·36			·18	·24	·34	·08		·07		19
20	·08	·07	·03			·86	·34	·11	·01		·02	·02	20
21	·16	·27	·02				·06				·12		21
22		·07				·01	·21		·26			·21	22
23						·06	·01		·10				23
24				·33			·02				·05		24
25	·05							·11		·16			25
26	·09	·40	·11	·11			·16	·23	·08			·26	26
27	·36	·09	·04	·78			·01	·27				·05	27
28			·18	·03			·02	·67			·20	·22	28
29	·03			·05				·59		·34		·05	29
30			·02	·26		·08		·35		·05		·37	30
31	·08											·06	31
Total	2.67	2.83	3.18	2.82	0.16	1.25	2.11	273	1.07	0.90	1.32	3.61	Year's Total 24.65 ✓
Days with ·01 in. or more	20	11	20	13	2	6	16	9	8	6	16	17	144 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

× Dec. 1st some of this fell before 8.30 am and should have been entered Nov 30

FORM A. 1. **METEOROLOGI NIZATION.**

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at 20 Hammelton Road . Bromley
in the County of Kent
by Rev F N Style

Lat. Long.
Time of Observation 8.30 a.m
Nearest Railway Station Bromley North SE&CR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ~~205~~ 231 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19						·16			·12	·16	×1.05	1
2	·17	·10			·08		·08	·06		·16	·09	·07	2
3	·22		·51				·12		·03		·15	·44	3
4	·09		·58			·06	·26				·06	·23	4
5	·03	·30	·61								·02	·27	5
6	·02		·03									·08	6
7	·04		·29								·05		7
8	·15		·05	·02							·06		8
9	·31		·02		·08						·05		9
10	·11		·01	·08									10
11			·11	·26			·19						11
12			·04	·08			·18						12
13				·31			·05			·07			13
14	·20			·31					·48				14
15	·16		·05	·20								·13	15
16	·13	·57									·10	·06	16
17		·61	·06								·14		17
18		·32	·06						·03		·08	·04	18
19		·03	·36			·18	·24	·34	·08		·07		19
20	·08	·07	·03			·86	·34	·11	·01		·02	·02	20
21	·16	·27	·02				·06				·12		21
22		·07				·01	·21		·26			·21	22
23						·06	·01		·10				23
24				·33			·02				·05		24
25	·05							·11		·16			25
26	·09	·40	·11	·11			·16	·23	·08			·26	26
27	·36	·09	·04	·78			·01	·27				·05	27
28			·18	·03			·02	·67			·20	·22	28
29	·03			·05				·59		·34		·05	29
30			·02	·26		·08		·35		·05		·37	30
31	·08											·06	31
TOTAL	2.67	2.83	3.18	2.82	0.16	1.25	2.11	2.73	1.07	0.90	1.32	3.61	YEAR'S TOTAL 24.65
Days with ·01 in. or more	20	11	20	13	2	6	16	9	8	6	16	17	144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

× Dec 1st some of this fell before 8.30 am and should have been entered Nov 30

Ce 8h

407

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 20 Hammelton Road - Bromley
in the County of Kent
by Rev. F. N. Style

Lat. Long.
Time of Observation 8.30 am
Nearest Railway Station Bromley N S.E.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 231 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			·18			23			29		20	1
2			11		02		·01	·		09			2
3		·05				07	20	33		02		03	3
4		.09		·16			65	01		05		06	4
5			.08		04		18	07				02	5
6			.22		17		12					03	6
7				10	·03		15		no daily readings, owing to absence. amount found in the gauge Sept. 30				7
8				.12	09			01					8
9	.22	.05											9
10	·42		08	·01		05	16				04		10
11	·14		05	.31		02	26					× 18 } snow	11
12	·07			.10		36							12
13	·27		.12	.08		11					04		13
14			.18	.10						04	15		14
15	·01		·06	.29						07	04		15
16				08		02						× 01 } snow	16
17					.11	37							17
18	·02			.05				1.20				12	18
19	·15			·26	08	55		.01				08	19
20	·05	.28		·19									20
21							76	·02 (?)				03	21
22				.28			37					33	22
23												24	23
24			02										24
25		03		·07			11						25
26	.02			0.3									26
27	·19	·05	20	18		15	32				29	08	27
28	.36		12	19	21		10					04	28
29	.44		02				.02				05	08	29
30		×								~~12~~	19	09	30
31		×		×	·08	×		×	×	23	×	06	31
Total	2.42	.55	1.26	2.78	.83	1.64	3.64	1.65	3.24	·79	.80	1.68	Year's Total 21.28
Days with ·01 in. or more	14	6	12	19	9	9	15	7	(13)	7	7	17	...
Days with ·04 in. or more	11	5	10	17	7	~~7~~6	13	3	(12)	6	7	13	(110)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

450

FORM A.
BRITISH RAINFALL.
7 MAR 1918

BROML~~EY~~
HAZEL CROFT
KENT
1918 - 1920

REGIST

Kept at Hazelcroft, B

in the County of Kent

by Rev. H. A. Soam

ge .... in.
ound .... ft. .... in.
a Level .... ft.

IMPORTANT NOTE.— result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·24	—	—	—	1·60	·01	—	·07	—	1
2	—	—	—	·32	—	·01	—	·14	—	—	·09	—	2
3	·03	—	—	·10	—	—	·03	·48	—	·10	·29	—	3
4	—	·18	·07	—	—	—	·24	·12	—	·37	—	—	4
5	·20	—	—	·34	—	—	—	—	·33	·17	·05	—	5
6	—	—	·06	·02	—	·04	—	—	·29	·02	·05	—	6
7	·15	—	—	—	—	—	·09	—	—	·23	—	·02	7
8	·10	—	—	·08	—	—	·68	·35	·05	·24	·15	·25	8
9	—	—	—	·04	—	—	·09	·04	·01	—	·04	·54	9
10	·15	—	·07	·12	—	—	—	·04	—	—	—	·03	10
11	·06	—	·36	·14	—	—	—	—	·28	·20	—	—	11
12	·13	·03	·02	·05	—	—	—	·05	—	·43	—	—	12
13	·04	—	·09	·06	—	—	—	·01	·02	·08	—	—	13
14	—	—	·01	·12	—	—	—	·01	—	—	—	—	14
15	·05	—	—	—	—	—	·17	·04	—	·04	—	·02	15
16	·07	·18	—	·17	·29	·06	·16	—	—	·20	—	·46	16
17	—	—	—	·09	·63	—	·24	·08	·31	·09	—	—	17
18	·05	·05	—	·12	·05	·01	·22	·07	·13	·05	—	—	18
19	—	·12	·08	—	·17	·05	—	—	·10	—	—	—	19
20	·03	·11	·03	—	·52	—	—	—	—	—	·06	—	20
21	—	·02	·01	—	—	·01	—	—	—	—	·03	—	21
22	—	—	·03	—	—	—	—	·13	—	·10	—	—	22
23	—	·11	—	—	·20	·03	—	·10	—	·12	—	·03	23
24	—	—	—	—	—	·04	·01	—	—	·11	·02	·03	24
25	—	—	·03	—	—	—	—	—	·01	·04	·05	—	25
26	—	—	·07	—	—	—	—	·40	—	—	·57	—	26
27	—	—	—	—	—	—	—	·96	—	—	—	·02	27
28	—	—	·01	—	—	1·75	—	·03	—	—	—	·08	28
29	—		·01	—	·22	·29	·64	·03	—	·31	—	·15	29
30	—	X	·23	—	—	—	2·30	·07	—	·02	—	·06	30
31	·09	X	·06	X	—	X	·63	—	X	—	X	—	31
Total	1·15	·81	1·24	~~1·96~~ 2·01	2·08	2·29	5·50	4·75	1·54	2·92	1·47	1·69	YEAR'S TOTAL 27·45
Rain Days.	13	9	17	15	7	10	13	20	11	19	12	12	158

5·79

W. 8,000, IX. 17.

450

REGIST

Kept at Hazelcroft, Bromley
in the County of Kent
by Rev. H. A. Soames

Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

FORM A.
BRITISH RAINFALL.
7 MAR 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·24	—	—	—	1·60	·01	—	·07	—	1
2	—	—	—	·32	—	·01	—	·14	—	—	·09	—	2
3	·03	—	—	·10	—	—	·03	·48	—	·10	·29	—	3
4	—	·18	·07	—	—	—	·24	·12	—	·37	—	—	4
5	·20	—	—	·34	—	—	—	—	·33	·17	·05	—	5
6	—	—	·06	·02	—	·04	—	—	·29	·02	·05	—	6
7	·15	—	—	—	—	—	·09	—	—	·23	—	·02	7
8	·10	—	—	·08	—	—	·68	·35	·05	·24	·15	·25	8
9	—	—	—	·04	—	—	·09	·04	·01	—	·04	·54	9
10	·15	—	·07	·12	—	—	—	·04	—	—	—	·03	10
11	·06	—	·36	·14	—	—	—	—	·28	·20	—	—	11
12	·13	·03	·02	·05	—	—	—	·05	—	·43	—	—	12
13	·04	—	·09	·06	—	—	—	·01	·02	·08	—	—	13
14	—	—	·01	·12	—	—	—	·01	—	—	—	—	14
15	·05	—	—	—	—	—	·17	·04	—	·04	—	·02	15
16	·07	·18	—	·17	·29	·06	·16	—	—	·20	—	·46	16
17	—	—	—	·09	·63	—	·24	·08	·31	·09	—	—	17
18	·05	·05	—	·12	·05	·01	·22	·07	·13	·05	—	—	18
19	—	·12	·08	—	·17	·05	—	—	·10	—	—	—	19
20	·03	·11	·03	—	·52	—	—	—	—	—	·06	—	20
21	—	·02	·01	—	—	·01	—	—	—	—	·03	—	21
22	—	—	·03	—	—	—	—	·13	—	·10	—	—	22
23	—	·11	—	—	·20	·03	—	·10	—	·12	—	·03	23
24	—	—	—	—	—	·04	·01	—	—	·11	·02	·03	24
25	—	—	·03	—	—	—	—	—	·01	·04	·05	—	25
26	—	—	·07	—	—	—	—	·40	—	—	·57	—	26
27	—	—	—	—	—	—	—	·96	—	—	—	·02	27
28	—	—	·01	—	—	1·75	—	·03	—	—	—	·08	28
29	—		·01	—	·22	·29	·64	·03	—	·31	—	·15	29
30	—	X	·23	—	—	—	2·30	·07	—	·02	—	·06	30
31	·09	X	·06	X	—	X	·63	—	X	—	X	—	31
Total	1·15	·81	1·24	~~1·96~~ 2·01	2·08	2·29	5·50	4·75	1·54	2·92	1·47	1·69	YEAR'S TOTAL 27·45
Rain Days.	13	9	17	15	7	10	13	20	11	19	12	12	158

W. 8,000, IX. 17.

5·79

145

FORM A.
BRITISH RAINFALL.
19

REGISTER OF RAINFALL IN 19~~19~~ 18

Kept at Hazelcroft, Bromley
in the County of Kent
by Rev. H.A. Soames

Lat. .... Long. ....
Time of Observation 9·0 a.m. real time
Nearest Railway Station Bromley South
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	—	·05	—	—	—	·01	—	—	·20	·10	1
2	— ~~·01~~	·05	—	·02	—	—	—	·39	—	—	·10	·12	2
3	—	—	·13	·03	·45	—	—	·02	—	—	·47	·04	3
4	—	·10	·10	—	—	—	—	·03	·22	—	·59	—	4
5	—	·02	·01	—	·15	—	—	·11	·71	·03	—	·01	5
6	·22	·15	—	·20	·25	—	—	·03	·04	·02	—	·06	6
7	·05	·05	—	·17	·29	—	—	—	·08	·06	·05	—	7
8	—	·06	—	—	—	—	—	—	·09	·01	·12	·04	8
9	—	—	—	·09	—	·05	·29	—	·39	·09	—	·18	9
10	·02	—	—	·13	—	·01	·39	—	·04	·10	·04	·31	10
11	—	—	—	·03	·02	—	·70	—	·02	·25	·10	·13	11
12	—	·03	—	—	·19	—	·42	—	·05	—	—	·03	12
13	·07	—	—	·02	·10	—	·06	—	·07	—	—	—	13
14	·08	·01	·02	—	—	·44	·01	—	·06	·21	—	·13	14
15	1·34	—	—	·74	—	—	·82	—	—	—	—	·07	15
16	·33	—	—	·16	—	·11	·01	—	·07	—	—	—	16
17	·27	—	—	·14	1·20	—	·90	·05	—	—	—	·10	17
18	·40	—	—	—	—	·13	·06	—	·55	·35	—	·13	18
19	·09	—	·07	·08	—	·01	·12	—	—	·13	—	·05	19
20	·04	·12	—	·73	—	·02	·29	—	·36	·33	·01	·04	20
21	·10	—	—	·35	—	—	·01	—	·24	·11	—	—	21
22	·02	—	—	·04	·66	—	·25	—	·16	—	—	·19	22
23	·01	—	—	—	·21	—	·74	·10	·02	—	·01	·05	23
24	—	·29	—	—	—	·05	·47	—	·18	—	—	—	24
25	—	—	—	·33	—	—	·30	·18	—	·03	·07	—	25
26	—	—	—	—	—	—	·42	·04	—	·05	·11	·10	26
27	—	·01	—	·15	—	—	·02	·11	·05	—	·10	·04	27
28	—	—	·22	·08	—	—	—	·10	—	—	·26	·11	28
29	—	—	·02	·02	—	—	—	—	1·03	—	·03	—	29
30	—	×	·36	—	—	—	—	—	·04	·03	—	·12	30
31	—	×	·08	×	—	×	—	·06	×	·04	×	—	31
Total	3·05	·89	1·01	3·56	3·52	·82	6·28	1·23	4·47	1·84	2·26	2·15	YEAR'S TOTAL 31·08
Rain Days.	15	11	9	20	10	8	19	13	21	16	15	22	179

[illegible] 428

21 FEB 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hazelcroft, Bromley
in the County of Kent
by Rev. H. A. Soames

Lat. Long.
Time of Observation 9 a.m. real time
Nearest Railway Station Bromley South
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·08	—	—	·01	—	·08	—	—	·07	·13	·74	1
2	·18	—	—	—	·07	—	·11	·06	—	·04	·10	·19	2
3	·25	—	·47	—	—	—	·15	—	·03	—	·05	·38	3
4	·11	·05	·46	—	—	·07	·25	—	—	—	·03	·24	4
5	·04	·26	·67	—	—	—	—	—	—	—	·02	·28	5
6	·03	—	·04	—	—	—	—	—	—	—	—	·10	6
7	·03	—	·28	—	—	—	—	—	—	—	·08	—	7
8	·20	—	·05	·04	—	—	—	—	—	—	·07	—	8
9	·27	—	·02	·04	·08	—	—	—	—	—	·08	—	9
10	·15	—	·01	—	—	—	—	—	—	—	—	—	10
11	·05	—	·12	·25	—	—	·25	—	—	—	—	—	11
12	·03	—	·05	·05	—	—	·15	—	—	·04	—	—	12
13	·01	—	—	·30	—	—	—	—	·01	·04	—	·01	13
14	·23	—	—	·36	—	—	·05	—	·41	—	—	—	14
15	·19	·01	·04	·16	—	—	—	—	—	—	—	·16	15
16	·12	·53	—	—	—	—	—	—	—	—	·11	·04	16
17	—	·37	·05	—	—	—	—	—	—	—	·14	—	17
18	—	·49	·06	—	—	—	—	—	·05	—	·08	·04	18
19	—	·05	·41	·03	—	·19	·27	·36	·08	—	·08	—	19
20	·09	·07	·04	—	—	·75	·30	·13	—	—	—	·02	20
21	·20	·30	·02	—	—	—	·13	—	—	—	·03	—	21
22	—	·07	—	—	—	—	·18	—	·30	—	·02	·25	22
23	—	—	—	—	—	·03	—	—	·12	—	—	·05	23
24	—	—	—	·30	—	·01	·03	—	—	·14	·07	—	24
25	·03	—	—	—	—	—	—	·13	—	—	—	·03	25
26	·07	·34	·11	·10	—	—	·20	·22	·09	—	—	·20	26
27	·28	·11	·02	Snow 1·10	—	—	—	·31	—	—	—	·04	27
28	·04	—	·25	·07	—	—	·05	·74	—	—	·31	·25	28
29	·06		—	·05	—	—	—	·47	—	·35	·07	·06	29
30	—		—	·24	—	·11	—	·36	—	·04	·16	·43	30
31	·07		·04		—		·03	—		·02		·11	31
Total	2·95	2·73	3·21	3·09	·16	1·16	2·23	2·78	1·09	·79	1·63	3·62	Year's Total 25·44
Days with ·01 in. or more	24	13	20	14	3	6	15	9	8	8	18	20	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4" WMO

403

18 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hazelcroft, Bromley
in the County of Kent
by Rev. H. A. Soames

Lat. Long.
Time of Observation 9·0 a.m. real time
Nearest Railway Station Bromley South
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·18	·01	—	·24	—	—	·28	—	·26	1
2	—	—	·10	—	·01	—	—	·29	·05	·18	—	·04	2
3	—	·08	—	—	—	·03	—	—	·04	·03	—	·08	3
4	—	·09	—	·18	—	—	·28	·03	—	·03	—	·05	4
5	—	—	·09	—	·06	—	·55	·08	·05	—	—	—	5
6	—	—	·18	—	·14	—	·15	—	—	—	—	·05	6
7	—	—	—	·14	·05	—	·13	—	—	—	—	·02	7
8	—	—	—	·09	·09	—	·22	—	—	—	—	—	8
9	·24	·05	·01	—	—	—	·02	—	—	—	—	—	9
10	·39	·03	·08	·01	—	·08	·19	—	—	—	·04	—	10
11	·16	—	·05	·28	—	—	·26	—	—	—	—	·12	11
12	·07	—	—	·13	—	·44	—	—	—	—	—	—	12
13	·29	—	·10	·06	—	—	—	—	—	—	·01	—	13
14	—	—	·23	·24	—	·11	—	—	·09	·04	·16	—	14
15	—	—	·05	·24	—	—	—	—	1·13	·09	·04	·01	15
16	—	—	·01	·12	—	·02	—	—	·25	·01	—	—	16
17	·01	—	—	—	·10	·06	—	—	·40	—	—	·08	17
18	·02	—	—	·02	·02	—	—	1·09	·11	—	—	·07	18
19	·17	—	—	·30	—	·04	—	—	—	—	—	·09	19
20	·06	·24	—	·19	—	·48	—	—	·14	—	—	—	20
21	—	—	—	—	—	—	·69	—	·62	—	—	·05	21
22	—	—	—	·31	—	—	—	—	·31	—	—	·34	22
23	—	—	—	—	—	—	·35	·01	—	—	—	·26	23
24	—	—	·02	·01	—	—	—	—	—	—	·02	—	24
25	—	·04	—	·07	—	—	·14	—	·02	—	·01	—	25
26	·03	—	·17	·02	—	·01	·01	—	—	—	—	·02	26
27	·24	·05	—	·18	—	·12	·23	—	—	—	·29	·09	27
28	·44	—	·13	·16	·07	—	·08	—	—	·01	·01	·03	28
29	·55	—	·02	—	—	—	·02	—	—	—	·04	·14	29
30	·01	×	—	—	·01	·01	·09	—	·28	—	·21	·06	30
31	—	×	—	×	·03	×	—	—	×	·30	×	·08	31
TOTAL	2·73	·58	1·24	2·96	·62	1·40	3·68	1·50	3·52	·97	·82	1·94	YEAR'S TOTAL 21·96
Days with ·01 in. or more	15	7	14	20	11	11	17	5	13	9	10	20	152
Days with ·04 in. or more	11	6	10	16	6	7	14	3	12	5	6	16	112

REGIST

BROMLEY
KINGS AVE
KENT
1916 - 1920

FORM A.
BRITISH RAINFALL.

16. JAN 1917

Kept at 7 Kings Avenue

in the County of Ke

by A. Malden

ridge Park

ge 5 in.

bund 1 ft. 6 in.

a Level 180 ft.

IMPORTANT NOTE.— result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10				·40				·18	·15	·23		1
2	·26	·08	·08		·34		·01		·06	·28	·08		2
3		·75	·20						·13	·18	·52		3
4	·23	·14		·01		·21			·07	·01	·47		4
5					·11	·11	·01			·06	·57	·02	5
6		·05	·15	·39	·01	·27	·26				·46		6
7	·07		·60		·19	·15	·27			·01	·74	·04	7
8			·03		·19							·28	8
9					·13					·09		·16	9
10		·15	·12	·07		·62	·08					·09	10
11	·04	·20	·05	·17		·26							11
12	·02	·05		·05	·29	·12		·03		·08			12
13		·19	·29	·08	·08	·05	·06	·04		·03			13
14		·39			·09			·15				·07	14
15		·15	·25				·04	·23		·02		·04	15
16		·09	·15	·15			·14	·03					16
17	·07	·10		·02			·03	·55	·30	·49			17
18		·08	·02	·22				·24	·02	·19	·79	·03	18
19	·07	·05	·11	·11					·07		·58		19
20	·14		·27	·01				·11			·12	·55	20
21			·53				·02					·15	21
22		·02	·10							·01		·38	22
23		·40	·01							·03	·03	·10	23
24		·07			·06			·08		·11	·04	·34	24
25		·64	·11					·19		·10	·05		25
26		·19	·09			·10		·27		·09			26
27	·03		·83			·70		·41		·96			27
28		·40	·29			·12		·03	·07			·14	28
29		·06				·14		·78	·03	·22		·14	29
30		X			·66			·13		·25			30
31		X		X		X		·05	X	·07	X	·04	31
Total	1·03	4·25	4·28	1·28	2·55	2·85	·92	3·32	·93	3·43	4·68	2·57	YEAR'S TOTAL 32·09
Rain Days.	10	21	20	11	12	12	10	16	9	21	13	16	171

W. 8,000, VIII. 16

REGIST

FORM A.
BRITISH RAINFALL.
16. JAN. 1917

Kept at 7 Kings Avenue, Bromley
in the County of Kent
by A. Malden.

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Sundridge Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10				·40				·18	·15	·23		1
2	·26	·08	·08		·34		·01		·06	·28	·08		2
3		·75	·20						·13	·18	·52		3
4	·23	·14		·01		·21			·07	·01	·47		4
5					·11	·11	·01			·06	·57	·02	5
6		·05	·15	·39	·01	·27	·26				·46		6
7	·07		·60		·19	·15	·27			·01	·74	·04	7
8			·03		·19							·28	8
9					·13					·09		·16	9
10		·15	·12	·07		·62	·08					·09	10
11	·04	·20	·05	·17		·26							11
12	·02	·05		·05	·29	·12		·03		·08			12
13		·19	·29	·08	·08	·05	·06	·04		·03			13
14		·39			·09			·15				·07	14
15		·15	·25				·04	·23		·02		·04	15
16		·09	·15	·15			·14	·03					16
17	·07	·10		·02			·03	·55	·30	·49			17
18		·08	·02	·22				·24	·02	·19	·79	·03	18
19	·07	·05	·11	·11					·07		·58		19
20	·14		·27	·01				·11			·12	·55	20
21			·53				·02					·15	21
22		·02	·10							·01		·38	22
23		·40	·01							·03	·03	·10	23
24		·07			·06			·08		·11	·04	·34	24
25		·64	·11					·19		·10	·05		25
26		·19	·09			·10		·27		·09			26
27	·03		·83			·70		·41		·96			27
28		·40	·29			·12		·03	·07			·14	28
29		·06				·14		·78	·03	·22		·14	29
30					·66			·13		·25			30
31								·05		·07		·04	31
Total	1·03	4·25	4·28	1·28	2·55	2·85	·92	3·32	·93	3·43	4·68	2·57	YEAR'S TOTAL 32·09
Rain Days.	10	21	20	11	12	12	10	16	9	21	13	16	171

W. 8,000, VIII. 16

451

Exc Dh

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

12 FEB 1919

Kept at 7 Kings avenue, Bromley

in the County of Kent.

by A. Malden.

Lat. ……… Long. ………

Time of Observation 9. a.m

Nearest Railway Station Sundridge Park

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·15 S				1·74	·02		·04		1
2				·40				·11			·01		2
3	·02			·12			·01	·43		·12	·34		3
4		·15 S	·08 S				·16	·08		·43			4
5	·19		·01	·28				·02	·30	·15	·01		5
6			·03	·04		·03			·18	·02	·09		6
7	·12						·09			·20		·02	7
8	·10			·08			·15	·19	·05	·23	·15	·26	8
9	·02			·11			·63	·09			·04	·40	9
10	·17		·08	·14				·03				·07	10
11	·09	·03	·39	·10					·21	·18			11
12	·12	·01	·03	·06				·06		·47			12
13	·05		·12	·06				·01	·02	·07			13
14	·01			·18									14
15	·03		·02				·17	·33		·02		·02	15
16	·06	·20		·31	·33	·22	·15			·13		·44	16
17				·07	·59		·27		·30	·09			17
18	·03	·04		·13	·05		·31	·17	·14	·03			18
19		·12	·12		·12	·04			·14				19
20	·02	·16	·03		·55						·05		20
21		·01	·01	·01							·02		21
22			·03					·17		·09			22
23		·11			·16	·03		·06		·07		·02	23
24	·03	·01				·08	·02			·12	·03	·02	24
25			·03							·04	·06		25
26			·07					·46	·01		·52	·02	26
27			·02					·87					27
28		·01				1·85		·02					28
29		✗	·05		·37	·25	·34	·02		·28		·25	29
30		✗	·21				2·64	·06		·03		·05	30
31	·09	✗	·09 S	✗		✗	·42		✗		✗	·02	31
Total	1·15	·85	1·42	2·24	2·17	2·50	5·36	4·92	1·37	2·77	1·36	1·59	YEAR'S TOTAL 27·70
Rain Days.	16	11	18	16	7	7	13	19	10	19	12	12	160

W. 8,000, IX. 17.

146

REGISTER OF Ec DL RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9. 1. 9

Kept at 7 Kings avenue, Bromley
in the County of Kent
by A. Malden

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Sundridge Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				·02				·01			·18	·09	1
2		·08		·04				·33			·14	·13	2
3		·01	·11	·02	·39						·38	·04	3
4		·07	·12	·01				·04	·23		·60		4
5		·03	·01		·16			·09	·98 T.S.	·03			5
6	·22	·13		·25	·21			·06	·21	·01		·07	6
7	·05	·04		·20	·24				·06	·07	·03	·01	7
8		·04							·04		·12	·02	8
9	·02			·07		·04	·18		·32	·09		·13	9
10				·15		·01	·43		·02	·03	·03	·33	10
11	·01			·03	·03		·59		·01	·22	·11	·07	11
12		·03			·18		·63		·03			·06	12
13	·06	·01		·02	·09		·04		·07				13
14	·08	~~[illegible]~~	·01	·02		·44	·01		·08	·16		·16	14
15	1·34			·63		·26	1·28 T.S.					·06	15
16	·40			·30		·05			·04				16
17	·20			·15	·34	·11	·95	·03				·08	17
18	·39						·06		·48	·40		·14	18
19	·07		·05	·09		·01	·10			·12		·04	19
20	·02	·10		·65		·01	·27		·33	·24		·05	20
21	·08	·01		·34			·02		·24	·09			21
22	·02			·02	·87		·06		·12			·14	22
23	·02			·04	·23		·71	·07	·02			·04	23
24		·25			·01	·05	·27		·18		·04		24
25		·01		·16			·17	·16		·02	·12		25
26							·38	·08		·04		·08	26
27		·02		·15			·03	·13	·03		·08	·07	27
28			·15	·11				·16			·25	·11	28
29		✕	·01	·01					1·02		·03		29
30		✕	·46						·02	·02		·11	30
31		✕	·08	✕		✕		·11	✕	·03	✕	·05	31
Total	2·98	·83	1·00	3·48	2·75	·98	6·18	1·27	4·53	1·57	2·11	2·08	YEAR'S TOTAL 29·76
Rain Days.	15	14	9	23	11	9	18	12	21	15	13	23	183

W. 6,500, VII. 18. W W C

429

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at 7 Kings avenue, Bromley
in the County of Kent.
by Arthur Malden

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Sundridge Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·10			·01		·14			·10	·13	·54	1
2	·16				·05		·11	·01	·01	·04	·09	·41	2
3	·21		·50		·01		·06		·02		·06	·36	3
4	·10	·05	·32			·06	·28				·03	·25	4
5	·03	·25	·90				·01		·01		·02	·28	5
6	·02		·03							·01		·05	6
7	·04		·28								·04		7
8	·16		·04	·02							·06		8
9	·29		·02		·11						·04		9
10	·11		·01	·02						·01			10
11	·03		·08	·24			·23					·01	11
12			·02	·19		·01	·17			·03			12
13	·02			·19					·01	·04		·01	13
14	·18	·01		·40			·04		·38				14
15	·15	·02	·04	·22								·09	15
16	·11	·58		·01							·12	·08	16
17		·61	·06	·02							·14		17
18		·28	·06						·03		·06	·07	18
19		·04	·31			·10	·25	·35	·12		·09		19
20	·06	·06	·08			·88	·30	·12	·01		·02	·02	20
21	·21	·25				·01	·06				·02		21
22		·08	·03				·19		·24		·03	·19	22
23						·08	·01				·01	·09	23
24				·30		·01	·02	·03		·16	·05		24
25	·03	·01					·01	·14					25
26	·05	·32	·12	·13			·18	·13	·11			·20	26
27	·31	·09	·07	1·15			·02	·22				·03	27
28			·27	·04			·02	·79			·19	·25	28
29	·05			·04		·01		·55		·30	·13	·07	29
30			·02	·24		·06		·33		·04	·08	·38	30
31	·06		·02				·03					·04	31
TOTAL	2·57	2·75	3·28	3·21	·18	1·22	2·13	2·67	·94	·73	1·41	3·42	YEAR'S TOTAL 24·51
Days with ·01 in. or more	22	15	21	15	4	9	19	10	10	9	20	20	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** Exd 404

REGISTER OF RAINFALL IN 1920.

Kept at Bromley, Kings Avenue

in the County of

by Rev Bayard A. Malden

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17	Bromley (King's av.) IN. .. ·03 .. .. ·23 ·46 ·15 ·08 ·29 .. ·02 .. ·01 ·02 ·19 ·06 .. .. .. ·01 .. ·02 ·21 ·37 ·46 ·01 ·02	Bromley (King's a IN. .. .. .. ·15 .. .. .. ·05 ·02 .. .. ·26 .. .. ·04 .. ·06	Bromley (King's av.) IN. .. ·13 .. .. ·11 ·22 .. .. .. ·09 ·05 .. ·12 ·20 ·06 ·01 .. .. ·03 .. ·23 ·01 ·12 ·04	Bromley (King's av.) IN. ·17 .. ·02 ·14 .. .. ·17 ·07 ·06 ·01 ·38 ·11 ·07 ·12 ·31 ·08 ·01 ·05 ·25 ·14 .. ·28 .. ·01 ·02 ·05 ·15 ·23 ·01 ..	Bromley (King's av.) IN. OBSERVER MOVED. RECORD CEASED.								17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
TOTAL	2·64 ..	·58 3·22	1·42 4·64	2·91 7·55									YEAR'S TOTAL
Days with ·01 in. or more	18	6	14	24									
Days with ·04 in. or more	10	5	11	18									

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BROMLEY
KINNARD AVE
KENT
1911 - 1912

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

REGIS

Kept at Kinnaird Aven
in the County of Kent
by Char. Thos. DE

...mbrae
...d 2 ft. ... in.
...Level 300 ft.
...e Sundridge Park S.E.
...ance 1 Mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	5			73									1
2	12	2		25	12						16		2
3				Sw 8	8						4	5	3
4	6	1	9							9	10	10	4
5	2	1								17	2	21	5
6	18		20									19	6
7	1			2							24	14	7
8	8		6							17	30	27	8
9	19		4	3							1	4	9
10		8	27								2	45	10
11	24										59		11
12	1		43	4					2		5		12
13			6	12					22	9	9.	13	13
14		9		22								40	14
15		3	Sw 23							2	1	2	15
16						35					50	2	16
17						2				Fog, 1	34	14	17
18		8	3								55	16	18
19						12			23	7	17	7	19
20			1					22		11		62	20
21		5	1					43	15	57		11	21
22	2		17			1				4		40	22
23		9	4			30			27		1	7	23
24		11				2	2			1.10		13	24
25		2		2		13	4	1	2	2		1	25
26			8	17	6	17				11	Sn 2		26
27		26	12	8					11	1	″ 3	4	27
28		4		18				7			2		28
29				21		3	17		11	20			29
30						12		57	3	15			30
31					23					1			31
Total	·96	·89	1.59	2.15	·49	1.27	·23	1.30	1.16	2.94	3.27	3.97	TOTAL for year 20.22
No. of Rain Days.	11	~~14~~ 13	15	13	4	10	3	5	9	17	20	22	142

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Kinnaird Avenue Bromley

in the County of Kent 5

by Chas. Thos. Drew

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 300 ft.

Time of Observation 8.30

Nearest Railway Station
Name Sundridge Park S.E.
Distance 1 Mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	5			73									1
2	12	2		25	12						16		2
3				Snow 8	8						4	5	3
4	4	1	9							9	10	10	4
5	2	1								17	2	21	5
6	18		20									19	6
7	1			2							24	14	7
8	8		6							17	30	27	8
9	19		4	3							1	4	9
10		8	27								2	65	10
11	24										59		11
12	1		43	4					2		5		12
13			6	12					22	9	9.	13	13
14		9		22								40	14
15		3	Snow 23							2	1	2	15
16						35					50	2	16
17						2				Fog, 1	34	14	17
18		8	3								55	16	18
19						12			23	7	17	7	19
20			1					22		11		62	20
21		5	1					43	15	57		11	21
22	2		17			1				4		40	22
23		9	4			30			27		1	7	23
24		11				2	2			1.10		13	24
25		2		2		13	4	1	2	2		1	25
26			8	17	6	17				11	Snow 2		26
27		26	12	8					11	1	" 3	4	27
28		4		18				7			2		28
29				21		3	17		11	20			29
30						12		57	3	15			30
31					23					1			31
Total	·96	·89	1.59	2.15	·49	1.27	·23	1.30	1.16	2.94	3.27	3.97	TOTAL for year 10.22
No. of Rain Days.	11	~~14~~ 13	15	13	4	10	3	5	9	19	20	22	142

W. 8,000, X. '11.

Copy of original returned to Observer

17·III·13 H.

FORM A2. BRITISH RAINFALL.

19 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Bromley, Kinnaird Avenue

in the County of Kent 5

by Chas. Thomas Drew

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·08	-	-	·09	·18	-	·06	·50	-	·18	1
2	-	-	·24	-	-	·03	·28	·05	·04	·05	-	-	2
3	·05	·03	·08	-	-	·08	·02	·30	-	-	·01	·05	3
4	·19	·01	·49	-	·20	·18	-	·02	-	·01	·11	-	4
5	·10	·02	·05	-	-	-	-	·29	-	-	·07	·01	5
6	·45	·01	-	-	-	-	-	·19	-	-	-	·15	6
7	-	-	-	-	·06	·64	·09	·52	-	·01	-	·02	7
8	·22	·32	·19	-	-	·04	·02	·31	·03	·01	·01	-	8
9	-	·06	-	·03	-	·14	·04	·01	-	-	-	·09	9
10	-	·03	-	-	-	·01	-	·44	-	·01	·12	·24	10
11	·03	·30	-	-	-	·05	-	·04	·01	·01	·01	·17	11
12	·02	·08	·02	-	·15	·11	-	·02	·01	·01	·01	·04	12
13	·01	·02	·01	-	-	-	-	·10	-	-	·06	-	13
14	-	-	-	-	-	-	-	·02	-	·05	·01	·01	14
15	-	-	·14	-	·42	·60	-	~~·06?~~	-	-	·04	·37	15
16	·29	-	·01	-	·01	·04	-	·10	-	·02	·05	-	16
17	·50	-	·25	-	-	·02	-	·04	-	-	·02	·07	17
18	·04	-	·13	-	-	-	-	·08	-	·03	·05	·10	18
19	·13	·06	·14	-	-	-	·04	·20	-	-	-	-	19
20	-	·02	·38	-	-	-	-	·07	-	·39	-	·04	20
21	-	·01	·23	-	·15	-	-	·11	-	·09	·04	-	21
22	·15	·10	·04	-	·02	-	-	·10	-	·05	·01	-	22
23	·39	·33	·29	-	-	-	-	·35	-	·01	·18	·11	23
24	·22	·01	-	-	-	·14	·01	·21	-	-	-	·15	24
25	·12	-	-	-	-	·15	-	·93	-	-	·26	·50	25
26	-	·03	-	-	-	-	-	·42	-	·24	·33	·19	26
27	-	-	-	-	-	-	·03	-	-	·09	-	·11	27
28	-	·04	-	-	-	·04	·08	·03	·03	·28	·45	·11	28
29	-		-	-	-	·02	·32	·15	1·01	·08	·06	-	29
30	-		-	-	·25	·25	·02	·04	1·33	·13	-	-	30
31	·01		·05		-		·08	·09		·04		-	31
Total	2·92	1·48	2·82	·03	1·26	2·63	1·21	5·23	2·52	2·11	1·90	2·71	TOTAL for year 26·82
No. of Rain Days.	17	18	18	1	8	18	13	29	8	21	20	20	191

W. 8,000, X. '11.

BRO~~ML~~EY
LANSDOWNE RD
KENT
1911 - 1916

REGIS

FORM A.
BRITISH RAINFALL.

2 JAN 1912

Kept at 18 Lansdowne ' East
dridge Park

in the County of Kent
as

5 in.

by Charles Alfred
ound 1 ft. in.

Level 220 ft ft.

NOTE.—Rain should be measured da ructions for the measurement of rain and particulars as to the British I sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07							·02					1
2			·02	1·04									2
3												·21	3
4	·18								·02				4
5					·25						·37	·39	5
6		·02											6
7	·22		·28		·02						·39		7
8	·03										·30		8
9				·18									9
10	·27		·13							·54	·03	1·48	10
11		·10											11
12									·02		·85		12
13					·05				·28		·02	·14	13
14				·02	·29								14
15		·09									·03		15
16		·04	·78							·11			16
17						·39					1·30		17
18						·03							18
19		·10							·22		·34		19
20						·16		·27				1·28	20
21	·38		·07					·37	·12	·76			21
22		·09						·02				·82	22
23						·04			·28			·11	23
24						·80	·02			1·02			24
25		·23					·10	·02			·02		25
26		·02		·04		·17	·02					·38	26
27				·17	·08	·17			·13				27
28		·36	·43	·06				·07					28
29				·28			·20		·13				29
30				·15	·01	·22		·30	·02	·58	·10	·01	30
31	·04		·01		·28		—	·02		·02		—	31
Total	1·19	1·05	1·72	1·94	·98	1·98	·34	1·09	1·22	3·03	3·75	4·82	TOTAL for year 23·21
No. of Rain Days		1·05											

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAIN

FORM A.
BRITISH RAINFALL.

22 JAN 1912

Kept at 18 Lansdowne Road, Bromley

in the County of Kent

by Charles Alfred Case

5

Lat. 51·25 N Long. 0·1' East

Nearest Railway Station Sundridge Park

Time of Observation Various

Diameter of Rain Gauge — 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 220 ft ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07							·02					1
2			·02	1·04									2
3												·21	3
4	·18								·02				4
5					·25						·37	·39	5
6		·02											6
7	·22		·28		·02						·39		7
8	·03										·30		8
9				·18									9
10	·27		·13							·54	·03	1·48	10
11		·10											11
12									·02		·85		12
13					·05				·28		·02	·14	13
14				·02	·29								14
15		·09									·03		15
16		·04	·78							·11			16
17						·39					1·30		17
18						·03							18
19		·10							·22		·34		19
20						·16		·27				1·28	20
21	·38		·07					·37	·12	·76			21
22		·09						·02				·82	22
23						·04			·28			·11	23
24						·80	·02			1·02			24
25		·23					·10	·02			·02		25
26		·02		·04		·17	·02					·38	26
27				·17	·08	·17			·13				27
28		·36	·43	·06				·07					28
29				·28			·20		·13				29
30				·15	·01	·22		·30	·02	·58	·10	·01	30
31	·04		·01		·28		—	·02		·02		—	31
Total	1·19	1·05	1·72	1·94	·98	1·98	·34	1·09	1·22	3·03	3·75	4·82	TOTAL for year 23·21 23·21
No. of Rain Days		1·05											

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exc JC

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
17 JAN 1913

Kept at 18 Lansdowne Road
in the County of Kent 5 Bromley
by Charles Alfred Case

Lat. 51°23'15" Long. 1'5" East
Nearest Railway Station Sundridge Park
Time of Observation Various
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 220 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·11	·18		·08	·54		·20	1
2						·01	·28	·09	·01	·01			2
3						·09	·02	·31				·05	3
4			1·00		·19	·15		·04					4
5			·12			·01		·25			·20		5
6	·83							·15				·18	6
7					·06	·79	·08	·48					7
8	·25		·22			·06	·06	·27	·04				8
9	·02	·55				·14	·03						9
10							·01	·40	·05		·14		10
11	·03					·05		·03	·02				11
12	·03		·04		·14	·12		·03			·02	·53	12
13	·01	·41				·01		·13		·02	·03		13
14					·03			·04		·05	·05		14
15			·15		·39			·01			·04	·37	15
16		·03			·01	·60		·11		·02	·03		16
17								·03		·02	·04	·09	17
18	·98		·59			·06	·01	·20				·09	18
19		·08	·08				·04	·13			·04		19
20	·15							·06		·42			20
21			·71		·21			·09			·05		21
22					·02		·11	·09		·10	·01	·04	22
23		·52	·33		·01			·39		·05	·20	·10	23
24	·65					·11	·01	·23		·01	·01		24
25	·32					·18		·95				·84	25
26						·01		·47		·25	·65		26
27							·02	·02		·14		·13	27
28		·06					·07	·08	·05	·34		·11	28
29	·02	000				·03	·35	·14	1·00	·15	·45		29
30					·25	·13	·02	·06	1·29	·10	000		30
31	000		·06		·01		·06	·08		·03		000	31
Total	3·29	1·65	3·30	000	1·32	2·66	1·35	5·36	2·54	2·25	1·96	2·73	TOTAL for year 28·41
No. of Rain Days	No record				11	18	16	29	8	18	18 9	16	

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, IX. '10.

Price 2d.

FORM A.
BRITISH RAINFALL.

2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at 18 Lansdowne Road, Bromley

in the County of Kent 5

by Charles Alfred Case

Lat. 51° 23' 15" N Long. 1' 55" E

Time of Observation Various

Nearest Railway Station Sundridge Park

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·32	·02	·20		·02			·20	·03	·03	·10	1
2	·06	·08					·08		·01 ~~·10~~	·12	·03		2
3				·30	·19							·11	3
4	·17		·01	·03	·18		·10						4
5	·35		·01			·12	·09		·41	·19	·03	·19	5
6	·02	·02	·09		·02		·40		·02	·03	·26	·05	6
7		·10			·09		·05	·22		·37	·12		7
8		·02	·03			·04				·19			8
9		·11			·05				·13		·05	·03	9
10			·21	·50			·09	·02	·01		·47		10
11	·34				·03		·01	·03		·57	·15		11
12					·01								12
13	·10		·04					·02			·69		13
14	·10		·08	·08			·48		·02	·10			14
15	·40	·07	·35					·08	·02		·02		15
16	·19			·27					·42				16
17	·03	·06	·36				·11						17
18			·31	·08							·05		18
19	·41			·03		·03	·16		·07	·01			19
20			·61	·07		·08				·57	·02		20
21							·10			·26	·66		21
22	·34		·18	·03					·14				22
23	·02		·08			·03		·25	~~·25~~			·37	23
24	·01			·02				·12	~~·12~~		·04		24
25		·02		·13									25
26		·02	·18				·01	·27		·83		·24	26
27		·01		·15						·06			27
28	·25	000	·19							·19		·02 x	28
29	·05		·04	·30	·25			·07					29
30	·34					000		·25	000	·11	000		30
31	·02		·03	·11	000	~~000~~	000	·81		·03		000	31
Total	3·20	·83	2·82	2·30	·82	·32	1·68	2·14	1·45	3·60	2·62	1·11 ~~[illegible]~~	YEAR'S TOTAL 22·89
Rain Days.	19	11	21	20	9	8	13	11	11	16	16	9	165

W.7,000, XI. 13

x Snow 164

61 ML

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 13 15

Kept at 18 Lansdowne Road, Bromley

in the County of Kent 5

by Charles Alfred Case

Lat. 51°23'15" N Long. 1'55" E

Time of Observation Generally at 9 a.m.

Nearest Railway Station Sundridge Park

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·12			·04	·02	1
2							·09	·20			·02	·18	2
3			·10	·07	·10		·08	·06					3
4	·10		·03	·12							·29	·24	4
5			·04	·28	·14	·02	·29	·76			·02		5
6				·11		·24	·06	·02			·10	·11	6
7		1·00		·18	·48	·04	·49				·02	·07	7
8	·06		1·42	·07	·02	·19		·05	·01			·03	8
9	·21			·06		·03			·10				9
10	·04	·65	·04	·02	·04						·02		10
11			·26		·03	·05			·24		·23	2·95	11
12	·01	·06	·12				·05		·13				12
13		·23	·12						·14	·05	·09		13
14		·09	·14			·81	·30		·01	·34	·07		14
15	·04		·19				·11	·04			·99	·08	15
16			·02										16
17		·33	·07						·04				17
18			·13									·54	18
19		·02	·63				·06		·04	·01	·18		19
20		·15				·03		·02	·08			·06	20
21		·76	·07					·02					21
22		·03	·09	·01	·32	·03	·21			·12			22
23					·12	·15	·06			·02		·11	23
24			·10	·01		·01				·01	·10		24
25	·02		·29					·11		·20			25
26			·03				·02	·07		·06	·19	·57	26
27	·04		·01					·03			·04	·15	27
28	·02	·02								·03	·28	·69	28
29	·02	X	·03							·45	·25		29
30		X								·07	·27	·13	30
31	·01	X		X	·25	X	·02		X	·01	X		31
Total	·57	3·34	3·93	·93	1·50	1·60	1·84	1·50	·79	1·37	3·20	5·93	YEAR'S TOTAL 26·50
Rain Days.	12	15	26	10	9	11	14	12	9	12	18	(21)	(169)

W. 8,000. X. 14.

475

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at 18 Lansdowne Rd, Bromley,

in the County of Kent

by Charles Alfred Case

Lat. 51° 23′ 15″ Long. 0° 1′ 55″ East

Time of Observation 9 a.m.

Nearest Railway Station Sundridge Park

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 220 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10				·36	·01	—	—		·44	·36		1
2	·23	·10	Snow & Rain ·25		·34			—					2
3	—	·77			·01			—		·22	·55		3
4	·21	·08		·01		·16		—		·01	1·11		4
5		·01			·11	·08		—				·02	5
6		·05	Snow ·40	Snow rain ·40		·23	·61	—		·05	·50	·04	6
7	·06		Snow ·37		·17	·16		—	3·86	·01	·84		7
8					·14			—	·02	·02		·41	8
9					·14			—		·09			9
10		·32	Snow ·14	·12		·48				·01		·09	10
11	·05		·03	·10	·01	·30							11
12		·04		·08	·30	·15				·10			12
13		·19	·30	·08	·07	·02	·26				·01		13
14		·35	·27		·07								14
15		·24		·01						·02		·16	15
16	·02	·02	·15	·11						·50			16
17	·06	·12		·02			·03		·32				17
18		·05	·02	·16					·02		1·44	Snow ·03	18
19	·03	·06	·10	·17					·06			Snow ·01	19
20	·13		·28	·02					·01		·10	·66	20
21	·01		·60				·03						21
22		Snow ·02	Snow ·03							·20	·02	·47	22
23	·01	Snow ·41	Snow ·01			·04				·04	·03		23
24			·08		·06					·22	·06	Snow ·33	24
25		Snow ·57									·03		25
26		Snow ·31	Snow ·11			·11				1·05			26
27	·02	Snow ·02	Snow & Rain 1·08			·69							27
28		Snow & rain ·39				·13				·07			28
29		·08				·14			·11	·17		·27	29
30		X		—	1·12	·01			—	·24	—		30
31	—	X	—	X	—	X			X	·08	X	·04	31
Total	·93	4·14	4·22 4·32	1·28	2·90	2·71	·93		4·40	3·54	5·04	2·53	YEAR'S TOTAL 32·72
Rain Days.	12	22	20	12	13	15				22	15	14	

W. 8,000, VIII. 16

487

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. JAN 1916

Kept at 18 Lansdowne Road, Bromley

in the County of Kent 5

by Charles Alfred Case

Lat. 51° 23' 15" Long. 0° 1' 55" East

Time of Observation 9 a.m.

Nearest Railway Station Sundridge Park

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·10

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·11			·04				·08		·30	·38	1
2		·15	·17	·31				·73		rain			2
3	·46		·05		·04			·39				·84	3
4	·07							·02					4
5		·33			·02							·24	5
6	·46	·05		·40								·22	6
7	·20	·70	·02	·01			·61	·04					7
8	·12			·10				·29		measured on the 29th			8
9		·04		·12		·05		·03			·25	·72	9
10	·18					·02						·25	10
11	·06							·01			·94	·02	11
12	·04			·37				·42					12
13		·57		·01	1·73			·26					13
14							·20	·28	·03				14
15	·06				·04			·44		1·24	snow ·23	·58	15
16	·01	·69		·01			·45	·03					16
17					1·31		·04	·40					17
18	·01	·02	snow ·06							4 days rain	·08		18
19		·31			·01		·06						19
20	28			·03								·25	20
21	1·03						·52			rain		·11	21
22	snow	·16	·19	·06									22
23		snow ·46	·04	·03		·07	·41					·30	23
24			·08			·02	·28		·20	rain		·41	24
25				·28			·41		·01			·05	25
26		·03				·10			·02			·46	26
27						·15	·14					·01	27
28		·08				·03			1·94	rain			28
29			snow ·03			·07	·02	·16			·11		29
30		X									·31		30
31		X		X		X			X	1·01	X	·26	31
Total	3·48	3·70	·64	1·73	3·19	·51	3·14	3·50	2·28	2·25	2·22	5·10	YEAR'S TOTAL 31·74
Rain Days.	15	19	8	13	8	8	13	14	6	(5)	8	24	(141)

W. 8,000. X. 15.

Ent RR

Memorandum (Explanatory)
from Mr Case

20 JAN 1916

When the observations are not taken at 9 a.m. the fact is shown by brackets put against the days.

The observations are always taken at 9 a.m. ~~at~~ on the ~~last~~ first day of the month, so as to complete the record of the ~~last~~ preceding month.

Mr Case was away from home from the 1st to 29th Oct. & measured the rain on his return.

The number of days ~~on~~ which rain fell may be accepted as absolutely correct.

Chas Alfred Case

BROMLEY
LYNCROFT
KENT
1914-1916.

FORM A.
BRITISH RAINFALL.

27 JAN 1915

REGIS

Kept at Lyncroft, ... m.

in the County of Kent ... romley Sou...

by Rev. H. A. Soa...

...5 in.

Ground 1 ft. 0 in.

Sea Level 190 about ft.

IMPORTANT NOTE.- ... e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Not taken	—	—	—	—	—	·01	·14	—	—	·01	·01	1
2		—	—	—	—	—	·09	·30	—	—	·04	·22	2
3		—	·12	·08	·12	—	·10	·14	—	—	—	—	3
4		·01	·01	·16	—	—	—	—	—	—	·29	·30	4
5		—	·03	·26	·16	·03	·26	·91	—	—	·01	—	5
6		·10	—	·16	—	·23	·01	·02	—	—	·03	·17	6
7		·42	·20	·16	·28	·07	·03	—	—	—	—	·09	7
8		·38	·41	·04	·03	·16	·15	·07	·01	—	—	·04	8
9		—	·79	·07	—	·03	—	—	·10	—	—	1·44	9
10		·05	·05	·04	·05	—	—	—	·07	—	·01	·04	10
11		·51	·26	—	·07	·04	—	—	·17	—	·14	·35	11
12		·05	·11	—	—	—	·05	—	·14	—	·01	·52	12
13		·20	·15	—	—	—	—	—	·16	·05	·10	·68	13
14		·08	·18	—	—	·19	·37	—	—	·35	·06	·53	14
15		·01	·19	—	—	—	·12	·03	—	—	1·17	·04	15
16		—	·02	—	—	—	—	—	·03	—	—	—	16
17		·25	·12	—	—	—	—	—	·02	—	—	·09	17
18		·08	·13	—	—	—	—	—	—	—	—	·32	18
19		·03	·38	—	—	—	·07	—	·03	·01	·21	·22	19
20		·12	·38	—	—	·04	—	—	·07	—	—	·05	20
21		·81	·06	—	—	—	—	—	—	·01	—	·04	21
22		·01	—	·04	·37	·07	·19	·02	—	·12	—	—	22
23		—	·07	—	·11	·11	·06	—	—	·01	—	·06	23
24		—	·05	—	—	—	—	—	—	·01	·9	—	24
25		—	·26	—	—	—	·02	·08	—	·25	—	·03	25
26		—	·03	—	—	—	·02	·11	—	·04	·22	·59	26
27		—	—	—	—	—	—	·03	—	—	·04	·20	27
28		—	—	—	—	—	—	—	—	·03	·30	·67	28
29			·01	—	—	—	—	—	—	·48	·20	—	29
30			·01	—	—	—	—	—	—	·06	·43	·15	30
31			—		·27		·01	—		—		·04	31
Total		3·11	4·02	1·01	1·46	·97	1·56	1·85	~~·75~~ ·80	1·42	4·17	6·89	YEAR'S TOTAL
Rain Days.		16	24	9	9	10	16	11	10	12	18	25	

W. 8,000. X. 14.

REGIS

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at Lyncroft, Bromley
in the County of Kent 5
by Rev. H. A. Soames

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Bromley South
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 190 about ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Not taken	—	—	—	—	—	·01	·14	—	—	·01	·01	1
2		—	—	—	—	—	·09	·30	—	—	·04	·22	2
3		—	·12	·08	·12	—	·10	·14	—	—	—	—	3
4		·01	·01	·16	—	—	—	—	—	—	·29	·30	4
5		—	·03	·26	·16	·03	·26	·91	—	—	·01	—	5
6		·10	—	·16	—	·23	·01	·02	—	—	·03	·17	6
7		·42	·20	·16	·28	·07	·03	—	—	—	—	·09	7
8		·38	·41	·04	·03	·16	·15	·07	·01	—	—	·04	8
9		—	·79	·07	—	·03	—	—	·10	—	—	1·44	9
10		·05	·05	·04	·05	—	—	—	·07	—	·01	·04	10
11		·51	·26	—	·07	·04	—	—	·17	—	·14	·35	11
12		·05	·11	—	—	—	·05	—	·14	—	·01	·52	12
13		·20	·15	—	—	—	—	—	·16	·05	·10	·68	13
14		·08	·18	—	—	·19	·37	—	—	·35	·06	·53	14
15		·01	·19	—	—	—	·12	·03	—	—	1·17	·04	15
16		—	·02	—	—	—	—	—	·03	—	—	—	16
17		·25	·12	—	—	—	—	—	·02	—	—	·09	17
18		·08	·13	—	—	—	—	—	—	—	—	·32	18
19		·03	·38	—	—	—	·07	—	·03	·01	·21	·22	19
20		·12	·38	—	—	·04	—	—	·07	—	—	·05	20
21		·81	·06	—	—	—	—	—	—	·01	—	·04	21
22		·01	—	·04	·37	·07	·19	·02	—	·12	—	—	22
23		—	·07	—	·11	·11	·06	—	—	·01	—	·06	23
24		—	·05	—	—	—	—	—	—	·01	·9	—	24
25		—	·26	—	—	—	·02	·08	—	·25	—	·03	25
26		—	·03	—	—	—	·02	·11	—	·04	·22	·59	26
27		—	—	—	—	—	—	·03	—	—	·04	·20	27
28		—	—	—	—	—	—	—	—	·03	·30	·67	28
29			·01	—	—	—	—	—	—	·48	·20	—	29
30		×	·01	—	—	—	—	—	—	·06	·43	·15	30
31		×	—	×	·27	×	·01	—	×	—	×	·04	31
Total		3·11	4·02	1·07	1·46	·97	1·56	1·85	~~·75~~ ·80	1·42	4·17	6·89	YEAR'S TOTAL
Rain Days.		16	24	9	9	10	16	11	10	12	18	25	

W. 8,000. X. 14.

Exd. F.W.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

4-FEB 1916

Kept at Lyncroft, Bromley

in the County of Kent

by Rev. H.A. Soames

Lat. Long.

Time of Observation 9·0 a.m.

Nearest Railway Station Bromley Sou

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·57	·09	—	—	·04	—	—	—	·03	·02	·44	·35	1
2	·06	·19	·17	·12	—	—	—	·79	—	·06	—	·03	2
3	·37	—	·04	·19	·04	—	—	·59	—	—	—	·60	3
4	·06	—	—	—	—	—	—	—	—	—	—	·24	4
5	·05	·38	—	—	·02	—	—	—	—	·05	—	·26	5
6	·36	·03	—	·35	—	—	·43	—	—	—	—	·04	6
7	·27	·31	·02	—	—	—	·13	·05	—	—	—	·14	7
8	·10	·58	—	·12	—	—	·10	·20	—	—	—	—	8
9	·01	·04	—	·12	—	·05	—	·06	—	·05	·31	·60	9
10	·20	—	—	—	—	·02	—	—	—	—	—	·26	10
11	·06	—	—	—	—	—	—	—	—	—	·54	·02	11
12	·04	·04	—	·41	·38 ✓	—	—	·51	—	·04	·41	·01	12
13	·02	·60	—	—	1·19 ✓	—	—	·58	—	—	—	—	13
14	—	·03	—	—	—	—	·22	·11	·01	—	—	·29	14
15	·08	—	—	—	·04 ✓	—	—	·11	—	—	·22	·09	15
16	·01	·45	—	·01	·01 ✓	—	·50	—	—	—	—	—	16
17	—	·38	—	—	·93	—	·03	·29	—	—	—	·37	17
18	—	·09	·08	—	·41	—	—	—	—	—	·07	—	18
19	—	·24	—	—	·02	—	·07	—	—	·04	—	—	19
20	·26	—	—	·02	—	—	—	—	—	—	—	·23	20
21	~~·40~~ ·21	—	—	—	—	—	·01	—	—	·03	—	·06	21
22	·40	·15	·07	·05	—	—	·58	—	—	—	—	·08	22
23	—	·58	·04	—	—	·08	·27	—	—	·38	·02	·32	23
24	—	—	·04	—	—	·01	·05	—	·19	·28	—	·28	24
25	—	—	·05	·24	—	—	·20	—	—	—	—	·25	25
26	—	·03	—	—	—	·07	·02	—	—	—	—	·40	26
27	·02	·01	—	—	—	·18	·10	—	—	·20	—	·06	27
28	—	·06	—	—	—	·04	—	—	1·77	·13	—	—	28
29	—	X	·01	—	—	·02	—	·10	—	—	·12	—	29
30	·02	X	—	—	—	·01	—	—	·01	·02	·40	·01	30
31	·01	X	—	X	—	X	—	·02	X	·73	X	·34	31
Total	3·18	4·28	·52	1·63	3·08	·48	2·71	3·41	2·01	2·03	2·53	5·33	YEAR'S TOTAL 31·19
Rain Days.	21	19	9	10	10	9	14	12	5	13	9	24	155

W. 8,000. X. 15

FORM A.
BRITISH RAINFALL.
15. MAR 17

REGISTER OF RAINFALL IN 1916

Kept at Lyncroft, Bromley
in the County of Kent
by Rev. H. A. Soames

Lat. Long.
Time of Observation 9·0 a.m.
Nearest Railway Station Bromley South
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	—	—	—	·43	·01	—	—	·20	·15	·25	—	1
2	·21	·09	·09	—	·30	—	·02	—	·06	·31	·04	—	2
3	—	·70	·23	—	—	—	·02	—	·19	·22	·59	—	3
4	·22	·12	—	·02	—	·24	—	—	·04	·02	·49	—	4
5	—	—	—	—	·11	·20	·03	—	—	·04	·49	·01	5
6	—	·04	·20	·38	·02	·25	·26	—	—	·02	·52	—	6
7	·06	—	·67	—	·18	·17	·24	—	—	·02	·80	·04	7
8	—	—	—	—	·23	—	—	—	—	—	—	·28	8
9	—	—	—	—	·17	—	·01	—	—	·04	—	·18	9
10	—	·19	·13	·07	—	·52	·04	—	—	—	—	·09	10
11	·04	·17	·05	·13	—	·41	—	—	—	—	—	—	11
12	·02	·03	—	·06	·24	·18	—	·03	·01	·06	—	—	12
13	—	·21	·31	·09	·08	·02	·1×3	·01	—	·05	—	—	13
14	—	·37	·02	—	·09	—	—	·13	—	—	—	·04	14
15	—	·24	·24	—	—	—	·05	·29	—	·01	—	·08	15
16	—	·04	·15	·14	—	—	·15	·07		—	—	—	16
17	·08	·10	—	·03	—	—	·03	·47	·32	·46	—	—	17
18	·01	·10	—	·30	—	—	—	·28	·04	·24	·80	—	18
19	·05	·05	·12	·12	—	—	—	—	·06	—	·66	·03	19
20	·15	—	·23	·02	—	—	—	·01	—	—	·11	·36	20
21	—	—	·47	—	—	—	·02	—	—	—	—	·40	21
22	—	·02	·11	—	—	—	—	—	—	—	—	·40	22
23	—	·55	·02	—	—	·04	—	—	—	·07	·03	·08	23
24	—	·03	—	—	·05	·02	—	·03	—	·13	·04	·32	24
25	—	·63	·11	—	—	—	—	·21	—	·08	·04	—	25
26	—	·18	·07	—	—	·14	—	·04	—	·12	—	—	26
27	—	·01	·79	—	—	1·16	—	·33	·01	·79	—	—	27
28	—	·37	·24	—	—	·09	—	·04	·06	—	—	·13	28
29	·02	·08	·01	—	—	·15	—	·54	·04	·25	—	·15	29
30	—	✕	—	—	·65	—	—	·16	—	·29	—	—	30
31	—	✕	—	✕	—	✕	—	·03	✕	·09	✕	—	31
Total	·96	4·38	4·26	1·36	2·58	3·63	1·00	2·70	1·06	3·46	4·89	2·62	YEAR'S TOTAL 32·90
Rain Days.	11	22	20	11	12	15	12	16	11	21	13	15	179

W. 8,000, VIII. 16

~~BROMLEY~~
RAVENSFELL
KENT
1911 - 1915

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

RE

Kept at Ravensfell
in the County of Kent
by Hugh Lascelles

ins
Ground 1 ft. — in
Sea Level 200 ft.
m.
Name Bromley South.
Distance ¼ m Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	—	·86	—	—	·02	·03	—	—	·01	—	1
2	·18	—	—	·18	·15	—	—	·01	—	—	·15	·06	2
3	—	—	—	—	·13	—	—	—	—	—	·06	·15	3
4	·03	—	·08	·10	—	—	—	—	—	·12	·16	·40	4
5	·02	·02	—	·03	—	—	—	—	—	·26	·02	·01	5
6	·21	—	·21	·01	—	—	—	—	—	—	·03	·32	6
7	·04	—	—	·04	—	—	—	—	—	·21	·42	·09	7
8	·10	—	·10	—	—	—	—	—	—	—	·28	·31	8
9	·20	—	·03	·04	—	—	—	—	—	—	·01	·05	9
10	·01	·08	·04	·01	—	—	—	—	—	—	·04	·69	10
11	23	—	—	—	—	—	—	—	—	—	·63	·01	11
12	·01	—	·43	—	·06	—	—	—	·04	—	·28	—	12
13	—	—	·06	—	·16	—	—	—	·24	·07	—	·15	13
14	—	·11	—	—	·16	—	—	—	—	—	—	·47	14
15	—	·03	·28	—	—	—	—	—	—	·02	·02	·04	15
16	—	—	—	—	—	·42	—	—	—	—	·57	·03	16
17	—	—	—	—	—	·03	—	—	—	—	·37	·12	17
18	—	·09	·03	—	—	—	—	—	—	—	·62	·22	18
19	—	—	—	—	—	·17	—	—	·22	·06	·19	·11	19
20	·01	—	·02	—	—	—	—	·27	—	·14	—	·67	20
21		·07	—	—	—	—	—	·32	·06	·56	—	·13	21
22	·02	—	·18	—	—	·04	—	—	—	·06	—	·42	22
23	—	·10	·05	—	—	·78	—	—	·26	—	·02	·09	23
24	—	·10	—	—	—	—	·04	—	—	·96	—	·14	24
25	—	—	—	·03	—	·22	·10	—	—	·04	—	·02	25
26	—	·02	·13	·18	·05	·13	—	—	—	·11	·05	·20	26
27	—	·27	·10	·02	—	—	—	—	·12	·02	·02	·05	27
28	—	·09	—	·19	—	—	—	·10	—	—	·03	—	28
29	—		—	·20	—	·21	·18	—	·10	·18	—	—	29
30	—		—	·01	—	·03	—	·56	·03	·21	—	—	30
31	—		—		·44		—	—		·01		—	31
Total	1·12	·98	1·74	1·90	1·15	2·03	·34	1·29	1·07	3·03	3·98	4·95	TOTAL for year
No. of Rain Days.	13	11	14	14	7	9	4	6	8	16	21	25	23·58 on 148 days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 19

Kept at Ravensfell . Bromley.

in the County of Kent.

5

by Hugh Lascelles Richardson.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 ins
Height of top above Ground 1 ft. — ins.
" " " Sea Level 200 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Bromley South.
Distance ¼ m Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	—	·86	—	—	·02	·03	—	—	·01	—	1
2	·18	—	—	·18	·15	—	—	·01	—	—	·15	·06	2
3	—	—	—	—	·13	—	—	—	—	—	·06	·15	3
4	·03	—	·08	·10	—	—	—	—	—	·12	·16	·40	4
5	·02	·02	—	·03	—	—	—	—	—	·26	·02	·01	5
6	·21	—	·21	·01	—	—	—	—	—	—	·03	·32	6
7	·04	—	—	·04	—	—	—	—	—	·21	·42	·09	7
8	·10	—	·10	—	—	—	—	—	—	—	·28	·31	8
9	·20	—	·03	·04	—	—	—	—	—	—	·01	·05	9
10	·01	·08	·04	·01	—	—	—	—	—	—	·04	·69	10
11	·23	—	—	—	—	—	—	—	—	—	·63	·01	11
12	·01	—	·43	—	·06	—	—	—	·04	—	·28	—	12
13	—	—	·06	—	·16	—	—	—	·24	·07	—	·15	13
14	—	·11	—	—	·16	—	—	—	—	—	—	·47	14
15	—	·03	·28	—	—	—	—	—	—	·02	·02	·04	15
16	—	—	—	—	—	·42	—	—	—	—	·57	·03	16
17	—	—	—	—	—	·03	—	—	—	—	·37	·12	17
18	—	·09	·03	—	—	—	—	—	—	—	·62	·22	18
19	—	—	—	—	—	·17	—	—	·22	·06	·19	·11	19
20	·01	—	·02	—	—	—	—	·27	—	·14	—	·67	20
21		·07	—	—	—	—	—	·32	·06	·56	—	·13	21
22	·02	—	·18	—	—	·04	—	—	—	·06	—	·42	22
23	—	·10	·05	—	—	·78	—	—	·26	—	·02	·09	23
24	—	·10	—	—	—	—	·04	—	—	·96	—	·14	24
25	—	—	—	·03	—	·22	·10	—	—	·04	—	·02	25
26	—	·02	·13	·18	·05	·13	—	—	—	·11	·05	·20	26
27	—	·27	·10	·02	—	—	—	—	·12	·02	·02	·05	27
28	—	·09	—	·19	—	—	—	·10	—	—	·03	—	28
29	—		—	·20	—	·21	·18	—	·10	·18	—	—	29
30	—		—	·01	—	·03	—	·56	·03	·21	—	—	30
31	—		—		·44		—	—		·01		—	31
Total	1·12	·98	1·74	1·90	1·15	2·03	·34	1·29	1·07	3·03	3·98	4·95	TOTAL for year
No. of Rain Days.	13	11	14	14	7	9	4	6	8	16	21	25	23·58 on 148 days

W. 8,000, X. '11.

Ex DL

FORM A2.
BRITISH RAINFALL.

- 1 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Ravensfell. Bromley.

in the County of Kent. 5

by Hugh Lascelles Richardson.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5. in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 200 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Bromley South
Distance ¼ mile Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·08	—	—	·10	·19	—	·08	·53	—	·19	1
2	—	—	·30	—	—	—	·28	·02	—	·03	—	—	2
3	·06	·07	·05	—	—	·09	·01	·30	—	—	·01	·05	3
4	·19	—	·51	—	·18	·16	—	—	—	—	·12	—	4
5	·13	·03	·09	—	—	—	—	·30	—	—	·09	—	5
6	·45	·03	—	—	·01	—	—	·07	—	—	·01	·17	6
7	—	·02	·01	—	·05	·71	·07	·27	—	—	—	·01	7
8	·24	·33	·21	—	—	·02	·01	·33	—	—	—	—	8
9	—	·08	—	·02	—	·18	·03	—	—	—	—	·07	9
10	—	·04	—	—	—	—	—	·35	—	—	·14	·24	10
11	·03	·29	—	—	—	·04	—	·07	·03	—	·01	·20	11
12	·02	·09	·04	—	·15	·10	—	—	—	—	·01	·02	12
13	·01	·02	—	—	—	—	—	·04	—	—	·09	—	13
14	—	—	—	—	·02	—	—	·03	—	·09	·01	—	14
15	—	·01	·14	—	·42	·62	—	—	—	—	·04	·35	15
16	·34	—	·02	—	·01	·05	—	·10	—	·02	·08	—	16
17	·34	—	·25	—	—	·02	—	·02	—	—	·02	·10	17
18	·18	—	·18	—	—	—	—	·13	—	·04	·02	·10	18
19	·14	·09	·11	—	—	·01	·10	·20	—	—	—	—	19
20	·01	—	·44	—	—	—	—	·05	—	·36	—	—	20
21	—	·01	·22	—	·17	—	—	·07	—	·07	·04	—	21
22	·14	·10	·04	—	·01	—	·12	·11	—	·03	—	·03	22
23	·45	·33	·27	—	·01	—	—	·35	—	·06	·20	·09	23
24	·20	·02	—	—	—	·08	·01	·18	—	—	—	·13	24
25	·16	—	—	—	—	·15	—	·92	—	—	·30	·42	25
26	·01	·04	—	—	—	—	—	·44	—	·24	·38	·27	26
27	—	—	—	—	—	—	·02	—	—	·10	—	·14	27
28	—	·05	—	—	—	—	·12	—	·04	·40	·43	·14	28
29	—	·03	—	—	—	·04	·29	·19	1·10	·11	·06	—	29
30	·01	—	—	—	·26	·18	·08	·15	1·41	·17	—	—	30
31	—	—	·07	—	—	—	·01	·09	—	·05	—	—	31
Total	3·11	1·68	3·03	·02	1·29	2·55	1·34	4·78	2·66	2·30	2·06	2·72	TOTAL for year 27·54
No. of Rain Days.	19	19	18	1	11	16	14	24	5	15	19	18	179

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 - JAN 1914

Kept at Ravensfell Bromley.
in the County of Kent. (No. 1 Gauge) 5
by Hugh Lascelles Richardson.

Lat. 51. 24. N. Long. 0. 0.
Time of Observation 9 'O A.M.
Nearest Railway Station Bromley South.
Diameter of Rain Gauge Five ins
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 200. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·24	·02	·17					·22	·01	·01	·09	1
2	·07	·15					·10			·12	·04		2
3				·34	·19							·10	3
4	·19			·05	·18		·09			·09	·01	·06	4
5	·32					·06	·07		·44	·02	·03	·18	5
6	·04		·09		·01	·07	·33		·01	·15	·18	·07	6
7		·10			·01		·06	·27		·29	·12	·01	7
8		·01	·02		·10	·04				·06			8
9		·11			·05	·01			·13		·02	·02	9
10			·20	·14			·01	·01			·45		10
11	·35			·38	·02					·67	·15		11
12											·32		12
13	·08	·01	·04					·02			·26		13
14	·09		·07	·07			·25	·09	·01	·11	·06		14
15	·40	·07	·25	·19			·28		·03				15
16	·17		·30	·07					·42				16
17	·03	·07	·08	·02			·12						17
18			·07	·09							·06		18
19	·28		·20			·08	·14		·07				19
20	·17		·46	·04		·07				·55			20
21	·01		·15	·05						·25	·69		21
22	·28		·16	·03			·07	·02	·13				22
23			·05			·02		·21	·01		·01	·37	23
24	·02		·01	·01		·02		·17			·02		24
25		·01		·19									25
26		·01	·17	·02			·01	·25		·82		·18	26
27	·01		·09	·08	·01					·07			27
28	·24		·14	·04						·19		·01	28
29	·05		·04	·33	·27			·08		·05			29
30	·28		·05	·13				·23		·09			30
31								·73		·03			31
Total	3·09	·78	2·66	2·44	·84	·37	1·53	2·08	1·47	3·57	2·43	1·09	YEAR'S TOTAL 22·35
Rain Days.	20	10	21	20	9	8	12	11	10	17	16	10	164.

W.7,000, XI. 13

cod for arith 23.1.14

No. 2. Gauge.

FORM A. BRITISH RAINFALL.

8 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Ravensfell Bromley
in the County of Kent. [No 2 GAUGE]
by Hugh Lascelles Richardson.

Lat. 51 . 24 N Long. 0 . 0.
Time of Observation 9 . 0. AM.
Nearest Railway Station Bromley South
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 143 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·24	·02	·17					·22	·01	·02	·10	1
2	·07	·15					·10			·12	·04		2
3				·34	·19							·10	3
4	·19			·05	·18		·09			·09	·01	·06	4
5	·32					·06	·08		·44	·02	·03	·19	5
6	·04	~~·50~~	·09		·01	·07	·26		·01	·16	·18	·06	6
7		·10			·01		·06	·28		·31	·12	·01	7
8		·01	·02		·10	·04				·06			8
9		·10			·05	·01			·13		·02	·02	9
10			·20	·14			·01	·01			·45		10
11	·35			·39	·02					·66	·15		11
12											·32		12
13	·08	·01	·04					·02			·27		13
14	·09		·07	·07			·25	·09	·01	·11	·06		14
15	·40	·07	·25	·19			·28		·03				15
16	·17		·30	·07					·43				16
17	·03	·07	·08	·02			·12						17
18			·07	·09							·06		18
19	·28		·20			·10	·14		·07				19
20	·17		·46	·04		·07				·59			20
21	·01		·15	·05						·25	·70		21
22	·28		·16	·03			·07	·02	·13				22
23			·05			·02		·21	·01		·01	·38	23
24	·02		·01	·01		·02		·17			·02		24
25		·01		·19									25
26		·01	·17	·02			·01	·25		·82		·18	26
27	·01		·09	·08	·01					·07			27
28	·24		·14	·04						·20			28
29	·05		·04	·33	·27			·08		·05		·01	29
30	·29			·13				·23		·09			30
31			·05					·74		·04			31
Total	3·10	·77	2·66	2·45	·84	·39	1·47	2·10	1·48	3·65	2·46	~~1·09~~ 1·11	YEAR'S TOTAL ~~22·48~~ 22·48
Rain Days.	20	10	21	20	9	8	12	11	10	17	16	10	164

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Ravensfell Bromley Ex. W.Q.
in the County of Kent 5
by Captn Hugh Lascelles Richardson
pr W. Dudley Richardson

Lat. 51.24N Long. 0.0
Time of Observation 9. A.M.
Nearest Railway Station Bromley South
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·01	·14	–	–	·04	·01	1
2	·01	–	–	–	–	–	·10	·20	–	–	–	·21	2
3	–	–	·12	·06	·11	–	·10	·07	–	–	–	–	3
4	·07	–	·01	·16	–	–	–	·01	–	–	·28	·24	4
5	·04	–	·03	·27	·14	·04	·29	·89	–	–	–	–	5
6	–	·09	·03	·14	–	·27	–	·01	–	–	·09	·13	6
7	–	·38	·19	·18	·23	·05	·12	–	–	–	–	·07	7
8	·08	·33	·44	·06	·02	·20	·19	·06	–	–	–	·03	8
9	·21	–	·79	·05	–	·02	–	–	–	–	–	1.48	9
10	·02	·12	·07	·05	·05	–	–	–	·99	–	–	·01	10
11	–	·43	·25	–	·05	·05	–	–	·22	–	·08	·40	11
12	·02	·05	·13	–	–	–	·07	–	·04	–	·07	·57	12
13	–	·18	·12	–	–	–	–	–	·15	–	·03	·59	13
14	–	·06	·13	–	–	·40	·34	–	·15	·40	·06	·50	14
15	·04	–	·18	–	–	–	·12	·05	–	·005	1.07	·04	15
16	–	–	·03	–	–	–	–	–	–	–	–	–	16
17	–	·26	·10	–	–	–	–	–	·04	–	–	·08	17
18	–	·06	·12	–	–	–	–	–	–	–	·02	·27	18
19	–	·04	·38	–	–	–	·07	–	–	–	·17	·21	19
20	–	·12	·32	–	–	·05	–	–	–	·01	–	·05	20
21	–	·80	·07	–	–	–	–	·001	·09	·08	–	·04	21
22	–	·01	·01	·02	·27	·09	·20	·01	–	·04	–	–	22
23	–	–	·06	–	·14	·18	·05	–	–	·02	–	·06	23
24	–	–	·08	–	–	–	–	–	–	–	·09	–	24
25	·02	–	·26	–	–	–	·02	·09	–	·21	·005	·11	25
26	·01	–	·03	–	–	–	·02	·08	–	·05	·18	·48	26
27	·02	–	·01	–	–	–	–	·03	–	–	·04	·15	27
28	·01	–	–	–	–	–	–	–	–	·02	·28	·61	28
29	·03		·02	–	–	–	–	–	–	·47	·14	–	29
30	–	X	·03	–	–	–	–	–	–	·06	·39	·15	30
31	–	X	–	X	·27	X	·01	–	X	–	X	·01	31
Total	·58	2.93	4.01	·99	1.28	1.35	1.71	1.641	1.68	1.365	3.035	6.50	YEAR'S TOTAL 27.071
Rain Days.	13	14	27	9	9	10	15	~~13~~ 12	7	11	~~17~~ 16	25	1~~70~~ 168

W. 8,000. X. 14.

485

FORM A. BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ravensfell Bromley

in the County of Kent 5

by Wm. Ridley Richardson

Lat. 51.24N Long. 0.0

Time of Observation 9. a.m

Nearest Railway Station Bromley South

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. —— in.

" " " " Sea Level 200. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.51	.09	–	–	.04	–	–	–	.05	.04	.27	.25	1
2	.07	.17	.07	.20	–	–	–	.76	–	.04	–	.26	2
3	.35	–	.04	.08	.03	–	–	.61	.01	–	–	.36	3
4	.06	–	–	–	–	–	–	–	–	–	–	.19	4
5	.04	.35	–	–	.02	–	–	–	–	.05	–	.24	5
6	.43	.02	–	.28	–	–	.40	–	–	–	–	.07	6
7	.17	.28	.02	–	–	–	.11	.04	–	–	–	.16	7
8	.12	.49	–	.13	–	–	.07	.26	–	–	–	–	8
9	–	.02	–	.11	–	.06	–	.02	–	.05	.28	.62	9
10	.18	–	–	–	–	.01	–	–	–	–	–	.23	10
11	.08	–	–	–	–	–	–	–	–	–	.69	–	11
12	.04	.16	–	.41	.46	–	–	.47	–	.03	.29	–	12
13	–	.40	–	–	1.15	–	–	.49	–	–	–	–	13
14	–	.03	–	–	–	–	.17	.11	.01	–	–	.28	14
15	.07	–	–	–	.04	–	–	.21	–	–	.17	.07	15
16	.01	.43	–	.01	.02	–	.45	–	–	–	–	.32	16
17	–	.25	–	–	1.00	–	.02	.50	–	–	–	–	17
18	–	.06	.08	–	.23	–	–	–	–	–	.10	–	18
19	–	.24	–	–	.01	–	At Hospital Boulogne. 1.36	–	–	.03	–	–	19
20	.26	–	–	.01	–	–		–	–	–	–	.23	20
21	.26	–	–	–	–	–		–	–	.04	–	.07	21
22	.69	.16	.08	.04	–	–		–	–	–	–	.06	22
23	–	.40	.04	.01	–	.08		–	–	.41	–	.35	23
24	–	–	.07	.05	–	.01		–	.18	.18	–	.42	24
25	–	–	.02	.21	–	–		–	[illegible]	–	–	.06	25
26	.02	.02	–	–	–	.09		–	–	–	–	.44	26
27	–	–	–	–	–	–	.01	–	–	.24	–	–	27
28	–	.07	–	–	–	.05	–	–	1.79	.10	–	–	28
29	–	X	–	–	–	.01	–	.10	–	–	.13	–	29
30	.01	X	–	–	–	.01	–		–	.05	.46	–	30
31	–	X	–	X	–	X	–		X	.86	X	.33	31
Total	3.37	3.64	.42	1.54	3.00	.32	2.59	3.57	2.04	2.12	2.39	5.01	YEAR'S TOTAL 30.01
Rain Days.	18	18	8	12	10	8	Say (12)	11	5	13	8	20	(143)

BROMLEY
THE PALACE
KENT
1911 - 1920

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

REC

Kept at Bromley
in the County of Ke
by F. C. Bayard

5 in.
Ground 1 ft. 0 in.
ea Level 187 ft.
ame
istance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·60	·04								1
2	·11			·55	·10						·16	·03	2
3					·14					·03		·12	3
4	·04	·06	·04	·12						·05	·23	·27	4
5				·06						·05			5
6	·26		·21									·40	6
7				·01						·21	·50	·15	7
8	·10		·04									·32	8
9	·22		·03	·04								·12	9
10		·10										·51	10
11	·25										·66		11
12			·51		·07						·11		12
13			·10		·17				·26	·05		·16	13
14		·10			·15							·46	14
15			·28							·02		·05	15
16						·42						·02	16
17											·40	·18	17
18		·14				·02					·67	·22	18
19						·16			·21	·06	·20	·10	19
20			·04					·26		·05		·68	20
21		·15						·36	·02	·52		·12	21
22			·20							·08		·40	22
23		·05	·06			·81			·31		·03	·07	23
24		·30								1·08		·14	24
25				·02		·23	·16						25
26			·22	·04	·02	·15				·15	·02	·20	26
27		·30	·09						·14			·05	27
28		·10		·22									28
29				·18		·23	·18		·12	·20			29
30								·63		·25	·07		30
31					·39								31
Total	·98	1·30	1·82	1·84	1·08	2·02	·34	1·25	1·06	2·80	3·05	4·77	TOTAL for year 22·31
No. of Rain Days	6	9	12	10	8	7	2	3	6	14	11	22	110

9,000, IX. '10.

REC

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Bromley, The Palace

in the County of Kent 5

by F. C. Bayard, Coles Child

Rain Gauge	Pattern
	Diameter of top 5 in.
	Height of top above Ground 1 ft. 0 in.
	" " " Sea Level 187 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·60	·04								1
2	·11			·55	·10						·16	·03	2
3					·14					·03		·12	3
4	·04	·06	·04	·12						·05	·23	·27	4
5				·06						·05			5
6	·26		·21									·40	6
7				·01						·21	·50	·15	7
8	·10		·04									·32	8
9	·22		·03	·04								·12	9
10		·10										·51	10
11	·25										·66		11
12			·51		·07						·11		12
13			·10		·17				·26	·05		·16	13
14		·10			·15							·46	14
15			·28							·02		·05	15
16						·42						·02	16
17											·40	·18	17
18		·14				·02					·67	·22	18
19						·16			·21	·06	·20	·10	19
20			·04					·26		·05		·68	20
21		·15						·36	·02	·52		·12	21
22			·20							·08		·40	22
23		·05	·06			·81			·31		·03	·07	23
24		·30								1·08		·14	24
25				·02		·23	·16						25
26			·22	·04	·02	·15				·15	·02	·20	26
27		·30	·09						·14			·05	27
28		·10		·22									28
29				·18		·23	·18		·12	·20			29
30								·63		·25	·07		30
31					·39								31
Total	·98	1·30	1·82	1·84	1·08	2·02	·34	1·25	1·06	2·80	3·05	4·77	TOTAL for year 22·31
No. of Rain Days	6	9	12	10	8	7	2	3	6	14	11	22	110

9,000, IX. '10.

P. made

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

12 FEB 1913

Kept at Bromley, The Palace
in the County of Kent 5
by F. C. Bayard Coles Child

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·08			·11	·19		·08	·53		·20	1
2		·02	·30				·28	·03	·01	·03			2
3	·06	·10	·09			·09	·01	·31			·05	·06	3
4	·21	·02	·52		17	·17		·03			·12		4
5	·14	·02	·08					·29			·09		5
6	·50	·06			·02			·07				·17	6
7			·02		·07	·73	·06	·30					7
8	·25	·35	·20			·02	·01	·35				·02	8
9		·08		·02		·17	·03					·08	9
10		·04						·34	·02		·14	·25	10
11	·04	·29				·03		·07	·04			·22	11
12	·02	·09	·04		·16	·11		·02			·02	·02	12
13		·03						·04			·09		13
14			·02		·02			·05		·10			14
15			·12		·41	·63		·02				·39	15
16	·34		·04		·01	·05		·10		·03	·14		16
17	·44		·23			·03		·03				·10	17
18	·08		·15					·21		·04	·04	·11	18
19	·15	·03	·13				·05	·14					19
20		·06	·44					·05		·37	·02		20
21		·03	·25		·20			·08		·07	·05		21
22	·15	·11	·04		·03		·11	·12		·02		·04	22
23	·45	·35	·28					·36		·06	·20	·10	23
24	·20	·02				·07	·02	·19				·14	24
25	·13					·15		·93			·30	·50	25
26		·04						·48		·24	·42	·25	26
27							·01			·11		·14	27
28		·06					·11	·03	·03	·42	·44	·16	28
29		·02					·26	·17	1·10	·13	·07		29
30					·25	·28		·14	1·43	·17			30
31			·06				·08	·09					31
Total	3·16	1·82	3·09	·02	1·34	2·64	1·22	5·04	2·71	2·32	2·19	2·95	YEAR'S TOTAL 28·50
Rain Days.	15	20	19	1	10	14	13	28	7	14	15	18	174

W. 7,500, XI. 12

Pomade ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Bromley The Palace St Bl

in the County of Kent 5

by F C Bayard Coleschild

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.25	.02	.20					·20		.02	.09	1
2	.06	.15					.08			.13	.05		2
3			.02	.34	.12						.02	.13	3
4	·20			.05	.13		.08			.08		·07	4
5	·30					.05	·08		.42	·03	.03	.19	5
6	.07		.11			.06	.30		.02	.16	.20	.07	6
7		.11					.06	.25		·23	.08		7
8		.03	.04		.13	.03				.08	·04		8
9		.11							.11		.04		9
10			.21	.14							·46		10
11	.32			.38						.63	.20		11
12											·32		12
13	·08		.05					.03			.26		13
14	·15		·10	.07			.24	.10		.10	.06		14
15	·45	.06	.25	·16			.28		.03		.03		15
16	.16		·31	.12					.42				16
17	·04	.08	.08	.02			.13						17
18			·07	.16							.06		18
19	.23		.23	.02		.10	·14		.07				19
20	·24		·49	.04		.06				.56			20
21	.02		·16	.05			.07			.27	.73		21
22	.30		·18	.03					.13				22
23			.06					·24	.01			.39	23
24	·03					.04		.19					24
25				.20									25
26		.03	·18	·04			.02	.25		.87		.20	26
27			·04	.07						·07			27
28	·24		·19	·05						.20			28
29	.05			.31	.27			.07		.05			29
30	.30			.13				.23		.07			30
31			·03					·70		.03			31
Total	3·24	.82	2·82	2.58	.65	34	1·48	2·06	1·41	3·56	2.60	1·14	YEAR'S TOTAL 22·70
Rain Days.	18	8	20	20	4	6	11	9	9	16	16	7	144

W.7,000, XI. 13

From Croydon Tables

Ex 122

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
3 - MAR 1915

Kept at Bromley The Palace

in the County of Kent 5

by F. C. Bayard Coles Child

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.15				.02	1
2							.10	.27			.05	.18	2
3			.14		.13		.10	.12					3
4			.03	.07							.38	.27	4
5	.03		.05	.15	.16		.28	.92					5
6		.11		.17		.30					.07	.15	6
7		.40	.22	.12	.23	.05	.08					.09	7
8	.17	.38	.45	.07		.20	.25	.08				.05	8
9	.22		.83	.05		.04			.07			1.50	9
10	.02	.05	.07	.07	.07				.17		.03	.03	10
11		.55	.28		.05	.05					.24	.43	11
12		.05	.13				.05		.23		.03	.55	12
13	.02	.18	.14						.13	.03		.65	13
14		.08	.11			.33	.35			.32	.15	.55	14
15	.04		.13				.13	.03			1.10	.05	15
16	.03		.04										16
17	.02	.30	10	.02					.05			.10	17
18		.04	.12									.30	18
19		.03	.37				.06				.20	.24	19
20		.12	.37						.08			.05	20
21		.79	.10							.02		.05	21
22		.02			.27	.06	.20			.15			22
23			.05		.15	.21	.05					.07	23
24			.08								.10		24
25			.26					.09		.25			25
26			.04				.04	.10		.05	.17	.60	26
27											.20	.16	27
28											.04	.70	28
29	.05		.03							.51	.32		29
30		✕	.03							.07	.45	.14	30
31		✕		✕	.25	✕			✕		✕		31
Total	.60	3.10	4.17	.72	1.31	1.24	1.69	1.76	.73	1.40	3.53	6.93	YEAR'S TOTAL 27.18
Rain Days.	9	14	24	8	8	8	12	8	6	8	15	23	143

W. 8,000. X. 14.

484

FORM A.
BRITISH RAINFALL.

14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Bromley The Palace

in the County of Kent

by Coles Child per Croydon Nat Hi Soc

Lat. Long. —

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.55	.09			.04				.06	.03	.46	.42	1
2		.18	.20	.20				.80		.06		.03	2
3	.42		.05	.13	.03			.62				.62	3
4	.07											.25	4
5	.05	.30			.03					.05		.25	5
6	.36	.03		.32			.40					.07	6
7	.28	.29					.15	.04				.02	7
8	.10	.52		.13	.03		.07	.22					8
9	.03	.03		.12		.03		.05		.06	.35	.80	9
10	.20											.25	10
11	.09		.04								.57	.03	11
12	.05	.04		.40	.45			.45		.05	.40		12
13		.55			1.18			.50			.02		13
14		.05					.17	.10				.28	14
15	.10				.03			.20			.26	.07	15
16	.01	.37		.02			.50	.44				.39	16
17		.37			.98		.04					.02	17
18		.07	.08		.30						.05		18
19		.25					.05			.03			19
20	.23											.23	20
21	.20									.03		.08	21
22	.98	.17	.09	.07			.55					.08	22
23		.42	.05			.08	.33			.41	.03	.37	23
24			.04				.13		.17	.17		.30	24
25			.05	.26			.31					.24	25
26		.02				.08	.04					.40	26
27						.15	.07			.20		.07	27
28						.39			1.85	.14			28
29						.04		.10			.13	.02	29
30	.05	╳								.05	.40	.02	30
31		╳		╳		╳			╳	.72	╳	.35	31
Total	3.77	3.75	.60	1.65	3.07	.77	2.81	3.52	2.08	2.00	2.67	5.66	YEAR'S TOTAL 32.35
Rain Days.	17	17	8	9	9	6	13	11	3	13	10	25	141

W. 8,000. X. 15.

5 made

472

FORM A.
BRITISH RAINFALL.
13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Bromley, The Palace
in the County of Kent
by F. C. Bayard. Coles Child

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11		·04		·41				·17	·16	·26		1
2	·25	·09	·10		·31		·03		·06	·32	·10	·18	2
3		·80	·21				·02		·19	·21	·60		3
4	·27	·11		·02		·23			·07	·02	·53		4
5	·01				·11	13	·02			·05	·55		5
6	·	·07	·21	·42	·05	·25	·23			·02	·51		6
7	·05		·67	·01	·17	·11	·25			·02	·83	·03	7
8					·22							·30	8
9					·16					·05			9
10		·17	·15	·08		·50	·06						10
11	·06	·19	·05	·15		·33							11
12		·04		·06	·28	·20	·01	·03		·03			12
13		·21	·31	·09	·08	03	·10			·10			13
14		·33	·02		·10		·03	16					14
15		·26	·23				·03	·30				·14	15
16		·04	·15	·15			·17	·06					16
17	·10	·10		·04			·04	·58	·32	·53	·06		17
18	·01	·11	·03	·48				·32	·04	·27	·80		18
19	·05	·05	·12	·11					·07		·64	·03	19
20	·15		·21					·02			·13	·52	20
21	·01		·52									·34	21
22		·03	·11									·44	22
23			·03			·05				·06	·04	·13	23
24	·01	·55						·03		·12	·05	·31	24
25		1·01	·12		·05			·20		·08	·03		25
26		·07	·09			·12		·21		·09			26
27	·03		·79			1·26		·52		·96			27
28		·38	·24			·14			03	·03		·12	28
29		·07				·14		·64	·06	·19		·16	29
30					1·08			·20		·37			30
31										·08			31
													YEAR'S TOTAL
Total	1·11	4·68	4·40	1·61	3·02	3·49	·99	3·27	1·01	3·76	5·13	2·70	35·17
Rain Days.	13	20	21	11	12	13	12	13	9	21	14	12	171

W.7,000, XI. 13

452

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

FEB 1918

Kept at Bromley, The Palace
in the County of Kent
by F. C. Bayard, Coles Child

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.04		.16				1.71			.08		1
2				.34		.02		.15					2
3	.07			.11				.46			.38		3
4		.18	.08				.25	.17		.60			4
5	.17			.39				.02	.32	.07	.08		5
6			.05	.02		.03			.30	.06	.05		6
7	.15						.10			.20			7
8	.09		.02	.08			.68	.36	.06	.23	.03	.38	8
9	.02		.02	.05			.08	.05			.15	.42	9
10	.09		.05	.10				.02					10
11	.10	.03	.38	.17					.31	.18			11
12	.14			.06				.05		.44			12
13	.03		.14	.04				.01	.02	.07			13
14				.14									14
15	.05						.19	.19		.04		.04	15
16	.11	.18		.26	.20	.01	.20			.16		.48	16
17		.03		.02	.78		.23	.02	.33	.12			17
18	.04	.05		.19	.06		.25	.15	.12	.04			18
19	.02	.15	.12		.17	.02			.14				19
20	.02	.13	.03		.52						.05		20
21		.02	.02		.02	.01					.03		21
22	.02		.04					.14		.06			22
23		.11			.18	.02		.07		.15			23
24	.03					.06				.13			24
25			.11							.02	.02		25
26								.44	.02		.60	.06	26
27								.96				.02	27
28		.02				1.73		.03				.03	28
29			.02		.23	.32	.46	.04		.30		.18	29
30	.02	X	.23				2.34	.05				.02	30
31	.10	X	.10	X		X	.63		X		X	.02	31
Total	1.27	.94	1.41	2.13	2.16	2.22	5.41	5.09	1.62	2.87	1.47	1.65	YEAR'S TOTAL 28.24
Rain Days.	18	11	15	15	8	9	11	20	9	17	10	10	153

W. 8,000, VIII. 16

Exd C R

148

from M.S.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
10 4 19

Kept at Bromley. The Palace.

in the County of Kent.

by Coles Child per F. C. Bayard.

Lat. Long. -

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04	·02						·28		1
2		·09		·02				·36			·36	13	2
3			13		·46			·02			·24	·04	3
4		·03	11					·04	·20		·59		4
5					15			·08	·72				5
6	·22	·17		·24	·22				·05				6
7	·05	·05		15	30				·06	·05			7
8		·04							·05	·06	·06	·10	8
9	·02			·07		·02	·10		·40	·11		·21	9
10				·14			·20		·04	·08		·20	10
11				·03			·95		·02	·25	·24	·18	11
12		·04			23		·52		·05				12
13	·06				·11		·05		·06				13
14	·08					·42				·21		·10	14
15	1·23			·75		·02	1·25					·12	15
16	·43			·18		·12							16
17	·28			·14	1·15		·90	·04				·10	17
18	·42					·11	·06		·57	·36		·12	18
19	·10		·03	·08			·12			·14		·08	19
20	·03	13		·70			·30		·35				20
21	·10			·34			·04		·26	·42			21
22					·84		·10		·15			·18	22
23				·03	·15		·83	·06	·02				23
24		·30					·43		·08				24
25				·34			·25	·04		·03	·05		25
26							·43	·05			·15	·18	26
27				·15			·02	·11	·03		·12		27
28			·16					·12			·24	·12	28
29				·06					1·08		·04		29
30		X	·40									·12	30
31		X	·06	X		X		·05	X		X		31
Total	3·02 ✓	·85 ✓	·89 ✓	3·46 ✓	3·63 ✓	·69 ✓	6·55 ✓	·97 ✓	4·19 ✓	1·71 ✓	2·37 ✓	1·98 ✓	YEAR'S TOTAL 30·31 ✓
Rain Days	12 ✓	8 ✓	6 ✓	17 ✓	10 ✓	5 ✓	17 ✓	11 ✓	18 ✓	10 ✓	11 ✓	15 ✓	140 ✓

W. 6,500, VII. 18. w w c

St BR

430

Bromley

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Bromley, The Palace

in the County of Kent

by Coles Child, per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Bromley (The Pal.).

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·02	..	..	..	..	·12	..	..	·11	·15	·94	1
2	·15	..	..	..	·08	..	·11	·03	..	·04	·05	·11	2
3	·23	..	·52	..	..	..	·13	..	·03	..	·10	·36	3
4	·13	..	·56	..	..	·06	·28	..	..	..	·03	·22	4
5	·02	·13	·60	..	..	..	..	..	..	..	·02	·30	5
6	·04	..	..	..	..	..	..	..	..	..	..	·08	6
7	..	..	·32	..	..	..	..	..	..	..	·06	..	7
8	·18	..	·07	..	..	..	..	..	..	..	·07	..	8
9	·28	..	..	..	·08	..	..	..	..	..	·06	..	9
10	·14	..	..	..	..	..	..	..	..	..	..	..	10
11	·06	..	·11	·34	..	..	·18	..	..	..	..	..	11
12	..	..	·03	·06	..	..	·15	..	..	·03	..	..	12
13	..	..	..	·42	..	..	..	..	..	·02	..	..	13
14	·22	..	..	·33	..	..	..	..	·44	..	..	..	14
15	·19	..	..	·18	..	..	..	..	..	..	..	..	15
16	·13	·57	..	..	..	..	..	..	..	..	·11	..	16
17	..	·37	·09	..	..	..	..	..	..	..	·15	..	17
18	..	·55	·06	..	..	..	..	..	·03	..	·10	·20	18
19	..	·10	·41	..	..	·06	·27	·34	·08	..	..	·02	19
20	·06	..	·04	..	..	·90	·33	..	..	..	..	..	20
21	·18	·28	·02	..	..	..	·13	..	..	..	·08	..	21
22	..	·08	..	..	..	·02	·15	..	·34	..	..	·28	22
23	..	..	..	..	..	..	..	..	·06	..	·03	·02	23
24	..	..	..	·32	..	·02	..	..	..	·15	·05	..	24
25	..	·38	..	..	..	..	..	..	..	..	..	..	25
26	·09	..	·13	·12	..	..	·18	·35	·09	..	..	·23	26
27	·32	·11	·03	1·18	..	..	·02	·30	..	..	..	·03	27
28	..	..	·32	·12	..	..	..	·80	..	..	·36	·26	28
29	..		..	..	..	..	..	·52	..	·44	..	·06	29
30	·06		..	·26	..	·08	..	·36	..	·08	·21	·42	30
31	·10		..		..		·02	..		..		·11	31
TOTAL	2·80 ..	2·59 5·39	3·31 8·70	3·33 12·03	·16 12·19	1·14 13·33	2·07 15·40	2·70 18·10	1·07 19·17	·87 20·04	1·63 21·67	3·64 25·31	YEAR'S TOTAL 25·31
Days with ·01 in. or more	19	~~10~~	15	10	2	6	13	7	7	7	16	16	~~128~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exept

FORM A/1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Copy by B.R.O.

40:

Kept at Bromley The Palace

in the County of

by ~~Jno~~ J. Bayard , Coles Child

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	Bromley (The Pal.)	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	..	..	..	·17	·02	..	·23	..	..	·28	..	·22	1
2	..	..	·10	..	·02	..	..	·28	..	·21	..	·03	2
3	..	·07	..	..	..	·02	..	..	·08	·04	..	..	3
4	..	·11	..	·16	..	..	·28	..	..	·02	..	·04	4
5	..	..	·10	..	·03	..	·59	·07	·05	..	..	·02	5
6	..	..	·20	..	·19	..	·18	..	..	..	..	·09	6
7	..	..	·02	·21	·03	..	·12	..	..	..	..	·01	7
8	..	..	..	·11	·10	..	·22	..	..	..	..	..	8
9	·32	..	..	·02	..	..	..	·02	..	..	..	..	9
10	·40	·08	·08	..	..	·08	·16	..	..	..	..	..	10
11	·10	..	·04	·26	..	..	·24	..	..	..	..	·14	11
12	·07	..	..	·12	..	·39	..	..	..	..	..	..	12
13	·28	..	·13	·05	..	..	..	..	..	..	·05	..	13
14	..	..	·24	·18	..	·08	..	..	·09	·02	·20	..	14
15	·02	..	·03	·24	..	..	..	..	·94	·05	..	..	15
16	..	..	..	·10	..	·02	..	..	·43	..	..	..	16
17	..	..	..	..	·10	·25	..	..	·38	..	..	..	17
18	·04	..	..	..	·02	..	..	1·08	·08	..	..	·10	18
19	·06	..	..	·28	..	..	..	..	..	..	..	·15	19
20	·08	·22	..	·22	..	·56	..	..	·13	..	..	..	20
21	..	..	..	..	..	..	·73	..	·72	..	..	·04	21
22	·42	..	..	·32	..	..	..	..	·38	..	..	·35	22
23	..	..	..	..	..	..	·35	..	..	..	..	·28	23
24	..	..	·02	·02	..	..	..	..	..	..	..	·03	24
25	..	·03	·03	·05	..	..	·14	..	..	..	..	..	25
26	..	..	·20	·03	..	..	·27	..	..	..	..	..	26
27	·28	·05	..	·19	..	·12	..	..	..	..	·32	·06	27
28	..	..	·13	·19	·05	..	·09	..	..	..	..	·03	28
29	·56	..	·03	..	..	..	..	..	..	..	..	·14	29
30	·02		..	..	..	..	·11	..	·30	..	·26	·10	30
31	..		..		·03		..	..		·28		·07	31
TOTAL	2·65	·56	1·35	2·92	·59	1·52	3·71	1·45	3·58	·90	·83	1·90	YEAR'S TOTAL
	..	3·21	4·56	7·48	8·07	9·59	13·30	14·75	18·33	19·23	20·06	21·96	21·96
Days with ·01 in. or more	13	6	14	19	10	8	14	4	11	7	4	18	~~128~~
Days with ·04 in. or more	11	5	9	16	4	6	14	3	11	5	4	13	101

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

F 11

BROMLEY COMMON
ELMFIELD
KENT
1911 - ~~[illegible]~~ 1,20

Kept at Elmfield
in the County of
by Reverend J. F

5 in.
bove Ground ft. 9 in.
„ Sea Level 240 ft.
9 a.m.
on { Name Bromley South
Distance 1½ m/s Direction

IMPORTANT NO… and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	-	·03	·89	·02	-	·03	·03	-	-	·02	-	1
2	·15	-	·01	·15	·12	-	-	-	-	-	·16	·09	2
3	·04	-	-		·14	-	-	-	-	-	·05	·13	3
4	·05	·04	·05	·11	-	-	-		·04	·14	·14	·31	4
5	·03	-	-	·05	-	-			-	·31	·04	·14	5
6	·20	-	·17	-	-	-			-	-	·03	·27	6
7	·04	-	-	·04	-	-			-	·19	·38	19	7
8	·08	-	·11	-	-	-			-	-	·28	·32	8
9	17	-	·05	·06	-	-			-	-	·02	·06	9
10	-	·08	·06	·04	-	-			-	-	·05	·63	10
11	·30	-	·01	-	-	-			-	-	·61	·02	11
12	·03	-	·42	-	12	-			·05	-	·22	-	12
13	·01	-	·06	-	·16	-			·11	-	·06	·14	13
14	-	·11	-	-	·18	-			-	-	-	·49	14
15	-	·04	·23	-	-	-			-	05	·05	·09	15
16	-	-	-	-	-	·27			-	-	·59	·04	16
17	-	-	-	-	-	·04			-	-	·34	·20	17
18	-	·07	·04	-	-	-			-	-	·68	·24	18
19	-	-	-	-	-	·14			·23	·16	·16	·14	19
20	-	-	·03	-	-	·03		29	·01	·09	03	·62	20
21	-	·05	-	-	-	-		·32	12	·50	-	·13	21
22	·03	-	·19	-	-	·02		·03	-	·12	-	·40	22
23	-	·09	·07	-	-	·74		-	·23	-	04	·12	23
24	-	·14	-	-	-	·07	·03	-	-	·85	-	14	24
25	-	·03	-	·02	-	·15	·10	-	-	·04	-	·03	25
26	-	-	·16	·17	·06	·14	-	-	-	·11	02	·18	26
27	-	·25	·12	·07	-	-	-	-	·10	·04	·05	·06	27
28	-	·11	-	·25	-	-	-	·05	-	-	-	·02	28
29	-	-	-	·22	-	·21	·23	-	·13	·17	-	-	29
30	-	-	-	-	·33	·02	-	1·28	·04	·21	-	-	30
31	-	-	-	-	-	-	-			·04	-	-	31
Total	1·17	1·01	1·81	2·07	1·13	1·83	·39	2·00	1·06	3·02	4·02	5·20	TOTAL for year 24·71 ✓
No. of Rain Days.	13	11	17	12	8	11	4	6	10	15	22	26	155 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

R 11

Kept at Elmfield Bromley Common

in the County of Kent 5

by Reverend J. P. Faunthorpe.

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	ft. 9 in.
	" " " Sea Level	240 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Bromley South
Distance 1½ m/s Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	-	·03	·89	·02	-	·03	·03	-	-	·02	-	1
2	·15	-	·01	·15	·12	-	-	-	-	-	·16	·09	2
3	·04	-	-		·14	-	-	-	-	-	·05	·13	3
4	·05	·04	·05	·11	-	-	-		·04	·14	·14	·31	4
5	·03	-	-	·05	-	-			-	·31	·04	·14	5
6	·20	-	·17	-	-	-			-	-	·03	·27	6
7	·04	-	-	·04	-	-			-	·19	·38	19	7
8	·08	-	·11	-	-	-			-	-	·28	·32	8
9	17	-	·05	·06	-	-			-	-	·02	·06	9
10	-	·08	·06	·04	-	-			-	-	·05	·63	10
11	·30	-	·01	-	-	-			-	-	·61	·02	11
12	·03	-	·42	-	12	-			·05	-	·22	-	12
13	·01	-	·06	-	·16	-			·11	-	·06	·14	13
14	-	·11	-	-	·18	-			-	-	-	·49	14
15	-	·04	·23	-	-	-			-	05	·05	·09	15
16	-	-	-	-	-	·27			-	-	·59	·04	16
17	-	-	-	-	-	·04			-	-	·34	·20	17
18	-	·07	·04	-	-	-			-	-	·68	·24	18
19	-	-	-	-	-	·14			·23	·16	·16	·14	19
20	-	-	·03	-	-	·03		29	·01	·09	03	·62	20
21	-	·05	-	-	-	-		·32	12	·50	-	·13	21
22	·03	-	·19	-	-	·02		·03	-	·12	-	·40	22
23	-	·09	·07	-	-	·74		-	·23	-	04	·12	23
24	-	·14	-	-	-	·07	·03	-	-	·85	-	14	24
25	-	·03	-	·02	-	·15	·10	-	-	·04	-	·03	25
26	-	-	·16	·17	·06	·14	-	-	-	·11	02	·18	26
27	-	·25	12	·07	-	-	-	-	·10	·04	·05	·06	27
28	-	·11	-	·25	-	-	-	·05	-	-	-	·02	28
29	-	-	-	·22	-	·21	·23	-	·13	·17	-	-	29
30	-	-	-	-	·33	·02	-	1·28	·04	·21	-	-	30
31	-	-	-	-	-	-	-			·04	-	-	31
Total	1·17	1·01	1·81	2·07	1·13	1·83	·39	2·00	1·06	3·02	4·02	5·20	TOTAL for year 24·71 ✓
No. of Rain Days.	13	11	17	12	8	11	4	6	10	15	22	26	155 ✓

W. 8,000, X. '11.

[illegible] 5.11.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
30 JAN 1913

Kept at Elmfield, Bromley Common
in the County of Kent 5
by Reverend J. P. Faunthorpe

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 240 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Bromley South
Distance 1½ miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	09	—	—	10	21	—	07	54	—	21	1
2		03	30	—	—	03	24	02	01	04	—	—	2
3	·03	04	06	—	03	09	04	34	01	—	02	07	3
4	16	13	49	—	21	18	—	02	—	—	19	—	4
5	15	05	08	—	—	02	—	32	—	—	10	—	5
6	42	03	—	—	03	01	—	09	01	—	—	19	6
7	—	—	—	—	06	58	07	28	—	—	—	09	7
8	21	41	21	01	—	02	—	34	—	—	—	01	8
9	—	10	—	02	—	11	—	03	—	—	—	06	9
10	05	05	—	—	—	01	—	22	05	—	09	23	10
11	—	24	—	—	—	05	—	09	03	—	—	21	11
12	03	09	05	—	15	11	—	04	—	—	—	03	12
13	—	04	—	—	—	—	—	12	—	—	08	—	13
14	—	—	—	—	04	—	—	02	—	08	03	—	14
15	01	01	09	—	39	60	—	02	—	—	04	25	15
16	(29) ·29	—	03	—	04	13	—	09	—	07	12	—	16
17	40	—	27	—	—	03	—	04	—	—	04	11	17
18	—	—	09	—	—	—	08	11	—	04	02	08	18
19	13	09	12	—	—	04	—	11	—	—	02	03	19
20	04	03	59	—	—	01	—	06	—	33	01	—	20
21	—	02	23	—	10	—	05	07	—	07	04	—	21
22	10	11	·15 05	—	03	—	10	10	—	04	11	04	22
23	41	31	30	—	02	—	—	28	—	07	—	06	23
24	12	—	—	—	—	09	02	20	—	—	—	12	24
25	16	—	—	—	—	22	—	84	—	—	24	41	25
26	—	04	—	—	—	—	—	48	—	29	48	21	26
27	—	—	—	—	—	—	03	—	—	12	—	14	27
28	—	05	—	—	—	—	09	07	04	48	62	12	28
29	—	03	—	—	—	09	24	11	1·27	09	08		29
30	—		03	—	25	21	02	10	1·54	12	—		30
31	04		06		03		14	08		07			31
Total	2·75	1·90	3·24	03	1·38	2·73	1·33	4·69	3·03	2·45	2·24	2·69	TOTAL for year 28·44
No. of Rain Days	17	20	18	2	13	21	13	29	9	15	18	20	195

7,000. X. '09.

corrd by Bayard 23.1.14 W D.J

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 12 JAN 1914

Kept at Elmfield . Bromley Common

in the County of Kent

by The Rev. J. P. Faunthorpe . M.A.

5

Lat. .... Long. ....

Time of Observation 9 . a.m

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ....ft. 9 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	23	03	19		03			15	02	01	11	1
2	06	14	-	-	-	-	08	-	02	36	06	02	2
3	-	-	07	31	20	-	-	-	-	02	-	08	3
4	21	-	-	05	15	-	07	-	-	06	02	04	4
5	34	-	01	-	-	09	06	-	35	01	02	12	5
6	10	-	10	-	04	09	19	-	03	15	22	06	6
7	-	16	02	-	06	02	05	20	-	22	-	02	7
8	-	03	03	-	11	04	-	-	-	07	03	01	8
9	-	09	-	02	05	02	-	-	10	-	02	01	9
10	-	-	12	11	-	-	03	04	-	-	52	-	10
11	35	-	-	28	04	-	-	-	-	62	15	-	11
12	-	-	-	-	-	-	-	01	-	-	-	-	12
13	10	-	05	-	-	-	-	02	-	-	-	-	13
14	11	-	07	07	-	-	23	08	05	14	05	-	14
15	46	08	19	14	-	-	30	-	02	-	02	-	15
16	14	-	28	09	-	-	01		41	-	01	-	16
17	05	09	07	04	-	-	14	02	-	-	- ·01	-	17
18	-	-	07	11	-	-	01	-	-	-	01	-	18
19	13	-	09	-	-	08	15	-	07	-	70	-	19
20	24	-	35	07	-	06	-		-	51	-	-	20
21	02	-	16	05	-	-	05	-	-	23	-	-	21
22	27	-	13	03	-	-	-	-	12	-	04	-	22
23	03	-	07	-	-	03	03	20	02	-	+	34	23
24	02	-	03	03	-	02	-	10	-	-	+	-	24
25	-	-	-	·20 ~~04~~	-	-	-	-	-	-	-	-	25
26	-	-	13	04	-	-	03	27	-	81	-	15	26
27	-	05	05	05	-	-	-	-	-	07	-	-	27
28	22	-	20	06	-	-	-	-	-	17	-	-	28
29	08	-	04	24	20	-	-	07	-	04	-	-	29
30	24	-	-	13	-	-	-	13	-	07	-	-	30
31	-	-	05	-	-		-	69		02	-	-	31
Total	3·19	·87	2·41	2·31 ✓	·85	·48	1·43	1·83	1·34	3·59	1·89	·96	YEAR'S TOTAL 21·15 ✓
Rain Days.	20	8	24	21	8	10	15	12	11	18	~~15~~ 16	11	17~~3~~4

W.7,000, XI. 13

✓

Ct. M.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 13 JAN 1915

Kept at Elmfield Bromley Common

in the County of Kent 5

by Reverend J. P. Faunthorpe

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Bromley South S 92 C. 84

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	02	17	-	-	01	-	1
2	02	-	-	-	-	-	09	30	-	-	06	18	2
3	01	-	11	08	12	-	07	02	-	-	01	-	3
4	02	-	02	13	-	-	-	01	-	-	29	-	4
5	06	-	05	24	18	05	26	64	-	-	01	27	5
6	-	09	01	10	-	24	03	02	-	-	01	16	6
7	02	34	16	17	14	10	05	-	-	-	-	09	7
8	08	39	42	05	03	18	10	07	01	-	-	05	8
9	23	03	75	07	01	05	-	01	08	-	-	1·51	9
10	01	04	05	03	05	-	-	-	05	-	02	04	10
11	-	50	24	-	03	04	-	-	20	-	07	35	11
12	01	05	10	-	02	-	04	-	09	-	01	57	12
13	-	15	14	-	-	-	-	-	16	06	10	82	13
14	-	07	18	-	-	06	53	-	-	35	07	52	14
15	05	02	12	-	-	-	15	03	-	01	1·14	·04	15
16	02	-	02	-	-	-	-	-	03	-	-	-	16
17	-	23	09	-	-	-	-	-	03	-	-	09	17
18	-	10	13	-	-	-	-	-	-	-		29	18
19	-	05	37	-	-	-	07	-	03	02	20	19	19
20	-	11	38	-	-	05	-	-	10	01		05	20
21	-	92	07	-	-	-	-	-	-	02		04	21
22	-	04	-	04	65	06	18	01	-	15		01	22
23	-	-	05	02	08	08	04	-	-	02		08	23
24	-	-	03	-	-	-	07	-	-	-	13	-	24
25	03	-	23	-	-	-	02	04	-	25	01	-	25
26	-	-	04	-	-	-	03	07	-	05	22	57	26
27	03	-	02	-	-	-	-	02	-	-	05	20	27
28	04	02	-	-	-	-	-	-	-	-	31	53	28
29	04	-	02	-	-	-	-	-	-	49	18	-	29
30	07		02	-	-	-	-	-	-	06	47	15	30
31	01		-		30		01	-		01		04	31
Total	·69	3·15	3·82	·93	1·61	·91	1·76	1·41	·78	1·50	3·37	6·84	YEAR'S TOTAL 26·77 ✓
Rain Days.	17	17	26	10	11	10	17	13	10	13	20	24	188 ✓

W. 7,500, XI. 12

ext 73

4 80

FORM A.
BRITISH RAINFALL.

25 JAN 19

REGISTER OF RAINFALL IN 1915

Kept at Elmfield, Bromley Common

in the County of Kent

by Rev. J. P. Faunthorpe

5

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bromley South S.E.&L.C.Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·08	–	–	·03	–	–	–	·05	·02	·40	·43	1
2	·08	·12	·16	·16	·02	–	–	·72	–	·06	–	–	2
3	·29	–	·05	·19	·04	–	–	·61	·01	–	–	·63	3
4	·10	–	·07	–	–	–	–	–	–	–	–	·23	4
5	·04	·36	–	–	–	–	–	·01	–	·05	·02	·28	5
6	·34	·04	–	·34	–	–	·58	–	–	–	–	·06	6
7	·27	–	·02	–	–	–	·17	·04	–	–	–	·15	7
8	·08	·49	–	·07	–	–	·08	·12	–	–	–	–	8
9	–	·03	–	·10	–	·04	–	·06	–	·03	·32	·57	9
10	·18	–	–	–	–	–	–	–	–	–	–	·30	10
11	·04	–	–	–	–	–	–	–	–	–	·55	·02	11
12	·04	–	–	·38	1·42	–	–	·39	–	·05	·41	–	12
13	·02	·67	–	·01	·95	–	–	·58	–	–	–	–	13
14	·01	–	–	–	–	–	·24	·09	·02	–	–	·28	14
15	·11	–	–	–	·06	–	·02	·05	–	–	·23	·08	15
16	·01	·46	–	·02	–	–	·54	–	–	–	–	·51	16
17	–	·37	–	·01	·94	–	·02	·15	–	–	–	–	17
18	–	·08	·03	–	·30	–	–	–	–	–	·09	–	18
19	–	·27	–	–	·01	–	·04	–	–	·04	–	–	19
20	·25	–	–	·02	·01	–	·01	–	–	–	–	·23	20
21	·10	·03	–	–	–	–	·53	–	–	·02	–	·08	21
22	1·21	·09	·10	·06	–	–	·20	–	–	–	–	·08	22
23	–	·01	·03	–	–	·10	·02	–	–	·38	·02	·26	23
24	–	–	·04	–	–	·02	–	–	·21	·17	–	·32	24
25	–	–	·06	·29	–	–	·13	–	–	–	·01	–	25
26	–	·12	–	–	–	–	·01	–	–	–	–	·43	26
27	–	–	–	–	–	·31	·10	–	–	·22	–	·05	27
28	–	·04	–	–	–	·12	–	–	1·82	·10	–	·01	28
29	–	–	–	–	–	·01	–	·10	–	–	·10	–	29
30	·05	✕	–	–	–	–	–	–	·02	–	·57	·02	30
31	·01	✕	–	✕	–	✕	–	·04	✕	·76	✕	·58	31
Total	3·73	3·26	·50	1·65	2·78	·60	2·69	2·96	2·13	1·90	2·72	5·60	YEAR'S TOTAL 30·52
Rain Days.	20	16	9	12	10	6	15	13	6	12	11	22	152

W. 8,000. X. 15.

and for multi

468

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

18. JAN 1917

Kept at Elmfield. Bromley Common

in the County of Kent

by Revd J. P. Faunthorpe

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Bromley South . SE & CR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9" in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07				53	02			22	20	30		1
2	21	07	10		35		03		07	27	18		2
3		75	26			07	02		23	25	66		3
4	18	12				22			03	01	48		4
5					13	25	07			04	50	02	5
6		07	16	44	02	16	28			04	57		6
7	04		63		18	17				07	67	05	7
8			08		23					02	03	24	8
9					20					03		22	9
10		18	13	10		44	05					08	10
11	04	16		09	01	49							11
12	02	03	16	05	28	18	01	02	01	07			12
13		19	33	05	07	03		01		05			13
14		42	02	01	19			10		07		07	14
15		11	24		07		04	26		07		10	15
16		01	15	13			13	11					16
17	09	11	07	02			03	66	32	48		02	17
18	01	09	02	25				22	04	23	76	07	18
19	06	05	11	12				07	09	01	65	03	19
20	12		25	06				01			07	55	20
21			50								01	33	21
22	07	02	12		02					01	07	41	22
23		19	03			05				05	03	07	23
24	·07	03			06	03		02		13	02	33	24
25		23	12		07			26		07	04		25
26		16	06			13		02		12			26
27	07	01	69			111		53	02	83			27
28		31	20			08			66	02	01	10	28
29		07				17		75	02	22		13	29
30		X			71			16		33			30
31		X		X		X		01	X	11	X	04	31
Total	·87	3·38	4·37	1·32	3·00	3·54 3·54	0·66	3·15	1·11	3.62	4·93	2·80	YEAR'S TOTAL 32·75
Rain Days.	13	22	22	11	16	16	9	16	11	26	17	18	197

447

FORM A.
BRITISH RAINFALL
2 JAN

REGISTER OF RAINFALL IN 1917

Kept at ELMFIELD. BROMLEY COMMON
in the County of KENT
by REVD J. P. FAUNTHORPE

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station BROMLEY. SOUTH. SE&CR
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground ft. 9" in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	—	·18	—	—	—	1·50	—	—	·08	—	1
2	—	—	—	·24	—	·02	—	·14	—	—	·09	—	2
3	·02	—	—	·08	—	—	05	·57	—	18	·30	—	3
4	—	10	·11	—	—	—	27	·07	—	29	—	—	4
5	·17	·03	·02	27	—	—	—	—	·27	18	06	—	5
6	—	—	·04	·13	—	·05	—	—	19	—	06	·01	6
7	·18	—	—	—	—	—	11	—	—	28	—	·02	7
8	·08	—	—	·08	—	—	·67	40	05	23	12	·25	8
9	02	—	—	·07	—	—	·13	19	02	—	·03	·53	9
10	13	—	·10	03	—	—	—	·04	—	—	—	·05	10
11	·06	—	·34	·21	—	—	—	—	30	22	—	—	11
12	·16	—	·02	03	—	—	—	07	—	46	—	—	12
13	·04	—	·08	03	—	—	—	·01	02	10	—	—	13
14	·01	—	—	·18	—	—	—	—	—	—	—	—	14
15	07	—	—	—	—	—	·02	—	—	04	—	—	15
16	·06	·25	—	·11	·12	12	·08	—	—	20	—	55	16
17	—	—	—	·07	·74	—	27	12	22	11	—	—	17
18	·05	·10	—	·14	·05	·01	28	—	14	05	—	—	18
19	·01	·09	·06	—	·10	05	—	—	21	—	—	—	19
20	·02	·11	·04	—	·51	—	19	03	02	—	·05	—	20
21	—	—	·02	01	·01	·01	—	—	—	01	04	—	21
22	·04	03	·03	—	—	—	—	·17	—	07	—	—	22
23	—	·10	—	—	·18	·08	—	·15	—	09	—	—	23
24	—	—	—	—	—	·15	·02	·01	—	10	—	·05	24
25	—	—	·03	—	—	·01	—	—	—	03	—	—	25
26	—	—	·06	—	—	—	—	·38	02	—	·59	—	26
27	—	—	·01	—	—	—	—	·88	—	—	—	—	27
28	—	—	—	—	—	1·57	—	·06	—	—	—	—	28
29	—	—	·07	—	·15	30	·83	·03	—	·27	—	22	29
30	·07	X	·24	—	—	—	1·99	04	—	—	—	05	30
31	·09	X	·06	X	—	X	·62	—	X	—	X	—	31
Total	1·22	0·84	1·27	1·80	1·86	2·37	5·53	4·86	1·46	2·91	1·42	1·73	YEAR'S TOTAL 27·27
Rain Days	18	9	17	16	8	11	14	19	11	18	10	9	27·37 160.

W. 8,000, IX. 17.

W. E.F.E. and [illegible] (Bayard) [illegible]

142

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

9.1.19

12.1.19

Kept at Elmfield. Bromley Common

in the County of Kent

by Rev. J. P. Fanuthorpe M.A.

Lat. .... Long. ....

Time of Observation 9. am

Nearest Railway Station Bromley S.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground — ft. 9" in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.02	.02	—	—	.02	—	—	.18	.09	1
2	—	.03	—	.01	—	—	—	.43	—	—	.05	.12	2
3	—	—	.13	.05	.50	—	—	.01	—	.01	.54	.03	3
4	—	.10	.14	—	—	—	—	.03	.25	—	.50	.01	4
5	—	.02	—	—	.14	—	—	.11	.77	.04	.02	—	5
6	23	.12	—	.17	.25	—	—	.02	.03	—	—	.04	6
7	—	.04	—	.16	.29	—	—	—	.12	.08	.03	—	7
8	.04	.05	—	—	—	—	—	—	.06	—	.12	.05	8
9	—	—	—	.07	—	—	.40	—	.42	.11	—	.20	9
10	—	—	—	.12	—	.05	.42	—	.02	.08	.04	.35	10
11	—	—	—	.03	.03	—	.60	—	.02	.27	.03	.12	11
12	—	.02	—	—	.17	—	.26	—	.05	—	—	.03	12
13	.34	—	—	.03	.03	—	—	—	.05	—	—	—	13
14	.13	—	.03	.02	—	.46	.07	—	.08	.26	—	.07	14
15	1.27	—	—	.74	—	—	.08	—	.01	.01	—	.10	15
16	.50	—	—	.10	—	.20	.02	—	.10	—	—	—	16
17	.28	—	—	.11	.80	—	1.06 1.60	.05	—	—	—	.09	17
18	.40	—	—	—	—	.15	.10	—	.59	.37	—	.12	18
19	.08	—	.07	.09	.05	.02	.07	—	—	.12	—	—	19
20	.02	.11	—	.81	—	—	.28	—	.37	.38	—	.06	20
21	.10	—	—	.31	—	—	.02	—	.25	.13	—	—	21
22	.02	—	—	.03	.60	—	.50	—	.14	—	—	.17	22
23	.01	—	—	.02	.22	—	.26	.10	.02	—	—	.04	23
24	—	.29	—	—	.03	.05	.40	—	.18	—	.08	—	24
25	—	—	—	.10	—	—	.40	.17	—	.03	.09	—	25
26	—	—	—	—	—	—	.48	.03	—	.07	.09	.10	26
27	—	—	—	.12	—	—	.03 .30	.10	.05	.01	.12	.05	27
28	—	.02	.23	.05	—	.01	—	.12	—	—	.21	.07	28
29	—	—	.02	.02	—	—	—	—	1.04	—	.02	—	29
30	—	╳	.32	—	—	—	—	—	.03	02	—	.10	30
31	—	╳	.04	╳	—	╳	—	.01	╳	.03	╳	.01	31
Total	3.42	.80	.98	3.18	3.13	.94	5.45 ~~6.26~~	1.20 ~~1.18~~	4.65	2.02	2.12	2.02 ~~1.42~~	YEAR'S TOTAL 29.91
Rain Days.	13	10	8	22	13	7	18	13	22	17.	15.	22	180

W. 6,500, VII. 18. W W C

Jan 2.19 —

Jno P Fanuthorpe

FORM C.

BRITISH RAINFALL.

W. 8,000. IX. 17.

2 A[illegible] 1919

PLEASE fill in name of place and month.

RAINFALL at Elmfield, Bromley Common in the Month of July 1919

DATE	Inches	REMARKS ON THE DAYS.
1		
2		
3		
4		
5		
6		
7		This is an
8		Copy
9	·40	Exact copy
10	·42	of my return
11	·60	for July.
12	·26	
13	–	
14	·07	And if you
15	·08	think it must
16	·02	be altered
17	1·60	? Should this not be 1·06
18	·10	alter it
19	·07	
20	·28	
21	·02	
22	·50	
23	·26	
24	·46	
25	·40	
26	·48	
27	·30	? ·03
28		
29		
30		
31		
TOTAL	6·2[illegible]	No. of Days with Rain ______

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

POST CARD.

BROM

½ POSTAGE REVENUE ½
HALFPENNY

½ POSTAGE REVENUE ½
HALFPENNY

ADDITIONAL REMARKS.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. ,, ,, ,, ° on the
Temp. in shade, at or below 32° on days.
,, on grass, ,, ,, 32° on days.

SIGNED...

No writing on this side of the line.

Dr. H. R. MILL,
British Rainfall Organization,
62, Camden Square,
LONDON, N.W. 1.

Croly Bayard 424

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Elmfield Bromley Common
in the County of Kent
by Rev. [illegible] Farnthorpe

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Bromley South
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

We do conform to the rule

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	05	02	–	–	–	14	–	–	07	11	73	1
2	.15		01	–	05	–	21	06	–	04	12	23	2
3	.26		42	–	02	–	15	–	03	–	05	32	3
4	.12	09	35	–	–	05	26	02	03	–	06	12	4
5	04	.15	73	–	–	–	01	–	01	–	05	29	5
6	03	–	02	–	–	–	–	–	–	02	–	11	6
7	05	–	26	–	–	–	–	–	–	–	09	–	7
8	27	–	04	04	–	–	–	–	–	–	06	–	8
9	.34	–	02	02	07	–	–	–	–	–	09	–	9
10	.14	–	01	01	–	–	–	–	–	01	02	–	10
11	.13	–	10	20	–	–	–	–	–	–	–	02	11
12	.03	–	04	03	–	–	24	–	02	03	–	–	12
13	~~03~~ 02	–	–	22	–	–	01	–	47	04	–	03	13
14	20	–	–	31	–	–	03	–	–	–	–	01	14
15	16	.53	04	06	–	–	–	–	–	–	–	14	15
16	08	.28	–	–	–	–	01	–	–	–	11	04	16
17	–	.47 ~~04~~ .08	05	.02	–	–	–	–	07	–	14	02	17
18	–	23	05	–	–	–	–	–	06	–	06	02	18
19	–	05	47	–	–	14	24	29	–	–	09	03	19
20	.10	–	03	–	–	66	28	13	–	–	01	01	20
21	.14	–	02	–	–	01	06	–	30	–	02	–	21
22	–	–	01	–	–	–	25	–	16	–	03	22	22
23	–	–	–	–	–	03	01	–	02	–	01	03	23
24	–	–	–	22	–	02	01	04	–	12	07	–	24
25	07	–	–	01	–	–	–	13	09	–	–	02	25
26	–	.30	10	10	–	–	18	10	–	–	–	23	26
27	24	.11	–	65	–	–	02	27	–	–	–	04	27
28	–	–	11	21	–	01	05	44	–	–	25	24	28
29	09	–	–	07	–	–	–	38	–	37	03	06	29
30	–	✕	–	21	–	05	–	31	–	11	15	45	30
31	.07	✕	25	✕	–	✕	08	–	✕	02	✕	09	31
TOTAL	2.88 ~~2.86~~	2.39 ~~2.19~~	3.15	2.35	.14	.97	2.19 ~~2.23~~	2.50	1.26	.83	1.62 ~~.98~~	3.50 ~~3.52~~	YEAR'S TOTAL 23.81
Days with ·01 in. or more	22	10	22	16	3	8	20 ~~18~~	11	14	10	21	24	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W 970 [illegible] 399

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Elmfield Bromley Common

in the County of Kent

by Rev F. P. Fanethorpe

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bromley S

Diameter of Funnel of Rain Gauge - in.

Height of top of Gauge above Ground 0 ft. 9" in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·14

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·19	·03		·23			·29		·26	1
2					·01		·01	27	·03	·13		·03	2
3		·06		·01		·03		·01	·07	·03		·06	3
4		·09		·20			·33	·03		·04		·03	4
5			·14	·01	·05		·55	·08	·05			·02	5
6			·20		·16		·04					·04	6
7	·02			·13	·06		·12	·02				·02	7
8				·07	·07		·18	·01					8
9	·21	·06		·02	·01		·03						9
10	·04	·03	·08	·03		·08	20				·05		10
11	12	·01	·05	·20		·04	25					·02	11
12	·07			·14		·46	·01				·01		12
13	·27		·10	·11							·02		13
14	·01		·23	·25		·12			·07	·07	·15		14
15	·02		·04	·22					·80	·08	·03		15
16		·01	·02	·13	·01	·03			·48	·01			16
17	·01			·02	·09	·01	02		·63			·09	17
18	·03			·03	·05				·17			·04	18
19	·10			·30				~~·92~~				·10	19
20	·06	·19		·20		·68		·07	·08			·02	20
21							·60		·76			·05	21
22	·02			·30				·03	·20			·33	22
23							32					·24	23
24			·02				·01					·03	24
25		·04	·01	·06			·17		02				25
26	·02		·11	·03		·02	·01					·02	26
27	·28	·04	·01	·16			·19				·29	·11	27
28	·45		·10	·09	·06		·09				·03	·04	28
29	·54		·02	·01			·03				·04	·13	29
30	·02	X			02	·03	·09		·27		·27	·10	30
31	·01	X		X	·04	X			X	·32	X	·13	31
Total	2·34	0·53	1·13	~~2·90~~ 2·91	0·66	1·50	~~3·57~~ 3·48	1·38	3·63	0·~~77~~ ·97	0·89	1·91	Year's Total ~~21·31~~ 21·33
Days with ·01 in. or more	20	~~10~~ 9	14	24	13	10	21	9	13	8	9	22	172
Days with ·04 in. or more	11	6	9	16	8	5	14	3	11	6	5	14	108

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

322

297

19 JAN 20

FORM A. 1. **METEOROLO** **ANIZATION.**

RE 9.

CANTERBURY

{10 LONDON ROAD}

KENT

1919-20

Kept at 10 Lon A.M. anterbury West

in the County of Kent C Gauge 5 in.

ve Ground ft. 6 in.

by (Miss) B. Sea Level 66 ft.

IMPORTANT NOTE.– tered to the previous day.

If an Observer prefers not t sted to add
the reading at 9 a.m. on 1st t the end of
this paragraph. Full instructi rain gauges,
and particulars as to the Br *Observers,"*
sent post-free on application 62, Camden
Square, London, N.W. 1.

Re

Jan. 1, following.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·08		·10	·02		·35			·10	·02	·34	1
2	·16				·09		·20	·02		·03	·24	·28	2
3	·20		·37		·01		·46		·06		·05	·22	3
4	·10		·24			·03	·24	·01		·02	·03	·13	4
5	·18	·28	1·34								·02	·22	5
6	·02									·02	·05	·11	6
7	·02		·37				·03				·12		7
8	·31		·05										8
9	·32		·02	·15							·09		9
10	·46		·10	·01							·10		10
11	·24		·17	·34									11
12	·04			·02		·02	·47			·09	·14	·03	12
13	·02			·25			·04			·02	·18	·01	13
14	·30			·48			·23		·10				14
15	·15	·02	·15	·15			·01			·06	·23		15
16	·10	·36		·08							·09	·04	16
17		·42		·11							·18	·04	17
18		·28					·03		·10		·03	·07	18
19		·03	·29			·02	·06	·04	·03		·08		19
20	·04	·06	·10			·64	·66	·13	·03			·02	20
21		·32	·11			·02	·12					·05	21
22		·03	·01				·21		·24		·04	·35	22
23	·01			·10		·07	·07		·36			·04	23
24				·15		·12		·03			·14		24
25	·05				·04	·01		·43		·03		·02	25
26	·02	·09	·07	·24				·02	·08		·07	·29	26
27	·45		·16	·78				·11		·06		·07	27
28	·05		·28	·16			·02	·37		·02	·46	·17	28
29	·15			·09				·46		·40	·17	·10	29
30		✕		·20				·79		·39	·07	·45	30
31	·13	✕		✕		✕	·07	·03	✕	·43	✕	·02	31
TOTAL	3·89	1·97	3·83	3·41	·16	·93	3·27	2·44	1·00	1·67	2·60	3·07	YEAR'S TOTAL 28·24 ✓
Days with ·01 in. or more	24	11	16	17	4	8	17	12	8	13	22	22	174 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

322

297

19 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 10 London Road
in the County of Kent Canterbury
by (Miss) B. Spillett.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Canterbury West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
,, ,, ,, ,, Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·08		·10	·02		·35			·10	·02	·34	1
2	·16				·09		·20	·02		·03	·24	·28	2
3	·20		·37		·01		·46		·06		·05	·22	3
4	·10		·24			·03	·24	·01		·02	·03	·13	4
5	·18	·28	1·34								·02	·22	5
6	·02									·02	·05	·11	6
7	·02		·37				·03				·12		7
8	·31		·05										8
9	·32		·02	·15							·09		9
10	·46		·10	·01							·10		10
11	·24		·17	·34									11
12	·04			·02		·02	·47			·09	·14	·03	12
13	·02			·25			·04			·02	·18	·01	13
14	·30			·48			·23		·10				14
15	·15	·02	·15	·15			·01			·06	·23		15
16	·10	·36		·08							·09	·04	16
17		·42		·11							·18	·04	17
18		·28					·03		·10		·03	·07	18
19		·03	·29			·02	·06	·04	·03		·08		19
20	·04	·06	·10			·64	·66	·13	·03			·02	20
21		·32	·11			·02	·12					·05	21
22		·03	·01				·21		·24		·04	·35	22
23	·01			·10		·07	·07		·36			·04	23
24				·15		·12		·03			·14		24
25	·05				·04	·01		·43		·03		·02	25
26	·02	·09	·07	·24				·02	·08		·07	·29	26
27	·45		·16	·78				·11		·06		·07	27
28	·05		·28	·16			·02	·37		·02	·46	·17	28
29	·15			·09				·46		·40	·17	·10	29
30				·20				·79		·39	·07	·45	30
31	·13						·07	·03		·43		·02	31
Total	3·89	1·97	3·83	3·41	·16	·93	3·27	2·44	1·00	1·67	2·60	3·07	Year's Total 28·24
Days with ·01 in. or more	24	11	16	17	4	8	17	12	8	13	22	22	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

299
297

11 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 10 London Road
in the County of Canterbury
by Percy J. Spillett

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station S.E.R. West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·08			·03			·46		·22	1
2			·25					·26	·03	·14		·06	2
3					·09	·14			·03			·08	3
4		·04		·16			·63	·03		·01		·22	4
5				·12	·02		·43	·19	·11			·30	5
6			·15		·09		·08					·01	6
7	·03		·02	·09	·06		·04			·03		·05	7
8	·02			·03	·06		·13						8
9	·23			·01	·03		·09						9
10	·38	·11	·06	·25			·03						10
11	·34		·05	·19			·53					·08	11
12	·06	·02		·15	·02	·05	·17						12
13	·30	·02	·15	·01		·06			·01		·11		13
14	·01		·29	·25		·04			·09	·03	·28		14
15				·09					·63	·18	·11	·06	15
16				·07	·07				·09			·74	16
17	·01			·23	·05		·04		·52			·03	17
18	·09			·04	·06			1·13	·19			·04	18
19	·22			·25				·10				·05	19
20	·04	·27		·14		·44			·58				20
21		·07					·35		·60			·16	21
22	·01			·13				·25	·22			·27	22
23				·01			·46	·21				·15	23
24			·02		·02				·08			·01	24
25	·01			·04	·12		·28		·03				25
26	·05		·12	·06			·13				·02	·02	26
27	·19	·06	·02	·18		·06	·02				·05	·16	27
28	·23		·02		·23		·06				·22	·04	28
29	·66		·06	·02							·04	·06	29
30				·01	·02		·10	·01	·14		·24	·12	30
31	·02									·10		·15	31
Total	2·93	·59	1·21	2·61	·94	·79	3·60	2·18	3·35	·95	1·07	3·08	Year's Total 23·30
Days with ·01 in. or more	20	7	12	24	14	6	18	8	15	7	8	23	162
Days with ·04 in. or more	12	5	8	18	9	6	15	6	11	4	7	19	120

B. made

326

REGIST

CANTERBURY
{M.O}
KENT

1919-20

FORM A.
BRITISH RAINFALL.

7 FEB 20

Kept at Canterbury (M.T.)

in the County of Kent in.

by A. Lander, Esq nd ft. in.

Level 39 ft.

IMPORTANT NOTE.— result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "R cation to THE DIRECTOR, British Rainfal 1.

Jan. 1, following.

Date.	Jan. In.	Feb. In.	March. In.	April. In.	May. In.	June. In.	July. In.	Aug. In.	Sept. In.	Oct. In.	Nov. In.	Dec. In.	Date.
1	0.46	0.05	-	-	-	-	0.32	-	0.01	0.10	0.01	0.47	1
2	0.16	-	-	-	0.10	-	0.23	-	0.05	0.02	0.25	0.16	2
3	0.20	-	0.36	-	-	-	0.33	-	-	-	0.03	0.20	3
4	0.10	-	0.33	-	-	0.03	0.25	0.02	-	0.01	0.02	0.13	4
5	0.16	0.27	1.30	-	-	-	-	-	-	-	0.01	0.20	5
6	0.02	-	-	-	-	-	-	-	-	0.01	0.03	0.10	6
7	0.01	-	0.32	-	-	-	0.02	-	-	-	0.11	.	7
8	0.32	-	0.06	-	-	-	-	-	-	-	0.01	-	8
9	0.24	-	0.01	0.17	-	-	-	-	-	-	0.09	.	9
10	0.51	-	0.06	0.01	-	-	-	-	-	-	0.07	-	10
11	0.20	-	0.14	0.33	-	-	0.07	-	-	-	-	0.02	11
12	0.04	-	-	0.01	-	-	0.37	-	-	0.09	0.15	-	12
13	0.01	-	-	0.25	-	-	0.03	-	-	0.01	0.17	0.01	13
14	0.34	-	-	0.55	-	-	0.22	-	0.07	-	-	.	14
15	0.10	-	0.14	0.17	-	-	-	-	-	0.06	0.20	-	15
16	0.08	0.36	-	0.08	-	-	-	-	-	-	0.09	0.03	16
17	-	0.39	-	0.10	-	-	-	-	-	-	0.16	0.04	17
18	-	0.38	-	-	-	-	0.04	-	0.05	-	0.03	0.08	18
19	-	0.05	0.30	-	-	-	0.04	0.02	0.02	-	0.07	0.01	19
20	0.04	0.03	0.10	-	-	0.62	0.67	0.10	0.02	-	-	0.01	20
21	-	0.36	0.09	-	-	0.02	0.11	-	-	-	-	0.06	21
22	-	0.02	-	-	-	-	0.21	-	0.23	-	0.02	0.37	22
23	0.01	-	0.01	0.10	-	0.07	0.05	-	0.37	-	0.01	0.01	23
24	-	-	-	0.14	-	0.10	-	0.04	-	-	0.11	-	24
25	0.05	-	-	-	0.02	0.02	-	0.48	-	0.02	-	0.01	25
26	0.02	0.08	0.22	0.26	-	-	-	-	0.05	-	0.07	0.29	26
27	0.46	-	0.01	0.77	-	-	-	0.10	-	0.04	0.01	0.06	27
28	0.04	-	0.13	0.14	-	-	-	0.34	-	0.01	0.51	0.16	28
29	0.14		-	0.08	-	-	-	0.71	-	0.39	0.25	0.07	29
30	-	X	0.01	0.18	-	-	-	0.69	-	0.41	0.07	0.48	30
31	0.13	X	0.08	X	-	X	0.07	0.02	X	0.59	X	0.02	31
Total	3.84 ~~3.59~~	1.99	3.67	3.34	0.12	0.86	3.03	2.52	0.87	1.76	2.55	2.99	YEAR'S TOTAL 27.54
Rain Days.	24	10	18	16	2	6	16	10	9	13.	25	23	172

Copied from M.O. Form 3203.

27.54

W. 6,500, VII. 18. W W C

B. Made

320

REGISTER

FORM A. BRITISH RAINFALL.

7 FEB 20

Kept at Canterbury (M.O.)

in the County of Kent.

by A. Lander, Esq.

Lat. 51° 17′ Long. 1° 5 E.

Time of Observation 9h (G.M.T.)

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 39 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	0·46	0·05	-	-	-	-	0·32	-	0·01	0·10	0·01	0·47	1
2	0·16	-	-	-	0·10	-	0·23	-	0·05	0·02	0·25	0·16	2
3	0·20	-	0·36	-	-	-	0·33	-	-	-	0·03	0·20	3
4	0·10	-	0·33	-	-	0·03	0·25	0·02	-	0·01	0·02	0·13	4
5	0·16	0·27	1·30	-	-	-	-	-	-	-	0·01	0·20	5
6	0·02	-	-	-	-	-	-	-	-	0·01	0·03	0·10	6
7	0·01	-	0·32	-	-	-	0·02	-	-	-	0·11	-	7
8	0·32	-	0·06	-	-	-	-	-	-	-	0·01	-	8
9	0·24	-	0·01	0·17	-	-	-	-	-	-	0·09	-	9
10	0·51	-	0·06	0·01	-	-	-	-	-	-	0·07	-	10
11	0·20	-	0·14	0·33	-	-	0·07	-	-	-	-	0·02	11
12	0·04	-	-	0·01	-	-	0·37	-	-	0·09	0·15	-	12
13	0·01	-	-	0·25	-	-	0·03	-	-	0·01	0·17	0·01	13
14	0·34	-	-	0·55	-	-	0·22	-	0·07	-	-	-	14
15	0·10	-	0·14	0·17	-	-	-	-	-	0·06	0·20	-	15
16	0·08	0·36	-	0·08	-	-	-	-	-	-	0·09	0·03	16
17	-	0·39	-	0·10	-	-	-	-	-	-	0·16	0·04	17
18	-	0·38	-	-	-	-	0·04	-	0·05	-	0·03	0·08	18
19	-	0·05	0·30	-	-	-	0·04	0·02	0·02	-	0·07	0·01	19
20	0·04	0·03	0·10	-	-	0·62	0·67	0·10	0·02	-	-	0·01	20
21	-	0·36	0·09	-	-	0·02	0·11	-	-	-	-	0·06	21
22	-	0·02	-	-	-	-	0·21	-	0·23	-	0·02	0·37	22
23	0·01	-	0·01	0·10	-	0·07	0·05	-	0·37	-	0·01	0·01	23
24	-	-	-	0·14	-	0·10	-	0·04	-	-	0·11	-	24
25	0·05	-	-	-	0·02	0·02	-	0·48	-	0·02	-	0·01	25
26	0·02	0·08	0·22	0·26	-	-	-	-	0·05	-	0·07	0·29	26
27	0·46	-	0·01	0·77	-	-	-	0·10	-	0·04	0·01	0·06	27
28	0·04	-	0·13	0·14	-	-	-	0·34	-	0·01	0·51	0·16	28
29	0·14		-	0·08	-	-	-	0·71	-	0·39	0·25	0·07	29
30	-	X	0·01	0·18	-	-	-	0·69	-	0·41	0·07	0·48	30
31	0·13	X	0·08	X	-	X	0·07	0·02	X	0·59	X	0·02	31
Total	3·84 ~~3·59~~	1·99	3·67	3·34	0·12	0·86	3·03	2·52	0·87	1·76	2·55	2·99	YEAR'S TOTAL 27·54
Rain Days.	24	10	18	16	2	6	16	10	9	13.	25	23	172

Copied from M.O. Form 3203.

27·54

W, 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Canterbury (MO)

in the County of Kent

by A. Lander

Lat. 51°17'N Long. 1°5'E

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground - ft. in.

" " " " Sea Level 39 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0·04	-	-	0·01	-	-	0·46	-	0·20	1
2	-	-	0·25	-	-	-	-	0·24	0·03	0·12	-	0·03	2
3	-	-	-	-	0·06	0·11	-	-	0·03	-	-	0·08	3
4	-	0·04	-	0·16	-	-	0·51	0·02	-	0·01	-	0·18	4
5	-	-	-	0·09	0·01	-	0·41	0·23	0·07	-	-	0·27	5
6	-	-	0·16	-	0·08	-	0·09	-	-	-	-	-	6
7	0·02	-	0·01	0·08	0.06	-	0·03	-	-	0·02	-	0·04	7
8	0·02	-	-	0·02	0·04	-	0·11	-	-	-	-	-	8
9	-	-	-	0·01	0·03	-	0·06	-	-	-	-	-	9
10	0·40	0·10	0·06	0·25	-	-	0·02	-	-	-	-	-	10
11	0·35	-	0·05	0·17	-	-	0·47	-	-	-	-	0·07	11
12	0·06	0·01	-	0·16	0·02	0·05	0·19	-	-	-	-	-	12
13	0·33	0·02	0·16	-	-	0·06	-	-	-	-	0·08	-	13
14	-	-	0·26	0·24	-	0·04	-	-	0·05	0·02	0·29	-	14
15	0·01	-	-	0·07	-	-	-	-	0·61	0·17	0·10	-	15
16	-	-	-	0·05	0·10	-	-	-	0·09	-	-	0·70	16
17	-	-	-	0·18	0·04	-	0·03	-	0·41	-	-	0·02	17
18	0·07	-	-	0·03	0·06	-	-	1·15	0·21	-	-	0·04	18
19	0·22	-	-	0·22	-	-	-	0·08	-	-	-	0·02	19
20	0·03	0·23	-	0·14	-	0·41	-	-	0·58	-	-	-	20
21	-	0·05	-	-	-	-	0·32	0·02	0·56	-	-	0·14	21
22	-	-	-	0·13	-	-	-	0·17	0·12	-	-	0·25	22
23	-	-	-	0·01	-	-	0·39	0·19	-	-	-	0·16	23
24	-	-	0·02	-	0·01	-	-	-	0·06	-	-	-	24
25	0·01	-	-	0·03	0·10	-	0·28	0·01	0·02	-	-	-	25
26	0·03	-	0·12	0·06	-	-	0·04	-	-	-	-	0·01	26
27	0·17	0·06	0·01	0·16	-	·04	-	-	-	-	0·04	0·15	27
28	0·23	0·38	-	-	0·24	-	0·04	-	-	-	0·23	0·02	28
29	0·64	-	0·02	0·01	-	-	0·01	-	-	-	0·03	0·05	29
30	0·01		0·06	0·01	0·01	-	0·08	-	0·13	-	0·26	0·12	30
31	-		-		-		-	-		0·10		0·12	31
TOTAL	2·60 ✓	0·89 ✓	1·18 ✓	2·32 ✓	0.86 ✓	0·71 ✓	3·09 ✓	2·11 ✓	2·97 ✓	0·90 ✓	1·03 ✓	2·67 ✓	YEAR'S TOTAL 21·33 ✓
Days with ·01 in. or more	16 ✓	8 ✓	12 ✓	23 ✓	14 ✓	6 ✓	18 ✓	9 ✓	14 ✓	7 ✓	7 ✓	20 ✓	154
	9	6	8	16	9	6	13	6	11	4	6	15	109

Copied from MO 203.

(44,283). Wt. 2 958—218 7500 10/19. Gp.132. A.&E.W.

CANT~~ER~~BURY
OATEN HILL HSE
KENT
1911 - 1920

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

R 911

tist associati

Kept at Adisham
Canterbury, Oat

in the County of Ke

by Rev. Canon

5 in.

bove Ground 1 ft. 3 in.

„ Sea Level 165 ft.

10. a.m.

Name Adisham

Distance 1 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec. Canterbury	Date.
1	·04	.	-	·26	-	.	-	·15	-	·02	-	-	1
2	·16	-	·04	·01	·26	-	.	-	.	-	·12	·11	2
3	·10	·03	-	·10	·07	-	-	-	.	-	·07	·21	3
4	·05	·02	·06	·16	.	-	-	-	-	·52	·22	·28	4
5	·04	·02	-	.	-	-	-	.	-	·02	-	·61	5
6	·19	.	-	-	-	-	-	-	-	·06	-	·05 ✱	6
7	·01	.	·02	-	-	-	-	-	-	1·22	·38	·28	7
8	·09	.	·07	-	-	-	-	-	-	·02	·42	·15	8
9	·15	.	·03	·03	-	-	-	-	-	·06	·27	·13	9
10	-	·06	-	·05	-	-	-	-	-	·01	-	1·08	10
11	·54	-	·01	-	-	-	-	-	-	-	·91 }	·01	11
12	·04	.	·65	-	-	·06	.	-	-	·08		-	12
13	-	.	·03	-	·51	·31 }	-	.	·55	·41	·04	·21	13
14	-	·09	-	-	·01		-	-	-	·02	# - ✱	·22	14
15	-	·04	·30	-	.	-	-	-	-	·01	·04	·02	15
16	-	-	.	.	-	·54	-	-	-	-	·22	·05	16
17	-	.	·03	-	-	·01	-	-	-	-	1·23 }	·11	17
18	.	·12	·04	-	-	.	-	-	-	-		·13	18
19	.	·01	-	.	·06	·04	-	-	·10	·15	·22	·22	19
20	.	-	-	-	.	-	-	·64	·01	·09	.	·49	20
21	.	·05	-	-	.	·01	-	·05	·04	1·02	-	·26	21
22	·05	.	·35	-	-	.	-	·05	-	·46	-	·45	22
23	.	·14	·10	-	-	1·45	-	-	·11	·27	·05	·06	23
24	-	·04	·01	.	-	·04	·11	-	-	·33	-	·22	24
25	.	·02	·25	-	-	·09	·01	·58	.	·01	·09	-	25
26	-	-	·27	-	-	·02	-	.	-	·27	·20	·17	26
27	-	·13	·05	·38	.	-	-	-	·09	·33	-	·02	27
28	-	·19	-	·13	-	-	-	-	-	-	·02	.	28
29	.	-	·01	-	-	·16	·21	-	·17	·19	-	-	29
30	.		.	-	·21	·01	·03	·01	·03	·25	·01	-	30
31	.		·01		-		-	-		-		·01	31
Total	1·46	·96	2·33	1·12	1·12	2·74	·36	1·48	1·10	5·82	~~4·51~~	4·95	TOTAL for year 27·95
No. of Rain Days.	12	14	19	8	6	13	4	6	8	23	~~19~~	25	157

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.
2 JAN 1912

Kept at Adisham (to Nov. 14)
Canterbury, Oaten Hill House (from Nov. 15)

in the County of Kent

by Rev. Canon Carr

RAIN GAUGE
Pattern British association
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 165 ft.

Time of Observation 10. a. m.

Nearest Railway Station
Name Adisham
Distance 1 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec. Canterbury	*Date.*
1	·04	.	-	·26	.	.	-	·15	-	·02	-	-	1
2	·16	-	·04	·01	·26	-	.	.	.	.	·12	·11	2
3	·10	·03	-	·10	·07	-	-	-	.	-	·07	·21	3
4	·05	·02	·06	·16	.	-	-	-	-	·52	·22	·28	4
5	·04	·02	-	.	.	-	.	.	-	·02	-	·01	5
6	·19	.	.	-	-	.	-	-	-	·06	-	·05 ×	6
7	·01	.	·02	-	-	-	-	-	-	1·22	·38	·28	7
8	·09	.	·07	-	-	-	-	-	-	·02	·42	·15	8
9	·15	.	·03	·03	-	-	-	-	-	·06	·27	·13	9
10	-	·06	-	·05	-	.	-	-	-	·01	-	1·08	10
11	·54	.	·01	-	.	-	-	-	-	-	·91 }	·01	11
12	·04	.	·65	.	-	·06	.	-	-	·08		-	12
13	-	.	·03	-	·51	·31 }	-	.	·55	·41	·04	·21	13
14	-	·09	-	-	·01		-	-	-	·02	# - ×	·22	14
15	-	·04	·30	-	.	-	-	-	-	·01	·04	·02	15
16	-	-	.	.	-	·54	-	-	-	-	·22	·05	16
17	-	.	·03	-	-	·01	-	-	-	-	1·23 }	·11	17
18	.	·12	·04	-	-	.	-	-	-	-		·13	18
19	.	·01	-	.	·06	·04	-	-	·10	·15	·22	·22	19
20	.	-	-	-	.	-	-	·64	·01	·09	.	·49	20
21	-	·05	-	-	.	·01	-	·05	·04	1·02	-	·26	21
22	·05	.	·35	.	-	.	-	·05	-	·46	-	·45	22
23	-	·14	·10	-	-	1·45	-	-	·11	·27	·05	·06	23
24	-	·04	·01	.	-	·04	·11	-	.	·33	-	·22	24
25	.	·02	·25	-	-	·09	·01	·58	.	·01	·09	-	25
26	-	-	·27	-	-	·02	-	.	-	·27	·20	·17	26
27	-	·13	·05	·38	.	-	-	-	·09	·33	-	·02	27
28	-	·19	-	·13	-	-	-	-	-	-	·02	.	28
29	.	-	·01	-	-	·16	·21	-	·17	·19	-	-	29
30	.		.	-	·21	·01	·03	·01	·03	·25	·01	-	30
31	.		·01		-		-	-		-		·01	31
Total	1·46	·96	2·33	1·12	1·12	2·74	·36	1·48	1·10	5·82	~~4·57~~	4·95	TOTAL for year 27·95
No. of Rain Days.	12	14	19	8	6	13	4	6	8	23	~~19~~	25	157

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex DL

Kept at Oaten Hill House. Canterbury
in the County of Kent 2
by Rev. Canon Carr

Lat. 51° 17' N. Long. 1° 15' E.
Time of Observation 10. a.m.
Nearest Railway Station Canterbury East
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	·20	-	-	·04	·73	-	·23	1
2	-	(Snow) ·07	·17	·01	-	·03	·10	·07	-	·17	-	-	2
3	·07	(Snow) ·04	·06	-	·06	·23	-	-	·01	-	-	·03	3
4	·37	-	·65	·01	·16	·23	·03	-	-	-	·21	-	4
5	·08	·08	·16	-	-	·38	-	·26	-	-	·14	·05	5
6	·40	·03	-	-	·05	-	·02	·47	-	-	-	·02	6
7	·04	-	·02	-	·07	·23	-	·20	-	-	-	·05	7
8	-	·22	·25	-	-	·09	-	·15	·26	-	-	-	8
9	-	-	-	·08	-	-	·05	·12	-	-	-	·06	9
10	-	·05	-	-	-	-	-	·02	·06	-	·09	·31	10
11	·02	·17	-	-	-	·06	-	-	·06	-	-	·15	11
12	-	·24	·02	-	·05	-	-	·10	-	-	-	·07	12
13	-	·21	·02	-	-	·09	-	·09	-	-	·45	·01	13
14	-	-	·10	-	·11	-	-	·11	·07	·05	·10	-	14
15	-	-	·10	-	·14	·79	-	-	-	-	-	·24	15
16	-	·01	·07	-	·15	·02	-	·02	-	·03	·07	-	16
17	·13	-	·62	·21	-	·02	-	·06	-	-	·04	·18	17
18	·33	-	·31	-	-	-	1·48 }	·21	-	·15	·10	·27	18
19	·03	·09	·25	-	·01	-		·20	-	-	·04	-	19
20	·03	·02	·51	-	-	-	-	·05	-	·67	-	-	20
21	-	·06	·23	-	·01	-	·03	·05	-	·29	·09	-	21
22	-	·20	·08	-	-	-	·09	·13	-	-	·01	-	22
23	·40	·20	·24	-	·16	-	-	·65	-	·07	·17	·07	23
24	·09	-	·01	-	·05	-	·08	·14	-	·01	-	·14	24
25	·07	-	-	-	-	·18	-	1·41	-	-	·25	·45	25
26	-	·01	-	-	-	-	·06	·61	-	·20	·29	·33	26
27	-	-	·03	-	-	-	·04	-	-	·12	-	·16	27
28	-	·01	-	-	-	-	·06	·07	-	·45	·38	·14	28
29	-	-	-	·07	-	-	-	·20	1·27	·22	·13	-	29
30	·03		-	-	-	·06	·03	·55	1·43	·15	-	-	30
31	-		·02		·05		·15	·14		-		-	31
Total	2·09	1·71	3·92	·38	1·07	2·61	2·22	6·08	3·20	3·31	2·56	2·96	YEAR'S TOTAL 32·11
Rain Days.	14	17	21	5	13	14	14	25	8	14	16	19	180

W. 7,500, XI. 12

cordly own stats 23.1.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Oaten Hill House. Canterbury
in the County of Kent.
by Rev: Canon Carr

2

Lat. 51'17" N. Long. 1' 15" E.
Time of Observation 10. a.m.
Nearest Railway Station Canterbury East.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·33	·06	·05	·01	·30	[illegible]	-	-	·02	·05	·04	1
2	·09	·19	-	-	-	-	·41	-	-	-	·08	-	2
3	-	-	·05	·56	·25	-	-	-	-	·03	-	·02(?)	3
4	·16	-	·03	-	-	-	·11	·04	-	·07	·02	-	4
5	·08	·03	-	·05	-	·17	·33	-	·28	·03	·14	-	5
6	-	-	·05	-	-	·15	-	·06	-	·54	·05	·03	6
7	-	·10	·08	·01	-	-	·10	·21	-	·41	·07	·02	7
8	-	·02	·03	·01	·15	-	-	·02	-	·27	·05	-	8
9	-	·05	-	·03	·13	-	·01	·57	·13	-	·03	-	9
10	-	-	·05	·25	-	-	-	·01	-	-	·45 ·45	-	10
11	·43	·02	-	·32	-	-	-	·04	-	·31	·05	-	11
12	-	-	-	-	·02	-	-	·04	-	-	·67	-	12
13	·50	·01	·01	-	-	-	-	·07	-	-	·52	-	13
14	·09	-	·10	·06	-	-	·25	-	·14	·20	·15	-	14
15	·08	-	·17	·10	-	-	·16	-	-	-	-	-	15
16	·31	-	·48	·12	-	-	-	-	·21	-	·02	-	16
17	·02	·05	·03	·02	-	-	·16	·06	·13	-	-	·12	17
18	-	-	·12	·11	-	-	·02	-	·12	-	·08	-	18
19	·19	-	·11	-	·06	-	-	·07	·08	-	-	-	19
20	·69	-	·10	·05	-	·13	-	-	·03	·29	-	-	20
21	·04	-	·10	·09	·11	-	·05	-	-	·65	1·02	-	21
22	·22	-	·18	-	-	-	·13	-	·08	-	-	·02	22
23	-	-	-	-	-	·01	·02	-	·02	-	-	·48	23
24	-	-	·08	-	-	-	-	·02	-	-	-	-	24
25	·02	-	-	·28	-	·11	-	-	-	-	·05	-	25
26	-	-	·18	-	-	-	·02	-	-	·64	·01	(?)	26
27	[illegible]	·03	·04	-	·11	-	-	-	-	·09	-	-	27
28	·01	-	·23	-	-	·03	-	-	-	·16	-	-	28
29	·33	+	·07	·28	·19	-	-	·02	-		-	-	29
30	·28	+	·24	·26	·07	-	-	·66	-	·15	-	(snow) 19	30
31	·39		·26		-		-	·07		·13			31
Total	3·93	·83	2·85	2·65	1·10	·90	1·77	1·96	1·22	3·96	3·51 ✓	·92	YEAR'S TOTAL 25·60
Rain Days.	18	10	24	18	10	7	13	15	10	17	18 ✓	(9)	169

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Oaten Hill House . Canterbury

in the County of Kent 2

by Rev. Canon Carr

Lat. 51' 17" N. Long. 1' 15" E

Time of Observation 10 a. m.

Nearest Railway Station Canterbury East

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·	·05	·	·	·	·04	·	·	·07	·12	1
2	-	-	-	·06	·	·	·12	-	-	-	·05	·50	2
3	-	·	·12	·08	·13	·	·28	·03	-	-	·01	-	3
4	-	·	·03	·13	·02	·	-	·25	-	-	·26	·21	4
5	17	-	·05	·35	·01	·	·16	·06	-	-	-	-	5
6	·	·01	·03	·20	-	·33	·	·02	·	-	-	·21	6
7	-	·40	·20	·20	·	·05	·01	·	·	-	-	·14	7
8	·15	·15	·47	·03	·	·	·07	·	-	-	-	·07	8
9	·25	·	1·22	·09	·	·07	-	·05	-	-	-	1·39	9
10	-	·05	-	·05	·02	-	-	-	-	·04	-	·10	10
11	·09	·22	·30	-	-	·05	-	-	·17	-	·44	·37	11
12	·02	·25	·07	-	-	-	·18	-	·20	·31 }	·02	·64	12
13	·02	·21	·27	-	·	·	-	-	·15		·07	·35	13
14	-	·23	·15	-	-	·	·	·	·	·08	·13	·33	14
15	·02	·03	·27	·	-	-	·89	-	-	-	1·10	·07	15
16	·	·14	·07	-	·	-	·48	-	·08	-	·05	-	16
17	-	·24	·13	-	·	-		-	·11	·10	·02	·05	17
18	·	·16	·08	·	·	-	·	·	·	·90	·02	·33	18
19	-	·05	1·02	-	·	-	·01	-	·08	·29	·31	·20	19
20	-	·12	·07	-	·	-	·01	-	-	·67	-	·31	20
21	-	1·03	·09	·	·	-	·01	·42	-	·06	-	·11	21
22	-	·01	-	·08	·	·25	·35	·02	-	·20	-	-	22
23	-	·01	·55	-	·24	·35	·05	-	-	-	-	·10	23
24	-	·	·03	·32	·04	-	·04	-	-	·01	·07	-	24
25	·14	·	·10	-	·	-	·	·06	-	·25	-	·	25
26	-	·	·02	-	·02	·	·	·05	-	-	·15	·40	26
27	-	·	·02	-	-	-	·	-	-	-	·08	·32	27
28	·04	·01	-	-	·04	-	-	·	-	·36	·18	·39	28
29	·04	×	·01		-	-	-	:	-	1·12	·11	-	29
30	-	×	-	-	-	-	-	-	-	·17	·82	·04	30
31	-	×	-	×	·29	×	-	·	×	-	×	·04	31
Total	·94	3·32	5·37	1·64	·81	1·10	2·66	1·00	·79	4·56	3·96	6·79	YEAR'S TOTAL 32·94
Rain Days.	10	18 17	24	12	9	6	14	10	6	15	19	24	~~166~~ 167

W. 8,000. X. 14.

361

FORM A.
BRITISH RAINFALL.
24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Oaten Hill House. Canterbury

in the County of Kent

2

by Miss Carr.

Lat. 51' 17" N Long. 1' 15" E

Time of Observation 10. a.m.

Nearest Railway Station Canterbury East

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·09	·15	–	·	·	·	·	·37	·	·25	·14	1
2	·29	·15	·20	·07	·	·	·	·09	·13	·	–	·04	2
3	·25	·	·03	·11	·05	·	·	·09	·41	·	·01	·64	3
4	·63	·	–	·	·	·	·	·53	·	·07	·12	·33	4
5	·02	·23	–	·08	·	·	·	·	·	·14	·08	·32	5
6	–	·17	·02	·22	·02	·	·08	·	·	·03	–	·22	6
7	·18	·18	·06	·	·	·	·01	·	·	·	–	·21	7
8	·05	·48	·16	·11	·	·	·03	·	·	·	·02	–	8
9	·	·07	·	·	·	·08	·	·08	·	·07	·35	·55	9
10	·24	·03	·	·	·	·04	·	·	·	·	–	·61	10
11	·	–	·	·	·	·	·	·	·	·03	·49	·02	11
12	·08	·18	·	·52	·32	·	·	·18	·	·	·62	–	12
13	·05	·82	·	·15	1·37	·	·	·10	·	·	–	–	13
14	·03	·05	·	·	–	·	·15	·	·06	·01	–	·32	14
15	·27	–	·	·	·06	·	·27	·44	·	·	·68	·14	15
16	·05	·46	·	·07	–	·	1·15	·01	·	·	–	–	16
17	·	·40	·	·	1·82	·	·01	·05	·	·	–	·44	17
18	·03	·11	·06	–	·60	·	·	·	·	·23	–	·12	18
19	–	·01	·	·	·	·	·	·	·	·05	–	–	19
20	·30	·02	·	·02	·	·	·	·	·	·03	–	·23	20
21	·16	–	·	·	·	·	·	·	·	·21	–	·12	21
22	·08	·	·	·02	·	·	·67	·	·	·	–	·10	22
23	·04	·18	·09	·	·	·	·06	·	·	·04	·	·23	23
24	–	·	·15	·20	·	·	·13	·	·15	·07	·	·56	24
25	·04	·	·13	·03	·	·09	·	·	·	·03	·	·19	25
26	·	·05	·	·01	·	·02	·	·	·16	·	–	·36	26
27	–	·	·	·	·	·18	·08	–	·	·20	–	·	27
28	·05	·12	·04	·	·	·	·	·	1·36	·18	·	·	28
29	·13		·	·	·04	·	·55	·28	·	·02	·50	·05	29
30	–	X	·	·	·	·06	·03	·	·	·03	·44	–	30
31	·05	X	·	X	·	X	·	·14	X	·45	X	·28	31
Total	3·62	3·80	1·09	1·61	4·28	·47	3·22	1·99	2·64	1·89	3·56	6·22	YEAR'S TOTAL 33·79
Rain Days.	22	19	11	13	8	6	13	11	7	18	11	23	162

W. 8,000. X. 15.

24121 ✓ 34b

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Oaten Hill House. Canterbury

in the County of Kent

by Miss H. M. Carr

Lat. 51' 17" N Long. 1' 15" E

Time of Observation 10. a.m

Nearest Railway Station Canterbury East

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	.	.	.	-	-	·08	·12	-	-	1
2	·16	·07	·45	.	·11	-	-	-	. .	·80	·37	-	2
3	.	·52	·10	-	-	-	·07	-	.	·17	·57	-	3
4	·12	·67	-	.	-	·30	·08	-	.	·02	·55	-	4
5	·02	.	·01	·10	-		·12	.	.	·05	·30	-	5
6	.	·11	·27	·52	.	·30	·52	-	.	-	·36	-	6
7	·07	.	1·05	-	·55	·07	·10	-	.	-	·40	-	7
8	.	.	·63	-	·20	-	-	-	-	-	.	·20	8
9	.	.	·01	-	·25	·12	-	-	·04	-	.	·40	9
10	.	·04	·06	·10	-	·42	·12	-	.	·04	.	-	10
11	·02	·13	-	·21	-	·18	-	-	-	-	.	·43	11
12	·05.	·02	·10	·05	·75	·29	-	-	.	·17	.	-	12
13	.	·20	·18	-	·12	-	·61	-	.	-	-	-	13
14	.	·37	·16	·24	-	-	·02	·09	.	·07	-	-	14
15	.	·13	·03	.	-	-	-	.	.	-	-	-	15
16	.	.	·03	·12	-	-	·10	·08	-	-	-	-	16
17	.	·09	.	·07	-	-	·04	-	·35	·56	-	-	17
18	·15	·10	-	·10	-	-	-	.	·07	·13	·83	-	18
19	·15.	·04	-	·21	-	.	-	-	.	·03	1·28	·21	19
20	·06	-	·08	·33	-	-	-	.	.	-	·02	·50	20
21	-	.	·90	·17	-	-	-	-	-	-	-	·15	21
22	.	·35	·32	·20	-	·09	-	-	.	·01	·07	·46	22
23	-	- ↑	-	. .	·03	·23	-	·11	.	-	·04	.	23
24	-	·69 r	·07	-	.	-	-	.	.	·43	·05	.	24
25	-	snow ·45 s	·12	-	.	.	-	·33	.	·07	-	·15	25
26	·02	·23	-	-	.	·18	-	·03	.	·24	·10	.	26
27	·04	·58	·65	.	.	-	.	-	-	·81	-	.	27
28	-	·56	·20	.	.	-	-	-	·25	·13	-	.	28
29	.	·15	-	-	.	·18	-	·68	.	·47	-	·35	29
30	-	✕	-	-	.	-	-	·35	-	·46	-	-	30
31	-	✕	.	✕	.	✕	-	-	✕	·02	✕	-	31
Total	·86	4·90	4·82	2·42	2·01	2·36	1·78	1·67	·79	4·30	4·94	2·85	YEAR'S TOTAL 33.70
Rain Days.	11	20	20	13	7	11	10	7	5	20	13	9	146

W. 8,000. X. 15.

Exe DL

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Oaten Hill House. Canterbury

in the County of Kent.

by Miss H. M. Carr.

Lat. 51' 17" N. Long. 1' 15" E

Time of Observation 10. A. M.

Nearest Railway Station Canterbury East

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·28 s	-	-	-	1·90	·07	-	-	-	1
2	-	-	-	·45	-	-	-	·23	-	·14	-	-	2
3	-	-	-	·11	-	-	·10	1·61	-	·13	-	-	3
4	-	-	·10 s	-	-	-	-	-	-	·20	-	-	4
5	·25	·20 s	-	·11	-	-	-	-	·12	·23	·10	-	5
6	-	-	·25 s	·13	-	·05	-	-	·07	·05	-	-	6
7	·27	-	-	-	-	-	-	-	-	·73	·20	-	7
8	·26	-	-	·14	-	-	·41	·25	-	·31	·15	-	8
9	·22	-	-	·15	-	-	-	·02	-	-	-	·25	9
10	-	-	-	·09	-	-	-	·10	-	-	-	-	10
11	·27	-	·51	-	-	-	-	-	·05	·30	-	·30	11
12	-	-	-	·10	-	-	-	-	-	·23	-	-	12
13	·14	-	·02	·05	·08	-	-	·01	-	-	-	·10	13
14	·29	-	·15	·30	-	-	-	-	-	·15	·10	·90	14
15	·25	-	-	-	·09	-	-	·09	-	·10	-	1·08	15
16	·15	-	-	·15	·25	-	-	-	-	·05	-	·41	16
17	-	-	-	·07	·28	-	-	-	·10	-	-	·14	17
18	·02	-	-	·11	-	-	·20	·05	·15	-	-	-	18
19	-	·26	·16	-	-	-	-	-	-	-	-	-	19
20	·10	-	·12	-	·16	-	·05	·17	-	-	·09	-	20
21	·03	-	-	-	·05	·25	-	-	-	-	-	·09	21
22	-	-	·12	-	-	·28	-	·18	-	·18	-	-	22
23	-	-	·03	-	·17	-	-	-	-	-	-	-	23
24	-	-	-	-	-	·03	-	·05	-	·12	·05	-	24
25	-	-	-	-	-	-	-	-	-	-	-	-	25
26	-	-	-	-	-	-	-	·12	-	-	·70	·07	26
27	-	-	-	-	-	·03	-	·40	-	-	-	-	27
28	-	-	·15	-	-	·80	-	·45	-	-	-	-	28
29	-	-	-	-	-	·15	1·51	·15	-	·33	-	·35	29
30	·27 sn	X	·20	-	-	·03	1·21	·10	-	·12	-	·02	30
31	-	X	·21 s	X	-	X	1·60	-	X	-	X	-	31
Total	2·52	·46	2·02	2·24	1·08	1·62	5·08	5·88	·56	3·37	1·39	2·71	YEAR'S TOTAL 28·93
Rain Days.	13	2	12	14	7	8	7	17	6	16	7	11	120

8 06

W. 8,000, VIII. 16

36

end for auth

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
9 · 1 · 19

Kept at Oaten Hill House Canterbury
in the County of Kent
by Miss H. M. Carr

Lat. 51° 17' N Long. 1' 15" E
Time of Observation 10 - a.m.
Nearest Railway Station Canterbury East
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·08	-	-	-	-	·02	-	-	-	·15	1
2	-	-	-	·05	-	-	-	·19	-	-	·80	-	2
3	-	-	-	·15	·17	-	-	-	-	-	-	-	3
4	-	·07	-	·05	·59	-	-	-	·70	·10	1·12	-	4
5	-	-	-	-	·25	-	-	·05	·10	-	·01	·06	5
6	·15	·06	-	·10	·50	-	-	-	·07	·09	·18	-	6
7	·07	·09	-	·19	·06	-	-	-	·45	-		-	7
8	-	-	-	·02	-	-	-	-	·04	·05	·12	-	8
9	-	-	-	-	-	-	-	-	·38	·15		·10	9
10	·08	-	-	·09	-	·07	·07	-	·22	·04	·17	·25	10
11	-	-	-	-	·20	-	·05	-	·15	·58	·06	·10	11
12	-	·03	-	-	·07	-	-	-	·02	·35	·04	-	12
13	·10	-	-	·05	-	-	-	-	-	-	-	-	13
14	-	-	-	-	-	·10	·03	-	·13	·15	-	·12	14
15	1·48	-	-	·36	-	-	·32	-	-	-	-	-	15
16	·30	-	-	·05	-	·10	-	-	·01	-	-	·05	16
17	·27	-	-	·20	-	-	·27	-	·45	-	-	·35	17
18	·18	-	-	-	-	·13	-	-	-	-	-	·06	18
19	·20	-	·24	·13	-	·70	-	-	-	·56	-	-	19
20	-	-	-	-	-	-	1·04	-	·73	·78	-	-	20
21	-	-	-	-	-	-	·11	-	·03	-	-	·02	21
22	·08	-	-	·02	-	-	·35	-	·20	-	-	-	22
23	·09	-	-	-	·19	-	-	-	-	-	-	-	23
24	-	·34	-	·17	·16	·10	-	·03	-	-	-	-	24
25	-	-	-	-	-	-	-	-	-	-	-	-	25
26	-	-	-	-	-	-	1·04	·33	·14	·05	-	·27	26
27	-	-	-	·08	-	-	·07	·13	·04	-	·20	·11	27
28	-	-	·22	-	-	-	-	-	-	-	-	·03	28
29	-	·16	-	·06	-	-	-	-	1·14	-	-	-	29
30	-	X	·25	-	-	-	-	-	-	·10	·17	·02	30
31	-	X	·04	X	-	X	-	-	X	·04	X	·35	31
Total	3·00	·75	·83	1·77	2·19	1·20	3·35	·75	~~4·90~~ 5·00	3·04	2·87	~~2·05~~ 2·03	YEAR'S TOTAL ~~26·70~~ 26·78
Rain Days.	11	6	5	16	9	6	10	6	18	13	10	15	125

W. 8,000, IX. 17.

~~H~~ 9th L cord. for with

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

5 JAN 20

Kept at Oaten Hill House. Canterbury

in the County of Kent

by Miss H. M. Carr

Lat. 51' 17" N Long. 1' 15" E

Time of Observation 10. a. m.

Nearest Railway Station Canterbury E.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
								-			~~·20~~		
1	·45	·20	·	-	-	·		-	-	·	·13	·52	1
2	·14	-	·05	-	-	-	·58	-		·20	·20	·15	2
3	·30	·40	·37	-	-	·	·30	-	·07		-	·18	3
4	·15	·28	·28	-	-	05	·20	-	-	-		·12	4
5	·06	·37	1·40	-	-			-	-	-	·02	·24	5
6	·05	-	·02	-				-	-	-	·18	-	6
7	·	-	·32	-			·03	-	-	-	-	-	7
8	33	-	·08	-				-	-	-	-	·	8
9	·34		·05	-				-	-	-	·10	-	9
10	·40	-	·08	·20				-	-	·07	-	-	10
11	·20	-	-	-					-	-	-	·12	11
12	-		-	·12		·05	·40	-	-	-	·30	·	12
13	·20	-	·	·90			-		-	·13	·	-	13
14	·15	-	·	·20			·20	-	-	-	-	-	14
15	·31	-	·23	·15				-	-	-	·07	-	15
16	-	·20	·	·10				-	-	-	-	·03	16
17	-	·30	·	-					-	-	·58	-	17
18	-	-	·	-			·06	-	-	-	-	·15	18
19	-	-	·20	-			·05	-	·13	-	-	-	19
20	-	-	·25	·09		·67	·70	·16	-	·08	·15	-	20
21	-	·03	·12	·		·03	-	-	-	·	-	·18	21
22	-	-	-	·			·35	-	-	-	-	·30	22
23	-	·20	-	·11		·05	·05	·10	·20	-	·	-	23
24	-		-	·12		·13	-	-	·50	-	·	·	24
25	·04	·25	-	-	·03		-	·35	-	-	-	·04	25
26	-	-	·05	·27	-		-	·03	-	-	-	·09	26
27	·30	-	-	·85	-		·02	·10	-	-	-	·22	27
28	·14	-	·25	·15	-		·01	-	-	·05	1·62	·02	28
29	·	X	-	·10	-		-	·62	-	·60	·09	·27	29
30	·	X	-	·20	-		-	·75	-	·23	-	·36	30
31	·	X	-	X	-	X	·06	-	X	·57	X	-	31
Total	3·56	2·23	3.75 ~~3·35~~	3·56	·03	·98	3·01	2·11	·90	1·87	2·84	2·99	YEAR'S TOTAL 27·83 ~~27·43~~
Rain Days.	16	9	15	14	1	6	14	7	4	8	11	16	121

W, 6,500, VII. 18. W W C.

Ed 930

296

28 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Oaten Hill House. Canterbury

in the County of Kent

by Miss H. M. Carr

Lat 51' 17" N. Long 1' 15" E.

Time of Observation 9. a.m.

Nearest Railway Station Canterbury East.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	-	·	·04				·	·				1
2	·07	-	·37	·				·28	·				2
3	·	-	-	-				-	·05				3
4	·	·05	·	·16				·	·				4
5	·	·	·	·20				·15	·				5
6	·	·	·24	-				·01	·				6
7	·10	-	·05	·05				-	·				7
8	·	-	·01	·01				·	·				8
9	·20	·	·	·06				·	·				9
10	·43	·15	·	·15				·	-				10
11	·25		·07	·09				·	·				11
12	·	·02	·07	·26				·	·				12
13	·40		-	·20				·	·				13
14	-	·	·31	·07				·	·05				14
15	-	·	·	·10				·	·50				15
16	-	·	·	-				·	·25				16
17	·07	·		·20				·	·35				17
18	·24	·		·				1·20	·33				18
19	·02	·	·	·23				·10	-				19
20		·25	·	·				·	·05				20
21	·04	·	·	·			3·50	·04	1·20				21
22	·02	·	·	·30			-	·16	·				22
23	·	·	·01	·01			·42	·30	·				23
24	-	·	-	·			-	·	·				24
25	-	·	-	·			·15	·	·				25
26	·02	·	·13	·			·03	·	·				26
27	·24	·	·01	-			·	·	·				27
28	·25	·	-	·			·27	·	·				28
29	·56		·06	·			-	·	·				29
30	·02	X	-				·10	·	·				30
31	·01	X		X		X	·	·	X		X		31
Total	2·94	·47	1·33	2·13			4·47	2·18	2·78				Year's Total
Days with ·01 in. or more	17	4	11	16				8	8				

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 3

CAN~~TER~~BURY

ST THOMAS HILL

KENT

1911 - 1918

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REC ... 1

Kept at S. Thoma ... ker

... in.

in the County of Ca ... Ground — ft. 6 in.

... Sea Level 230 ft.

... A.M.

by John S ... Name Canterbury West

... Distance 1 mile Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15			·29								·02	1
2	·13		·04	·02	·20	·02					·13	·10	2
3	·12	·08			·09						·08	·15	3
4	·14	·01	·08	·29						1·29	·33	·10	4
5	·04	·03								·65		·34	5
6	·21			·02								·22	6
7	·03									1·09	·28	·46	7
8	·10										·50	·12	8
9	·28		·11	·05						·17	·13	·08	9
10		·07		·05								1·04	10
11	·53		·03								·89		11
12	·06		·62			·04							12
13			·04		·38	·14			·88	·33		·23	13
14		·15			·24	·19						·23	14
15		·05	·43						·05		·10	·03	15
16						·50					·22	·05	16
17			·05			·07					·13	·12	17
18		·16	·03								1·09	·14	18
19					·03	·08			·20		·19	·06	19
20								·50	·02	·24		·54	20
21	·03	·06						·11	·04	·62		·15	21
22			·29					·17		·37		·46	22
23		·20	·15			1·31			·17	·04	·05	·08	23
24		·07				·24	·12	·03		·95		·39	24
25		·02	·20	·08		·18		·02	·06				25
26			·30	·26		·04				·20	·35	·17	26
27		·20	·07	·13					·10	·52		·03	27
28		·21		·15							·02		28
29				·16		·13	·14		·20	·16			29
30					·12	·02	·13		·04	·28			30
31													31
Total	1·82	1·31	2·44	1·50	1·06	2·96	·39	·83	1·76	6·91	4·49	5·31	TOTAL of year 30·18
No. of Rain Days.	12	13	14	11	6	13	3	5	10	14	15	24	Days 140

W. 8,000, X. '11.

30·18

✓

REC

Form A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at S. Thomas' Hill

in the County of Canterbury 2

by John Spillett

Rain Gauge
Pattern Becker
Diameter of top 5 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 230 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Canterbury West
Distance 1 mile Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15			·29								·02	1
2	·13		·04	·02	·20	·02					·13	·10	2
3	·12	·08			·09						·08	·15	3
4	·14	·01	·08	·29						1·29	·33	·10	4
5	·04	·03								·65		·34	5
6	·21			·02								·22	6
7	·03									1·09	·28	·46	7
8	·10										·50	·12	8
9	·28		·11	·05						·17	·13	·08	9
10		·07		·05								1·04	10
11	·53		·03								·89		11
12	·06		·62			·04							12
13			·04		·38	·14			·88	·33		·23	13
14		·15			·24	·19						·23	14
15		·05	·43						·05		·10	·03	15
16						·50					·22	·05	16
17			·05			·07					·13	·12	17
18		·16	·03								1·09	·14	18
19					·03	·08			·20		·19	·06	19
20								·50	·02	·24		·54	20
21	·03	·06						·11	·04	·62		·15	21
22			·29					·17		·37		·46	22
23		·20	·15			1·31			·17	·04	·05	·08	23
24		·07				·24	·12	·03		·95		·39	24
25		·02	·20	·08		·18		·02	·06				25
26			·30	·26		·04				·20	·35	·17	26
27		·20	·07	·13					·10	·52		·03	27
28		·21		·15							·02		28
29				·16		·13	·14		·20	·16			29
30					·12	·02	·13		·04	·28			30
31													31
Total	1·82	1·31	2·44	1·50	1·06	2·96	·39	·83	1·76	6·91	4·49	5·31	TOTAL for year 30·78
No. of Rain Days.	12	13	14	11	6	13	3	5	10	14	15	24	Days 140

W. 8,000, X. '11.

Exd DL

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at S. Thomas' Hill.
in the County of Canterbury. 2
by John Spillett.

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Canterbury West. S.E.R
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground – ft. 6. in.
" " " " Sea Level 230. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07			·35	·33		·05	·73		·24	1
2			·13				·13			·18			2
3	·08					·23		·14				·03	3
4	·31		·53		·19	·52					·16		4
5	·14	·27	·17			·31		·22			·16		5
6	·39	·03			·05			·56					6
7					·07	·23		·55					7
8	·17	·17	·27			·27		·05	·26				8
9				·12			·10	·27				·06	9
10								·11	·03		·08	·30	10
11		·19				·07			·05			·13	11
12		·30			·03			·08					12
13		·14	·03					·09			·41		13
14			·07		·12			·29	·07	·04	·09		14
15			·08		·17	·87					·03	·30	15
16	·15		·04		·09			·03					16
17	·35		·62			·04				·02			17
18	·14		·27	·12			·31	·38		·14	·13	·46	18
19	·03	·08	·23				1·60	·20			·02		19
20			·42		·02			·13		·65			20
21		·08	·29					·10		·33	·09		21
22		·23	·10				·14	·09					22
23	·41	·21	·25		·09			·71		·03	·18	·06	23
24	·12					·09	·03	·21				·14	24
25	·10					·19		1·44			·25	·47	25
26							·04	·84		·21	·34	·36	26
27							·04			·06		·15	27
28							·03			·55	·37	·15	28
29				·09				·18	1·03	·21	·11		29
30								·44	1·83	·23			30
31					·04		·20	·14					31
Total	2·39	1·70	3·57	·33	·87	3·17	2·95	7·25	3·32	3·38	2·42	2·85	YEAR'S TOTAL =34·20
Rain Days.	12	10	16	3	10	11	11	23	7	13	14	13	= 143

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

Ex. H

FORM A.
BRITISH RAINFALL
3 - JAN 1914

Kept at St Thomas' Hill
in the County of Canterbury 2
by John Spillett

Lat. Long.
Time of Observation 9 A. M.
Nearest Railway Station Canterbury West
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·32	·05	·07	·04	·22				·03	·03	·05	1
2	·07	·16					·37				·09		2
3			·03	·56	·22							·05	3
4	·20						·10			·05	·03		4
5	·08						·39		·33	·04	·07	·03	5
6			·05	·04		·14	·02	·10		·44	·18		6
7		·13	·10				·05	·20		·26			7
8					·12	·03				·40	·04		8
9		·05			·14			·69	·13		·04	·02	9
10			·11	·30			·09				·35		10
11	·39			·36						·35	·19		11
12								·05			·59		12
13	·39							·08			·45		13
14	·13		·10	·07			·30		·06	·19	·31		14
15	·08		·17	·05			·41						15
16	·36		·48	·23					·23				16
17	·02			·10			·17					·07	17
18			·10	·12			·03		·18		·10		18
19	·16		·13		·08		·09	·11	·16				19
20	·93		·08			·12			·04	·15			20
21	·16		·05	·14	·05					·95	·97		21
22	·23		·17				·08		·03	·06		·02	22
23						·05			·04			·50	23
24	·02		·05					·05					24
25				·32		·12							25
26			·19					0.2		·63		·16	26
27			·03		·13					·11			27
28	·38	·09	·22			·04				·19			28
29	·28		·06	·58	·18							·02	29
30	·41			·28	·06			1·30		·07		·16	30
31			·45					·09		·13			31
Total	4·29	·75	2·62	3·22	1·02	·72	2·10	2·69	1·20	4·05	3·44	1·08	YEAR'S TOTAL 27·18
Rain Days.	17	5	19	14	9	7	12	10	9	16	14	10	142

W. 7,500, XI. '12

6X ML

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at S. Thomas' Hill.
in the County of Canterbury 2
by John Spillett.

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Canterbury West
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground - ft. 6 in.
" " " " Sea Level 230. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03								·10	1
2				·10			·20				·10	·16	2
3			·10	·19	·14		·24					·02	3
4				·13				·35			·31	·26	4
5	·17		·06	·32	·14		·16	·21					5
6				·30	·05	·41						·22	6
7		·45	·19	·19		·05						·16	7
8	·12	·20	·29	·04			·10	·09				·06	8
9	·22		1·35	·07		·06						1·25	9
10	·11			·02	·03					·05		·06	10
11		·30	·29	·03		·05			·20		·44	·39	11
12			·06				·42		·18			·46	12
13		·25	·20		·02				·14	·06	·06	·51	13
14	·06	·35	·31						·01	·31		·36	14
15		·05	·28				·82				1·43	·07	15
16		·09	·03				·85				·10		16
17		·12							·18	·09		·06	17
18		·23	·17							·53		·43	18
19		·03	·81						·07	·47	·36	·12	19
20		·18	·24				·02			·27		·27	20
21		·89	·08					·80				·15	21
22				·10		·17	·30			·18			22
23			·57		·15	·17	·10					·11	23
24			·02	·32	·03								24
25	·13		·06				·03			·36	·08		25
26			·02					·13			·15	·31	26
27			·01							·08	·04	·57	27
28					·05					·16	·19	·47	28
29	·07									·87	·07		29
30		X	·01							·16	·90		30
31		X		X	·32	X			X		X	·04	31
Total	·88	3·14	5·15	1·84	·93	·91	3·24	1·58	·78	3·59	4·23	6·61	YEAR'S TOTAL 32·88
Rain Days.	7.	12.	21.	13.	9.	6.	11.	5.	6.	13.	13.	24.	140.

W. 8,000. X. 14.

[illegible] 363

FORM A.
BRITISH RAINFALL
10. JAN 19

REGISTER OF RAINFALL IN 1915

Kept at St Thomas' Hill

in the County of Canterbury Kent. 2

by John Spillett

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station S. E. R. Canterbury W.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·07	·11						·74		·29	·17	1
2	·29	·16	·14	·04				·10	·24				2
3	·23		·09	·15	04			·12	·50			·54	3
4	·02							·66		·17	·15	·41	4
5	·02	·19		·05	·06					·14	·13	·40	5
6	·17	·13		·27			·05					·10	6
7	·31	·17	·05				·02					·25	7
8	·02	·37	·13	·05									8
9	·03	·35				·04		·12		·05	·41	·49	9
10	·21	·03										·47	10
11										·02	·42	11	11
12	·04			·52	·32			·32		·02	·71		12
13	·09	·97		·12	1·33								13
14	·03	·05					·12	·17				30	14
15	·24				·06		·40	·75	·05		·71	16	15
16	·03	·40		·07			·97						16
17	·03	·63			1·53			·04				44	17
18		·14	·05		·68					·08	·11	13	18
19										·21			19
20	·31				·02							20	20
21	·19									34		·01	21
22	·07		·04				·62					·23	22
23	·04	·11	·05				·03			·04		28	23
24			·15	·20			·13		·17	·06		·50	24
25			·15	·05		·09	15			·03		·22	25
26	09	·03	·02				·04					·35	26
27		·02					·07			·07		·02	27
28		·14	·03			·10			1·62	26			28
29		✗			·04	03	·45	·46			·34	·08	29
30	·10	✗				·08	·05				·65		30
31	·05	✗		✗		✗			✗	44	✗	·32	31
Total	3·11	3·96	1·01	1·52	4·08	·34	3·10	2·74	3·32	1·93	3·92	6·18	YEAR'S TOTAL 35·21
Rain Days.	23	17	12	10	9	5	13	9	6	14	10	23	151

W. 8,000. X. 15.

Ex DL

348

FORM A.
BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at St Thomas' Hill
in the County of Canterbury
by John Spillett

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Canterbury West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10								·08		·35		1
2	·20	·05	·35		·10					·46	·01		2
3		·52	·20				·11			·15	·54		3
4	·14	·10				·32	·07			·06	·50		4
5	·01			·13	·02	·09	·39			·04	·41		5
6		·05	·20	·56		·22	·16			·03	·34		6
7	·06	·09	·88		·46	·10	·09			·01	·55	·04	7
8			·10		·10							·11	8
9					·30	·04						·24	9
10						·39	·12		·07			·27	10
11	·04	·14	·08	·27		·14						·14	11
12	·03	·02		·03	·73	·32	·03			·19		·11	12
13		·26	·28	·10	·25	·13	·68			·07		·01	13
14		·38	·13	·11	·03		·02	·06		·02	·03	·08	14
15		·11	·05					·06				·05	15
16		·08	·04	·13			·10					·01	16
17	·11			·05			·06	·05	·36	·52			17
18	·07	·15		·10					·05	·12	·78	·02	18
19	·14	·03		·16		·06		·01	·07	·02	1·18	·03	19
20	·11		·07	·06		·01					·02	·34	20
21			·83	·19							·07	·18	21
22		·36	·40	·26						·01	·01	·50	22
23		·68	·06			·09		·09			·03	·06	23
24					·03	·01				·34	·04	·26	24
25		·39	·14					·35		·27	·05		25
26	·01	·18				·21		·05		·22	·11		26
27	·02	·47	·60			·01		·18		·62			27
28		·46	·25						·20	·13		·12	28
29		·13				·19		·65	·05	·43		·21	29
30		X				·01		·23		·46			30
31		X		X		X			X	·01	X	·02	31
Total	1·04	4·65	4·66	2·15	2·02	2·34	1·83	1·73	·88	4·18	5·02	2·80	YEAR'S TOTAL 33·30
Rain Days.	13	20	17	13	9	17	11	10	7	21	17	20	175

W. 8,000, VIII. 16

Exd 3/4

341

REGISTER OF RAINFALL IN 1917

Kept at S. Thomas' Hill
in the County of Canterbury
by Percy J. Spillett

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Canterbury West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 230 ft.

FORM A.
BRITISH RAINFALL.
[illegible] JAN 191[illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·23				2·48	·07		·06	·03	1
2	·02			·54				·31		·05	·04		2
3	·01			·09				1·85		·09			3
4		·22	·04				·11			·43			4
5	·13	·02		·13					·12	·10			5
6				·12		·08			·05		·21		6
7	·28		·02				·03	·13		·71		·02	7
8	·25			·13			·43	·27		·35	·18	·24	8
9	·12		·02	·15			·03	·01			·06	1·50	9
10	·12		·17	·08				·12					10
11	·15	·08	·60	·12				·05	·04	·30		·07	11
12	·07	·03	·12	·06						·25			12
13	·03		·07		·06				·02	·28		·03	13
14	·43		·01	·27				·02					14
15	·05				·09			·05					15
16	·44	·01		·07	·26		·02			·03		·28	16
17				·14	·38		·12		·19	·27		·08	17
18	·08			·13	·01		·12	·05	·08				18
19		·07	·13	·01					·09				19
20	·01	·27	·13		·15	·03	·10		·13		·13		20
21	·02	·02	·04		·05	·21		·02				·11	21
22			·15			·23		·15		·19		·05	22
23					·18	·02		·12				·03	23
24						·02	·01	·04		·10	·05	·01	24
25			·06				·01				·02		25
26			·08					·12	·03	·03	·68		26
27						·03		1·36				·09	27
28			·03			·62		·35				·07	28
29	·04		·02			·20	2·33	·19		·40		·17	29
30	·44	X	·12			·01	1·46	·10		·17		·02	30
31	·04	X	·20	X		X	1·88		X		X	·03	31
Total	2·73 ✓	·72 ✓	2·01 ✓	2·27 ✓	1·18 ✓	1·45 ✓	6·65 ✓	7·79 ✓	·82 ✓	3·75 ✓	1·43 ✓	2·83 ✓	YEAR'S TOTAL 33·63 ✓
Rain Days.	19 ✓	8 ✓	18 ✓	15 ✓	8 ✓	10 ✓	13 ✓	20 ✓	10 ✓	16 ✓	9 ✓	17 ✓	163 ✓

W. 8,000, IX. 17.

1631

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

6. 1.

Kept at S. Thomas' Hill.

in the County of Canterbury.

by (Miss) B. Spillett.

Lat. .... Long. ....

Time of Observation 9. A M.

Nearest Railway Station Canterbury West.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground ...... ft. 6 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·02			·06	·07	1
2	·01	·05	·01					·19		·01	·35	·05	2
3			·03	·14	·14			·01		·01	·62	·03	3
4		·04		·03	·60			·01	·43		·53	·01	4
5		·04			·21			·03	·35	·02		·02	5
6	·16	·08		·12	·24			·12	·04	·01	·12	·01	6
7	·06	·04		·09	·24			·01	·63	·02	·01		7
8		·03	·01						·09		·09		8
9	·03					·11			·44	·15		·02	9
10				·08		·03	·12		·34	·03		·20	10
11	·03				·08		·07		·03	·36	·10	·20	11
12		·12			·14		·03			·44	·03	·02	12
13	·12	·08			·09				·12				13
14	·15		·01			·11	·06		·11	·12		·09	14
15	1·22			·31			·32			·09		·11	15
16	·19			·18			·04						16
17	·27			·15			·36		·33			·32	17
18	·22			·01		·11				·01		·04	18
19	·16		·26	·12		·55		·03	·02	·40		·01	19
20	·04	·04		·01		·01	1·20		·12	·82		·02	20
21	·06						·12		·31	·02			21
22	·07			·01			·19		·65			·14	22
23	·04			·01	·18	·07	·81				·04	·05	23
24		·24		·51	·16	·04			·12	·02			24
25				·01			·08			·02			25
26							·30	·09			·05	·07	26
27		·01		·09			·04	·06	·01		·25	·05	27
28		·14	·32	·06				·01			·10	·06	28
29				·04					·70				29
30		X	·32						·14	·07	·02	·01	30
31		X		X		X			X	·01	X	·39	31
Total	2·83	·91	·98	1·97	2·08	1·03	3·74	·58	4·98	2·63	2·37	1·99	YEAR'S TOTAL 26·09
Rain Days.	16	12	8	18	10	8	14	11	19	19	14	23	172

CAPEL

KENT

1917 - 1918

FORM A.
BRITISH RAINFALL.

18. JAN 1918

REGIS

Kept at Capel ... m. ...lkestone Junction

in the County of Kent ... Gauge 8 in.

by Lieut. C R Flynn R.N.V.R ... Ground ... ft. 11 in.

R.N. Airship S... Sea Level 500 ft 11 in

IMPORTANT NOT... the result entered to the previous day. If an Obs... versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	nil	·04	nil	nil	nil	1·70	·08	nil	nil	·02	1
2	·01	nil	nil	·23	nil	nil	nil	·19	nil	·03	·08	nil	2
3	·05	nil	nil	·20	nil	nil	·02	1·15	nil	·13	nil	nil	3
4	nil	nil	·05	nil	nil	nil	·08	nil	nil	·19	nil	nil	4
5	·26	nil	nil	·01	nil	nil	nil	nil	·11	·09	nil	nil	5
6	nil	nil	nil	·18	nil	·06	nil	nil	·08	·08	nil	·01	6
7	·36	nil	nil	nil	nil	nil	·04	nil	nil	nil	·12	·08	7
8	·62	nil	nil	·18	nil	nil	·11	·52	nil	·65	·34	·27	8
9	·48	nil	·04	·10	nil	nil	nil	nil	nil	·45	nil	·86	9
10	·08	nil	·12	·03	nil	·01	nil	·08	nil	nil	·08	nil	10
11	·27	nil	·31	·10	nil	nil	nil	·06	nil	nil	nil	·02	11
12	·14	·50	·07	·02	nil	nil	nil	·03	nil	·45	nil	nil	12
13	nil	nil	·01	nil	·06	nil	·01	nil	·01	·23	nil	nil	13
14	·06	nil	·17	·22	nil	nil	·03	·09	·01	·17	nil	nil	14
15	nil	nil	nil	nil	·31	nil	nil	·10	nil	nil	nil	nil	15
16	·12	nil	nil	·16	·34	nil	nil	nil	nil	·05	nil	·00	16
17	·10	nil	nil	·15	·22	nil	·36	nil	·17	·17	nil	nil	17
18	·21	·05	nil	·08	·04	nil	·21	·02	·07	nil	nil	·02	18
19	nil	nil	·04	nil	nil	nil	nil	nil	·03	nil	nil	nil	19
20	nil	·09	·14	nil	·14	·10	·01	nil	·01	nil	nil	·01	20
21	nil	·27	·01	nil	·15	·56	nil	nil	nil	nil	·08	·06	21
22	nil	nil	·12	nil	nil	·63	nil	·12	nil	·22	nil	·10	22
23	nil	nil	nil	nil	·10	·01	nil	·04	nil	nil	nil	·02	23
24	nil	·05	nil	nil	nil	nil	·02	·02	·01	·24	nil	·02	24
25	nil	·02	·04	nil	nil	nil	nil	nil	nil	nil	·12	nil	25
26	nil	nil	·16	nil	nil	nil	nil	·14	·01	nil	·24	nil	26
27	nil	nil	nil	nil	nil	·06	nil	·92	nil	nil	·71	·17	27
28	nil	nil	·09	nil	nil	·35	·35	·36	nil	nil	nil	·02	28
29	·02	X	·04	nil	nil	·23	·75	·01	nil	·21	nil	·14	29
30	·06	X	·12	nil	nil	nil	·71	·35	nil	·19	nil	·02	30
31	nil	X	·09	X	nil	X	1·26	nil	X		X	nil	31
Total	2·84	·98	1·62	1·70	1·36	2·01	3·96	590	·59	3·55	1·77	1·94	YEAR'S TOTAL 28·22
Rain Days.	15	6	17	14	8	9	14	18	11	16	8	17	153

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL.

18. JAN 1918

REGIS

Kept at Capel

in the County of Kent

by Lieut. C R Flynn R.N.V.R. Meteorological Officer R.N. Airship Station. Capel.

Time of Observation 9 a.m.

Nearest Railway Station Folkestone Junction

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 500 ft 11 in

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	nil	·04	nil	nil	nil	1·70	·08	nil	nil	·02	1
2	·01	nil	nil	·23	nil	nil	nil	·19	nil	·03	·08	nil	2
3	·05	nil	nil	·20	nil	nil	·02	1·15	nil	·13	nil	nil	3
4	nil	nil	·05	nil	nil	nil	·08	nil	nil	·19	nil	nil	4
5	·26	nil	nil	·01	nil	nil	nil	nil	·11	·09	nil	nil	5
6	nil	nil	nil	·18	nil	·06	nil	nil	·08	·08	nil	·01	6
7	·36	nil	nil	nil	nil	nil	·04	nil	nil	nil	·12	·08	7
8	·62	nil	nil	·18	nil	nil	·11	·52	nil	·65	·34	·27	8
9	·48	nil	·04	·10	nil	nil	nil	nil	nil	·45	nil	·86	9
10	·08	nil	·12	·03	nil	·01	nil	·08	nil	nil	·08	nil	10
11	·27	nil	·31	·10	nil	nil	nil	·06	nil	nil	nil	·02	11
12	·14	·50	·07	·02	nil	nil	nil	·03	nil	·45	nil	nil	12
13	nil	nil	·01	nil	·06	nil	·01	nil	·01	·23	nil	nil	13
14	·06	nil	·17	·22	nil	nil	·03	·09	·01	·17	nil	nil	14
15	nil	nil	nil	nil	·31	nil	nil	·10	nil	nil	nil	nil	15
16	·12	nil	nil	·16	·34	nil	nil	nil	nil	·05	nil	·10	16
17	·10	nil	nil	·15	·22	nil	·36	nil	·17	·17	nil	nil	17
18	·21	·05	nil	·08	·04	nil	·21	·02	·07	nil	nil	·02	18
19	nil	nil	·04	nil	nil	nil	nil	nil	·03	nil	nil	nil	19
20	nil	·09	·14	nil	·14	·10	·01	nil	·01	nil	nil	·01	20
21	nil	·27	·01	nil	·15	·56	nil	nil	nil	nil	·08	·06	21
22	nil	nil	·12	nil	nil	·63	nil	·12	nil	·22	nil	·10	22
23	nil	nil	nil	nil	·10	·01	nil	·04	nil	nil	nil	·02	23
24	nil	·05	nil	nil	nil	nil	·02	·02	·01	·24	nil	·02	24
25	nil	·02	·04	nil	nil	nil	nil	nil	nil	nil	·12	nil	25
26	nil	nil	·16	nil	nil	nil	nil	·14	·01	nil	·24	nil	26
27	nil	nil	nil	nil	nil	·06	nil	·92	nil	nil	·71	·17	27
28	nil	nil	·09	nil	nil	·35	·35	·36	nil	nil	nil	·02	28
29	·02		·04	nil	nil	·23	·75	·01	nil	·21	nil	·04	29
30	·06		·12	nil	nil	nil	·71	·35	nil	·19	nil	·02	30
31	nil		·09		nil		1·26	nil				nil	31
Total	2·84	·98	1·62	1·70	1·36	2·01	3·96	5·90	·59	3·55	1·77	1·94	YEAR'S TOTAL 28·22
Rain Days.	15	6	17	14	8	9	14	18	11	16	8	17	151 153

W. 8,000, VIII. 16

~~W. 970~~ Cor. for auth + part W.D. 20.3.19. cordly obs. (Nov 8) 7 18

16.11.19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

21.1.19

Kept at Climatological Sta
in the County of Capel, Kent.
by R.N. Airship Stn Met: Staff.

Lat. 1°14' 87. E. Long. 51°6' 18.7." N.
Time of Observation 9. a.m.
Nearest Railway Station Folkestone
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10½ in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·2	·7								2·2	1·2	1
2		·2						6·5		·5	11·7	5·5	2
3		·2	·2	3·7	1·7				1·2		16·5	1·2	3
4	·5	1·0		·7	15·5			2·2			6·5		4
5		3·0			2·7			2·5	6·5	·5			5
6	5·0	1·5		1·0	8·7			·7		·2	6·5	1·0	6
7		1·2		6·2	4·7			·2	·5				7
8	·5	·7							17·0	·2	~~[illegible]~~ 2·1		8
9	·5					1·7			3·5	5·5	·2		9
10				·5		·5	3·5		7·7	·7		5·0	10
11	·5			·5	·7		1·2		5·5	7·5	1·2	3·2	11
12	[illegible]	4·0			7·5		·5		·7	7·5		·5	12
13		1·5		·2	3·5				1·5				13
14			·5	·2		3·0	5·5		2·0	3·5		4·7	14
15	5·0			4·7			·2		5·5	1·0		3·0	15
16	1·42in 36·0			1·2		1·7	3·0		·2				16
17	7·0			2·0		·7	6·0	·5				7·7	17
18	3·5			·2		4·0			·2	·7		1·0	18
19	2·0		8·0	1·0		2·5			16·7	10·7		·5	19
20	·5	3·0			·2	·5	27·0			26·0		·5	20
21	1·5				·2		8·2		3·0	1·5		·2	21
22	3·5			·5			10·5		3·0			6·2	22
23	1·5				4·0		13·5		18·7				23
24	·7	5·5		·7	3·0	2·5	·5	1·5			8·5	·2	24
25	·2						3·0		4·0		2·0	3·0	25
26	·2			·2			3·5	·5				·2	26
27	·2	·7	·5	3·0			·7	·5	·7			·2	27
28	·5	1·0	5·3	·5		2·2		5·0	1·5	1·0	6·0		28
29				1·5				·7	26·7		1·0	3·7	29
30			11·2						·7	4·7		4·5	30
31			·7							1·2		7·5	31
Total	69·3	~~23·9~~	~~17·1~~	28·5	52·4	19·3	~~46·8~~	20·8	~~107·0~~	72·9	59·4 ~~108·8~~	60·7	YEAR'S TOTAL 647·9 ~~627·0~~
Rain Days.	19	14	8	19	12	10	15	11	22	17	12	22	181
		23·7	27·1				86·8		127·0		2·34		25·52 ~~[illegible]~~
ins.	2·73	·94	1·07	1·12	2·06	·76	3·42	·82	5·00	2·87	~~4·29~~	2·39	~~27·47~~

W. G200. VII. 18.

S.—546. (Revised—October, 1899.)
D.—398.

N.S.—Sta. 1028/99. Sta. 15/18.

REFERENCE SHEET.

FROM
HIS MAJESTY'S
AT
DATED 191

NAVAL METEOROLOGICAL STATION
23 APR 1919
CAPEL

To British Rainfall Organisation
62 Camden Square
London. N.W. 1.

Near Folkestone.

Sir,

I beg to state in reply to your letter of 16th April 1919 that the rainfall for Nov. 8th 1918 measured 2.1 mms.

I shall be obliged if you will forward me Form A. so that I shall be able to give the duration of each day's rainfall.

Yours faithfully.

R. J. Kelso.
2. Lieutenant R.A.F.
Meteorological Officer.

wrote 28·III 12

REGIST

CAPEL

{LOWER STANDEN}

KENT

1911 - 19

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Lower Standen ... bra

in the County of Kent ... 2 ft. 11 in.

... 250 ft.

by Henry Tur ... earsney

... Direction N. E.

IMPORTANT NOTE.—Rain ... t entered to the previous day. If an Observer pr ... , he is earnestly requested to add the reading at 9 ... space provided for it at the end of this paragra ... ain, the selection and placing of rai ... nfall Organization are given in "*Rules f* ... to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	.	·03	·40	.	.	.	·12	.	·01	·11	.	1
2	·08	.	·02	·02	·29	.	.	.	.	.	·11	·37	2
3	·17	·03	.	·10	·04	.	.	.	.	·26	·10	·35	3
4	·02	·04	·06	·18	.	.	.	.	.	·47	·11	·16	4
5	·10	·04	.	·01	.	.	.	.	.	·09	.	·23	5
6	·38	.	.	.	.	.	.	.	.	·07	.	·26	6
7	·03	.	.	.	.	.	.	.	.	·86	·72	·41	7
8	·05	.	·09	.	.	.	.	.	.	·06	·77	·18	8
9	·19	.	·16	·02	.	.	.	.	.	·03	·80	·09	9
10	.	·09	.	·11	.	.	.	.	.	·01	·10	·63	10
11	·94	.	·03	.	.	.	.	.	.	.	·75	.	11
12	·11	.	·86	.	.	·11	.	.	.	·10	·14	.	12
13	.	.	·10	.	·30	·12	.	.	·52	·73	·02	·20	13
14	.	·07	·01	.	·02	·09	.	.	.	.	.	·21	14
15	.	·07	·24	.	.	.	.	.	.	.	·05	·09	15
16	.	.	·01	.	.	·34	.	.	.	.	·26	·04	16
17	·01	.	.	.	.	·10	.	.	.	.	·07	·09	17
18	.	·11	·03	.	.	.	.	.	.	.	·84	·24	18
19	.	.	·02	.	·06	·02	.	.	·03	·01	·27	·16	19
20	.	.	·01	.	.	·06	.	·67	·09	·14	.	·62	20
21	·03	·04	.	.	.	.	.	·14	·01	1·35	.	·34	21
22	·03	.	·27	.	.	·03	.	·03	.	·43	.	·56	22
23	.	·06	·14	.	.	1·35	.	.	·35	·64	·06	·06	23
24	·02	·16	·07	.	.	·02	·11	·05	.	·37	.	·32	24
25	.	·05	·13	·12	.	·09	.	.	·02	·04	.	·01	25
26	.	.	·47	·20	.	·11	.	.	.	·21	·25	·20	26
27	.	·02	·09	·14	.	.	.	.	·15	·47	.	·05	27
28	·01	·19	.	·13	.	.	.	.	.	.	.	·01	28
29	.	×	.	·03	.	·21	·26	·12	·56	·49	.	.	29
30	.	×	.	·05	·06	·02	.	.	·07	·26	.	.	30
31	.	×	.	×	.	×	.	.	×	.	×	.	31
Total	2·33	·97	2·84	1·51	·74	2·67	·37	1·13	1·80	4·10	5·53	5·94 5·94	TOTAL for year 32·96
No. of Rain Days.	16	13	20	13	6	14	2	6	9	22	18	25	164

W. 8,000, X. '11.

wrote 28.III.12

FORM A2. BRITISH RAINFALL.

5 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Lower Standen Caple

in the County of Kent

by Henry Turner.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5" in.
Height of top above Ground 2 ft. 11 in.
" " " Sea Level 250 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Kearsney
Distance 4 Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	.	·03	·40	.	.	.	·12	.	·01	·11	.	1
2	·08	.	·02	·02	·29	.	.	.	.	.	·11	·37	2
3	·17	·03	.	·10	·04	.	.	.	.	·26	·10	·35	3
4	·02	·04	·06	·18	.	.	.	.	.	·47	·11	·16	4
5	·10	·04	.	·01	.	.	.	.	.	·09	.	·23	5
6	·38	.	.	.	.	.	.	.	.	·07	.	·26	6
7	·03	.	.	.	.	.	.	.	.	·86	·72	·41	7
8	·05	.	·09	.	.	.	.	.	.	·06	·77	·18	8
9	·19	.	·16	·02	.	.	.	.	.	·03	·80	·09	9
10	.	·09	.	·11	.	.	.	.	.	·01	·10	·63	10
11	·97	.	·03	.	.	.	.	.	.	.	·75	.	11
12	·11	.	·86	.	.	·11	.	.	.	·10	·14	.	12
13	.	.	·10	.	·30	·12	.	.	·52	·73	·02	·20	13
14	.	·07	·01	.	·02	·09	.	.	.	.	.	·21	14
15	.	·07	·24	.	.	.	.	.	.	.	·05	·09	15
16	.	.	·01	.	.	·34	.	.	.	.	·26	·07	16
17	·01	.	.	.	.	·10	.	.	.	.	·07	·09	17
18	.	·11	·03	.	.	.	.	.	.	.	·84	·27	18
19	.	.	·02	.	·06	·02	.	.	·03	·01	·27	·16	19
20	.	.	·01	.	.	·06	.	·67	·09	·14	.	·62	20
21	·03	·04	.	.	.	.	.	·14	·01	1·35	.	·34	21
22	·03	.	·27	.	.	·03	.	·03	.	·43	.	·56	22
23	.	·06	·14	.	.	1·35	.	.	·35	·64	·06	·06	23
24	·02	·16	·07	.	.	·02	·11	·05	.	·37	.	·32	24
25	.	·05	·13	·12	.	·09	.	.	·02	·04	.	·01	25
26	.	.	·47	·20	.	·11	.	.	.	·21	·25	·20	26
27	.	·02	·09	·14	.	.	.	.	·15	·47	.	·05	27
28	·01	·19	.	·13	.	.	.	.	.	.	.	·01	28
29	.	x	.	·03	.	·21	·26	·12	·56	·49	.	.	29
30	.	x	.	·05	·06	·02	.	.	·07	·26	.	.	30
31	.	x	.	x	.	x	.	.	x	.	x	.	31
Total	2.33	·97	2.84	1.51	·77	2.67	·37	1.13	1.80	7.10	5.53	5.94 5.94	TOTAL for year 32.96
No. of Rain Days.	16	13	20	13	6	14	2	6	9	22	18	25	164

W. 8,000, X. '11.

wrote re June 29/III/13 H.L.

FORM A. BRITISH RAINFALL.

3 - JAN 1913

REGISTER Exc OF DL RAINFALL IN 1912

Kept at Lower Standen, Capel, Folkestone

in the County of Kent

by Henry Turner.

W. 12. Oll. [illegible] Folkest.

Lat. Long.

Time of Observation 9 A. M

Nearest Railway Station Kearsney

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 11 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.08	-	-	.64	.14	-	.16	.60	-	.27	1
2	-	.09	.17	-	-	.25	.04	.25	-	.05	-	-	2
3	.07	.16	-	-	-	.49	-	.10	.02	.04	-	-	3
4	.43	-	.46	-	.05	.84	-	-	-	-	.17	-	4
5	.20	.22	.09	-	-	.19	-	.27	~~.44~~	-	.19	-	5
6	.49	.17	-	-	.01	-	-	1.16	~~.44~~	-	-	-	6
7	.30	-	-	-	.17	.14	.01	.21	-	-	-	.10	7
8	.43	.25	.11	-	-	.07	-	.04	-	-	-	-	8
9	.06	.01	.03	.09	-	-	.15	.04	~~.03~~	-	-	-	9
10	-	.03	-	-	-	-	-	.04	.04	-	-	.47	10
11	.04	.32	-	-	-	.15	-	.16	.14	~~.03~~	.04	.08	11
12	-	.16	-	-	-	-	-	.44	-	-	.03	.04	12
13	-	.08	.02	-	-	-	.02	.01	-	~~.07~~	.35	.02	13
14	-	-	.05	-	.13	-	-	.10	.03	.03	.04	-	14
15	-	.02	.06	-	.09	.81	-	.03	-	~~.03~~	.05	.21	15
16	.17	-	.09	-	.09	.14	-	.08	-	.07	-	-	16
17	.51	-	.62	-	-	.02	-	.10	-	~~.54~~	.02	-	17
18	-	-	.25	-	~~.03~~	-	.06	.08	-	.03	-	.78	18
19	.03	.16	.39	-	.03	-	.31	.32	-	-	.01	-	19
20	.04	-	.68	-	-	-	-	.05	-	.54	-	-	20
21	.02	.10	.24	-	.03	-	.03	.15	-	.31	.10	-	21
22	.02	.35	.05	-	-	-	.04	.07	-	.01	-	-	22
23	.36	.25	.42	-	-	-	-	.65	-	.20	.23	-	23
24	.14	.03	.01	-	-	-	.32	.32	-	.10	-	.18	24
25	.08	.02	-	-	-	.37	-	1.23	-	-	.45	.34	25
26	-	-	-	-	-	.04	.15	.16	-	.59	.11	.37	26
27	-	-	.03	-	-	-	.14	-	-	.07	-	.30	27
28	-	.02	-	-	-	-	.09	.12	-	.50	.18	.04	28
29	-	-	-	.13	-	-	.10	12	1.15	.18	.18	-	29
30	-	×	-	-	.03	.01	-	.33	1.87	.31	-	-	30
31	.02	×	-	×	.04	×	.11	.04	×	.02	×	-	31
Total	3.44	2.44	3.85	.22	.67	4.16	1.71	6.67	3.41	3.65	2.15	3.20	YEAR'S TOTAL ~~35.57~~
Rain Days.	18	18	19	2	10	14	15	28	7	17	15	13	176

ex 7.6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8- JAN 1914

Kept at Lower Standen, Capel, Folkestone

in the County of Kent 1

by Henry Turner.

Lat. Long.

Time of Observation

Nearest Railway Station Kersney W. Dover

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 11 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·59	·06	·03	·01	·20	-	-	-	·04	1·61	·02	1
2	·01	·20	-	-	-	-	·38	-	-	·01	·10	-	2
3	-	-	·02	·86	·22	-	-	-	-	·08	-	·12	3
4	·28	-	·01	·01	-	-	·06	-	·02	-	·27	·02	4
5	·05	·02	·01	·03	-	-	·14	-	·20	·02	·15	·04	5
6	·05	-	·01	-	-	·16	·11	·05	-	·51	·36	-	6
7	-	·04	·05	·03	·01	·02	·01	·04	-	·43	·01	·02	7
8	-	-	-	·08	·28	·01	-	-	-	·34	·13	·02	8
9	-	·04	-	·03	·21	-	-	·01	·11	-	·02	·03	9
10	·03	-	-	·17	-	-	·08	-	-	-	·68	-	10
11	·62	-	-	·62	-	-	-	-	-	·40	-	-	11
12	-	-	-	·02	-	-	-	-	-	-	·48	-	12
13	·25	-	·02	-	-	-	-	·08	-	·02	·31	-	13
14	·05	-	·03	·06	-	-	·46	-	·17	·14	·31	-	14
15	·23	-	·26	·08	-	-	·22	-	-	-	·02	-	15
16	·26	-	·39	·15	-	-	-	-	·41	-	-	-	16
17	·33	·05	·08	·16	-	-	·25	·01	·37	-	·04	·18	17
18	-	-	·02	·12	-	-	·03	·02	·23	-	·10	-	18
19	·08	-	·15	-	·02	-	·10	·06	·37	-	-	-	19
20	·26	-	-	·25	·01	·15	-	-	·01	·53	-	-	20
21	·05	-	·04	·04	·05	-	·01	-	-	·67	1·02	-	21
22	·25	-	-	-	-	-	·11	-	·04	·08	-	-	22
23	-	-	-	-	-	-	·07	-	-	-	-	·46	23
24	·04	-	·04	-	-	-	-	·05	-	-	·04	-	24
25	·02	-	-	·20	-	·13	-	-	-	-	-	-	25
26	·05	·06	·21	-	-	-	-	-	-	·54	-	·24	26
27	-	·03	·02	-	-	-	-	-	-	·11	-	-	27
28	·09	-	·20	-	-	·02	-	-	-	·16	-	-	28
29	·24	x	·07	·03	-	-	-	·11	-	-	-	·50	29
30	·35	x	·12	·28	·12	-	-	1·46	·02	·10	-	·27	30
31	-	x	·33	x	-	x	-	1·09	x	·14	x	-	31
Total	3·59	1·03	2·14	3·25	·93	·69	2·03	2·98	1·95	4·32	4·65	1·92	YEAR'S TOTAL 29·48
Rain Days.	21	8	21	20	9	7	14	11	11	18	17	12	169 ✓

W.7,000, XI. 13

exLMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Lower Standen. (Capel)

in the County of Kent

by Henry Turner.

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Kearsney.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 11 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	-	-	-	.06	.03	1
2	.02	-	-	-	-	-	.03	.04	-	-	.05	-	2
3	-	-	.11	.09	.20	-	.05	-	-	-	-	.15	3
4	-	-	-	.19	-	-	-	.29	-	-	.34	.42	4
5	.21	-	.12	.32	-	-	.13	.28	-	-	.03	-	5
6	-	-	-	.26	.04	.33	.03	.13	-	-	-	.29	6
7	.01	.20	.17	.07	.01	.22	.04	.03	-	-	-	.20	7
8	.12	.07	.27	-	.01	-	.06	.06	-	-	-	.09	8
9	.26	-	.85	.05	-	-	-	-	-	-	-	1.04	9
10	.08	-	-	.06	.14	-	-	-	-	.03	-	.12	10
11	-	.36	.55	.09	.02	.02	-	-	.23	-	.26	.34	11
12	-	.10	.05	-	-	.09	-	-	.28	-	-	.41	12
13	.06	.14	.19	-	.04	-	-	-	.25	.13	.09	.34	13
14	-	.03	.10	-	-	-	.01	-	.01	.41	.01	.63	14
15	-	-	.39	-	-	-	.35	-	.06	-	.56	.04	15
16	.03	.35	.06	-	-	-	.02	-	.08	-	.12	-	16
17	-	.20	.03	-	-	-	-	-	.14	.11	.05	.04	17
18	-	.09	.27	-	-	-	-	-	-	.47	.08	.32	18
19	-	.10	.64	-	-	-	.06	-	.03	.15	-	.40	19
20	-	.05	.36	-	-	-	-	-	-	.41	.28	.48	20
21	-	.46	.01	-	-	-	.03	.20	-	.06	-	.04	21
22	-	.01	-	-	.10	.41	.73	-	-	.09	-	-	22
23	-	-	.70	-	.06	.50	-	-	-	-	-	.06	23
24	-	-	.02	.24	.03	-	.02	-	-	.19	.16	-	24
25	.07	-	.19	-	-	-	-	.04	-	.55	-	-	25
26	.14	-	.04	-	-	-	-	.12	-	-	.05	.24	26
27	.01	-	-	-	-	-	-	-	-	-	.12	.45	27
28	-	-	-	-	.08	-	-	-	-	.35	.53	.33	28
29	.02	-	-	-	-	-	-	-	-	.79	.03	-	29
30	-	×	.05	-	-	-	-	-	-	.11	.38	-	30
31	-	×	-	×	.28	×	-	-	×	-	×	.11	31
Total	1.03	2.16	5.17	1.37	1.01	1.57	1.56	1.19	1.08	3.85	3.20	6.57	YEAR'S TOTAL 29.76 ✓
Rain Days.	12	13	21	9	12	6	13	9	8	14	18	23	158 ✓

W. 8,000. X. 14.

Entered

342

FORM A.
BRITISH RAINFALL.
8 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Lower Standen, Capel

in the County of Kent

by Henry Turner

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Kearsney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 11 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·09	-	-	-	-	-	-	·98	-	·66	·20	1
2	·27	·18	·32	·09	·01	-	-	·04	·06	-	·06	·04	2
3	·18	-	·08	·20	-	-	-	·13	1·07	-	-	·70	3
4	-	-	-	·01	-	-	-	1·29	-	·30	·14	·25	4
5	-	·10	-	·15	-	-	-	·05	-	·80	·21	·55	5
6	·56	·18	·04	·48	-	-	·02	-	-	-	-	·17	6
7	·37	·16	·11	-	-	-	·03	-	-	-	-	·22	7
8	·03	·05	·12	·04	-	-	·12	-	-	-	-	-	8
9	-	·20	·23	-	-	-	·18	-	-	-	·48	·95	9
10	·42	-	·01	-	-	·18	-	-	-	-	-	·63	10
11	-	·03	-	-	-	-	-	-	-	·05	·70	·07	11
12	·04	·04	-	·43	·06	-	-	-	-	·12	·81	-	12
13	·12	·60	-	·15	1·56	-	-	-	-	-	-	-	13
14	·05	·05	-	-	-	-	·38	-	·08	-	-	·40	14
15	·19	·02	-	-	·06	-	·09	·30	-	-	1·11	·21	15
16	-	·11	-	·08	·03	-	1·05	·03	-	-	-	·01	16
17	-	·53	-	-	1·01	-	-	·15	-	-	-	·33	17
18	·03	·13	·03	-	·23	-	-	-	-	·10	-	·17	18
19	-	·03	-	-	-	-	-	-	-	·03	-	·04	19
20	·32	·03	-	-	-	-	-	-	-	·02	-	·17	20
21	·13	·05	-	-	-	-	-	-	-	·12	-	·19	21
22	-	·17	·04	-	-	·01	·82	-	-	-	-	·27	22
23	·08	·02	·04	-	-	-	·02	-	-	-	-	·76	23
24	·06	-	·10	·13	-	-	-	-	·15	·10	-	·36	24
25	-	·02	·03	·09	-	·24	·53	-	-	-	-	·19	25
26	-	·01	-	-	-	·06	·01	-	-	-	·09	·73	26
27	-	·04	-	-	-	-	-	-	-	·40	·11	·03	27
28	-	-	-	-	-	·04	-	-	1·82	1·20	-	-	28
29	-	X	-	-	-	-	·48	·38	·09	·65	·36	·03	29
30	·30	X	-	-	-	·20	·34	-	·01	-	·21	-	30
31	·07	X	-	X	-	X	-	-	X	·42	X	·35	31
Total	3.62	2.84	1·15	1.85	2.96	·73	4·07	2.37	4·26	4·31	4.94	8·02	YEAR'S TOTAL 41.12
Rain Days.	18	23	12	11	7	6	13	8	8	13	12	26	157

W. 8,000. X. 15.

End C 3 E

325

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

8 JAN

Kept at Lower Standen Capel

in the County of Kent

by Henry Turner.

Lat. Long.

Time of Observation 9 A.M

Nearest Railway Station Kearsney

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 11 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.02	[illegible]	-	-	-	-	-	.02	.01	.35	-	1
2	.34	.18	.77	-	.11	-	-	-	-	.28	.01	-	2
3	-	.05	.16	-	-	.05	.02	-	-	.17	.40	-	3
4	.11	-	-	-	-	.26	-	-	-	.06	.21	-	4
5	.03	-	.01	.02	.08	.35	.34	-	.01	.01	.27	-	5
6	-	.02	.19	.29	-	.12	.24	-	-	.02	.47	-	6
7	.03	-	.95	[illegible]	.33	.11	.29	-	-	.03	.69	-	7
8	-	-	[illegible]	[illegible]	.19	-	.01	-	-	-	-	.17	8
9	-	-	.02	[illegible]	.39	.16	-	-	-	-	-	.13	9
10	-	.16	.02	.06	-	.24	-	-	-	-	-	.40	10
11	-	.39	[illegible]	.010	-	.07	-	-	.07	-	-	.06	11
12	.10	.06	.20	.13	.63	.23	.04	-	-	-	-	.35	12
13	.02	.13	.04	.04	.17	.18	.54	-	-	.06	-	.09	13
14	-	.47	.06	.07	.04	-	.01	.38	-	-	-	.20	14
15	-	.10	.04	[illegible]	-	-	-	-	-	-	-	.20	15
16	-	.03	.05	.15	-	-	.08	-	-	-	-	-	16
17	.11	.04	[illegible]	.12	-	-	.02	-	.37	1.01	-	-	17
18	.09	.14	.03	.09	-	-	-	-	.20	.12	1.18	-	18
19	.10	-	.02	.47	-	.02	-	.04	.15	.05	.76	.09	19
20	.03	-	.02	.15	-	-	-	.17	-	-	.11	.36	20
21	-	-	.57	.27	-	-	-	-	-	-	.06	.42	21
22	-	.20	.26	.48	-	.02	-	-	-	-	.01	.71	22
23	-	.12	.18	-	-	.11	.02	.07	-	-	.05	.04	23
24	-	-	.01	-	.05	-	-	.01	-	.41	-	.47	24
25	-	.26	.13	-	-	-	-	.34	-	.17	.06	-	25
26	.03	.09	.02	-	-	.47	-	.22	-	.07	.05	-	26
27	.02	.29	.70	-	-	.03	-	.24	-	1.14	-	-	27
28	.03	.73	.10	-	-	.02	-	-	.07	.27	-	.20	28
29	-	.16	[illegible]	-	-	.34	-	.95	.05	.41	-	.19	29
30	-	X	-	-	.04	.01	-	.48	-	.46	-	-	30
31	-	X	-	X	-	X	-	-	X	.17	X	.04	31
Total	✓ 1.08	✓ 3.64	✓ 4.54	✓ 2.14	✓ 2.03	✓ 2.79	✓ 1.61	✓ 2.90	✓ .94	✓ 4.92	✓ 4.68	✓ 4.12	YEAR'S TOTAL 35.39
Rain Days.	14	20	23	14	10	18	11	10	8	19	15	17	179 ✓

[illegible] [illegible]

REGISTER OF RAINFALL IN 1917

–2 JAN

FORM A.
BRITISH RAINFALL.

Kept at Lower Standen, Capel, Folkestone

in the County of Kent

by Henry. F. Turner.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Kearsney, Dover.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 11 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	.04	·	.02	·	·	·	1.73	.05	·	.05	.02	1
2	·	·	·	.14	·	·	·	.25	·	.04	.03	·	2
3	.03	·	·	.10	·	·	·	1.28	·	.12	·	·	3
4	·	.14	.32	·	·	·	.06	·	·	.29	·	·	4
5	.36	·	·	·	·	·	·	·	.10	.10	.20	·	5
6	·	·	·	.21	·	.18	·	·	.20	.03	·	.01	6
7	.34	·	.03	·	·	·	.08	·	·	.68	.35	.05	7
8	.84	·	·	.19	·	·	.07	.34	·	·	.03	.24	8
9	.59	·	.03	.14	·	·	·	.04	·	.40	.05	.81	9
10	.15	·	.14	.02	·	·	·	.05	·	·	·	·	10
11	.29	.05	.35	.10	·	·	·	.03	.07	.49	·	·	11
12	.17	·	.05	.04	·	·	·	·	·	.16	·	·	12
13	.04	·	.16	·	.08	·	·	·	.02	.14	·	·	13
14	.02	·	.03	.14	·	·	.05	.09	.02	.05	·	·	14
15	.02	·	·	·	.23	·	·	.31 13	[illegible]	.02	·	.07	15
16	.15	.02	·	.12	.31	·	·	·	[illegible]	.05	·	.18	16
17	.10	·	·	.11	.24	·	.23	·	.18	.19	·	.21	17
18	.14	·	·	.10	.04	·	.30	·	.09	·	·	·	18
19	·	.13	.05	.01	·	·	·	·	.16	·	·	·	19
20	·	.19	.16	·	.17	.10	·	.04	.08	·	.12	·	20
21	·	·	.02	·	.04	.45	·	·	·	.02	.01	.07	21
22	·	·	.16	·	·	.88	·	.12	·	.20	·	.02	22
23	·	.06	·	·	.08	·	·	.03	·	.10	·	·	23
24	·	·	·	·	·	·	.02	.06	·	.22	·	.10	24
25	·	.01	.06	·	·	·	·	·	·	·	.04	·	25
26	·	·	.05	·	·	·	·	.16	·	·	1.01	.04	26
27	·	·	·	·	·	.03	·	.98	·	·	·	.41	27
28	·	·	.07	·	·	.32	·	.48	·	·	·	.04	28
29	·	·	.02	·	·	.19	1.09	.01	·	.29	·	·	29
30	.04	X	.10	·	·	.01	.68	.42	[illegible]	.12	·	·	30
31	.11	X	.11	X	·	X	1.20	·	X	·	X	.02	31
Total	3.39	.64	1.91	1.44	1.19	2.16	3.78	6.42	.97	3.71	1.89	2.29	YEAR'S TOTAL 29.79
Rain Days.	16	8	18	14	8	8	10	18	10	20	10	15.	155

W. 8,000, IX. 17.

6.23

Esc 970

17

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
22 5.19

Kept at Lower Standen, Capel : Folkestone
in the County of Kent
by Henry S. Turner.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Kearsney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 11 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan	Feb.	March.	April.	May.	June.	July.	Aug	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·02	-	-	-	-	-	-	-	·12	·05	1
2	·01	-	·09	-	-	-	-	·27	·03	-	·43	·04	2
3	-	-	-	·16	·08	-	-	·02	-	·01	·82	·26	3
4	-	·04	-	·02	·57	-	-	·14	·29	-	·21	·08	4
5	-	·11	-	·01	·32	-	-	·14	-	·02	-	·04	5
6	·20	·02	-	·04	·22	-	-	·08	·01	-	-	·02	6
7	·10	·04	-	·23	·36	-	-	·01	·68	-	-	·10	7
8	-	·02	-	-	-	-	-	·01	·19	·03	-	·12	8
9	-	-	-	-	-	·05	-	-	·35	·12	-	·19	9
10	-	-	-	-	-	-	·17	-	·11	·02	·07	·04	10
11	·02	-	-	·05	-	-	·01	-	·25	·36	·06	-	11
12	-	·13	-	·03	·21	-	·04	-	·06	·41	-	·01	12
13	·09	·08	-	-	·25	-	·01	-	·03	-	-	·04	13
14	·12	-	-	·03	-	·13	·30	-	·17	·22	-	-	14
15	1·62	-	-	·22	-	-	·02	-	-	·05	-	·01	15
16	·05	-	-	·05	-	·48	·04	-	·02	-	-	-	16
17	·31	-	-	·09	-	-	·17	-	-	-	-	·21	17
18	·17	-	-	-	-	·21	-	-	·70	-	-	·02	18
19	·11	-	·33	·05	-	·23	-	-	·01	·39	-	-	19
20	·02	·08	-	-	-	-	1·04	-	·21	·94	-	-	20
21	·10	-	-	-	-	-	·45	-	·01	·10	-	-	21
22	·12	-	-	-	-	-	·16	-	·75	-	-	·18	22
23	·07	-	-	-	·17	-	·97	·06	-	-	-	·06	23
24	-	·26	-	·02	·09	·10	·08	-	·12	-	·09	-	24
25	-	-	-	-	·06	-	·02	·01	-	-	·01	-	25
26	-	-	-	-	-	-	·24	·04	·02	-	·10	·09	26
27	-	·03	-	·17	-	-	·07	·23	·10	·02	·01	·05	27
28	-	·03	·16	·02	-	·21	-	·01	-	·13	·30	·07	28
29	-	X	-	·10	-	-	-	-	1·42	-	·08	-	29
30	-	X	·59	-	-	-	-	-	·08	·26	·01	·11	30
31	-	X	·02	X	-	X	-	-	X	·05	X	·25	31
Total	3·11	·84	1·21	1·29	2·33	1·41	3·79	1·02	~~5·71~~ 5·61	3·07	2·31	2·04	YEAR'S TOTAL 28·13
Rain Days.	15	11	6	16	10	7	16	12	22	16	13	22	166

W. 6,500. VII. 18. W W C

B. made

Ex. ABL

300

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

19 7. 20

Kept at Capel

in the County of Kent

by Air Ministry (from Hyetograph records)

Lat. Long.

Time of Observation 9 am (approx)

Nearest Railway Station

Diameter of Funnel of Rain ~~Gauge~~ Hyetograph in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		mm.	mm	mm.	mm	mm	mm	mm.	mm				
1			–	–	1.0	–	1.0	–					1
2			1.1	–	2.5	–	–	–					2
3			11.5	–	1.3	–	–	–					3
4			11.0	–	–	0.5	7.0	0.8					4
5			26.7	–	–	–	0.4	–					5
6			–	–	–	–	–	–					6
7			5.0	–	–	–	–	–					7
8			1.8	–	–	–	–	–					8
9			0.7	5.4	–	–	–	–					9
10			0.5	0.8	–	–	–	–					10
11			2.4	8.8	0.2	–	–	–					11
12			–	–	–	–	9.3	–					12
13			0.2	8.3	–	–	–	–					13
14			–	3.0	–	–	2.7	–					14
15			0.2	1.5	–	–	–	–					15
16			–	0.5	–	–	–	–					16
17			–	1.8	–	–	–	–					17
18			–	–	–	–	–	–					18
19			5.4	–	–	14.3	–	1.0					19
20			2.7	–	–	–	6.0	2.3					20
21			0.6	–	–	0.4	5.0	–					21
22			1.8	–	–	–	5.3	–					22
23			–	1.4	–	0.7	2.2	–					23
24			–	3.5	–	1.1	–	2.5					24
25		–	–	0.2	–	2.5	–	14.0					25
26		2.3	4.5	3.0	–	–	–	–					26
27		0.2	0.1	8.0	–	–	–	2.7					27
28		–	0.7	5.8	0.1	–	0.3	5.0					28
29		X	0.6	6.5	–	–	–	0.5					29
30		X	–	3.8	–	–	–	10.0					30
31		X	–	X	–	X	1.5	–	X		X		31
Total		...	77.5	62.3	5.1	19.5	40.7	38.8					YEAR'S TOTAL
Rain Days.			18	16	4	6	11	9					

W. 6,500. VII. 18. w w c

CHARING

{PUMPING STATION}

KENT

1912-20

FORM A.
BRITISH RAINFALL

9 - JAN 1913

REGIS

Kept at Charing P

in the County of Kent

by The Mid Kent W

aring (S.E.&C.

5 in.

round ft. in.

ea Level 593 ft.

IMPORTANT NOTE. … e result entered to the previous day. If an Obse… al rule, he is earnestly requested to add the readin… in the space provided for it at the end of this … t of rain, the selection and placing o… h Rainfall Organization are given in " … lication to Dr. H. R. Mill, 62, Camde…

Jan. 1, following.
(—) estd.

Date.	Jan.	Feb.	March.	A				Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	nil	·01	nil	nil	nil	·28	nil	·14	2·04	nil	·25	1
2	nil	·10	·25	nil	nil	·30	·12	nil	·03	·75	nil	·03	2
3	·05	·15	·05	nil	·03	·07	·05	nil	nil	·10	nil	·06	3
4	·03	nil	·52	nil	·09	·14	nil	·16	nil	nil	nil	nil	4
5	·15	·05	·15	nil	nil	·58	nil	·03	nil	nil	·21	nil	5
6	·46	·08	nil	·01	nil	·27	nil	·44	nil	nil	·13	nil	6
7	·08	nil	·01	nil	·05	nil	nil	·82	nil	nil	·01	nil	7
8	·28	·21	·21	nil	·10	·28	nil	·68	nil	nil	nil	nil	8
9	nil	nil	·01	·02	nil	·01	·04	·18	·02	nil	nil	·02	9
10	nil	nil	nil	Nil	nil	nil	nil	·08	nil	nil	nil	·02	10
11	·03	·41	·01	nil	nil	·31	nil	·16	·02	nil	nil	·48	11
12	·01	·35	·01	nil	·07	·03	nil	·07	·06	nil	nil	·17	12
13	nil	·14	·03	nil	nil	nil	·04	·17	nil	nil	·01	·02	13
14	·02	·01	·03	nil	·08	·05	·15	nil	nil	Nil	·41	·01	14
15	nil	nil	·08	nil	nil	·77	nil	·42	nil	·03	·03	·32	15
16	·18	·03	·11	nil	·15	·07	nil	·01	nil	Nil	·02	—	16
17	·26	nil	·38	nil	·01	·01	·01	·03	nil	·04	nil	—	17
18	·37	nil	·32	nil	nil	·01	nil	·04	nil	nil	·10	·47	18
19	·02	·21	·22	nil	nil	nil	nil	·24	nil	·08	·03	—	19
20	·03	·03	·45	nil	nil	nil	·10	·34	·01	nil	·01	—	20
21	·01	·07	·34	nil	·02	nil	·15	·04	nil	·65	·02	—	21
22	·01	·20	·11	nil	nil	nil	nil	·13	nil	·48	·08	—	22
23	·54	·19	·29	nil	nil	nil	·03	·08	nil	nil	nil	—	23
24	·10	·02	nil	nil	·08	Nil	nil	·47	nil	nil	·17	·03	24
25	·09	·01	nil	nil	·01	·18	nil	·30	nil	nil	·27	·04	25
26	nil	nil	nil	nil	nil	·04	nil	·94	nil	nil	·28	·33	26
27	nil	·01	·05	nil	nil	nil	·03	·98	nil	·37	nil	·50	27
28	nil	nil	nil	nil	nil	nil	·05	nil	nil	·05	nil	·17	28
29	nil	nil	nil	nil	nil	nil	·23	·03	·70	·15	·42	·17	29
30	nil	X	nil	·04	nil	nil	·05	·12	1·16	·18	·18	—	30
31	nil	X	·01	X	·05	X	·27	·51	X	nil	X	—	31
	—	·01	—	—	—	·28	—	·14	2·04	—	·25	(—)	YEAR'S TOTAL
Total	~~2·73~~	~~2·27~~	~~3·65~~	~~·07~~	~~·74~~	~~3·12~~	~~1·60~~	~~7·47~~	~~2·14~~	~~4·92~~	~~2·38~~	~~3·09~~	~~34·18~~
Rain Days.	~~20~~ 19	~~18~~ 19	~~23~~ 22	3	12	~~16~~ 17	~~15~~ 14	~~26~~ 27	8	~~12~~ 11	~~17~~ 18	~~17~~ 16	186
	2·72	2·28	3·64	·07	·74	3·40	1·32	7·61	4·04	2·88	2·63	2·84	34·17

W. 7,500, XI. 12

REGIS[illegible] RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL
9 JAN 1913

Kept at Charing Pumping Station
in the County of Kent 2
by The Mid Kent Water Company

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Charing (S.E.&C.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 593 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	nil	·01	nil	nil	nil	·28	nil	·14	2·04	nil	·25	1
2	nil	·10	·25	nil	nil	·30	·12	nil	·03	·75	nil	·03	2
3	·05	·15	·05	nil	·03	·07	·05	nil	nil	·10	nil	·06	3
4	·03	nil	·52	nil	·09	·14	nil	·16	nil	nil	nil	nil	4
5	·15	·05	·15	nil	nil	·58	nil	·03	nil	nil	·21	nil	5
6	·46	·08	nil	·01	nil	·27	nil	·44	nil	nil	·13	nil	6
7	·08	nil	·01	nil	·05	nil	nil	·82	nil	nil	·01	nil	7
8	·28	·21	·21	nil	·10	·28	nil	·68	nil	nil	nil	nil	8
9	nil	nil	·01	·02	nil	·01	·04	·18	·02	nil	nil	·02	9
10	nil	nil	nil	Nil	nil	nil	nil	·08	nil	nil	nil	·02	10
11	·03	·41	·01	nil	nil	·31	nil	·16	·02	nil	nil	·48	11
12	·01	·35	·01	nil	·07	·03	nil	·07	·06	nil	nil	·17	12
13	nil	·14	·03	nil	nil	nil	·04	·17	nil	nil	·01	·02	13
14	·02	·01	·03	nil	·08	·05	·15	nil	nil	nil	·41	·01	14
15	nil	nil	·08	nil	nil	·77	nil	·42	nil	·03	·03	·32	15
16	·18	·03	·11	nil	·15	·07	nil	·01	nil	nil	·02	—	16
17	·26	nil	·38	nil	·01	·01	·01	·03	nil	·04	nil	—	17
18	·37	nil	·32	nil	nil	·01	nil	·04	nil	nil	·10	·47	18
19	·02	·21	·22	nil	nil	nil	nil	·24	nil	·08	·03	—	19
20	·03	·03	·45	nil	nil	nil	·10	·34	·01	nil	·01	—	20
21	·01	·07	·34	nil	·02	nil	·15	·04	nil	·65	·02	—	21
22	·01	·20	·11	nil	nil	nil	nil	·13	nil	·48	·08	—	22
23	·54	·19	·29	nil	nil	nil	·03	·08	nil	nil	nil	—	23
24	·10	·02	nil	nil	·08	nil	nil	·47	nil	nil	·17	·03	24
25	·09	·01	nil	nil	·01	·18	nil	·30	nil	nil	·27	·04	25
26	nil	nil	nil	nil	nil	·04	nil	·94	nil	nil	·28	·33	26
27	nil	·01	·05	nil	nil	nil	·03	·98	nil	·37	nil	·50	27
28	nil	nil	nil	nil	nil	nil	·05	nil	nil	·05	nil	·17	28
29	nil	nil	nil	nil	nil	nil	·23	·03	·70	·15	·42	·17	29
30	nil	X	nil	·04	nil	nil	·05	·12	1·16	·18	·18	—	30
31	nil	X	·01	X	·05	X	·27	·51	X	nil	X	—	31
	—	·01	—	—	—	·28	—	·14	2·04	—	·25	(—)	YEAR'S TOTAL
Total	~~2·73~~	~~2·27~~	~~3·65~~	~~·07~~	~~·74~~	~~3·12~~	~~1·60~~	~~7·47~~	~~2·14~~	~~4·92~~	~~2·38~~	~~3·09~~	~~34·18~~
Rain Days.	19 ~~20~~	19 ~~18~~	22 ~~23~~	3	12	17 ~~16~~	14 ~~15~~	27 ~~26~~	8	11 ~~12~~	18 ~~17~~	16 ~~17~~	186
	2·72	2·28	3·64	·07	·74	3·40	1·32	7·61	4·04	2·88	2·63	2·84	34·17

W. 7,500, XI 12

cor for pr IWD. 6.11.14

REGISTER OF RAINFALL IN 19 13.

FORM A. BRITISH RAINFALL.

6 - JAN. 1914

Kept at Charing Pumping Station

in the County of Kent

by The Mid-Kent Water Coy.

2

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Charing 4 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 593. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·08	—	—	—	—	·12	—	·03	—	1
2	—	·26	—	—	·05	·05	—	—	—	·12	·04	·02	2
3	·01	·15	—	—	·03	·06	·32	—	—	—	—	—	3
4	·05	—	—	·04	—	—	—	—	—	·01	·06	·05	4
5	·22	—	—	·02	—	—	·05	—	·06	—	—	—	5
6	—	·04	—	·07	—	—	·25	—	·92	·06	·07	—	6
7	—	·11	·05	—	—	·15	·04	—	—	·18	·27	—	7
8	—	—	·07	—	—	·05	·03	·42	—	·50	·02	—	8
9	—	·08	—	·03	—	—	—	—	—	·56	·07	—	9
10	·01	—	—	—	·14	—	·05	·02	·07	—	·02	—	10
11	·58	—	—	·07	·13	—	·34	—	—	—	·41	—	11
12	—	—	—	·55	—	—	—	—	—	·51	·22	—	12
13	·52	—	—	—	—	—	—	·02	—	—	·91	—	13
14	·13	—	·06	·05	—	—	—	·06	—	—	·21	—	14
15	·10	—	·02	·05	—	—	·18	—	—	·12	—	—	15
16	—	—	·41	·22	—	—	·21	—	—	—	—	—	16
17	·67	—	·10	—	—	—	·01	—	·55	—	—	—	17
18	·02	—	·07	·07	—	—	·19	·02	—	—	·03	—	18
19	·03	—	·15	·01	—	—	—	—	—	—	—	—	19
20	·57	—	—	·01	—	~~·01~~	·01	·10	·05	—	—	—	20
21	·04	—	·03	·07	·06	·05	—	—	·14	—	—	—	21
22	·24	—	·03	·01	—	·01	—	—	·05	·70	·91	—	22
23	—	—	·31	—	·01	—	·05	—	·05	—	—	·09	23
24	·01	—	·01	—	—	·05	·03	—	—	—	—	·54	24
25	·01	·15	—	·19	—	—	—	·05	—	—	·04	—	25
26	—	—	·16	—	—	·03	—	—	—	—	—	—	26
27	—	—	—	—	—	—	—	·03	—	·63	—	—	27
28	·23	—	·30	—	·09	—	—	—	—	·16	—	—	28
29	·23	×	·01	·18	—	—	—	·05	—	—	—	—	29
30	~~—~~	×	·02	·16	·12	—	—	—	—	—	—	—	30
31	·35	×	·13	×	·11	×	—	·57	×	·04	×	—	31
Total	4·02	·79	·08 ~~1·93~~ 2·01	~~1·88~~ 1·80	·74	·45	1·76	·12 ~~1·34~~ 1·46	~~2·01~~ 1·89	·03 ~~3·59~~ 3·62	~~3·31~~ 3·28	·70	YEAR'S TOTAL 22·52
Rain Days.	19	6	17	18	9	8	14	10	9	12	15	4	~~141~~

W.7,000, XI. 13

W.P. written 14.II.15

6X M.X

cut for W.D. 5.III.15

FORM A.
BRITISH RAINFALL.

14 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Charing Pumping Station

in the County of Kent 2

by The Mid Kent Water Company

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Charing ¼ mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 593 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	·21	–	–	–	–	–	·90	1
2	–	–	–	·03	–	–	–	–	–	–	·04	·13	2
3	–	–	·01	·05	·15	–	·19	–	–	–	·15	·12	3
4	–	–	·19	·07	–	–	·05	·28	–	–	–	–	4
5	·07	–	·05	·31	–	–	–	–	–	–	·26	·21	5
6	–	·03	·02	·39	–	–	·18	–	–	–	–	–	6
7	–	·46	·21	·18	–	·16	–	–	–	–	–	·25	7
8	–	·33	·23	·16	–	·18	·03	–	–	–	–	·11	8
9	·09	–	1·11	–	–	·08	·13	–	–	–	–	·05	9
10	·25	–	–	·12	–	·09	–	–	–	–	–	1·21	10
11	–	·01	–	·07	·20	–	–	–	–	·08	–	·19	11
12	–	–	·27	–	–	–	–	–	·25	–	·12	·40	12
13	–	·23	·05	–	–	–	1·73	–	·17	–	–	·47	13
14	–	·33	·21	–	·02	–	–	–	·13	·07	·06	·54	14
15	–	·05	·22	–	–	–	·03	–	·02	·45	–	·33	15
16	–	·10	·20	–	–	–	1·23	–	–	–	1·34	·05	16
17	–	·03	–	–	–	–	–	–	–	–	–	–	17
18	–	·07	–	–	–	–	–	–	·16	·04	–	·04	18
19	–	·03	–	–	–	–	–	–	–	·17	–	·40	19
20	–	·18	·75	–	–	–	·09	–	–	·52	·29	·13	20
21	–	·17	·27	–	–	–	–	–	–	–	–	·40	21
22	–	·92	–	–	–	–	–	·19	–	–	–	·03	22
23	–	–	·63	·50	·20	–	·36	–	–	–	–	–	23
24	–	–	–	–	·13	·27	–	–	–	–	–	·09	24
25	–	–	–	–	–	–	–	–	–	·37	·13	–	25
26	·05	–	·20	–	–	–	–	·02	–	–	·05	·28	26
27	–	–	–	–	–	–	–	·35	–	–	·11	–	27
28	–	–	–	–	–	–	–	–	–	·35	·06	·66	28
29	·04		–	–	–	–	–	–	–	·14	·17	·47	29
30	·04	╳	–	–	–	–	–	–	–	·81	·17	–	30
31	–	╳	–	╳	–	╳	–	–	╳	·14	╳	·03	31
	–	–	–	–	·21	–	–	–	–	–	·90	·03	YEAR'S TOTAL
Total	·54	2·94	4·62	1·88	~~·70~~ ·91	~~·99~~ ·78	4·02	·84	·73	3·14	~~2·95~~ 3·85	~~7·49~~ 6·62	~~30·84~~ 30·87
Rain Days.	6	14	16	10	~~5~~ 6	~~6~~ 5	10	4	5.	11	~~13~~ 14	24	~~124~~ 125

W. 8,000. X. 14.

5 MAR 1915

The Mid-Kent Water Company.

OFFICES, *High Street,*
Snodland, KENT.

Telegrams:-"WATERWORKS, SNODLAND".
Telephone:- Nº 7, SNODLAND.

F.L.B./H.W.

March 4th.1915.

Dr. H. R. Mill,
62 Camden Square,
London. N.W.

Dear Sir,

In reply to your letter of the 18th ult., we will for the future enter the rainfall measured each day to the previous day.

The amount we measured on the morning of the 1st January was 03, the same as on the 31st December.

Yours faithfully,
THE MID KENT WATER COMPANY.

F L Ball
Managing Director.

351

FORM A.
BRITISH RAINFALL.
23 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Charing Pumping Station
in the County of Kent
by The Mid Kent Water Company

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Charing ¼ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. in.
" " " " Sea Level 593 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·11	·02	-	-	-	-	·39	·69	-	·32	·16	1
2	·65	-	·32	·06	-	-	-	·09	-	-	-	-	2
3	·25	-	·10	·14	·03	-	-	·25	·50	-	-	·13	3
4	·37	-	-	-	-	-	-	·46	-	·17	·01	·65	4
5	·03	-	-	-	-	-	-	·20	-	·05	·08	·41	5
6	·02	·41	-	·41	-	-	·20	-	-	-	-	·43	6
7	·35	·10	·08	-	-	-	·01	-	-	-	-	·15	7
8	·29	·15	·11	-	-	-	-	-	-	-	·44	·45	8
9	·02	·31	-	-	-	·03	-	·07	-	-	-	-	9
10	·20	·26	-	-	-	·23	-	-	-	-	-	·52	10
11	·03	-	-	-	-	-	-	-	-	-	-	·51	11
12	·05	·02	-	·52	·13	-	-	-	-	·05	·64	·10	12
13	·01	·11	-	·10	1·43	-	-	·22	-	-	-	·04	13
14	-	·96	-	-	-	-	·15	·20	·01	-	-	-	14
15	·14	·03	-	-	·05	-	-	·40	-	-	·52	·18	15
16	-	-	-	·04	-	-	1·38	-	-	-	-	·21	16
17	-	·29	-	-	1·01	-	·03	-	-	-	-	-	17
18	-	·76	-	-	·41	-	-	-	-	-	-	·30	18
19	-	·14	-	-	-	-	-	-	-	·07	-	·08	19
20	-	·14	-	·03	-	-	-	-	-	-	-	-	20
21	·31	·15	-	-	-	-	-	-	-	-	-	·19	21
22	-	-	-	-	-	-	-	-	-	·03	-	·06	22
23	-	-	·07	-	-	-	·66	-	-	-	-	·14	23
24	-	·10	·03	·12	-	-	·14	-	·22	·07	-	·35	24
25	-	-	-	·09	-	-	-	-	-	·08	-	·44	25
26	-	·02	-	-	-	·01	·22	-	-	·01	-	·22	26
27	-	-	·01	-	-	·20	·02	-	-	-	-	·55	27
28	-	-	-	-	-	·03	·08	-	2·30	·21	-	·02	28
29	-		-	-	-	·01	·03	·12	·03	·28	·60	-	29
30	·31	✕	·02	-	-	·01	·11	-	-	-	·51	·05	30
31	-	✕	-	✕	-	✕	-	-	✕	·61	✕	-	31
Total	3·53	4·06	·76	1·51	3·06	·52	3·03	2·40	3·45	1·63	3·12	6·34	YEAR'S TOTAL 33·71
Rain Days.	16	17	9	9	6	7	12	10	6	11	8	24	135

W. 8,000. X. 15.

335

FORM A.
BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Charing Pumping station

in the County of Kent.

by The Mid Kent Water Company

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Charing ¼ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. – in.

" " " " Sea Level 593. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	-	·16	-	·01	-	·03	-	·06	·01	-	-	1
2	·10	·07	-	-	·05	-	-	-	-	·03	·20	-	2
3	·24	-	·66	-	-	-	-	-	·07	·30	·20	-	3
4	·01	·46	·36	-	-	·25	·06	-	-	·21	·72	-	4
5	·06	·06	-	-	-	·10	·04	-	-	·03	·22	-	5
6	-	·01	-	·18	·03	·30	1·23	-	-	·07	·48	-	6
7	-	·11	·04	·39	·33	·16	·15	-	-	·09	·53	-	7
8	-	·01	·81	-	·14	·01	·20	-	-	-	·32	-	8
9	-	-	·10	-	·35	-	-	-	-	-	·43	·05	9
10	-	-	·01	-	-	·55	·22	-	-	-	-	·52	10
11	·01	·11	·03	·05	-	·08	·08	-	-	·02	-	·60	11
12	·02	·49	·04	·10	·51	·22	-	-	-	-	-	·05	12
13	-	·11	·03	·11	·25	·24	·03	-	-	·12	-	·03	13
14	-	·17	·04	·08	·05	-	·12	·03	-	·08	-	·02	14
15	-	·33	-	·01	-	-	-	·01	-	-	-	·17	15
16	·01	·30	·09	-	-	-	-	·01	·37	·75	-	-	16
17	·18	·03	·11	·08	-	-	·15	·08	·15	-	·04	-	17
18	·03	·03	-	·10	-	-	·02	·16	·02	·09	·31	-	18
19	·13	·14	·02	·05	-	·04	-	·07	-	·19	·85	·04	19
20	·06	·03	·03	·15	-	-	-	-	-	-	·04	·38	20
21	-	-	·01	·05	-	-	-	-	-	-	-	·31	21
22	-	-	·40	·17	-	-	-	-	-	-	·02	·66	22
23	·02	·08	·42	·15	-	·09	-	·09	-	·01	-	·05	23
24	-	·35	·04	-	-	-	-	·34	-	·52	·04	·34	24
25	-	·25	·02	-	-	-	-	-	-	·41	·03	-	25
26	-	·25	·12	-	-	·13	-	-	-	·40	·14	-	26
27	·01	·42	·02	-	-	-	-	·03	·15	·03	-	-	27
28	-	·35	·60	-	-	·02	-	·63	-	·42	-	-	28
29	-	·55	·07	-	-	-	-	·73	·09	·35	-	·23	29
30	-	✕	-	-	-	·18	-	-	·01	·03	-	-	30
31	-	✕	·01	✕	-	✕	-	-	✕	-	✕	-	31
Total	1·21	4·71	4·24	1·67	1·72	2·37	2·33	2·18	·92	4·16	4·57	3·45	YEAR'S TOTAL 33·53
Rain Days.	14	23	25.	14	9	14	12	11	8	21	16	14	181

W. 8,000, VIII. 16

328

Exd ~~Chec~~

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 APR 1918

Kept at Charing Pumping Station

in the County of Kent

by The Mid Kent Water Company

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Charing ¼ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 593 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	-	-	-	-	-	·05	1·06	-	·03	·04	-	1
2	-	-	-	·56	-	-	-	-	-	·05	·02	-	2
3	-	-	-	·09	-	-	-	·32	-	·28	·03	-	3
4	-	-	·18	-	-	-	·05	1·82	-	-	-	-	4
5	·26	·22	·04	-	-	-	·03	·01	·06	·28	-	-	5
6	-	-	-	-	-	·26	-	-	-	·11	·15	-	6
7	·24	-	-	-	-	-	·16	-	-	·05	-	·03	7
8	·06	-	-	·13	-	-	·34	·16	-	·42	-	·28	8
9	-	-	·03	·14	-	-	·05	·06	-	·30	-	1·96	9
10	·09	-	·31	·08	-	-	-	·16	-	-	-	-	10
11	-	-	·03	·14	-	-	-	-	·06	-	-	·03	11
12	·06	·04	·11	-	-	-	-	·05	-	·15	-	-	12
13	-	-	·02	-	·02	-	-	·15	-	·35	-	-	13
14	·28	-	-	·24	·04	-	-	·02	-	-	-	-	14
15	·04	-	-	-	·19	-	-	-	-	-	-	-	15
16	·16	-	-	·12	·24	-	-	·14	-	·15	-	·34	16
17	·04	·02	-	·09	-	-	·20	-	·15	·13	-	·12	17
18	-	-	-	·13	·34	-	·10	·03	·05	-	-	-	18
19	·02	-	·04	-	·03	·03	-	·01	·09	-	-	-	19
20	·01	·13	·13	-	-	·01	-	·01	-	-	-	-	20
21	-	-	·03	-	·46	-	-	·04	-	-	·04	·15	21
22	-	-	-	-	·06	·14	-	·01	-	·21	-	·05	22
23	-	·35	·23	-	-	·01	-	·12	-	·02	-	·05	23
24	-	·03	-	-	·27	-	-	·14	-	·04	·05	-	24
25	-	-	·04	-	-	-	-	·15	-	-	·04	·03	25
26	-	-	·05	-	-	-	-	·22	-	-	1·01	-	26
27	-	-	·06	-	-	·04	-	1·08	-	-	-	-	27
28	-	-	-	-	-	-	-	·32	-	-	-	·03	28
29	-	-	-	-	-	·58	·42	·11	-	·35	-	·06	29
30	·02	X	·16	-	-	·54	1·85	-	-	·29	-	·16	30
31	-	X	·01	X	-	X	·85	·12	X	·02	X	·02	31
Total	1·34	·82	1·56	1·45	1·65	1·64	4·13	6·31	·41	3·23	1·44	3·31	YEAR'S TOTAL 24·65
Rain Days.	13	6	16	10	9	8	11	24	5	18	8	14	142

W. 8,000, IX. 17.

26

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

18 3. 19

Kept at Charing Pumping Station
in the County of Kent
by The Mid Kent Water Co

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Charing ¼ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 593 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·11	·	·	·	·	·	·	·	·10	·18	1
2	·	·	·03	·	·	·	·	·22	·	·	·13	·04	2
3	·	·	·04	·05	·17	·	·	·01	·	·	·25	·20	3
4	·	·05	·02	·	·01	·	·	·05	·20	·	·45	·	4
5	·	·15	·	·06	·40	·	·	·10	·	·05	·59	·08	5
6	·29	·09	·	·09	·25	·	·	·16	·61	·05	·05	·08	6
7	·	·	·	·05	·42	·	·	·01	·68	·	·	·	7
8	·	·01	·	·	·	·	·	·	·20	·	·05	·05	8
9	·04	·	·	·02	·	·03	·	·	·53	·26	·	·30	9
10	·	·	·	·07	·	·06	·07	·	·15	·	·02	·15	10
11	·	·02	·	·	·04	·	·03	·	·25	·06	·	·04	11
12	·	·09	·	·	·11	·	·01	·	·	·78	·	·	12
13	·	·01	·	·	·14	·	·	·	·01	·27	·	·04	13
14	·20	·	·	·05	·	·07	·07	·	·45	·17	·	·02	14
15	1·12	·	·	·01	·	·	·02	·	·	·03	·	·11	15
16	·04	·	·	·41	·	·	·06	·	·	·	·	·	16
17	·	·	·	·15	·	1·15	·08	·03	·	·	·	·31	17
18	·34	·	·20	·14	·	·22	·	·	·35	·	·	·03	18
19	·20	·	·	·10	·	·21	·	·	·	·49	·	·05	19
20	·12	·03	·	·15	·	·	·86	·	·10	·94	·	·05	20
21	·13	·	·	·02	·	·	·09	·	·10	·03	·	·03	21
22	·06	·	·	·01	·01	·	·05	·	·66	·	·	·11	22
23	·08	·	·	·	·	·03	·88	·	·07		·		23
24	·	·36	·	·08	·	·	·05	·	·	·	·	·01	24
25	·	·	·	·	·	·05	·04	·	·20	·	·	·04	25
26	·	·01	·	·	·	·	·56	·05	·	·10	·03	·	26
27	·	·02	·15	·18	·	·	·42	·	·	·	·04	·05	27
28	·	·	·05	·13	·02	·	·	·15	·02	·	·28	·04	28
29	·	·	·15	·07	·	·22	·	·04	·86	·	·26	·03	29
30	·	X	·47	·	·	·	·	·	·16	·10	·01	·05	30
31	·	X	·	X	·	X	·	·	X	·	X	·11	31
Total	2·65	·84	1·22	1·84	1·54	2·04	3·29	·85	5·60	3·33	2·26	2·23	YEAR'S TOTAL 24·72
Rain Days.	11	11	9	19	10	9	15	10	18	13	13	25	163

5·60

W, 6,500, VII. 18. w w c

Ex'd

310

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Coppins Corner Charing

in the County of Kent

by The Mid Kent Water Co

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Charing

Diameter of Funnel of Rain Gauge 7 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 593— ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	22	·0	·0	·02	·0	·0	·03	·0	·0	·16	·07	·47	1
2	·32	·0	·04	·0	·13	·0	·35	·0	·0	·0	·23	·38	2
3	·29	·0	·38	0	·01	0	·29	·03	·27	·0	·13	26	3
4	·19	·01	·41	·0	0	·0	·05.	·0	·03	·0	·05	·05	4
5	04	·10	1·26	·0	·0	·0	·0	·0	·0	·0	·07	·28	5
6	·11	·02	·3	·0	·0	·0	·0	·0	·0	·02	·02	·08	6
7	06	·0	·26	0	·0	·0	·0	·0	·0	·0	·01	·0	7
8	·29	·0	·04	·04	·0	·0	·0	·0	·0	·0	·03	·0	8
9	·21	·0	·07	·05	·0	·0	·0	·0	·0	·0	·05	·0	9
10	1·10	·0	·05	·01	·0	·0	·0	·0	·0	·0	·13	·01	10
11	·30	·0	·13	·37	·02	·0	·0	·0	·0	·0	·0	·08	11
12	·09	·0	·01	·02	·0	·0	·32	·0	·0	·0	·07	·0	12
13	·03	·0	·0	·36	·0	·0	·03	·0	·0	·06	·0	·07	13
14	·25	·0	·0	·48	·0	·0	·11	0	·14	·03	·0	·01	14
15	·16	·3	·0	·20	0	·0	·0	·0	·0	·0	·07	·03	15
16	·18	·40	·0	·04	·0	·0	·0	·0	·0	·0	·13	·09	16
17	·0	·57	·0	·02	·0	·0	·0	·0	·0	·0	·18	·01	17
18	·0	·27	·0	·0	·0	·0	·0	·0	·03	·0	·0	·0	18
19	·0	·12	·62	·0	·0	·0	·03	·0	·03	·0	·17	·0	19
20	·19	·10	·14	·0	·0	·49	·29	·15	·0	·0	·0	·0	20
21	·01	·42	·0	·0	·0	·01	·15	·0	·02	·0	·05	·05	21
22	·0	·04	·02	·0	·0	·0	·18	·0	·21	·0	·04	·31	22
23	01	·0	·03	·02	0	09	·07	·0	31	·0	·02	·01	23
24	·0	·0	·0	·12	·0	·0	·0	07	·0	·0	·16	·10	24
25	·09	·0	·0	·01	·01	·0	·09	·46	·0	·10	·0	·01	25
26	·02	·17	·0	·03	·0	·0	·0	·04	·03	·0	·02	·28	26
27	·31	·0	·06	1·26	·0	·0	·0	·03	·0	·0	·01	·10	27
28	·01	·0	·24	·46	·0	·0	·0	1·37	·0	·0	·43	·36	28
29	·09		·0	·17	·0	·0	·0	·57	·0	·48	·07	·16	29
30	·0		·0	·18	·0	·0	·0	·61	·0	·38	·07	·42	30
31	·13		·01		·0		·05	·0		·93		·05	31
TOTAL	4·70	2·25	3·80	3·86	·17	·59	2·04	3·33	1·07	2·16	2·28	3·64	YEAR'S TOTAL 29·92
Days with ·01 in. or more	25	12	18	19	4	3	14	9	9	8	24	24	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

ex'p. 288

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Charing pumping Station
in the County of Kent
by THE MID-KENT WATER COMPANY.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Charing ¼ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 593 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·15			·05					·13	1
2			·29					·20	·07	·07		—	2
3					·10	·04			·06			·22	3
4							·40	·05	·04	·02		·29	4
5				·05	·05		·48	·07	·02			·04	5
6			·29	·07	·18		·14					·01	6
7				·15			·12						7
8				·07	·05		·19					·02	8
9	·06												9
10	·79	·02	·05	·15			·02						10
11	·21	·20		·13			·03						11
12	·10	·03	·10	·16	·01	·24	·34						12
13	·37		·09	·01		·02	·15				·10		13
14	·01		·35	·31		·11			·15		·15		14
15	·03	·03		·10					·81	·05	·08		15
16			·01	·03	·25	·01			·50	·25		·32	16
17	·01			·20	·14	·17			·51			·03	17
18	·05			·01	·15			·78	·11			·09	18
19	·10			·22				·28				·05	19
20	·11	·23		·11		·61			·62			·02	20
21		·07		·02			·62	·01	·25			·05	21
22		·03		·22			·02		·03			·32	22
23			·01	·01			·23						23
24							·09					·31	24
25	·01						·43	·03	·05				25
26	·05		·15	·04		·04	·09						26
27	·23	·05		·11		·06	·20				·35	·05	27
28	·35	·01		·15	·16		·18				·06	·25	28
29	·49	—		·01	·01						·26	·03	29
30	·03	✕	·05	—			·22		·31		·20		30
31	—	✕		✕		✕			✕	·17	✕		31
Total	3·07	·67	1·39	2·48	1·10	1·30	4·00	1·42	3·53	·56	1·20	2·33	Year's Total 23·05
Days with ·01 in. or more	18	9	10	23	10	9	19	7	14	5	7	17	148
Days with ·04 in. or more	13	4	8	17	8	7	16	5	12	4	7	12	113

REGIST

CHATHAM

{LUTON W. W}

KENT

1911-14, 16-20

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Luton Waterwo n

in the County of Kent

by W. Coles He

3 ft. 0 in.

88 ft.

Direction

IMPORTANT NOTE.—Rai ult entered to the previous day. If an Observer le, he is earnestly requested to add the reading at he space provided for it at the end of this parag rain, the selection and placing of r ainfall Organization are given in "*Rules* on to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·01	·86				·14					1
2	·09			·07	·23						·17	·09	2
3	·04	·01			·13						·03	·09	3
4	·12			·31						·63	·20	·13	4
5	·05	·01	·07	·13						·48		·13	5
6	·24		·07	·01						·01		·23	6
7	·02									·96	·27	·38	7
8	·09		·15								·33	·08	8
9	·16		·04	·03							·02	·02	9
10		·08	·05									·55	10
11	·15		·03								·60		11
12			·64			·01					·02		12
13			·05		·38	·07			·63	·17	·05	·17	13
14		·12			·12	·02						·31	14
15			·30							·02	·05	·01	15
16						·27					·58	·04	16
17			·05								1·00	·11	17
18		·15	·05								·91	·13	18
19						·08			·08	·34	·22	·08	19
20	·01				·01			·26	·10	·14		·64	20
21		·04						·09		·73	·01	·17	21
22	·03		·17			·02		·44		·15		·42	22
23		·18				·83			·12		·03	·07	23
24		·10				·12	·05			·24		·25	24
25		·05	·47			·19		·02			·02		25
26			·20	·26		·11				·12		·26	26
27		·25	·09	·05					·13	·31		·05	27
28		·11	·01	·13									28
29				·14		·10	·33		·14	·15			29
30				·05		·01			·04	·15			30
31			·01										31
Total	1·05	1·10	2·46	2·04	·87	1·83	·38	·95	1·24	4·60	4·51	4·41	TOTAL for year
No. of Rain Days.	12	11	18	11	5	12	2	5	7	15	17	23	25·44

W. 8,000, X. '11.

138

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

Kept at Luton Waterworks, Chatham

in the County of Kent 4

by W. Coles Finch

Rain Gauge
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 3 ft. 0 in.
" " " Sea Level 88 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.	.01	.86	.	.	.	.14	.	.	.	.	1
2	.09	.	.	.07	.23	.	.	.	.	.	.17	.09	2
3	.04	.01	.	.	.13	.	.	.	.	.	.03	.09	3
4	.12	.	.	.31	.	.	.	.	.	.63	.20	.13	4
5	.05	.01	.07	.13	.	.	.	.	.	.48	.	.13	5
6	.24	.	.07	.01	.	.	.	.	.	.01	.	.23	6
7	.02	.	.	.	.	.	.	.	.	.96	.27	.38	7
8	.09	.	.15	.	.	.	.	.	.	.	.33	.08	8
9	.16	.	.04	.03	.	.	.	.	.	.	.02	.02	9
10	.	.08	.05	.	.	.	.	.	.	.	.	.55	10
11	.15	.	.03	.	.	.	.	.	.	.	.60	.	11
12	.	.	.64	.	.	.01	.	.	.	.	.02	.	12
13	.	.	.05	.	.38	.07	.	.	.63	.17	.05	.17	13
14	.	.12	.	.	.12	.02	.	.	.	.	.	.31	14
15	.	.	.30	.	.	.	.	.	.	.02	.05	.01	15
16	.	.	.	.	.	.27	.	.	.	.	.58	.04	16
17	.	.	.05	.	.	.	.	.	.	.	1.00	.11	17
18	.	.15	.05	.	.	.	.	.	.	.	.91	.13	18
19	.	.	.	.	.	.08	.	.	.08	.34	.22	.08	19
20	.01	.	.	.	.01	.	.	.26	.10	.14	.	.64	20
21	.	.04	.	.	.	.	.	.09	.	.73	.01	.17	21
22	.03	.	.17	.	.	.02	.	.44	.	.15	.	.42	22
23	.	.18	.	.	.	.83	.	.	.12	.	.03	.07	23
24	.	.10	.	.	.	.12	.05	.	.	.24	.	.25	24
25	.	.05	.47	.	.	.19	.	.02	.	.	.02	.	25
26	.	.	.20	.26	.	.11	.	.	.	.12	.	.26	26
27	.	.25	.09	.05	.	.	.	.	.13	.31	.	.05	27
28	.	.11	.01	.13	.	.	.		.	.	.	.	28
29	.	.	.	.14	.	.10	.33	.	.14	.15	.	.	29
30	.	.	.	.05	.	.01	.		.04	.15	.	.	30
31	.	.	.01	.	.	.	.	.	.	.	.		31
Total	1.05	1.10	2.46	2.04	.87	1.83	.38	.95	1.24	4.60	4.51	4.41	TOTAL for year
No. of Rain Days.	12	11	18	11	5	12	2	5	7	15	17	23	25.44

W. 8,000, X. '11.

138

FORM A.
BRITISH RAINFALL.

29 APR 1913

Wrote re Silver frost 30.IV.13

See footnote

REGISTER OF RAINFALL IN 1912

Kept at Luton Waterworks. Ex. H.

in the County of Kent 4 Chatham

by W. Coles-Finch

Lat. .... Long. ....

Time of Observation 9. A.M

Nearest Railway Station Chatham

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 88 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.06	.01	.	.10	.15	.	.04	.60	.	.15	1
2	.	.01	.38	.	.	.	.13	.01	.	.08	.	.	2
3	.06	.32	.05	.	.01	.26	.01	.13	.	.	.	.03	3
4	.15	.	.48	.	.14	.30	.	.01	.	.	.09	.	4
5	.13	.01	.27	.	.	.	.	.15	.	.	.08	.01	5
6	.48	.07	.	.	.02	.	.	.22	.	.	.	.18	6
7	.	.	.01	.	.03	.96	.	.11	.	.	.	.02	7
8	.22	.15	.15	.	.	.04	.	.43	.03	.	.	.02	8
9	.	.	.	.01	.	.01	.07	.02	.	.	.	.04	9
10	.	.02	.	.	.	.	.	.09	.07	.	.03	.21	10
11	.01	.14	.	.	.	.06	.	.01	.06	.	.05	.22	11
12	.	.09	.01	.	.20	.14	.01	.12	.	.	.01	.02	12
13	.	.02	.01	.	.	.	.05	.14	.	.01	.19	.	13
14	.	.	.	.	.03	.	.	.03	.	.03	.02	.	14
15	.	.	.08	.	.23	.53	.	.01	.	.	.02	.17	15
16	.16	.	.02	.	.09	.09	.	.01	.	.05	.03	.	16
17	(*) .36	.	.31	.	.	.02	.	.02	.	.	.03	.03	17
18	.20	.	.16	.	.	.	.01	.03	.	.05	.01	.15	18
19	.05	.08	.12	.	.	.	.18	.35	.	.	.	.	19
20	.	.01	.27	.	.	.	.	.07	.	.42	.	.	20
21	.	.01	.36	.	.	-	.	.06	.	.15	.12	.	21
22	.13	.08	.	.	.01	.	.13	.06	.	.	.	.	22
23	.57	.18	.19	.	.	.02	.13	.34	.	.13	.12	.06	23
24	.04	.03	.	.	.	.14	.01	.11	.	.	.	.11	24
25	.04	.	.	.	.	.11	.	.86	.	.	.20	.27	25
26	.05	.	-	.	.	.01	.	.44	.	.25	.48	.67	26
27	.	.	.01	.	.	.	.05	.	.	.06	.	.08	27
28	.	.01	.	.	.	.	.01	.01	.03	.45	.38	.10	28
29	.	.01	.	.	.	.	.04	.08	.86	.08	.16	.	29
30	.	.	.	.	.08	.02	.	.14	1.26	.14	.	.	30
31	.	.	.02	.	.02	.	.15	.14	.	.	.	.	31
Total	2.65	1.24	2.96	.02	.86	2.81	1.13	4.20	2.35	2.60	2.02	2.54	EAR'S TOTAL 25.38
Rain Days.	15	17 3.89	19 6.85	2 6.87	11 7.73	16 10.54	15 11.67	29 15.87	7 18.22	14 20.82	17 22.84	19 25.38	181

W. 7,500, XI. 12

(*) "Silver frost", can supply unique TREE picture + description article

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Luton Waterworks, Chatham

in the County of Kent

by W. Coles-Hinch

4

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chatham

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3' ft. 0" in.

" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.23	.05	.35	.	.02	.	.	.	.13	.02	.09	1
2	.03	.17	.	.	.	.	.25	.	.	.	.12	.	2
3	.	.	.01	.32	.29	.	.	.	.	.	.	.05	3
4	.10	.	.01	.01	.	.	.03	.	.	.	.	.	4
5	.40	.01	.	.	.	.02	.23	.	.64	.13	.04	.05	5
6	.10	.05	.12	.	.	.04	.20	.	.01	.35	.11	.	6
7	.	.06	.01	.01	.	.01	.18	.13	.	.23	.09	.	7
8	.	.	.05	.	.06	.03	.	.	.	.09	.02	.	8
9	.	.07	.	.01	.07	.	.06	.20	.09	.	.01	.04	9
10	.	.	.05	.03	.	.	.35	.	.	.	.60	.	10
11	.29	.	.	.40	.	.	.	.01	.	.45	.31	.	11
12	.	.	.	.	.03	.	.	.	.01	.	.93	.	12
13	.49	.	.	.	.	.	.	.09	.	.11	.32	.	13
14	.07	.	.05	.08	.	.	.46	.01	.01	.	.09	.	14
15	.15	.	.15	.14	.	.	.28	.	.	.	.	.	15
16	.16	.	.26	.20	.	.	.	.	.52	.	.	.	16
17	.06	.09	.04	.15	.	.	.11	.	.	.	.	.	17
18	.	.	.09	.13	.	.	.	.	.06	.	.08	.	18
19	.11	.	.11	.	.	.04	.12	.	.16	.	.	.01	19
20	.45	.	.13	.01	.	.	.	.	.	.32	.	.	20
21	.03	.	.29	.21	.	.	.04	.	.	.52	.75	.	21
22	.26	.	.11	.03	.	.	.06	.	.08	.	.	.	22
23	.	.	.32	.	.	.01	.02	.06	.02	.04	.	.38	23
24	.01	.	.10	.	.	.01	.	.03		.	.05	.	24
25	.	.	.	.14	.	.12	.	.	.	.	.02	.	25
26	.	.01	.14	.	.	.	.01	.04	.	1.11	.01	.24	26
27	.	.	.01	.	.49	.	.	.	.	.06	.	.	27
28	.12	.	.19	.	.	.	.	.	.	.26	.	.	28
29	.21	.	.01	.40	.33	.	.	.03	.	.25	.	.	29
30	.28	.	.	.17	.11	.	.	.04	.	.04	.	.01	30
31	.	.	.		.	.	.	.41	.	.05	.		31
Total	3.32	.69	2.30	2.79	1.38	.30	2.40	1.05	1.60	4.14	3.57	.87	YEAR'S TOTAL 24.41
Rain Days.	18	8	22	18	7	9	15	11	10	16	17	8	159

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 JAN 1915

Kept at Luton Waterworks, Chatham
in the County of Kent
by W. Coles-Finch

4

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Chatham
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02				·03			·01	·02	1
2							·12				·03	·15	2
3			·20		·10		·05						3
4			·03	·09							·21	·17	4
5	·05		·02	·24	·19		·12	·20					5
6		·02		·20		·23	·01	·01				·11	6
7		·24	·17	·30		·32	·02					·11	7
8	·07	·33	·32	·05	·01	·23	·04	·03				·05	8
9			1·32	·07					·02			1·40	9
10	·02			·02	·03					·02		·05	10
11		·23	·25	·03		·07			·18		·23	·26	11
12	·05	·03	·06				·18		·15	·01		·39	12
13		·18	·13						·16	·05	·06	·51	13
14		·10	·18				·05			·45	·05	·18	14
15	·05	·01	·18				·11				·58	·10	15
16	·05		·01						·02				16
17		·14	·13						·02			·06	17
18		·20	·20									·34	18
19		·02	1·14				·02			·06	·25	·17	19
20		·10	·30			·08				·14		·13	20
21		·65	·06			·03		·06		·01		·07	21
22		·01		·01	·15	·02	·14	·02		·22			22
23			·32	·01	·80	·19	·01					·13	23
24			·05	·12						·02	·06		24
25	·05		·32				·02	·04		·32			25
26			·03					·09		·06	·22	·37	26
27	·01		·09				·01	·01			·06	·19	27
28	·01						·29			·05	·24	·60	28
29										·65	·11		29
30			·01							·11	·67	·10	30
31					·26							·01	31
Total	·36	2·26	5·52	1·16	1·54	1·17	1·19	·49	·55	2·17	2·78	5·67	YEAR'S TOTAL 24·86
Rain Days.	9	14	23	12	7	8	15	9	6	14	14	24	155

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

434

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Luton Waterworks Chatham.
in the County of Kent.
by W. Coles Finch.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chatham.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 3' ft. 0" in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.	.	.	.17	.	.	.	.09	.06	.26	.	1
2	.19	.03	.16	.	.10	.	.	.	.01	.29	.	.	2
3	.	.56	.20	.	.01	.	.	.	.	.17	.35	.	3
4	.15	.13	.	.	.	.15	.	.	.05	.01	.58	.	4
5	.02	.	.	.01	.	.09	.35	.	.04	.03	.38	.	5
6	.01	.07	.19	.47	.	.13	.17		.	.03	.31	.	6
7	.02	.	.71	.	.20	.13	.11	.	.	.	.86	.	7
8	.	.	.	.	.14	.		.	.	.	.	.19	8
9	.	.	.02	.	.38	.04	.	.	.	.01	.	.09	9
10	.	.08	.10	.04	.	.52	.10	.	.02	.	.	.39	10
11	.02	.16	.04	.12	.	.06	.	.	.	.		.03	11
12	.03	.10		.06	.38	.17	.	.	.	.05	.	.	12
13	.	.17	.15	.07	.30	.17	.12	.	.	.03	.	.	13
14	.	.46	.02	.01	.03	.	.	.13	.	.	.	.18	14
15	.	.15	.11	.		.	.	.76	.	.	.	.11	15
16	.01	.	.	.13	.	.	.21	.05		.	.	.	16
17	.07	.07	.	.	.	.	.13	.13	.24	.45	.	.	17
18	.	.	.	.11	.	.	.	.08	.06	.07	.60	.	18
19	.08	.09	.10	.16	.	.	.	.	.17	.	.66	.	19
20	.09	.	.15	.11	.	.	.	.	.	.	.03	.36	20
21	.01	.	.90	.	.	.	.	.01	.	.	.	.22	21
22	.	.02	.09	.03	.	.04	.	.	.	.	.01	.34	22
23	.	.27	.03	.	.	.24	.	.	.	.	.01	.06	23
24	.01	.	.	.		.	.	.	.	.23	.01	.31	24
25	.	.36	.17	.	.	.	.	.29	.	.08	.05	.	25
26	.	.10	.06	.	.	.08	.	.		.09	.04	.	26
27	.06	.23	.47	.	.	.03	.	.58	.	.15	.	.	27
28	.	.29	.15	.	.	.02	.	.	.08	.01	.	.10	28
29	.	.10	.	.	.	.14	.	.80	.	.17	.	.16	29
30	.	X	.	.	.	.	.	.38	.10	.34	.	.	30
31	.	X	.	X	.	X	.	.	X	.16	X	.03	31
Total	.84	3.44	3.82	1.32	1.71	2.01	1.19	3.21	.86	2.43	4.15	2.57	YEAR'S TOTAL 27.55
Rain Days.	15	19	19	12	9	15	7	10	10	19	14	14	163.

W. 8,000, VIII. 16

416

FORM A.
BRITISH RAINFALL.
2 JAN

REGISTER OF RAINFALL IN 1917

Kept at Luton Waterworks Chatham.
in the County of Kent.
by W. Coles-Finch.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Chatham.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·33				1·73			·04		1
2				·10				·37					2
3				·21			·10	1·06		·04	·07		3
4		·08	·05					·01		·42			4
5	·24		·01	·34					·10	·11			5
6				·08		·09			·08	·02	·07		6
7	·18						·03			·44		·01	7
8				·06			·61	·17	·04	·20	·13	·25	8
9				·10			·98	·03			·01	·72	9
10	·20		·07	·04				·07				·01	10
11	·14	·02	·41	·35				·11	·09	·25			11
12	·04	·03	·03					·11		·46			12
13	·03		·03	·04	·05					·17			13
14	·06		·03	·19									14
15	·16						·02			·03		·04	15
16	·09	·06		·09	·17			·01		·12		·27	16
17				·11	·47		·15		·23	·10			17
18	·03			·05	·06		·05	·14	·09				18
19		·06	·13	·01	·05	·28		·20					19
20		·12	·05		·58		·32				·04		20
21	·01	·01	·03		·02			·10					21
22			·07			·12				·15			22
23		·03			·20			·05				·02	23
24						·01	·02			·08	·05	·14	24
25			·03			·05				·01	·01		25
26			·01					·26			·72		26
27						·01		·71					27
28						·72		·18				·11	28
29			·05		·22	·11	·81	·06		·24		·17	29
30	·03	✕	·30			·01	2·28	·11		·14		·04	30
31	·03	✕	·11	✕		✕	1·03		✕		✕	·03	31
Total	1·24	·41	1·41	2·10	1·82	1·40	6·40	5·48	·63	2·98	1·14	1·81	YEAR'S TOTAL 26·82
Rain Days.	13	8	16	15	9	9	12	19	6	17	9	12	145.

W. 8,000, IX. 17.

Exd JL

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
2. 1. 19

Kept at Luton Waterworks Chatham.
in the County of Kent
by W. Coles-Finch

Lat. Long. —
Time of Observation 9 a.m.
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 3' ft. 0" in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·02							·09	·07	1
2				·05				·31				·10	2
3			·06	·02	·26			·05		·02	·59	·01	3
4		·03	·03	·05	·03			·02	·30		·49		4
5								·02	·02	·03			5
6	·22	·17		·13	·59			·04	·03			·02	6
7	·04	·01		·09	·19				·11	·08			7
8		·09							·15		·13	·01	8
9				·02		·23			·41	·18		·13	9
10	·01			·12		·03	·21		·06	·01	·01	·21	10
11	·04			·01	·06		·17		·09	·91	·09	·09	11
12		·04			·10		·20		·07	·07			12
13	·09			·01	·06		·08		·07				13
14	·09					·21			·14	·21		·09	14
15	1·37			·58		·01	1·54			·06		·15	15
16	·25			·13			·11		·02				16
17	·20			·14			·28	·10				·25	17
18	·28			·01		·15	·21		·35	·47			18
19	·08		·17	·11		·05			·06	·18		·10	19
20	·01	·09		·24			·65		·08	·27			20
21	·11								·27	·12			21
22	·06			·01	·10		·07		·56			·20	22
23	·02				·11		·57	·06				·03	23
24		·19			·12				·09		·02		24
25							·11	·21					25
26							·44	·10		·06	·02	·08	26
27		·01		·10			·69	·09	·03		·06	·01	27
28		·01	·25					·06			·29	·06	28
29									·87		·01		29
30		X	·30						·10	·01		·05	30
31		X		X		X		·13	X	·01	X	·01	31
Total	2·87	·64	·83	1·84	1·62	·68	5·33	1·19	3·88	2·69	1·80	1·67	YEAR'S TOTAL 25·04
Rain Days	15	9	6	18	10	6	14	12	21	16	11	19	157

392

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Luton Waterworks, Chatham

in the County of Kent

by W. Coles-Finch.

Lat. , Long.

Time of Observation 9 a.m.

Nearest Railway Station Chatham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28						·14			·15	·09	·61	1
2	·29				·02		·05				·25	·26	2
3	·18		·30		·01		·35		·11		·14	·24	3
4	·18		·33			·06	·02				·03	·15	4
5	·11	·14	·69						·01		·12	·21	5
6	·03		·01								·09		6
7	·07		·23										7
8	·27		·03								·03		8
9	·55		·02	·11							·20		9
10	·48		·02	·01							·10		10
11	·19		·18	·25			·20					·02	11
12	·04			·10			·46			·03	·02		12
13	·01			·40									13
14	·19			·36			·09		·12				14
15	·17	·04	·01	·34						·09		·01	15
16	·05	·40		·01							·07	·03	16
17		·63		·01							·14	·02	17
18		·23	·05						·03		·05	·07	18
19		·04	·26			·13	·24	·04	·05		·07		19
20	·20	·13	·04			·82	·28	·08					20
21	·05	·20	·03			·04	·09						21
22		·05	·01				·15		·34		·06	·20	22
23						·05	·05		·24		·01	·01	23
24				·16			·01	·02			·19		24
25	·02				·15			·20	·05				25
26		·20	·12	·15			·10					·33	26
27	·30	·03	·01	1·20				·19			·01	·05	27
28			·23	·06				·50		·15	·35	·25	28
29	·08							·77			·19	·06	29
30			·01	·24		·03		·43		·07	·12	·63	30
31	·10		·08				·04			·09		·06	31
TOTAL	3·84	2·09	2·66	3·40	·18	1·13	2·27	2·23	·95	·58	2·33	3·21	YEAR'S TOTAL 24·87
Days with ·01 in. or more	22	11	20	14	3	6	15	8	8	6	21	18	152

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6X 945

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Luton Waterworks. Chatham
in the County of Kent
by W. Coles Finch

Lat. 51° 22" N Long. 0° 33' E
Time of Observation 9 a.m.
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·20			·14			·43		·23	1
2			·11					·17		·10		·04	2
3		·01		·12	·10	·05			·09				3
4		·03		·16			·34			·02		·06	4
5					·02		·47	·21					5
6	·01		·15		·11		·16						6
7	·02			·12	·01		·12						7
8	·27			·07	·02		·06						8
9	·40			·01	·01			·01					9
10	·28	·05	·06	·22			·10					·15	10
11	·05		·04	·23		·01	·33					·10	11
12	·24			·21	·02	·29							12
13			·07	·08					·02		·08		13
14			·24	·17		·10			·09		·14		14
15			·02	·10					·56		·07		15
16				·04	·16	·39			·19				16
17	·01			·13	·07	·05			·59			·08	17
18	·11			·03				1·17	·74			·09	18
19	·05			·21				·01				·11	19
20		·23		·22		·37			·49				20
21				·04			·71	·03	·56			·05	21
22				·31					·29			·31	22
23							·33					·30	23
24									·02				24
25	·02			·03			·06		·07				25
26	·22			·03								·02	26
27	·30	·04		·14		·12	·01				·07	·11	27
28	·43			·03	·07		·06				·18		28
29			·03								·03	·09	29
30		×		·01			·03		·13		·19	·09	30
31		×		×		×			×	·20	×	·10	31
TOTAL	2·41	·36	·72	2·91	·59	1·38	2·92	1·60	3·84	·75	·76	1·93	YEAR'S TOTAL 20·17.
Days with ·01 in. or more	14	5	8	24	10	8	14	6	13	4	7	16	~~129.~~
Days with ·04 in. or more	10	3	6	18	5	7	12	3	11	3	6	15	99

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FIRST RETURN. R

CHATHAM

{WOOLMANS WOOD}

KENT

1920

20

FORM A. BRITISH RAINFALL.

18 JAN 1921

Kept at Woolma

in the County of

by W. Co

ong. 0° 30½' E

9 am.

on Chatham

ge 5" in.

e above Ground 3 ft. 0 in.

" Sea Level 470 * ft.

IMPORTANT … and the result entered to the previous day. If a … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … surement of rain, the selection and pl… British Rainfall Organization are giv… on application to Dr. H. R. Mill, 62,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.	.	.	·22	.	.	·17	.	.	·44	.	·24	1
2	.	.	·13	.	·01	.	.	·19	·08	·05	.	·09	2
3	.	.	.	·21	·09	·08	.	.	·12	.	.	·03	3
4	.	·07	.	·20	.	.	·36	.	.	·04	.	·04	4
5	.	.	.	.	·02	.	·48	·17	·02	.	.	·07	5
6	.	.	·15	.	·14	.	·16	.	.	.	.	·02	6
7	·02	.	.	·13	·02	.	·12	.	.	.	.	·11	7
8	.	.	.	·04	·02	.	·07	.	.	.	.	.	8
9	·27	·01	.	.	·02	.	.	.	.	.	.	.	9
10	·46	·09	·04	·16	.	.	·14	.	.	.	.	·02	10
11	·38	.	·03	·24	.	·01	·40	.	.	.	.	·13	11
12	·08	·01	·03	·23	·03	·26	.	.	.	.	.	.	12
13	·23	.	·09	·04	.	.	.	.	·03	.	·08	.	13
14	.	.	·30	·20	.	·12	.	.	·13	.	·20	.	14
15	·01	.	·01	·15	.	.	.	.	·82	·03	·10	.	15
16	.	.	·01	·01	·09	·10	.	.	·03	.		·02	16
17	.	.	.	·14	·13	·16	.	.	·60		.	·13	17
18	·02	.	.	·05	·03	.	.	1·27	·72	.	.	·11	18
19	·11	.	.	·20	.	.	.	·05	.	.	.	·13	19
20	·05	·30	.	·25	.	·62	.	·02	·42	.	.	·01	20
21	.	.	.	·02	.	.	·75	.	·59		.	·08	21
22	·01	.	.	·27	.	.	.	.	·29	.	.	·32	22
23	.	.	.	.	.	.	·35	.	.	.	.	·31	23
24	.	.	·02	.	.	.	.	.	·07	.	.	.	24
25	.	·01	.	.	.	.	·07	.	·02	.	.	.	25
26	·04	.	·02	·08	.	.	.	.	.	.	.	·02	26
27	·26	·06	.	·15	.	·12	·01	.	.	.	·11	·16	27
28	·35	.	.	·06	·09	.	·09	.	.	.	·18	·02	28
29	·55	.	·03	.	·05	.	.	.	.	.	·04	·11	29
30	·02	X	.	·04	.	.	·06	.	·16	.	·23	·16	30
31	·01	X	.	X	.	X	.	.	X	·25	X	·10	31
Total	2·87	·55	·86	3·09	·74	1·37	3.23	1·70	4·10	·81	·94	2·43	YEAR'S TOTAL 22·69
Rain Days.	17	7 ~~3·42~~	12 ~~4·28~~	22 ~~7·37~~	13 ~~8·11~~	8 ~~9·48~~	14 ~~12·71~~	5 ~~14·41~~	15 ~~18·51~~	5 ~~19·32~~	7 ~~20·26~~	23 ~~22·69~~	148

11 4 6 20 6 7 13 4 11 4 7 16 108

1,000, XI. 18

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FIRST RETURN.

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.
18 JAN 1921

Kept at Woolmans Wood, Chatham

in the County of Kent

by W. Coles Finch

Lat. 51° 20½' N Long. 0° 30½' E

Time of Observation 9 A.M.

Nearest Railway Station Chatham

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 470 * ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·22			·17			·44		·24	1
2			·13		·01			·19	·08	·05		·09	2
3				·21	·09	·08			·12			·03	3
4		·07		·20			·36			·04		·04	4
5					·02		·48	·17	·02			·07	5
6			·15		·14		·16					·02	6
7	·02			·13	·02		·12					·11	7
8				·04	·02		·07						8
9	·27	·01			·02								9
10	·46	·09	·04	·16			·14					·02	10
11	·38		·03	·24		·01	·40					·13	11
12	·08	·01	·03	·23	·03	·26							12
13	·23		·09	·04					·03		·08		13
14			·30	·20		·12			·13		·20		14
15	·01		·01	·15					·82	·03	·10		15
16			·01	·01	·09	·10			·03			·02	16
17				·14	·13	·16			·60			·13	17
18	·02			·05	·03			1·27	·72			·11	18
19	·11			·20				·05				·13	19
20	·05	·30		·25		·52		·02	·42			·01	20
21				·02			·75		·59			·08	21
22	·01			·27					·29			·32	22
23							·35					·31	23
24			·02						·07				24
25		·01					·07		·02				25
26	·04		·02	·08								·02	26
27	·26	·06		·15		·12	·01				·11	·16	27
28	·35			·06	·09		·09				·18	·02	28
29	·56		·03		·05						·04	·11	29
30	·02			·04			·06		·16		·23	·16	30
31	·01									·25		·10	31
Total	2·87	·55	·86	3·09	·74	1·37	3.23	1·70	4·10	·81	·94	2·43	YEAR'S TOTAL 22·69
Rain Days.	17	7 ~~3·42~~	12 ~~4·28~~	22 ~~7·37~~	13 ~~8·11~~	8 ~~9·48~~	14 ~~12·71~~	5 ~~14·41~~	15 ~~18·51~~	5 ~~19·32~~	7 ~~20·26~~	23 ~~22·69~~	148
	11	4	6	20	6	7	13	4	11	4	7	16	108

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

CHELSFIELD

KENT

1914-15, 17-19

FORM A.
BRITISH RAINFALL.
22 FEB 1915

REGI

Kept at Woodlands —

in the County of Kent

by Arthur T Warr

m.

helsfield

ive in.

Ground 4 ft. 3½ in.

Sea Level about 400 ft.

IMPORTANT NOTE he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this nt of rain, the selection and placing c h Rainfall Organization are given in " blication to Dr. H. R. Mill, 62, Camde

Jan. 1, following.
Entered day previous

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	—	—	—	—	.20	—	—	—	.01	1
2	—	—	—	—	—	.01	.13	.01	—	—	.05	.12	2
3	—	—	.18	.01	.15	—	.02	.09	—	—	—	—	3
4	.03	—	.01	.18	—	—	—	.04	—	—	.26	.30	4
5	.06	—	.03	.30	.22	.03	.23	1.14	—	—	—	—	5
6	—	.10	—	.07	—	.21	—	—	—	—	—	.22	6
7	—	.58	.20	.15	.40	.18	.08	—	—	—	—	.17	7
8	.06	.59	.42	.01	.02	.02	.04	.11	—	—	—	.06	8
9	.19	—	.97	.16	—	—	—	—	.08	—	—	1.60	9
10	.02	.03	.06	.05	.02	—	—	—	.04	—	—	.06	10
11	—	.54	.38	—	—	.01	—	—	.19	—	.18	.25	11
12	.01	.04	.06	—	.02	—	04	—	.17	—	.01	.65	12
13	.01	.30	.19	—	—	.02	—	—	.14	.04	.12	1.04	13
14	—	.15	.32	—	—	—	.15	—	—	.40	.08	.76	14
15	.03	.01	.18	—	—	—	.16	.02	—	—	1.05	.09	15
16	.03	—	.03	—	—	—	—	—	.04	—	—	—	16
17	—	.29	.18	—	—	—	—	—	.06	—	—	.14	17
18	—	.12	.15	—	—	—	—	—	—	—	—	.44	18
19	—	.04	.50	—	—	—	.10	—	.03	.05	.19	.24	19
20	—	.14	.30	—	—	.07	—	—	.04	.04	—	.03	20
21	—	.85	.07	—	—	—	—	.08	—	—	—	.04	21
22	—	.02	—	.01	.72	.10	.14	.01	—	.18	—	—	22
23	—	—	.08	.01	.20	.04	.03	—	—	—	—	.04	23
24	—	—	.09	—	—	—	—	—	—	—	.04	—	24
25	—	—	.38	—	—	—	.03	.06	—	.41	—	—	25
26	—	—	.03	—	—	—	.02	.17	—	.04	.27	.64	26
27	.02	—	.01	—	—	—	—	—	—	—	.03	.38	27
28	—	.01	—	—	—	—	—	—	—	.02	.37	.76	28
29	.04		.02	—	—	—	—	—	—	.52	.20	—	29
30	—	X	.04	—	.03	—	—	—	—	.07	.70	.18	30
31	.01	X	—	X	.34	X	—	—	X	—	X	.02	31
Total	.52	3.81	4.88	.95	2.12	.69	1.17	1.93	.79	1.77	3.55	8.24	YEAR'S TOTAL 30.42.
Rain Days.	13	16	25	10	10	10	13	11	9	10	14	24	165

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
22 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Woodlands – Chelsfield

in the County of Kent

by Arthur T Warring

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chelsfield

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 4 ft. 3½ in.

" " " " Sea Level about 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Entered day previous

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	—	—	—	—	.20	—	—	—	.01	1
2	—	—	—	—	—	.01	.13	.01	—	—	.05	.12	2
3	—	—	.18	.01	.15	—	.02	.09	—	—	—	—	3
4	.03	—	.01	.18	—	—	—	.04	—	—	.26	.30	4
5	.06	—	.03	.30	.22	.03	.23	1.14	—	—	—	—	5
6	—	.10	—	.07	—	.21	—	—	—	—	—	.22	6
7	—	.58	.20	.15	.40	.18	.08	—	—	—	—	.17	7
8	.06	.59	.42	.01	.02	.02	.04	.11	—	—	—	.06	8
9	.19	—	.97	.16	—	—	—	—	.08	—	—	1.60	9
10	.02	.03	.06	.05	.02	—	—	—	.04	—	—	.06	10
11	—	.54	.38	—	—	.01	—	—	.19	—	.18	.25	11
12	.01	.04	.06	—	.02	—	04	—	.17	—	.01	.65	12
13	.01	.30	.19	—	—	.02	—	—	.14	.04	.12	1.04	13
14	—	.15	.32	—	—	—	.15	—	—	.40	.08	.76	14
15	.03	.01	.18	—	—	—	.16	.02	—	—	1.05	.09	15
16	.03	—	.03	—	—	—	—	—	.04	—	—	—	16
17	—	.29	.18	—	—	—	—	—	.06	—	—	.14	17
18	—	.12	.15	—	—	—	—	—	—	—	—	.44	18
19	—	.04	.50	—	—	—	.10	—	.03	.05	.19	.24	19
20	—	.14	.30	—	—	.07	—	—	.04	.04	—	.03	20
21	—	.85	.07	—	—	—	—	.08	—	—	—	.04	21
22	—	.02	—	.01	.72	.10	.14	.01	—	.18	—	—	22
23	—	—	.08	.01	.20	.04	.03	—	—	—	—	.04	23
24	—	—	.09	—	—	—	—	—	—	—	.04	—	24
25	—	—	.38	—	—	—	.03	.06	—	.41	—	—	25
26	—	—	.03	—	—	—	.02	.17	—	.04	.27	.64	26
27	.02	—	.01	—	—	—	—	—	—	—	.03	.38	27
28	—	.01	—	—	—	—	—	—	—	.02	.37	.76	28
29	.04	X	.02	—	—	—	—	—	—	.52	.20	—	29
30	—	X	.04	—	.03	—	—	—	—	.07	.70	.18	30
31	.01	X	—	X	.34	X	—	—	X	—	X	.02	31
Total	.52	3.81	4.88	.95	2.12	.69	1.17	1.93	.79	1.77	3.55	8.24	YEAR'S TOTAL 30.42.
Rain Days.	13	16	25	10	10	10	13	11	9	10	14	24	165

W. 8,000. X. 14.

472

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Woodlands, Chelsfield

in the County of Kent 5

by Arthur T Waring

Lat. Long.
Time of Observation 9 . a. m
Nearest Railway Station Chelsfield or Knockholt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 8 in.
" " " " Sea Level about 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.52	.07	—	—	.03	—	—	.01	.08	—	.41	.39	1
2	.14	.15	.14	.10	—	—	—	.64	—	.02	—	.02	2
3	.36	—	.01	.18	.04	—	—	.51	.42	—	—	.50	3
4	.07	—	—	—	—	—	—	—	—	.02	—	.27	4
5	.01	.32	—	—	—	—	—	.01	—	.11	—	.32	5
6	.26	.11	—	.39	—	—	.66	—	—	—	—	.07	6
7	.57	.42	.03	—	—	—	.35	.02	—	—	—	.17	7
8	.62	.68	—	.17	—	—	.08	.06	—	—	—	—	8
9	.03	.03	—	.10	—	.06	—	.06	—	.04	.34	.44	9
10	.21	—	—	—	—	.04	—	—	—	—	—	.39	10
11	.03	—	—	—	—	—	—	—	—	—	.60	.06	11
12	.04	.02	—	.44	.40	—	—	.54	—	.05	.66	—	12
13	.01	.74	—	—	1.52	—	—	.23	—	—	—	—	13
14	—	.04	—	—	—	—	.22	.03	—	—	—	.33	14
15	.23	—	—	—	.04	—	—	—	—	—	.32	.18	15
16	—	.52	—	.02	.01	—	.80	—	—	—	—	.11	16
17	—	.57	—	—	1.06	—	.06	—	—	—	—	.01	17
18	.01	.03	.07	—	.36	—	—	—	—	—	.08	—	18
19	—	.25	—	—	—	—	.04	—	—	.08	—	—	19
20	.24	—	—	.02	—	—	—	—	—	—	—	.25	20
21	.16	—	—	—	—	—	—	—	—	—	—	.07	21
22	.65	.09	.03	.04	—	—	.54	—	—	—	—	.12	22
23	—	.42	.01	—	—	.06	.74	—	—	.32	—	.20	23
24	—	—	.02	.04	—	—	.33	—	.22	.15	—	.20	24
25	—	—	.09	.21	—	—	.22	—	—	—	—	.29	25
26	—	.06	—	—	—	.01	—	—	—	—	—	.47	26
27	—	.02	—	—	—	.09	.31	—	—	.28	—	.07	27
28	—	.04	—	—	—	.01	—	—	1.72	.16	—	—	28
29	—	X	—	—	—	.25	.20	.11	—	—	.21	—	29
30	.06	X	—	—	—	.04	—	—	—	—	.50	.01	30
31	—	X	—	X	—	X	—	.11	X	.56	X	.26	31
Total	3.62	4.58	.40	1.71	3.46	.56	4.55	2.33	2.44	1.79	3.12	5.20	YEAR'S TOTAL 33.76
Rain Days.	19	19	8	11	8	8	13	12	4	11	8	24	145

W. 8,000. X. 15.

·10z = ·97 8.. 86 1439

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL
7. JAN 1918

Kept at Chelsfield
in the County of Kent
by Arthur T Waring

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Chelsfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	—	.22	—	—	—	1.67	.14	—	.03	.01	1
2	—	—	—	.24	—	—	—	.32	—	—	.09	—	2
3	.03	—	—	.13	—	—	.02	.60	—	.10	.18	—	3
4	—	.14	.09	—	—	—	.23	.24	—	.47	—	—	4
5	.14	.01	.01	.34	—	—	—	—	.45	.14	.10	—	5
6	—	—	.03	.14	—	.06	—	—	.12	.01	.05	—	6
7	.28	—	—	—	—	—	.10	—	—	.51	—	.01	7
8	.09	—	—	.07	—	—	.56	1.77	.02	.21	.18	.18	8
9	.02	—	.02	.04	—	—	.32	.06	.01	—	.03	.87	9
10	.15	—	.14	.03	—	.02	—	.11	—	—	—	.11	10
11	.07	—	.40	.38	—	—	—	.05	.28	.38	—	—	11
12	.12	—	.04	.01	—	—	—	.03	—	.4[illegible]	.01	.01	12
13	.04	—	.06	.01	—	—	—	—	.01	.26	—	—	13
14	—	—	.03	.13	—	—	—	.01	—	—	—	—	14
15	.05	—	—	—	.01	—	.02	.13	—	.06	—	.03	15
16	.05	.10	—	.12	.18	—	.01	—	—	.45	—	.60	16
17	—	—	—	.06	.72	—	.09	.01	.29	.17	—	—	17
18	.06	.04	—	.16	.04	.01	.15	.10	.22	.02	—	—	18
19	.02	.06	.06	.02	.07	.10	—	—	.07	—	—	—	19
20	.01	.08	.06	—	.62	—	.34	—	—	—	.06	—	20
21	—	.01	.06	.01	.01	—	—	—	—	.01	.02	—	21
22	.01	—	.03	—	—	—	—	.14	—	.11	—	—	22
23	—	.10	.01	—	.21	.04	—	.12	—	.13	—	.04	23
24	—	.01	—	—	—	.08	—	.02	—	.11	.01	—	24
25	—	—	.03	—	—	.02	.01	—	—	.08	.04	—	25
26	—	—	.02	—	—	—	—	.22	.01	.04	.56	.04	26
27	—	—	.01	—	—	—	—	.94	—	—	—	—	27
28	—	—	—	—	—	1.62	—	.17	—	—	—	.05	28
29	—	—	.01	—	.33	.19	.22	.04	—	.25	—	.15	29
30	.01	X	.26	—	—	—	2.56	.08	—	.10	—	.04	30
31	.10	X	.02	X	—	X	.82	.01	X	.01	X	.02	31
Total	1.25	.56	1.39	2.11	2.19	2.14	5.45	6.84	1.62	4.09	1.36	2.16	YEAR'S TOTAL 31.16
Rain Days.	17	10	20	17	9	9	14	22	11	22	13	14	178
W. 8,000, VIII. 16		1.81	3.20	5.31	7.50	9.64	15.09	21.93	23.55	27.64	29.00	31.16	✓

134

FORM A.
BRITISH RAINFALL
8. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Chelsfield

in the County of Kent

by Arthur F Waring

Lat. Long.

Time of Observation 9. a.m. - Winter & Summer Time

Nearest Railway Station Chelsfield S.E.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. — in.

" " " " Sea Level about 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	—	—	.01	—	—	—	—	—	.17	.07	1
2	—	.03	—	.08	—	—	—	.34	—	—	.13	.12	2
3	—	—	.13	—	.59	—	—	.01	—	.01	.50	—	3
4	—	.22	.12	.04	—	—	—	.03	.20	—	.61	—	4
5	—	.02	—	—	.20	—	—	.09	.20	.05	—	.01	5
6	.10	.15	—	.32	.25	—	—	.02	.03	—	—	.03	6
7	.06	.03	—	.11	.34	—	—	.01	.06	.11	.02	.01	7
8	—	.15	—	—	—	—	—	—	.16	—	.10	.06	8
9	.02	—	—	.01	—	.01	.05	—	.44	.12	—	[illegible]	9
10	—	—	—	.17	—	.06	.35	—	.07	.17	.01	.37	10
11	—	—	—	.02	.01	—	.41	—	.01	.38	.11	.17	11
12	—	.04	—	.03	.10	—	.16	—	.03	.01	—	.01	12
13	.07	.02	—	—	.10	—	.13	—	.03	—	—	—	13
14	.12	—	.01	.01	—	.44	.08	—	.09	—	—	.12	14
15	1.34	—	—	.79	—	.01	.04	—	—	—	—	.17	15
16	.24	—	—	.18	—	.03	.01	—	.06	.01	—	—	16
17	.25	—	—	.10	.05	—	.73	.05	—	—	—	.20	17
18	.42	—	—	—	—	.17	.12	—	.54	.33	—	.11	18
19	.12	—	.06	.10	—	—	.07	—	—	.17	—	.06	19
20	.02	.11	—	.52	—	.01	.38	—	.19	.47	—	.03	20
21	[illegible]	.01	—	.55	—	—	.03	—	.24	.03	.01	—	21
22	.03	—	—	.01	.07	—	.12	—	.33	—	—	.14	22
23	.01	—	—	.01	.15	—	.50	.10	.01	—	—	.02	23
24	—	.23	—	—	.05	.05	.12	—	.13	—	.01	—	24
25	—	—	—	.27	—	.01	.12	.11	—	.05	.08	—	25
26	—	—	—	—	—	—	.62	.02	—	.02	.05	.09	26
27	—	.01	.01	.15	—	—	.07	.12	.11	—	.05	.03	27
28	—	—	.32	.03	—	—	—	.04	—	—	.28	.06	28
29	—	—	.02	—	—	—	—	—	1.40	—	.02	—	29
30	—	X	.35	—	—	—	—	—	.03	.03	—	.06	30
31	—	X	.01	X	—	X	—	—	X	.05	X	—	31
Total	3.05	1.03	1.03	3.50	1.92	.79	4.20	1.05	4.35	2.01	2.15	2.12	YEAR'S TOTAL 27.18
Rain Days.	[illegible]	4.06	5.09	8.59	10.51	11.30	15.50	16.55	20.90	22.91	25.06	27.18	
Rain Days.	14	13	9	20	12	9	19	12	21	16	15	22	182

W. 8,000, IX. 17.

Ex. 18[illegible]

415

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Chelsfield
in the County of Kent
by Arthur T Waring

Lat. Long.
Time of Observation 9 a.m Winter & Summer time
Nearest Railway Station Chelsfield, S.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level about 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	.08	—	—	.01	—	.13	—	—	.08	.11	.81	1
2	.27	—	—	—	.03	—	.15	.06	.02	.04	.09	.12	2
3	.22	—	.40	—	—	—	.16	—	.05	—	.06	.37	3
4	.15	.03	.31	—	—	.03	.09	.01	—	—	.03	.19	4
5	.00	.25	.63	—	—	—	—	.01	—	—	.07	.28	5
6	.03	—	.02	—	—		—	—	—	—	.01	.12	6
7	—	—	.32	—	—		—	—	—	—	.12	—	7
8	.36	—	.03	.02	—	—	—	—	—	—	.03	—	8
9	.43	—	.01	.04	.03	—	—	—	—	—	.13	—	9
10	.16	—	.02	.01	—	—	—	—	—	—	.01	.01	10
11	.05	—	.20	.22	—	—	.17	—	—	—	—	.01	11
12	.02	—	.05	.08	—	.01	.29	—	—	04	.01	—	12
13	.01	—	—	.37	—	—	—	—	.02	.03	—	.01	13
14	.31	—	—	.65	—	—	.03	—	.42	—	—	.02	14
15	.20	.04	.03	.15	—	—	—	—	—	—	—	.17	15
16	.02	.41	—	.01	—	—	.01	—	—	—	.08	.03	16
17	—	.30	.01	.01	—	—	—	—	—	—	.16	.01	17
18		.37	.06	—	—	—	—	—	.05	—	.06	—	18
19		.08	.54	—	—	.15	.31	.15	.10	—	.08	.03	19
20	.20	.10	.05	—	—	.77	.20	.14	—	—	—	—	20
21	.14	.30	.04	—	—	.01	.06	—	—	—	.01	.01	21
22	—	.04	.01	—	—	—	.28	—	.29	—	.03	.22	22
23		—	—	—	—	.05	.09	—	.26	—	—	.03	23
24	—	—	—	.20	—	.02	.01	.03	—	.11	.04	—	24
25	.01	—	—	—	.05	.01	.01	.09	—	—	—	.02	25
26	.05	.29	.10	.05	—	—	.10	.03	.11	—	—	.42	26
27	.57	.08	.01	1.17	—	—	.01	.28	—	—	—	.05	27
28	—	—	.23	.05	—	.01	.11	.81	.01	—	.26	.24	28
29	.05	—	—	.05	—	—	—	.30	—	.44	.09	.08	29
30	.01	X	—	.25	—	.04	—	.26	—	.06	.13	.66	30
31	.07	X	.06	X	—	X	.03	—	X	.01	X	.09	31
Total	3.83	2.46	3.13	3.33	.12	1.10	2.24	2.17	1.36	.81	1.61	3.98	YEAR'S TOTAL
Total Rain Days.		6.29	9.42	12.75	12.87	13.97	16.21	18.38	19.74	20.55	22.16	26.14	✓
	23	13	21	16	4	10	19	12	10	8	21	24	181

W. 6,500. VII. 18. W W C

CHIDDINGSTONE
HOATH
TRIGGERS
KENT
1911 - 1920

FORM A2.
BRITISH RAINFALL.

29 JAN 1912

29 JAN 1912

Kept at Trugger

in the County of

by Alsager Vian

11 in.

ft.

rection S.W.

ONE HOATH,
DEN BRIDGE

Jan. 1912

IMPORTANT NOTE. R

previous day. If an Observer
requested to add the reading at
for it at the end of this para
the selection and placing of
Organization are given in "*Rul*
Dr. H. R. Mill, 62, Camden S

ered to the
is earnestly
ce provided

Jan. 1, following.

In reply to your letter of the 23rd inst. I have pleasure in returning the forms sent to me filled in in accordance with my records.

I am afraid, however, that the value for your purpose is considerably discounted by the fact that I am unable to say that the number of rain-days is strictly accurate. When away from home I have had to let the water in the gauge accumulate but as it happened in 1911 hardly any rain fell during my absences.

I am making arrangements for the record to be taken daily in future.

Another defect is that my measuring is taken at 7.45 a.m and not at 9 o'cl. at which hour I am generally away from home. Yours faithfully

Alsager Vian.

Date	Jan.	Feb.	March.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06			.									1
2				.								.15	2
3			.02									.08	3
4		.02	.06									.27	4
5	.16	~~.10~~										.26	5
6			.09									.29	6
7	.30			.7								.39	7
8	.04		.08									.17	8
9	.08		.10	.0								.08	9
10	.28	.10	.08									.68	10
11	.33		.08	.0									11
12	.03		.59								.07		12
13			.23		.18				.77	.20	.05	.18	13
14		.08	.32		.20							.51	14
15													15
16						.32							16
17			.03			.07					1.83	.43	17
18		.19	.08								1.09		18
19						.10			.14		.28		19
20								.20				1.45	20
21		.20	.03					.26	.12	1.08		.14	21
22			.22			.12		.14		.16		.46	22
23		.25	.02			.74			.26	.14		.13 ~~1.45~~	23
24		.11				.21				.72		.39	24
25		.04	.35			.25			.06	.24	.06		25
26				.25		.13					.06	.21	26
27		.25		.37					.05	.57	.08	.07	27
28	.06	.31		.15				.07		~~.2~~			28
29				.20		.15	.35		.18	.28			29
30								.03	.02	.37	.06		30
31			.11		.08					.02		.03	31
Total	1.34	1.55	2.49	2.50	.93	2.09	.38	.78	1.60	5.34	6.42	6.37	TOTAL for year 31.79
No. of Rain Days.	10 ?	10 ?	18 ?	11 ?	5	9	2	6	8	16 ?	20 ?	22 ?	137 ? ✓

W. 8,000, X. '11.

R made

FORM A2.
BRITISH RAINFALL.

29 JAN 1912

REGISTER OF

Kept at Truggers, Chiddingstone H

in the County of Kent

by Alsager Vian.

11 in.

ft.

n LBBSCRy

rection S.W.

IMPORTANT NOTE.—R … ered to the previous day. If an Observer … is earnestly requested to add the reading at … ce provided for it at the end of this para… the selection and placing of … Organization are given in "*Rul*… Dr. H. R. Mill, 62, Camden S…

Jan. 1, following.

Date	Jan.	Feb.	March.	Apri…								Dec.	Date.
1	.06												1
2												.15	2
3			.02									.08	3
4		.02	.06									.27	4
5	.16	~~.10~~										.26	5
6			.09									.29	6
7	.30											.39	7
8	.04		.08									.17	8
9	.08		.10									.08	9
10	.28	.10	.08									.68	10
11	.33		.08										11
12	.03		.59								.07		12
13			.23		.18				.77	.20	.05	.18	13
14		.08	.32		.20							.51	14
15													15
16						.32							16
17			.03			.07					1.83	.43	17
18		.19	.08								1.09		18
19						.10			.14	to	.28		19
20								.20				1.45	20
21		.20	.03					.26	.12	1.08		.14	21
22			.22			.12		.14		.16		.46	22
23		.25	.02			.74			.26	.14		.13 ~~1.45~~	23
24		.11				.21				.72		.39	24
25		.04	.35			.25			.06	.24	.06		25
26				.25		.13					.06	.21	26
27		.25		.37					.05	.57	.08	.07	27
28	.06	.31		.15				.07		~~.2~~			28
29				.20		.15	.35		.18	.28			29
30								.03	.02	.37	.06		30
31			.11		.08					.02		.03	31
Total	1.34	1.55	2.49	2.50	.93	2.09	.38	.78	1.60	5.34	6.42	6.37	TOTAL for year 31.79
No. of Rain Days.	10 ?	10 ?	18 ?	11 ?	5	9	2	6	8	16 ?	20 ?	22 ?	137 ✓

W. 8,000, X. '11.

TRUGGE[illegible]
CHIDDINGSTONE HOATH,
EDEN BRIDGE.

29 JAN 1912

27 Jan. 1912

Dear Sir,

In reply to your letter of the 23rd inst. I have pleasure in returning the forms sent to me filled in in accordance with my records.

I am afraid, however, that the value for your purpose is considerably discounted by the fact that I am unable to say that the number of rain-days is strictly accurate. When away from home I have had to let the water in the gauge accumulate but, as it happened, in 1911 hardly any rain fell during my absences.

I am making arrangements for the record to be taken daily in future.

Another defect is that my measuring is taken at 7.45 a.m. and not at 9 o'cl. at which hour when I am generally away from home. Yours faithfully

Alsager Vian.

made

FORM A2.
BRITISH RAINFALL.

9 JAN 1912

Kept at Truggers. Chiddingstone Hoath

in the County of Kent

by Alsager Vian.

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground ft. 11 in.
" " " Sea Level ft.

Time of Observation 7.45 a.m.

Nearest Railway Station Name Cowden L.B.&S.C.Ry
Distance 1½ miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06			.59			.03	.08					1
2				.11	.28							.15	2
3			.02		.19						.34	.08	3
4		.02	.06							.60	.24	.27	4
5	.16	~~10~~								.57	.03	.26	5
6			.09								.02	.29	6
7	.30			.74						.37	.48	.39	7
8	.04		.08								.53	.17	8
9	.08		.10	.04						.02	.14	.08	9
10	.28	.10	.08								.02	.68	10
11	.33		.08	.05							1.04		11
12	.03		.59								.07		12
13			.23		.18				.77	.20	.05	.18	13
14		.08	.32		.20							.51	14
15													15
16						.32							16
17			.03			.07					1.83	.43	17
18		.19	.08								1.09		18
19						.10			.14		.28		19
20								.20				1.48	20
21		.20	.03					.26	.12	1.08		.14	21
22			.22			.12		.14		.16		.46	22
23		.25	.02			.74			.26	.14		.13 ~~1.45~~	23
24		.11				.21				.72		.39	24
25		.04	.35			.25			.06	.24	.06		25
26				.25		.13					.06	.21	26
27		.25		.37					.05	.57	.08	.07	27
28	.06	.31		.15				.07		~~2~~			28
29				.20		.15	.35		.18	.28			29
30								.03	.02	.37	.06		30
31			.11		.08					.02		.03	31
Total	1.34	1.55	2.49	2.50	.93	2.09	.38	.78	1.60	5.34	6.42	6.37	TOTAL for year 31.79
No. of Rain Days.	10	10	18	11	5	9	2	6	8	16	20	22	137

W. 8,000, X. '11.

cor. by MS return 4.II.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

W. H8g

Kept at Truggers, Chiddingstone Heath

in the County of Kent — 4

by Alsager Vian.

Lat. Long.

Time of Observation 8 a.m

Nearest Railway Station Cowden

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.21	.04		.09	.14		.03	.78		.21	1
2			.67			.05	.25	.01	.02	.04			2
3	.03		.04				.01	.19				.08	3
4	.17	snow	.75		.07	.14		.02			.08		4
5	.12	"	.19			.22		.31			.23		5
6	.55	.20						.22	.01		.03	.50	6
7				.08	.04			.74			.02	.07	7
8	.21	.38	.28	.04	.16	.75		.28			.03	.03	8
9						.11	.08	.02				.68	9
10		.06				.08		.17				.35	10
11		.31				.05		.36	.04			.26	11
12	.05	.16	.03		.02	.05		.22			.02	.09	12
13			.03		.21						.16		13
14					.03			.28		.11	.01	.01	14
15		.03	.13		.13	.77		.01			.01	.30	15
16	.24	.01	.12		.10	.08		.07		.08	.10	.01	16
17	.48		.44			.04		.07			.17	.07	17
18	.18		.32					.07		.06		.14	18
19	.11		.21				.05	.41					19
20	.06	.13	.33				.02	.43		.56	.06		20
21		.04	.44		.01			.05			.05		21
22	.08	.40	.23		.02		.05	.13		.13			22
23	.40	.37	.34		.01	.62		.53		.10	.18	.07	23
24		.02				.21		.15				.14	24
25	.07	.04				.27		.94			.31	.32	25
26		.02				.01		.59		.31	.37	.59	26
27		.02					.01			.22	.54	.28	27
28		.06				.02	.23	.07	.03	.91		.18	28
29						.02	.12	.01 .21	1.27	.68	.04		29
30					.37	.20	.07	.20	1.70	.46			30
31			.08				.24	.16					31
Total	2.75	2.25	4.84	.16	1.17	3.18 3.18	1.27	6.91	3.10	3.84	2.41	3.78	YEAR'S TOTAL 35.65 35.66
Rain Days.	14	18	18	3	12	19	12	28	7	13	18	20	182

W. 7,500, XI. 12

cond for with of my second copy 7.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-3 FEB 1914

Kept at Truggers, Chiddingstone Hoath

in the County of Kent 4

by Alsager Vian.

Lat. .... Long. ....

Time of Observation 8 a.m. except 1 Jan.

Nearest Railway Station Cowden LB&SCR

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ...... ft. 8 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.29	.06	.26	.07			nil ~~.03~~	.05	.10	.07	.10	1
2	.18	.19					.12			.10	.10	.02	2
3	.01	.01	.06	.19	.25					.40		.11	3
4	.31		.06	.01	.01		.04			.16	.09	.02	4
5	.21	.04	.02			.06	.16		.46	.17	.08	.04	5
6	.06	.06	.16		.02	.10	.22		.08	.14	.09	.09	6
7		.20	.05		.02	.07	.05	.01		.64	.03 .03	.01	7
8		.04	.03		.15	.01				.15	.11	.02	8
9	—	.07		.13	.08		.05		.11		.03	.02	9
10	.03			.06			.15	.01					10
11	.39			.80						.70	.46		11
12					.06						.90		12
13	.20								.08		.20		13
14	.18		.10	.05			1.24	.01	.14	.14	.25		14
15	.19	.01	*	.20			.18		.10		.01		15
16	.18		.80	.30			.05		.32		—		16
17	.10	.07		.07			.28						17
18	.02		.30	.30			.09				.08		18
19	.23				.04		.12		.30	—			19
20	.80	—	.17	.06		.02				.35	.01		20
21			.26	.09			.05			.43	.15		21
22	.30		.23				.03	.04	.13			.01	22
23			.34					.12				.62	23
24	.01			.10							.04		24
25	—			.47									25
26			.13	.02		.02		.23		1.04		.28	26
27	.01		.07	.02	.27					.09			27
28	.18		.31	.09						.25			28
29	.14		.03	.50	.52			.46		.12			29
30	.51			.20	—			.34		.25			30
31			.04					.44		.19			31
Total	4.26	.98	3.22	3.92 3.94	1.49	.28	2.83	1.66	1.77	5.42	2.70	1.34	YEAR'S TOTAL 29.89 29.87
Rain Days.	22	10	19	20	11	6	15	9	10	18	17	12	169

W.7,000, XI. 13

W Dd corr 23.1.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at Truggers, Chiddingstone Hoath
in the County of Kent
by Alsager Vian

4

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Cowden L.B.&S.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~ Nov.	~~Nov.~~ Oct.	Dec.	*Date.*
1	.02	.29	.06	.26	.07				.05	.07	.10	.10	1
2	.18	.19					.12			.10	.10	.02	2
3	.01	.01	.06	.19	.25						.40	.11	3
4	.31		.06	.01	.01		.04			.09	.16	.02	4
5	.21	.04	.02			.06	.16		.46	.08	.17	.04	5
6	.06	.06	.16		.02	.10	.22		.08	.09	.14	.09	6
7		.20	.05		.02	.07	.05	.01		.03	.64	.01	7
8		.04	.03		.15	.01				.11	.15	.02	8
9		.07		.13	.08		.05		.11	.03		.02	9
10	.03			.06			.15	.01					10
11	.39			.80						.46	.70		11
12					.06					.90			12
13	.20								.08	.20			13
14	.18		.10	.05			1.24	.01	.14	.25	.14		14
15	.19	.01		.20			.18		.10	.01			15
16	.18		.80	.30			.05		.32				16
17	.10	snow .07		.07			.28						17
18	.02		.30	.30			.09			.08			18
19	.23				.04	.02	.12		.30				19
20	.80		.17	.06						.01	.35		20
21			.26	.09						.15	.43		21
22	.30		.23				.05	.04	.13			.01	22
23			.34				.03	.12				.62	23
24	.01			.10						.04			24
25				.47									25
26			.13	.02		.02		.23			1.04	.28	26
27	.01		.07	.02	.27						.09		27
28	.18		.31	.09							.25		28
29	.14		.03	.50	.52			.46			.12		29
30	.51			.20				.34			.25		30
31			.04					.44			.19		31
Total	4.26	.98	3.22	3.92 3.92	1.49	.28	2.83	1.66	1.77	2.70	5.42	1.34	YEAR'S TOTAL 29.87 29.87
Rain Days.	22	10	19	20	11	6	15	9	10	17	18	12	169

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN. 15

Kept at Truggers, Chiddingstone Hoath.
in the County of Kent   4
by Eleager Vian

Lat. .... Long. ....
Time of Observation 8 a.m. except on 1st Jan. when 9 a.m.
Nearest Railway Station Cowden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·06			·03	·20			·03	·07	1
2	·02			·01		·03	·11				·22	·21	2
3			·17		·24							·03	3
4			·03	·23	·03			·12			·32	·33	4
5	·10		·07	·48	·19			·21					5
6		·13		·17	·03	·06	·24	·05				·31	6
7		·57	·36	·25	·06		·03					·31	7
8	·10	·60	·42	·04	·01	·11		·13				·10	8
9	·28	·05	1·15	·14					·08		·02	1·12	9
10	·01	·35	·01	·08	·10							·13	10
11			·39	·06					·28		·16	·31	11
12	·02	·03	·10						·31		·01	·45	12
13		·48	·22				·24		·11	·07	·16	·71	13
14		·34	·29							·50	·03	·58	14
15	·02	·08	·25			·12	·40	·01		·01	·82	·12	15
16		·05	·06			·13			·02			·01	16
17		·46	·15				·03		·18			·16	17
18		·09	·18									·48	18
19		·10	·71				·34				·24	·12	19
20		·20	·24			·25	·20		·01	·07		·29	20
21		·69	·08					·56		·02		·08	21
22		·05	·05		·46			·03		·31		·01	22
23		·01	·23		·10					·04		·05	23
24			·03								·18		24
25	·07		·30					·04		·32	·01		25
26			·10				·08	·46		·05	·24	·37	26
27	·05		·03					·06		·02	·06	·60	27
28	·02									·26	·53	·58	28
29	·08	X	·02							·52	·14		29
30	·02	X	·09							·12	1·14	·21	30
31	·03	X		X	·36	X	·02		X	·01	X	·06	31
Total	·82	4·28	5·73	1·52	1·58	·70	1·72	1·87	·99	2·32	4·31	7·80	YEAR'S TOTAL 33·64 ✓
Rain Days.	13	17	26	19	19	6	11	11	7	14	17	27	169 ✓

W. 8,000. X. 14.

ExMc 413

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 17 JAN 1916

Kept at Truggers, Chiddingstone Heath

in the County of Kent 4

by Alsager Vian.

Lat. Long.

Time of Observation 8 a.m. except 1st Jan. when 9 a.m.

Nearest Railway Station Cowden LB&SCRly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·53	·09	·07					·06	·30		·15	·45	1
2	·18	·17	·21	·08	·03			·28	·02	·07		·05	2
3	·25		·04	·27	·09			·23	·07			·60	3
4	·09			·01				·09		·03		·67	4
5	·02	·36		·05				·08		·03	·02	·44	5
6	·38	·10		·48			·30	·02				·05	6
7	·38	·35	·03			·02	·07	·01				·42	7
8	·01	·58		·03			·15	·02			·01		8
9	·03	·12		·13		·15		·15			·34	·65	9
10	·35	·02				·15		·01				·58	10
11	·02	·02	·02		nil						·43	·02	11
12	·06	·05		·14	·32			·28		·03	·71		12
13	·03	·66		·01	1·59				·02				13
14	·02	·07					·08	·02	·04			·30	14
15	·17				·06		·42	·16			snow ·22	·28	15
16	·01	·48		·03			·88	·04			snow ·04	·09	16
17		·45			1·70		·08	·09			·03	·04	17
18	nil	·18	·02		·31								18
19	·01	·08			·01		·04			·04			19
20	·28	nil		·04	·07					·01		·28	20
21	·13			·01								·08	21
22	snow ·25	·10	·04				·72					·16	22
23	·01	snow ·20	·04	·03		·04	·10		·11	·39		·37	23
24		·02	·01	·01			·47		·19	·18		·62	24
25			·01	·10			·14			·04	·01	·23	25
26	·02	·04		·01								·44	26
27		·03	snow ·04			·08	·21			·29		·06	27
28	·01	·04				·10	·28		1·72	·33		·01	28
29			snow ·01			·17	·12	·14	·02	·02	·26	·01	29
30	·08	X				·22	·01				·49	·03	30
31	·03	X		X		X		·37	X	·86	X	·25	31
Total	3·35	4·21	·54	1·43	4·18	·93	4·07	2·05	2·49	2·32	2·71	7·18	YEAR'S TOTAL 35·46
Rain Days.	25	22	12	16	9	8	16	17	9	13	12	26	185

W. 8,000. X. 15.

Exd C F E

391

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 191

Kept at Truggers, Chiddingstone Hoath

in the County of Kent.

by Alsager Vian.

Lat. Long.

Time of Observation

Nearest Railway Station before

Diameter of Funnel of Rain Gauge Go in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·04		·50				·14	·02	·38		1
2	·46	·14	·14		·26		·03		·01	·37	·03		2
3	·01	·90	·28				·03		·24	·41	·62		3
4	·25	·26		·04		·51			·19	·12	·54		4
5	·01	·02	snow ·02	·01	·17	·09			·01	·11	·92		5
6	·02	·25	snow. ·12	·39		·22	·21			·10	·83		6
7	·07	·14	snow ·58	·01	·30	·18	·05			·11	·76		7
8			snow ·02		·18							·50	8
9					·22		·01					·36	9
10		·21	·09	·06		·70	·24			·02	·01	·23	10
11	·02	·30	·03	·05		·24	·01					·02	11
12	·04	·07	·01	·21		·19	·08	·01		·05			12
13		·27	·40	·08	·03	·04	·10	·05	·01	·08	·01		13
14		·46	·03	·01	·13		·01	·04		·03		·08	14
15		·10	·17	·02				·46				·12	15
16	·01	·12	·15	·16			·15	·16					16
17	·24	·07	·01	·10				·48	·28	·76		·02	17
18	·02	·19		·10				·30	·25	·62	·72		18
19	·32	·04	·09	·45		·10			·09	·01	·55		19
20	·19		·12	·01				·13			·03	·43	20
21	·04		·52				·69				·11	·46	21
22	·01	snow. ·02	·09			·01				·03	·01	·76	22
23	·01	snow ·29	snow ·06			·19		·01		·04	·15	·10	23
24	·01		snow ·05		·07	·04		·02		·24	·12	·25	24
25		snow ·81	·22		·03	·01		·48		·24	·04		25
26	·03	snow ·32	·02			·22		·05	·03	·23			26
27	·03		snow ·72			·26		·70	·07	·32			27
28		·41	snow ·18			·01		·03	·09	·03	·01	·18	28
29		·22	·01			·24		·47	·05	·36		·38	29
30		X			·12			·09		·38		·01	30
31		X		X		X		·01	X	·35	X	·03	31
Total	1·90	5·61	4·17	1·70	2·01	3·25	1·61	3·99	1·46	5·03	5·84	3·93	YEAR'S TOTAL 40·00
Rain Days.	20	22	26	15	11	17	12	17	13	24	18	16	211

W. 8,000, VIII. 16

384

FORM A.
BRITISH RAINFALL.
15 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Truggers, Chiddingstone Hoath

in the County of Kent

by Asager Vian.

Lat. Long.

Time of Observation

Nearest Railway Station [illegible]

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	s .27				1.47	.08		.08	.02	1
2				s. .24				.25		.01	.07		2
3	.01			s. .13			.26	.48		.05	.22		3
4		s .19	s .17				.25	.15		.37			4
5	.27	s. .01	s .03	.31				.98	.81	.18	.07		5
6			.11	s .15		.21			.27	.03	.15		6
7	.29						.05			.27		.06	7
8	.12			s .09			.60	.13	.01	.30	.34	.17	8
9	.03		s .02	s .13			.26	.06			.04	.80	9
10	s .14		.16	s .07		.02		.13				.02	10
11	.18		.31	s .47				.19	.12	.36			11
12	s .07		.05					.09		.25	.01		12
13	s .08		.14	.02	.04			.02	.03	.29		.01	13
14			.01	.23				.02					14
15	s .01			s .01			.04	.05		.12		.04	15
16	s .08	.10		.20	.07		.16			.87		s .82	16
17		.03		.11	.71		.16	.01	.22	.23			17
18	.04	.03		.13	.06		.16	.12	.28	.03			18
19	.02	.10	.12	.02	.02	.14		.07	.28				19
20	.01	.17	s. .05		.82		.10	.02	.01		.04		20
21		.01	s .03	.02	.07					.05	.03		21
22		.15	s .05			.59		.13		.19		s .02	22
23						.02		.22		.15			23
24		.02			.25	.04	.03	.12		.21		.06	24
25		.09	.05			.24					.09		25
26			s .06			.07		.23	.04		1.05	s .02	26
27			s .02					1.40					27
28			.04			1.72		.41				s .09	28
29			.09		.27	.03	.12	.05		.69		.23	29
30	s. .01	✕	.22			.03	1.13	.19		.24		.04	30
31	s. .07	✕	.19	✕		✕	.59	.03	✕	.02	✕	s .08	31
Total	1.53 ✓	.90 ✓	1.94 ✓	2.60 ✓	2.31 ✓	3.11 ✓	3.91 ✓	7.02 ✓	2.15 ✓	4.91 ✓	2.19 ✓	2.48 ✓	YEAR'S TOTAL 35.05 ✓
Rain Days.	16 ✓	11. ✓	21 ✓	17 ✓	9 ✓	11 ✓	14 ✓	26 ✓	11 ✓	21 ✓	12 ✓	16 ✓	184 ✓

4·04

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Truggers, Chiddingstone Hoath
in the County of Kent
by Alsager Vian.

Lat. Long.
Time of Observation
Nearest Railway Station As Before
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		~~.07~~	s .02	.04				.02			.24	.06	1
2		.07		.06				.21	.05		.20	.21	2
3		.01	.14	.07	.59			.02		.05	.49	.04	3
4		.25	.03	.03	.04			.03	.10		.93	.03	4
5					.11			.07	.45	.10		.02	5
6	.26	.24		.23	.16			.13	.07	.03		.05	6
7	.05	.14		.10	.17	.02		.02	.09	.09	.03	.01	7
8		.24							.26	.03	.18	.08	8
9	s .03	.03		.11					.58	.24	.01	.19	9
10				.07		.18	.31		.13	.11	.01	.49	10
11	.01			.02			.30		.22	.44	.07	.08	11
12		.12			.13		.25		.03	.09		.08	12
13	s .12	.02			.04		.03		.06			.04	13
14	.21					.13	.07		.32	.15		.17	14
15	1.49			.58		.08	1.83					.26	15
16	s .19			.06		.17	.04	.05	.07				16
17	.25			.13	.07	. 3	.77		nil ~~[illegible]~~			.39	17
18	.55					.17			.70 ~~.05~~	.22		.10	18
19	.15		.06	s .07		.22	.03		05 ~~.20~~	.05	.01	.02	19
20	.15	.15		s .98		.03	.68		.20 ~~.41~~	.18	.01		20
21	.20	.01		.71			.14		.41 ~~.60~~	.05		.04	21
22	.13			.02	.07		.07		.60 ~~.22~~			.15	22
23	.13			.01	.12		.91	.04	.22 ~~.27~~		.03	.10	23
24		.23		.09		.03			.27		.02		24
25	.02						.02	.18	nil ~~.02~~	.03		.01	25
26				.03			.56	.01	.02 ~~.06~~	.02	.07	.21	26
27		.08	.01	.06			.03	.16	.06		.07	.07	27
28		s .01	.44	.04				.02		.02	.27	.07	28
29				.03					.91		.03	.01	29
30		╳	.38						.03	.06		.15	30
31		╳		╳		╳			╳	.05	╳	.02	31
Total	3.94	1.60	1.08	3.54	1.50	1.03	6.04	.96	5.90	2.81	2.67	3.15	YEAR'S TOTAL 33.22
Rain Days.	16	14	7	22	10	9	16	13	24	19	17	28	195

W, 0,500, VII. 15. W W G

362

cord for author ~~X~~ BR

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Truggers, Chiddingstone Hoath
in the County of Kent
by Alsager Vian

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cowden L B&S C R'y
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	s ·06	·02		·02		·06			·11	·08	·99	1
2	·17		·04		·15		·11			·13	·04	·38	2
3	·27		·34		·02		·29		·14		·08	·36	3
4	·22	·09	·48			·01	·12	·04	·03		·08	·18	4
5	·02	·34	·71								·07	·47	5
6	·03		·04							·01		·09	6
7	·12		·65								·06		7
8	·38		·08								·04		8
9	·69		·05	·10							·20		9
10	·33		·14	·05							·08	·07	10
11	·09		·35	·36	·08		·34					·02	11
12	·07		·04	·09			·29			·03	s ·06	·01	12
13	·02			·30						·01		·06	13
14	·75			·67			·09		·31			·05	14
15	·25	·05		·08								·25	15
16	·16	·46		·01							·10	·03	16
17		·30		·01							·15	·07	17
18		·11	·10					·02	·03		·09	·06	18
19	·01	·12	·39			·14	·27	·06			·09	·04	19
20	·15	·12	·26			·81	·10	·22				·02	20
21	·11	·42	s ·03			·04	·03				·03	·01	21
22		·05	·02			·02	·24		·41		·04	·02	22
23						·02	·02		·37		·03	·26	23
24				·16				·02		·07	·11	·06	24
25	·04			·15	·02			·22				·02	25
26	·04	·14	·05				·19	·03	·08		·03	·02	26
27	s ·92	·03	·02	s ·92				·40			·03	·49	27
28			s ·42	·08				·68			·40	·03	28
29	s ·07	✕		·05			·01	1·03		·24	·21	·08	29
30		✕	·01	·26		·02		·53		·03	·22	1·05	30
31	s ·13	✕	·03	✕		✕	·03		✕	·01	✕	·03	31
TOTAL	5·46	2·29	4·27	3·29	·29	1·06	2·19	3·25	1·37	·64	2·27	~~5·42~~ 5·22	YEAR'S TOTAL 31·60
Days with ·01 in. or more	24	13	22	15	5	~~8~~ 7	15	11	7	9	23	28	~~181~~ 179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exc DL 340

4 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Truggers, Chiddingstone Hoath

in the County of Kent

by Alsager Vian

Lat. Long. as before

Time of Observation 9 a.m.

Nearest Railway Station Cowden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·26	·05		·24			·28		·25	1
2			·13		·03		·03	23	·13	·19		·09	2
3	·01	·03			·04					·04		·22	3
4		·09	·01	·08			·78	·09		·01		·03	4
5			·06		·03		·50	·07	·06				5
6			·15		·16		·19					·03	6
7	·08			·17	·03		·10			·02		·01	7
8	[illegible]			·04	·14		·80	·01					8
9	·27	·03		·02	·05		·08						9
10	·89	·22	·08	·07	·02	·13	·25				·04		10
11	·48		·07	·14		·04	·32					·13	11
12	·10	·02	[illegible]	·17		·64					·01		12
13	·28	·03	·48								·24		13
14	[illegible]	·02	·45	·42		·03			·08	·09	·42		14
15	·05		·06	·22					·77	·30	·21	·01	15
16	·02		·02	·02					·15		·03		16
17	·02			·04	·15				1.29			·15	17
18	·03		·02	·01	·17			1.19	·63			·10	18
19	·01			·39		·02		·01				·03	19
20	·06	·18				·54			·20				20
21	[illegible]			·30			·88		·38			·33	21
22	·04								·19			·35	22
23							·37					·28	23
24	·02		·07	·01					·01				24
25			·01				·20						25
26	·05		·13	·03			·01				·03	·07	26
27	·53	·08	·01	·28		·10	·01				·35	·23	27
28	·45	·01	·16		·14		·09				·08	·05	28
29	1.00	[illegible]	·08	·03	·02						·09	·36	29
30	·02		·01			·03	·20		·25		·35	·22	30
31	·06									·49		·41	31
TOTAL	4.64	·71	1.70	2.70	1.03	1.53	5.05	1.60	4.44	1.42	1.85	3.35	YEAR'S TOTAL 29.72
Days with ·01 in. or more	22	10	18	19	13	8	17	6	12	8	11	20	164
Days with ·04 in. or more	16	4	12	13	8	5	14	4	11	6	8	15	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Smaile

478

FORM A.
BRITISH RAINFALL.
13 MAR 1917

REGIS

CHISLEHURST

HAWKWOOD
KENT
1916

Kept at Chislehurst

in the County of Kent

by F. C. Bayard

5 in.

Ground 1 ft. 0 in.

Sea Level 300 ft.

IMPORTANT NOTE the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08				·33				·35	·15	·29		1
2	·20	·05	·05		·27		·02		·16	·30	·06		2
3		·82	·28				·01			·21	·60		3
4	·22	·11				·22			·05	·02	·48		4
5					·10	·13	·02			·04	·64		5
6		·05	·24	·47		·20	·23			·02	·55		6
7	·05		·60		·13	·17	·16				·76	·05	7
8					·19							·30	8
9					·15							·18	9
10		·10	·13	·07		·38	·04					·09	10
11	·05	·22	·07	·17		·65							11
12	·02	·03		·06	·27	·17				·14			12
13		·19	·24	·06	·11	·07	·07			·04			13
14		·38	·07		·10			·13				·08	14
15		·21	·16				·03	·23				·09	15
16			·15	·13			·20	·04					16
17	·07	·12					·04	·50	·29	·47			17
18		·07	·02	·23				·21	·04	·19	·75		18
19	·04	·03	·09	·10					·08		·62	·15	19
20	·14		·25									·41	20
21			·54				·10					·29	21
22			·09							·01		·41	22
23		·39	·04			·03				·04	·06	·14	23
24					·07					·13	·04		24
25		·68	·12					·27		·06	·04		25
26		·18	·07			·11		·05		·13			26
27	·02		·76			·54		·50	·01	·83			27
28		·38	·20			·23			·08			·31	28
29		·06				·16		·61	·04	·25		·13	29
30					1·01			·18		·27			30
31										·09		·03	31
Total	·89	4·07	4·17	1·29	2·73	3·06	·92	2·72	1·10	3·39	4·89	2·66	YEAR'S TOTAL 31·89
Rain Days.	10	18	20	8	11	13	11	10	9	19	12	14	155

W.7,000, XI. 13

Smede ✓

478

FORM A. BRITISH RAINFALL. 13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Chislehurst, Hawkwood

in the County of Kent

by F. C. Bayard, Miss M. C. Edlmann

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08				.33				.35	.15	.29		1
2	.20	.05	.05		.27		.02		.16	.30	.06		2
3		.82	.28				.01			.21	.60		3
4	.22	.11				.22			.05	.02	.48		4
5					.10	.13	.02			.04	.64		5
6		.05	.24	.47		.20	.23			.02	.55		6
7	.05		.60		.13	.17	.16				.76	.05	7
8					.19							.30	8
9					.15							.18	9
10		.10	.13	07		.38	.04					.09	10
11	.05	.22	.07	.17		.65							11
12	.02	.03		.06	.27	.17				.14			12
13		.19	.24	.06	.11	.07	.07			.04			13
14		.38	.07		.10			.13				.08	14
15		.21	.16				.03	.23				.09	15
16			.16	.13			.20	.04					16
17	.07	.12					.04	.50	.29	.47			17
18		.07	.02	.23				.21	.04	.19	.75		18
19	.04	.03	.09	.10					.08		.62	.15	19
20	.14		.25									.41	20
21			.54				.10					.29	21
22			.09							.01		.41	22
23		.39	.04			.03				.04	.06	.14	23
24					.07					.13	.04		24
25		.68	.12					.27		.06	.04		25
26		.18	.07			.11		.05		.13			26
27	.02		.76			.54		.50	.01	.83			27
28		.38	.20			.23			.08			.31	28
29		.06				.16		.61	.04	.25		.13	29
30					1.01			.18		.27			30
31										.09		.03	31
Total	.89	4.07	4.17	1.29	2.73	3.06	.92	2.72	1.10	3.39	4.89	2.66	YEAR'S TOTAL 31.89
Rain Days.	10	18	20	8	11	13	11	10	9	19	12	14	155

W.7,000, XI, 13

Form A2.
British Rainfall.
23 JAN 1912

CHILHAM

{LOWER EMSDEN}

KENT

1911-20

REGIST

Kept at Lower Emsden

in the County of Kent

by Fr Iva Kea

3 ft. – in.

305 ft.

Chilham. S. E. C R

m Direction SE

IMPORTANT NOTE.—Rai … lt entered to the previous day. If an Observer … le, he is earnestly requested to add the reading at … e space provided for it at the end of this paragr … rain, the selection and placing of ra … infall Organization are given in "*Rules* … on to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11		.01	.44				.04			.02	.03	1
2	.08		.02	.03	.27						.12	.22	2
3	.12	.05			.07						.06	.12	3
4	.17	.01	.09	.13 }						.65	.17	.15	4
5	.05	.04		snow .02 }						1.15		.35	5
6	.31	.03										.10	6
7	.02		.01							.98	.18	.55	7
8	.07										.55	.15	8
9	.30		.16	.05						.08	.14	.10	9
10		.10		.08							.01	.80	10
11	.55		.06		.03						.80		11
12	.07		.64			.08				.01	.03		12
13			.12		.21	.04			1.00	.29	.04	.20	13
14		.10			.52	.16				.01		.30	14
15		.05	.40						.01	.01	.04	.03	15
16						.46					.21	.07	16
17			.04								.11	.09	17
18		.14	.03								1.10	.14	18
19			.01		.03				.11	.02	.20	.08	19
20	fog .02			.01		.05		.47	.04	.21	.01	.59	20
21	.02 "	.10						.08		.50		.23	21
22	.05 "		.21			.02		.31		.31		.48	22
23	.01 "	.09	.15			1.08			.12	.02	.04	.18	23
24		.11				.22	.12	.04	.04	1.08		.12	24
25		.03	.06	.10		.39		.04	.05	.01			25
26			.22	.21		.11				.20	.22	.20	26
27		.21	.11	.36					.13	.36		.04	27
28		.17		.17							.03	.01	28
29		×		.08		.16	.12		.20	.24			29
30		×		.01	.02	.01	.06		.05	.22			30
31		×		×		×			×		×		31
Total	1.95	1.23	2.34	1.69	1.15	2.78	.30	.98	1.75	6.35	4.08	5.33	TOTAL for year 29.93
No. of Rain Days.	15	14	17	13	7	12	3	6	10	19	20	25	161

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 19 11

Kept at Lower Ensden. Chilham

in the County of Kent 2

by Fr Ivo Keane

RAIN GAUGE
Pattern Howard
Diameter of top 5 in.
Height of top above Ground 3 ft. - in.
" " " Sea Level 305 ft.

Time of Observation 6-7 a m

Nearest Railway Station
Name Chilham. S. E. CR
Distance 1 m Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·01	·44				·04			·02	·03	1
2	·08		·02	·03	·27						·12	·22	2
3	·12	·05			·07						·06	·12	3
4	·17	·01	·09	·13						·65	·17	·15	4
5	·05	·04		snow ·02						1·15		·35	5
6	·31	·03										·10	6
7	·02		·01							·98	·18	·55	7
8	·07										·55	·15	8
9	·30		·16	·05						·08	·14	·10	9
10		·10		·08							·01	·80	10
11	·55		·06		·03						·80		11
12	·07		·64			·08				·01	·03		12
13			·12		·21	·04			1·00	·29	·04	·20	13
14		·10			·52	·16				·01		·30	14
15		·05	·40						·01	·01	·04	·03	15
16						·46					·21	·07	16
17			·04								·11	·09	17
18		·14	·03								1·10	·14	18
19			·01		·03				·11	·02	·20	·08	19
20	fog ·02			·01		·05		·47	·04	·21	·01	·59	20
21	" ·02	·10						·08		·50		·23	21
22	" ·05		·21			·02		·31		·31		·48	22
23	" ·01	·09	·15			1·08			·12	·02	·04	·18	23
24		·11				·22	·12	·04	·04	1·08		·12	24
25		·03	·06	·10		·39		·04	·05	·01			25
26			·22	·21		·11				·20	·22	·20	26
27		·21	·11	·36					·13	·36		·04	27
28		·17		·17							·03	·01	28
29		×		·08		·16	·12		·20	·24			29
30		×		·01	·02	·01	·06		·05	·22			30
31		×		×		×			×		×		31
Total	1·95	1·23	2·34	1·69	1·15	2·78	·30	·98	1·75	6·35	4·08	5·33	TOTAL for year
No. of Rain Days.	15	14	17	13	7	12	3	6	10	19	20	25	29·93 161

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
16 JAN 1913

Kept at Lower Ensden, Chilham
in the County of Kent 2
by Fr Ivo Neame

Lat. .... Long. ....
Time of Observation 6-7 a.m
Nearest Railway Station Chilham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. - in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·08			·20	·28		·11	·65		·26	1
2		·12	·10			·10	·19	·04		·15			2
3	·05		·04			·15	·01	·02		·10		·02	3
4	·19	·20	·47		·14	·84		·12					4
5	·08	·06	·19			·33		·06			·34	·02	5
6	·46	·03			·06			·90				·01	6
7	·02		·01		·08	·25		·48		~~·07~~	·01	·03	7
8	·26	·19	·18			·15		·12	·12			·02	8
9		·01	·01	·02			·03					·04	9
10		·03						·13	·01		·09	·34	10
11	·02	·12				·08		·02	·08		·01	·13	11
12		·35			·05			·09			·31	·07	12
13		·15	·03			·10	·03	·14			·36	·01	13
14		·02			·10			·22	·06	·07	·08	·01	14
15		·01	·17		·12	·30		·01			·10	·24	15
16	·10		·09		·12	·40		·01		·03	·01		16
17			·61			·03	~~·11~~	·07			·03	·04	17
18	} ·50		·30	·13			·11 ~~·70~~	·27		·12	·11	·45	18
19	·02	·11	·25				·70	·28			·02		19
20	·03	·05	·32				·25	·23		·68			20
21	·02	·05	·40					·13		·28	·12		21
22	·06	·17	·04			·01	·06	·03			·01		22
23	·35	·22	·25		·09			·37		·08	·20	·05	23
24	·21				·02	·05	·03	·18	·01	·01		·11	24
25	·11	·02				·10		·91			·19	·25	25
26		·01				·25		·73		·25	·33	·50	26
27			·02				·05			·04		·17	27
28						·01	·02	·01	·01	·52	·31	·15	28
29		·02		·05			·01	·15	·70	·03	·11		29
30		×			·05		·03	·40	2·15	·44	·06		30
31	·01	×	·01	×	·03	×	·20	·07	×	·01	×		31
Total	2·50	1·94	3·57	·20	·86	3·35	2·00	6·19	3·26	3·46	2·50	2·92	YEAR'S TOTAL 32·75 ✓
Rain Days.	19	20	20	3	11	17	15	28	9	16	20	21	199 ✓

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

20 JAN 1914

Ex DL

REGISTER OF RAINFALL IN 1913

Kept at Lower Snaden, Chilham

in the County of Kent

by Fr Ina Keane

2

Lat. Long.

Time of Observation 6-7 a.m

Nearest Railway Station Chilham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·31	·06	·08	·01	·14				·29	·24	·06	1
2	·03	·18					·65				·07	·01	2
3			·05	·68	·19		·01			·01		·03	3
4	·18		·02	·02			·08		·06	·10	·04	·01	4
5	·26	·02					·30		·45	·03	·02	·03	5
6		·01	·07	·04	·02	·11	·01	·01	·02	·09	·22		6
7		·10	·06		·01	·02	·03	·26		·54		·02	7
8				·02	·06	·03		·05		·48	·05	·01	8
9		·06		·02	·19			·02	·10		·03	·02	9
10	·01		·03	·17	·01		·10				·02		10
11	·35			·31				·01		·37	·47		11
12				·09	·01			·01		·01	·61		12
13	·38		·10					·06			·23		13
14	·08	·03	·08	·04			·12		·03	·15	·32		14
15	·10	·01	·14				·82		·01				15
16	·39		·48	·35			·01		·29		·01		16
17	·02	·08	·11	·02			·07	·04	·03			·07	17
18	·02		·05	·16			·10	·02	·09		·07		18
19	·10		·20		·05		·12	·06	·08				19
20	·58		·12			·69			·02	·09	·01		20
21	·15		·06	·07	·15					·78	1·06		21
22	·16		·21				·09		·04	·10		·02	22
23			·08			·05	·11		·03			·12	23
24	·01		·01		·01	·01		·04			·02		24
25			·02	·31		·19				·02			25
26	·02		·15			·03	·02	·01		·71	·02	·52	26
27	·01	·01			·06		·01	·01		·05			27
28	·26		·23			·01		·02		·24			28
29	·22	×	·09	·27	·08			·04		·05		·02	29
30	·41	×		·26	·09			·89		·06		·05	30
31		×	·32	×		×		·12	×	·03	×		31
Total	3·75	·81	2·74	2·91	·94	1·28	2·65	1·67	1·25	4·20	3·51	·99	YEAR'S TOTAL 26·70
Rain Days.	22	10	23	17	14	10	17	17	13	20	18	14	195

W.7,000, XI. 13

WMcc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
-3 FEB 1915

Kept at Lower Ensden, Chilham
in the County of Kent 2
by Fr Wo Neame

Lat. Long.
Time of Observation 6.0
Nearest Railway Station Chilham, S.E.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 10 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·02	·09	1
2				·09			·02				·07	·19	2
3			·08		·12		·35				·02	·01	3
4			·03	·19	·09			·06			·21	·20	4
5	·16		·03	·39			·06	·44				·01	5
6		·02	·21	·19	·01	·27	·07	·02			·02	·22	6
7		·44		·17	·01	·20						·15	7
8		·30	·17	·02			·07	·04				·06	8
9			1·50	·10								1·25	9
10	·30			·05	·03							·10	10
11		·41	·19			·06			·24	·11	·19	·34	11
12	~~[illegible]~~	·03	·15	~~·25~~	·05		·41		·18		·07	·34	12
13		·24	·10		·02				·08	·07	·01	·53	13
14		·26	·01				·01		·10	·32 ·32	1·33	·28	14
15		·04	·27	·03			·70	·02			·03	·04	15
16	·10	·09	·05				·32				·33		16
17	·01	·11		·37						·05			17
18		·39	·11						·27	·24		·45	18
19		·05	·50					·02		·59		·12	19
20		·17	·33				·01			·16		·24	20
21		·93	·07							·01		·13	21
22		·02					·25	·02		·26		·01	22
23			·61		·20	·37						·05	23
24		·01	·01		·91						·08		24
25	·91		·11	·03						·42	·03		25
26	·10		·02		·93		·03	·23			·12	·25	26
27	·01									·07	·04	·63	27
28	·03				·02					·26	·27	·51	28
29										·84 ·84	·05		29
30	·01	✕	·01							·15	·83	·02	30
31		✕		✕	·29	✕			✕		✕	·04	31
Total	·73	3·51	4·56	1·63	·88	·90	2·30	·85	·87	3·55 3·55	3·72	6·26	YEAR'S TOTAL 29·76
Rain Days.	9	16	21	11	12	4	12	8	5	14	18	26	156

W. 8,000. X. 14.

E.L.M.C

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 17. JAN 1916

Kept at Lower Ensden. Chilham
in the County of Kent 2
by F. St. Neame

Lat. 51° 25' Long. 58' E
Time of Observation 6 a. m
Nearest Railway Station Chilham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 10 in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·45	·05	·06					·16	·63		·25	·25	1
2	·30	·19	·08	·04				·06	·14				2
3	·26		·09	·10	·03			·15	·49		·03	·56	3
4	·04						·01	·66		·16	·04	·38	4
5	·02	·14	·01	·20				·06		·12	·10	·45	5
6	·15	·18	·03	·35			·01				·01	·19	6
7	·41	·22	·03				·01					·31	7
8		·35	·12	·07									8
9	·06	·40		·02		·06		·08		·05	·42	·52	9
10	·31					·01						·22	10
11	·01	·01									·50	·48	11
12	·03			·60	·04			·22		·01			12
13	·09	1·12		·10	1·68					·01			13
14	·02	·04			·01		·10	·30		·01	·55	·45	14
15	·29				·05		·01	·47	·03			·33	15
16	·03	·13		·06			1·03	·01				·02	16
17		·90		·01	·90		·02	·07				·37	17
18		·15			1·18					·03	·05	·12	18
19		·02	·01		·01					·11			19
20	·23	·04		·02						·03		·12	20
21	·08	·01								·21		·06	21
22	·10	·01	·05				·76					·21	22
23	·05		·02	·01		·02	·06			·05		·22	23
24	·01	·10	·07	·01			·10			·04		·61	24
25	·03		·10	·20		·01	·15		·14			·15	25
26	·06						·08		·02		·02	·49	26
27		·05	·01			·02	·07			·12		·02	27
28		·03				·03	·01		·97	·41			28
29					·03		·08	·23	·31		·37	·04	29
30	·14	X				·16	·03				·63		30
31	·06	X		X		X			X	·35	X	·32	31
Total	3·22	4·14	·68	1·79	3·93	·31	2·53	2·57	273	1·71	2·97	6·89	YEAR'S TOTAL 33·47 ✓
Rain Days.	24	20	13	14	9	7	16	12	8	15	12	24	174 ✓

W. 8,000. X. 15.

Exd CTE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
15 FEB 191

Kept at Lower Ensden. Chilham
in the County of Kent
by Fr Ivo Neame

Lat. 51° 25′ Long. 58′ E
Time of Observation 6. a. m
Nearest Railway Station Chilham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 10 in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10								·03		·41		1
2	·30	·04	·38		·04				·05	·32			2
3		·42	·37				·11		·01	·03	·53		3
4	·15	·10				·15	·10			·20	·48		4
5	·91	·01		·05	·02	·11	·75			·03	·36		5
6		·04	·16	·45		·24	·01			·04	·16		6
7	·07		Snow ·71		·42	·10	·24			·02	·86		7
8			·33		·12	·01				·01	·03	·15	8
9			·07		·58							·32	9
10		·12	·04			·30	·13		·02			·37	10
11	·01	·32	·02	·09		·04			·02			·14	11
12	·04	·04		·11	·48	·31	·04	·01		·05		·08	12
13	·01	·22	·23	·08	·45	·18	·44			·07			13
14		·36	·01	·09	·02	·01	·02					·09	14
15		·12	·08										15
16			·04	·13			·15						16
17	·11			·15			·04		·22	·73			17
18	·05	·19	·01	·07		·01	·01		·09	·08			18
19	·13	·01	·01	·10				·02	·10	·02	·63		19
20	·11		·13	·02		·01				·01	1·23	·12	20
21	·01		·80	·10							·20	·42	21
22		·13	·34	·25		·01						·45	22
23	·02	Snow ·87	·04			·07		·06				·10	23
24		" ·21	·05							·25	·06	·25	24
25		" ·08	·13					·34		·16	·02		25
26	·01	" ·41	·01			·05		·02		·05	·06		26
27	·01	·17	·53			·07		·12	·01	·66	·16		27
28		·57	·06			·02			·08	·16		·15	28
29		·15				·16		·49	·10	·33		·29	29
30			·09			·04		·50	·03	·52			30
31	·01											·04	31
Total	1·16	4·58	4·64	1·69	2·10	1·89	2·04	1·56	·76	3·74	5·19	2·88	YEAR'S TOTAL 32·22
Rain Days.	17	21	24	13	8	19	12	8	12	20	14	14	182

W. 8,000. X. 15.

FORM A. BRITISH RAINFALL.

20 MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at Lower Sroden, Chilham

in the County of Kent

by F. Iva Neame

Lat. 51° 25′ Long. 58E

Time of Observation 6 a.m

Nearest Railway Station Chilham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 10 in.

" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01			·28				2·60	·08		·05		1
2				·43				·45		·04	·03	·01	2
3				·14				1·44		·04			3
4							·13	·09		·36			4
5	·19	·05	·05						·06	·02			5
6				·30		·37				·03	·06		6
7	·35		·01				·04		·05	·69	·18	·05	7
8	·21			·11			·30	·28		·36	·23	·20	8
9	·15		·01	·11			·03	·02			·06	1·60	9
10	·93		·15	·05				·08					10
11	·25		·36	·15				·03	·06	·32			11
12	·06	·04	·20	·05				·11		·22			12
13	·03	·03	·05		·05			·02		·27			13
14	Snow ·24		·02	·24				·04					14
15	" ·17				·55								15
16	" ·30			·09	·19					·07		·32	16
17				·03	·28		·10		·03	·25		·13	17
18				·16	·02		·17	·06	·24				18
19	·07	·09		·03					·09				19
20			Snow ·20			·04	·03	·12	·06		·08		20
21		·04	Snow ·18		·40	·06						·10	21
22		·08	Snow ·02		·06	·30		·08		·10			22
23			·05		·01	·03		·19		·05			23
24		·01			·24		·01	·10		·14		·09	24
25			·09			·02					·06		25
26		·04	·07					·15			·72		26
27						·02		1·34			·01	·04	27
28			·01			·61		·54				·05	28
29			·03			·22	1·05	·03		·17		·16	29
30	Snow ·09		·04				1·85	·13		·41		·01	30
31	" ·08		·20				1·45	·02				·01	31
Total	2·23	·38	1·74	2·17	1·80	1·67	5·18	7·92	·67	3·54	1·48	2·77	31·55 YEAR'S TOTAL 31·55
Rain Days.	15	8	18	14	9	9	11	22	8	17	10	13	154

W. 8,000, VIII. 16

8·84

Exd. E.F.F.

34

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

17.1.18

Kept at Lower Ensden, Chilham

in the County of Kent

by F. Ira Neame

Lat. 51° 25′ Long. 58′ E

Time of Observation 6. a. m

Nearest Railway Station Chilham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 10 in.

" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06								·08		1
2			·02					·30			·13	·09	2
3		·05	·03	·01	·08			·02	·08		·96	·14	3
4		·06		·10						·12	·65	·03	4
5		·05			·62			·06	·77	·02			5
6	·10	·09		·15	·09			·12		·04	·08		6
7	·03	·02		·17	·49				·55	·04	·01		7
8		·05		·01					·28		·12		8
9				·01		·08			·62	·14		·03	9
10				·05		·03	·07		·21	·04		·35	10
11				·01	·05		·03			·41	·09	·25	11
12		·05			·21		·28		·02	·44			12
13	·10	·15		·01	·21						·02		13
14	·15	·01		·01		·06	·07			·12		·13	14
15	1·15			·44			·03		·12			·16	15
16	·17		·01	·19		·02	·10		·01	·11			16
17	·31			·14		·09	·14	·03				·33	17
18	·30			·01		·16			·34			·09	18
19	·15		·28			·18				·40		·03	19
20	·05	·07		·06		·01	·98		·10	·82			20
21	·11								·12	·14			21
22	·09						·05		·80			·10	22
23	·02				·04		·90	·03				·05	23
24		·12		·22	·16	·05			·15				24
25		·10				·02	·05	·01					25
26							·34	·10	·09	·02		·13	26
27				·04			·37	·26				·06	27
28		·05	·24	·15 ~~·04~~		·01				·12		·07	28
29			·01	·07				·02	·96	·05			29
30		X	·36						·12				30
31		X	·01	X		X			X		X	·22	31
Total	2·73 ✓	·87 ✓	1·02 ✓	1·85 ✓	1·95 ✓	·81 ✓	3·41 ✓	·95 ✓	5·34 ✓	3·03 ✓	2·14 ✓	2·26 ✓	YEAR'S TOTAL 26·36 ✓
Rain Days.	13 ✓	13 ✓	9 ✓	19 ✓	9 ✓	11 ✓	13 ✓	10 ✓	17 ✓	16 ✓	9 ✓	17 ✓	156 ✓

W. 8,000, IX. 17.

317

Lox. [illegible]

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

19 JAN 20

Kept at Lower Ensden. Chilham
in the County of Kent
by F. Iva Neame

Lat. 51° 25' Long. 58' E
Time of Observation 6. a.m
Nearest Railway Station Chilham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 10 in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	snow ·09		·04	·18		·12			·11	·48	·50	1
2	·24		·05				·19					·27	2
3	·24		·20				·59		·05			·17	3
4	·18		·31			·04	·07	·05				·08	4
5			1·31				·03			·02		·24	5
6	·11	snow ·20	·01								·11	·11	6
7	·03		·48								·05		7
8	·31		·03										8
9	·14		·05	·17									9
10	·90		·05	·01									10
11	·70		·17	·18							·37	·05	11
12	·11			·14		·04	·38			·07			12
13	·36			·06			·05					·01	13
14				·83			·09		·13			·03	14
15	·20			·17						·04	·30	·01	15
16	·20	·37		·05				·03				·04	16
17		·45		·10							·16	·07	17
18		·35							·08			·13	18
19		·07	·30	·07			·05		·05				19
20	·12	·14	·10			·70	·76	·15				·02	20
21		·38					·10				·21	·05	21
22		·07	·03				·23		·1[illegible]				22
23						·07	·14		·42			·11	23
24				·10			·02	·05			·11	·02	24
25	·06	·16			·05			·43		·04			25
26				·07				·03	·05		·11	·47	26
27	·43		·18	·70								·05	27
28	·02		·22	·26				·69			·40	·22	28
29			snow = ·75	·06			·03	·60		·44	·18	·14	29
30		✕		·02			·06	·86		·31	·13	·40	30
31	·19	✕	·02	✕		✕		·02	✕		✕		31
Total	5·04	2·38	4·26	3·03	·23 ·23	·85	2·91	2·91	·96	1·03	2·61	3·19	YEAR'S TOTAL 29·40
Rain Days.	19	10	17	17	2	4	16	10	7	7	12	22	143

W. 6,500, VII. 18. W W C

294

2 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lower Ensden, Chilham

in the County of Kent

by F. Geo Leame

Lat. 51° 25' Long. 58' E.

Time of Observation 6 a.m.

Nearest Railway Station Chilham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft 10 in.

" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.17			.05	.02		.28	.01	.03	1
2	.05	.01	.20		.02			.21	.01	.10		.27	2
3		.01		.26	.09	.16		.03	.02			.09	3
4		.05					.75	.02	.02	.03		.20	4
5			.13	.07			.40	.13				.23	5
6		.01	.02	.01	.11		.10		.03			.02	6
7	.01			.06			.05					.03	7
8	.05			.07	.05		.14					.02	8
9	.21			.02	.09		.08					.05	9
10	.53	.11	.04	.22			.06						10
11	.20	.01	.01	.05								.06	11
12	.08	.01	.06	.02	.02	.08	.38						12
13	.28		.11			.04			.02		.05		13
14	.01	.01		.31		=			.03		.32		14
15			.39 .29	.07			.01		.76	.20	.12	.09	15
16	.91		.01	.06	.06				.26	.02		.47	16
17			.01	.22	.02		.01		.43			.02	17
18	.09			.06	.17			1.13	.27			.04	18
19	.15			.17				.32				.02	19
20	.03	.25		.21					.55			.02	20
21				.02			.52		.20		.03	.21	21
22				.16				.27	.35			.30	22
23			.02				.15	.04				.22	23
24		.08			.12		.35		.08			.05	24
25	.05	.01		.02	.01		.12		.05			.04	25
26	.02	.01	.02	.15			.30	.01	.01				26
27	.25	.02	.10 .19				.05				.09	.21	27
28	.26	.01	.02	.02	.19	.67	.08				.35	.05	28
29	.65	.01	.01	.01			.01				.09	.08	29
30	.01						.10		.07	.02	.30	.07	30
31								.03		.09		.30	31
TOTAL	2.97	.61	1.15	2.38	.95	.95	3.71	2.21	3.16	.84	1.36	3.19	YEAR'S TOTAL 23.48
Days with ·01 in. or more	20	15	15	23	12	4	20	11	17	7	9	26	149

(44,283). Wt 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04	13	4	7	15	8	4	17	6	10	4	7	19	114

from original ret^d

REGIS

CHISLEHURST
FOXBURY
KENT
1911 - 1916

FORM A.
BRITISH RAINFALL.

13 SEP 1917

Kept at Foxbury C

in the County of Kent.

by

Gauge in.

e Ground ft. in.

Sea Level ft.

IMPORTANT NOT the result entered to the previous day. If an Observer ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·01	·82				·04			·01		1
2	·08			·15	·14						·15	·07	2
3	·06	·02			·12						·06	·03	3
4	·03	·01	·09	·07					·02	·11	·13	·25	4
5	·02	·01								·28	·02	·25	5
6	·15		·07									·15	6
7	·03			·08							·31	·18	7
8	·08		·10								·30	·25	8
9	·19		·05	·04							·01	·06	9
10		·10	·01								·04	·57	10
11	·26		·01								·61	·01	11
12			·43		·36	·09			·03		·14		12
13			·11		·13				·22	·08	·13	·13	13
14		·08	·01		·19							·41	14
15		·03	·27							·03	·03	·06	15
16						·40					·52	·03	16
17			·01			·04					·31	·13	17
18		·11	·04								·71	·13	18
19					·01	·11		·04	·29	·06	·20	·08	19
20			·01			·01		·27		·15	·01	·58	20
21		·09						·36	·49	·49		·12	21
22	·01		·15			·02		·02		·07		·40	22
23		·13	·07			·75			·23	·01	·02	·09	23
24		·13	·01			·03	·05	·02		·72		·16	24
25		·02		·02		·20	·31	·05	·01	·03		·01	25
26			·08	·20	·03	·25	·01			·10	·02	·25	26
27		·24	·12	·06	·02				·15		·06	·04	27
28		·08	·12	·19				·01	·15		·02		28
29				·21		·18	·32		·12	·20			29
30				·01		·02		·22		·21			30
31					·63								31
Total	·96 ✓	~~·95~~ 1·05	1·77 ✓	1·85 ✓	1·63 ✓	2·10 ✓	~~·71~~ ·69	1·03 ✓	1·71 ✓	2·54 ✓	3·81 ✓	4 4·54	YEAR'S TOTAL ~~20·60~~ 23·58
Rain Days.	11 ✓	13 ✓	20 ✓	10 ✓	9 ✓	12 ✓	4 ✓	9 ✓	10 ✓	14 ✓	22 ✓	25	159 ✓

W. 8,000, VIII. 16

from original rec^d

REGISTER OF RAINFALL

FORM A. BRITISH RAINFALL.

13 SEP 1917

Kept at Foxbury Chislehurst,

in the County of Kent.

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·01	·82				·04			·01		1
2	·08			·15	·14						·15	·07	2
3	·06	·02			·12						·06	·03	3
4	·03	·01	·09	·07					·02	·11	·13	·25	4
5	·02	·01								·28	·02	·25	5
6	·15		·07									·15	6
7	·03			·08							·31	·18	7
8	·08		·10								·30	·25	8
9	·19		·05	·04							·01	·06	9
10		·10	·01								·04	·57	10
11	·26		·01								·61	·01	11
12			·43		·36	·09			·03		·14		12
13			·11		·13				·22	·08	·13	·13	13
14		·08	·01		·19							·41	14
15		·03	·27							·03	·03	·06	15
16						·40					·52	·03	16
17			·01			·04					·31	·13	17
18		·11	·04								·71	·13	18
19					·01	·11		·04	·29	·06	·20	·08	19
20			·01			·01		·27		·15	·01	·58	20
21		·09						·36	·49	·49		·12	21
22	·01		·15			·02		·02		·07		·40	22
23		·13	·07			·75			·23	·01	·02	·09	23
24		·13	·01			·03	·05	·02		·72		·16	24
25		·02		·02		·20	·31	·05	·01	·03		·01	25
26			·08	·20	·03	·25	·01			·10	·02	·25	26
27		·24	·12	·06	·02				·15		·06	·04	27
28		·08	·12	·19				·01	·15		·02		28
29				·21		·18	·32		·12	·20			29
30		✗		·01		·02		·22		·21			30
31		✗		✗	·63	✗			✗		✗		31
Total	·96 ✓	~~·95~~ 1·05	1·77 ✓	1·85 ✓	1·63 ✓	2·10 ✓	~~·71~~ ·69	1·03 ✓	1·71 ✓	2·54 ✓	3·81 ✓	4·54	YEAR'S TOTAL ~~20·60~~ 23·58
Rain Days.	11 ✓	13 ✓	20 ✓	10 ✓	9 ✓	12 ✓	4 ✓	9 ✓	10 ✓	14 ✓	22 ✓	25	159 ✓

W. 8,000, VIII. 16

and ~~pr~~ audits for WD ~~H.~~ C.F.E. from originals returned

FORM A. BRITISH RAINFALL.

13 SEP 1917

REGISTER OF RAINFALL IN 1912

Kept at Foxbury, Chislehurst,

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07		·01	·06	·08	·10	1·65			1
2			·08			·11	·06		·05	·41		·16	2
3			·27			·03	·25		·08	·09	–		3
4	·06		·04			·08	·08	·25			·01	·05	4
5	·19		·47		·22	·13		·04			·07		5
6	·08		·10			·02		·15			·13		6
7	·48				·03		·02	·05			·01	·20	7
8		·11	·02		·05	·60	·05	·50				·02	8
9	·23	·28	·18			·05	·03	·26					9
10		·05		·03		·09	·04	·01			·01	·08	10
11		·03				·11		·36			·10	·26	11
12	·03	·13				·07		·03	·03			·20	12
13		·11	·03		·19	·10		·03			·09	·01	13
14		·03	·01					·14			·02		14
15					·03			·03		·10	·01		15
16	·01	·01	·15		·38	·59		·02			·03	·41	16
17	·27		·02		·05	·07		·10		·04	·07		17
18	·52		·23			·02		·03			·02	·04	18
19	·07		·10					·11		·05	·01	·11	19
20	·08	·04	·16				·12	·12		·37			20
21	·02		·38					·10		·09			21
22		·02	·26					·08		·02	·06		22
23	·20	·10	·05				·09	·07				·04	23
24	·42	·31	·28					·35			·15	·11	24
25	·11	·02				·15	·01	·23				·15	25
26	·15					·15		·78			·28	·22	26
27		·04						·47		·26	·40	·44	27
28							·01			·08		·13	28
29		·05					·09	·03	·07	·45	·45	·13	29
30		X				·09	·25	·12	·79	·07	·06		30
31	–	X	·07	X	·18	X	·01	·03	X	·20	X		31
Total	2·92 ✓	1·33 ✓	~~2·83~~ ✓ 2·90	~~·10~~ ✓ ·03	·01 ~~1·13~~ ✓ 1·14 ✓	~~·06~~ ~~2·47~~ ✓ 2·52 ✓	·08 ~~1·17~~ 1·19 ✓	·10 ~~4·49~~ ✗ 4·59 ✓	1·65 ~~1·12~~ ✓ 2·67	– ~~2·88~~ ✗ 2·23	– 1·98 ✓	– ~~2·86~~ ✗ 2·76	YEAR'S TOTAL ~~24·69~~ ✗ 26·26
Rain Days.	16 ✓	15 ✓	19 ✓	~~2~~ 1 ✓	9	18	15	28 ✓	6	~~14~~ 13	19 ✓	18 ✓	177 ✓

W. 8,000, VIII. 16

cnd pa[illegible] ofr WD W. C7E from originals returned

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

Kept at Foxbury Chislehurst.

in the County of Kent.

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·18				·65		·02		1
2	·02	·24	·02	·21		·04			·13		·03	·10	2
3		·13			·01		·12		·01	·49			3
4	·15		·02	·27	·19							·14	4
5	·25			·05	·15		·08			·08		·06	5
6	·17		·01	·01	·01	·04	·14		·34	·03		·06	6
7	·06		·09		·02	·09	·29			·06	·16	·06	7
8		·11			·03		·14	·16		·31	·06		8
9		·02	·03		·07	·14				·14	·06		9
10		·11			·05		·01				·03	·02	10
11	·02		·18	·07			·61				·50		11
12	·28			·38	·02			·03		·62	·31		12
13									·07		·34		13
14	·10		·04	·06				·05	·02		·24		14
15	·05		·09	·18			·16	·07		·12	·17		15
16	·35	·05	·36	·05			·34		·42		·02		16
17	·17		·24	·08									17
18	·06		·08				·09				·05		18
19			·03	·05			·02						19
20	·06		·30	·15		·08	·19		·09				20
21	·27		·45	·02		·05				·43			21
22	·02		·14	·05						·30	·69		22
23	·33		·13	·01			·05		·10				23
24			·07			·03		·23				·35	24
25	·03		·01	·02		·01		·04			·04		25
26				·17									26
27		·02	·18	·02				·26		·87		·23	27
28			·02	·05						·06			28
29	·21		·19	·04						·18			29
30	·07	╳	·20	·26	·17			·19		·03			30
31	·30	╳	–	╳	–	╳	–	·21	╳	·04	╳		31
Total	2·97 ✓	·68 ✓	2·88 ✓	·18 ~~2·20~~ ✓ 2·38	~~·81~~ × ·72	·48 ✓	2·24 ✓	·65 ~~1·24~~ ✓ 1·89	~~1·03~~ ✓ 1·18	·02 ~~3·54~~ × 3·78	– ~~2·82~~ × 2·70	– 1·02	YEAR'S TOTAL ~~22·93~~ 22·92
Rain Days.	20 ✓	7 ✓	22 ✓	22	10	8 ✓	13 ✓	~~9~~ 10	✓ ~~9~~ 8	~~15~~ 16	~~13~~ 14	8 ✓	158 ✓

cor'd for aults Nov WD C J E from originals returned

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 SEP 1917

Kept at Foxbury Chislehurst.

in the County of Kent.

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02			·27						·45	1
2							·02	·13				·02	2
3	·01					·01	·10	·34			·06	·14	3
4							·03	·04			·02		4
5			·02					·02			·25	·78	5
6			·04	·29		·04	·29	·02			·02		6
7		·08		·10		·21	·02	·03			·05	·15	7
8		·31	·20	·13	·53	·14	·02				·02	·04	8
9	·06	·33	·45	·11		·37	·28	·07				1·22	9
10	·05		·76	·05		·05			·06			·06	10
11			·05	·03	·06							·12	11
12		·44	·20	·02		·05			·25		·39	·47	12
13		·06	·03		·01				·15		·03	·44	13
14		·17	·19						·12	·02	·12	·76	14
15		·05	·17			·31	·42		·01	·25	·04	·37	15
16	·04		·19				·13	·03		·07	·93	·14	16
17		·11	·02										17
18			·05						·05			·05	18
19		·17	·10									·27	19
20		·03	·39				·10		·06			·21	20
21		·12	·42			·08			·10			·04	21
22		·84	·08									·06	22
23		·02	·02	·01	·77	·02	·24			·15			23
24			·05		·12	·17	·08			·03		·06	24
25			·03	·02	·02					·02	·13		25
26	·02		·28					·07		·23			26
27	·01		·04				·04	·13		·06	·18	·48	27
28	·02		·02							·01	·05	·19	28
29											·28	·72	29
30	·04	X	·02							·45	·10		30
31	–	X ~~·02~~	·02	X	~~·27~~	X	–	–	X	·05	X ~~·45~~	·08 ~~·05~~	31
Total	·25 ✓	~~2·25~~ 2·75	3·84	·76	~~1·51~~ ✓ 1·78	~~1·72~~ ✓ 1·45 ✓	1·71 ✓	·88 ✓	·80 ✓	1·34 1·34	~~2·67~~ ✓ 3·12	~~7·32~~ ✓ 6·92	YEAR'S TOTAL ~~26·09~~ 25·60
Rain Days.	8 ✓	14	25	9	7 ✓	17	13 ✓	10 ✓	8 ✓	11	17	24	157 ✓

W. 8,000, VIII. 16

Cnd franks the W.D. ~~W~~ CJE ~~for original~~ returned

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

13 SEP 191

Kept at Foxbury Chislehurst.

in the County of Kent.

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·02	·08									·55	1
2	·42	·07	·06						·08		·48	·41	2
3	·06	·15	·16	·07	·02			·62		·06		·78	3
4	·27			·30	·02			·60	·15			·77	4
5	·14		·07					·03	·01			·21	5
6	·05	·27						·01		·05	·02	·24	6
7	·34	·05					·77					·07	7
8	·32	·29					·14						8
9	·04	·38		·06			·10	·26					9
10		·07		·09		·05						·74	10
11	·28											·30	11
12	·05							·05			·52	·04	12
13	·04			·39	·33			·25		·05	·42		13
14	·04	·37			1·56			·19					14
15		·06					·18	·12				·29	15
16	·10				·05			·23			·09		16
17		·25		·05			·50	·02				·52	17
18		·37	·10		·97		·04						18
19		·07			·46						·20		19
20	·03	·24					·06						20
21	·25				·01								21
22	·09	·03					·02			·01		·09	22
23	·84		·10	·09			·49					·10	23
24	·01	·62	·02	·03		·15	·29			·40	·04	·35	24
25			·03				·32		2·00	·22		·26	25
26												·24	26
27	·02	·03					·10					·41	27
28		·02				·17				·19		·09	28
29						·07				·16			29
30		X				·05		·18				·03	30
31	·02	X ·08		X		X			X		X ·55	~~·30~~	31
Total	3·43	~~3·36~~ 3·42	~~·99~~ ·54	1·08	3·42	·49	3·01	2·56	2·24	1·14	~~1·77~~ 2·32	~~6·49~~ 6·24	YEAR'S TOTAL ~~30·12~~ 29·89
Rain Days.	20	18	8	8	8	5	12	12	4	8	8	20	130

W. 8,000, VIII. 16

and pr WD

End C.E.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Foxbury, Chislehurst.

in the County of Kent.

by Mrs Tiarks

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·05)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30		·43				·01		·02		·09		1
2	·10				·22	·02			·17	·02	·25		2
3	·29		·03		·24		·01		·16	·45	·13		3
4		·63	·20				·05		·15	·13	·60		4
5	·29	·66			·12				·06	·09	·56		5
6		·21				·11	·03		·02	·05	·55		6
7		·05		·35	·02	·26	·04			·02	·43		7
8	·10			·10	·12	·17	·60			·02	·77	·06	8
9					·17						·03	·22	9
10	·03				·15					·10		·26	10
11			·15	·06							·02	·13	11
12	·05	·24	·12	·07		·35			·03				12
13	·02	·06	·02	·14		·20		·03		·05	·02		13
14		·20	·27	·06						·06			14
15		·37	·02	·02	·10			·22	·04		·01	·06	15
16		·15	·25					·25				·04	16
17		·13	·20				·17	·07					17
18		·04		·06			·04	·45	·30	·50			18
19		·13	·03	·23				·20	·03	·15	·81		19
20	·09	·03	·11						·10	·01	·70		20
21	·15	·67	·23					·03			·05	·50	21
22			·57				·25				·04	·44	22
23			·13							·03		·34	23
24			·05			·06				·06	·02	·13	24
25						·03				·08	·01	·15	25
26			·12					·25		·11	·08		26
27			·13			·08		·15	·01	·10			27
28			·68			·40		·45	·02	·92			28
29			·12			·26			·02	·02	·01	·13	29
30		X	·11			·15		·70	·13	·18			30
31		X		X	·52	X		·16	X	·31	X	·15	31

													YEAR'S TOTAL
Total	– ~~1·42~~	·40 ~~3·57~~	~~3·97~~	– ~~1·09~~	– ~~1·66~~	·01 ~~2·09~~	– ~~1·20~~	·02 ~~2·96~~	– ~~1·26~~	·09 ~~3·46~~	– ~~5·18~~	(·05) ~~2·61~~	~~30·47~~
Rain Days.	1·12 ~~10~~ 9	4·09 ~~14~~ 15	3·54 ~~21~~ 20	1·09 9	1·66 9	2·10 ~~12~~ 13	1·19 9 8	2·98 12 13	1·24 ~~15~~ 14	3·55 22 23	5·09 20 19	2·66 ~~13~~ 14	30·22 166

W. 8,000, VIII. 16

120

RE

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Chislehurst

in the County of Ken

by F. C. Bayard

5 in.

round 1 ft. 0 in.

ea Level 300 ft.

ame

stance Direction

CHISLEHURST

{HAWKWOOD}

KENT

1911-15, 17-20

IMPORTANT NOTE. he result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·89									1
2	·15			·15	·12						·16	·07	2
3					·12						·05	·14	3
4	·04		·09	·12						·15	·14	·24	4
5	·02			·04						·25	·01	·12	5
6	·18		·13								·01		6
7	·05			·04						·24	·37	·16	7
8	·09		·08								·28	·30	8
9	·16			·03							·02	·05	9
10		·13	·05	·02								·67	10
11	·29										·60		11
12			·42		·08				·06		·10		12
13			·11		·12				·15	·06	·04	·16	13
14		·06			·17							·45	14
15		·03	·30							·02	·03	·04	15
16						·36					·58	·03	16
17											·31	·15	17
18		·09	·03								·76	·19	18
19						·13			·20	·15	·21	·11	19
20								·36		·07		·62	20
21		·06						·27	·34	·45		·13	21
22			·18					·04				·44	22
23		·09	·03			·81			·21		·02	·09	23
24		·10				·07	·04			·85		·14	24
25		·21				·14	·29			·01			25
26			·13	·17	·11	·16				·12	·04	·23	26
27		·24		·02					·14	·01	·02	·04	27
28		·08		·22				·05			·02		28
29				·17		·25	·24		·13	·18			29
30								·62		·22			30
31					·43								31
Total	·98	1·09	1·55	1·87	1·15	1·92	·57	1·34	1·23	2·78	3·77	4·57	TOTAL for year 22·82
No. of Rain Days	8	10	11	11	7	7	3	5	7	14	20	22	125

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

5142

FORM A2. BRITISH RAINFALL.

20 FEB 1912

Kept at Chislehurst, Hawkwood

in the County of Kent 5

by F. C. Bayard, Miss M. C. Edlmann

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 300 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·89									1
2	·15			·15	·12						·16	·07	2
3					·12						·05	·14	3
4	·04		·09	·12						·15	·14	·24	4
5	·02			·04						·25	·01	·12	5
6	·18		·13								·01		6
7	·05			·04						·24	·37	·16	7
8	·09		·08								·28	·30	8
9	·16			·03							·02	·05	9
10		·13	·05	·02								·67	10
11	·29										·60		11
12			·42		·08				·06		·10		12
13			·11		·12				·15	·06	·04	·16	13
14		·06			·17							·45	14
15		·03	·30							·02	·03	·04	15
16						·36					·58	·03	16
17											·31	·15	17
18		·09	·03								·76	·19	18
19						·13			·20	·15	·21	·11	19
20								·36		·07		·62	20
21		·06						·27	·34	·45		·13	21
22			·18					·04				·44	22
23		·09	·03			·81			·21		·02	·09	23
24		·10				·07	·04			·85		·14	24
25		·21				·14	·29			·01			25
26			·13	·17	·11	·16				·12	·04	·23	26
27		·24		·02					·14	·01	·02	·04	27
28		·08		·22				·05			·02		28
29				·17		·25	·24		·13	·18			29
30								·62		·22			30
31					·43								31
Total	·98	1·09	1·55	1·87	1·15	1·92	·57	1·34	1·23	2·78	3·77	4·57	TOTAL for year 22·82
No. of Rain Days	8	10	11	11	7	7	3	5	7	14	20	22	125

9,000, IX. '10.

FORM A. BRITISH RAINFALL.

12 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Chislehurst, Hawkwood

in the County of Kent 5

by F. C. Bayard, Miss E. M. Edlmann

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·09			·08	·11		·05	·03		·20	1
2			·29				·25		·06				2
3	·07	·08	·04			·07	·01	26				·05	3
4	·21		·49		·24	·14		·03			·12		4
5	·10	·05	·08					·17			·09		5
6	47	·03			·01			·04				·21	6
7			·01		·05	·61	·04	·40				·02	7
8	·24	·33				·03		·29					8
9		·07		·01		·19	·03					·06	9
10		·03						·31	·05		·15	·24	10
11	·03	·19				·05		·04	·03			·22	11
12		·09	·02		·17	·06		·02					12
13	·21	·02				·09		·07			·09		13
14					·03			·02		·06		·02	14
15	·01		·12		·39	·61						·38	15
16	·37				·01	·03		·09		·03	·14		16
17	·39		·28			·01		·02				·11	17
18	·15		·10					·11		·04	·05	·11	18
19	·10	·07	·10			·01	·07	·12					19
20			·47					·06		·37			20
21		·03	·23					·09		·09	·05		21
22	·15	·09	·04		·01		·07	·11		·03		·03	22
23	·41	·30	·25					·37		·05	·15	·05	23
24	·11					·07		·17				·14	24
25	·16					·19		1·03			·28	·50	25
26		·03						·44		·35	·44	·24	26
27							·01			·10		·13	27
28		·04					·04	·04	·03	·46	·50	·13	28
29		·01				·05	·23	·10	1·08	·10	·03		29
30					·21	·12		·08	1·60	·13			30
31			·06				·10	·07					31
Total	3·18	1·46	2·67	·01	1·12	2·41	·96	4·55	2·90	1·84	2·09	2·84	YEAR'S TOTAL 26·03
Rain Days.	16	16	16	1	9	17	11	26	7	13	12	18	162

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

2 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Chislehurst Hawkwood

in the County of Kent 5 5

by F C Bayard Mr M C Edlmann

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·23		.25					.14		·07		1
2	.05	.14					.13			.33	.01		2
3			.08	.30	.18							.13	3
4	.16			.05	.14		.06			.05		·06	4
5	·31					.05	·09		.45	·02		.09	5
6	·09		.21			.04	·30			.17	.17	.05	6
7		.11					.10	.26		·19	·08		7
8					.11	.02				·09	·04		8
9		.11			.04				.12		·02		9
10	.01		.04	.09			·71				.50		10
11	.36			·32						.69	·14		11
12											·35		12
13	.10							·04	.04		·32		13
14	·08		07	.07			.25	.07	.02	.12	.04		14
15	.35	.02	.25	·15			.35				.02		15
16	·15		27	.12					.41				16
17	.04	.07	·08				.11	.01					17
18			.08	.10							.03		18
19	·19		·14			.13	.13		.08				19
20	.27		.45	·05		.05				.48			20
21	.01		·18	.06			.08			.24	.75		21
22	.31		·14						.12				22
23			·07				.01	.20	.01			.37	23
24	.02			.02		.02		·18			.02		24
25				.17									25
26			·17					.25		.82		.22	26
27		.01	.02	.05						.06			27
28	.22		.19	·04						.17			28
29	·05			.28	·14			.08		.03			29
30	.32			.15				.22	.04	.07	.09		30
31			25					.74		.03			31
Total	3.09	.69	2.69	2.27	·61	·31	2·32	2·05	1·48	3·56	2.65	.92	YEAR'S TOTAL 22·59
Rain Days.	19	7	17	17	5	6	12	10	10	16	16	6	141

W.7,000, XI. 13

From Croydon Tables

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
3 - MAR 1915

Kept at Chislehurst Hawkwood

in the County of Kent 5

by H. C. Bayard Miss M C Edlmann

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.15					1
2							.08	.40			.05	.16	2
3			15		.10		.04						3
4				.07				.03			.25	.29	4
5	.12		.05		.13	.04	.26	.67					5
6		.07				.23	.02	.02			.01	.17	6
7		.38	.20		.30	.13	.05					.06	7
8	.06	.35	.45			.32	.20	.06				.05	8
9	.20		.76						.08			1.43	9
10	.05	.04	.04		.06				.03		.02	.04	10
11		.42	.21		.04	.06			.18		.20	.38	11
12		.05	.12				.04		.14		.01	.48	12
13	.01	.18	.13						.14	.08	.08	.85	13
14		.05	.17			.15	.40			.42		.51	14
15	.03		.17				.14	.03			1.11	.05	15
16			.01										16
17		.22	.08						.05			.06	17
18		.08	.15									.36	18
19		.02	.38				.11		.04	.01	.07	.15	19
20		.12	.38			.08			.09			.08	20
21		.83	.11							.17			21
22					1.00	.07	.20						22
23			.05		.09	.18	.05			.01		.10	23
24			.02		.03						.09		24
25			.31					.09		.25			25
26			.02				.03	.15		.05	.20	.53	26
27			.02					.02			.04	.18	27
28										.01	.29	.50	28
29	.06									.50	.15		29
30		X								06	.47	.13	30
31		X		X	.29	X			X		X	.02	31
Total	.53	2.81	3.98	.07	2.04	1.26	1.62	1.62	.75	1.56	3.04	6.58	YEAR'S TOTAL 25.86
Rain Days.	7	13	22	1	9	9	13	10	8	10	15	22	139

W. 8,000. X. 14.

490

FORM A.
BRITISH RAINFALL.

4 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Chislehurst Hawkwood
in the County of Kent
by Miss M. C. Edlmann for Croydon Nat. Hist. Soc.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.47	.06			.03				.05		.48	.39	1
2	.05	.13	.16	.11				.65	.08	.07			2
3	.34		.03	.20								.64	3
4	.06											.21	4
5	.06	.28								05	.01	.22	5
6	.16	.05		.31			.59					.06	6
7	.27	.29	.01				.15					.15	7
8	.12	.44		.15			.13	.23					8
9		.02		.10		.03		.04		.07	.32	.72	9
10	.18											.29	10
11	.03										.50		11
12	.04	.03		.40	.41			.25		.05	.37		12
13		.56			1.39			.39					13
14		.05					.20	.08				.25	14
15	13				.03			.20			.21	.08	15
16		.35					.50	03				.43	16
17		.35			1.07								17
18	.02	.05	.07		.35								18
19		.22					.08			.06			19
20	.25											.25	20
21		.01								.01		.07	21
22	.89	.06	.06	.06			.49					.08	22
23		.42	.02			.12	.18			.36	.09	.27	23
24							.20		.20	.20		.34	24
25			.08	.25			.14					.22	25
26		.02				.04						.41	26
27						.16	.10			.20		.05	27
28		.12				.10			1.60				28
29								.13			.09		29
30		✕									.51		30
31		✕		✕		✕			✕	.70	✕	.27	31
Total	3.07	3.51	.43	1.58	3.28	.45	2.76	2.00	1.93	1.77	2.58	5.40	YEAR'S TOTAL 28.76
Rain Days.	15	19	7	8	6	5	11	9	4	10	9	20	123

W. 8,000. X. 15.

456

FORM A.
BRITISH RAINFALL.

28 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Chislehurst, Hawkwood

in the County of Kent

by F. C. Bayard, Miss M. C. Edlmann

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05				1·85	·02				1
2				·33				·20		—	·07		2
3	·01			·12				·48		·14	·45		3
4		·15	·08				·21	·12		·36			4
5	·17			·18				·02	·27	·17	·04		5
6				·17		·04			·11		·05		6
7	·14						·05		—	·26			7
8	·09			·10			·25	·48	·05	·23	·13	·29	8
9				·06			·63	·25	·03		·04	·54	9
10	·09		·10	·16				·05					10
11	·10	·03	·36	·25					·29	·18			11
12	·07			·06				·13		·45			12
13		·01	·36	·06				·02	·02	·11			13
14				·17									14
15	·14						·07	·60	·16	·04			15
16	·07	·14		·15	·18		·14		—	·19		·54	16
17				·09	·74		·35		·30	·10			17
18	·06	·08		·18	·04		·27	·20	·13	·02			18
19	·01	·10	·10	·04	·79	·07			·15				19
20	·04	·13			·57				·01		·06		20
21			·07	·02									21
22	·04		·08					·15		·10			22
23		·13			·17			·09		·07			23
24						·07				·10	·05		24
25													25
26			·07					·39	—	·02	·56	·05	26
27								·75					27
28		·02				1·87		·13				·07	28
29					·14	·30	·70	·03		·29		·20	29
30	·02	×	·19				2·43	·02		·02		·05	30
31	·09	×	·07	×		×	·77		×		×		31
Total	1·14	·79	1·48	2·19	2·63	2·35	5·87	5·96	1·54	2·85	1·45	1·74	YEAR'S TOTAL 29·99
Rain Days.	15	9	10	17	7	5	11	19	12	18	9	7	139

W. 8,000, VIII. 16

Exd or R

151

from M.S.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10 4. 19

Kept at Chislehurst Hawkwood.

in the County of Kent.

by Miss M. C. Edlmann per F. C. Bayard

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								–			·17	·07	1
2		·04						·38			·09	·12	2
3			·12	·04	·55			·04			·50	·03	3
4		·11	·13					·04	·18		·54		4
5		·02			·18			·08	·68	·03			5
6	·22	·14		·17	·51			·04	·03			·06	6
7	·05			·07					·13	·06	·04		7
8		·09							·09		·09	·04	8
9				·05		·03	·31		·37	·10		·17	9
10				·16			·27			·06	·07	·34	10
11				·03			·80		·04	·31	·10		11
12		·05			·14		·35		·05				12
13	·10				·10				·04				13
14	·07	·01				·45	·07		·08	·24		·11	14
15	1·18			·71			·07						15
16	·48			·21		·15			·08				16
17	·25			·14	·56		1·15					·15	17
18	·40					·12	·04		·61	·40		·11	18
19	·07		·05	·07			·11			·11		·04	19
20	·02	·09		·65			·31		·34	·32		·05	20
21	·10			·26					·25	·08			21
22	·02				·06		·10		·17			·18	22
23	·02			·05	·20		·81	·16					23
24		·28			·03		·41		·19				24
25				·33			·33	·18			·24		25
26							·40	·07			·12	·13	26
27		·01		·15				·10	·04		·08	·04	27
28			·15	·03				·01				·10	28
29									1·03		·05		29
30		×	·34						·06			·11	30
31		×	·03	×		×		·07	×	·04	×		31
Total	2·98 ✓	·84 ✓	·82 ✓	3·12 ✓	2·33 ✓	·75 ✓	5·53 ✓	1·17 ✓	4·46 ✓	1·75 ✓	2·09 ✓	1·85 ✓	YEAR'S TOTAL 27·69 ✓
Rain Days	13 ✓	10 ✓	6 ✓	16 ✓	9 ✓	4 ✓	15 ✓	11 ✓	19 ✓	11 ✓	12 ✓	17 ✓	143 ✓

W, 6,500, VII. 18. W W C

24 BR

433

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Bromley

Kept at Chislehurst, Hawkwood

in the County of Kent

by Miss M. C. Edlmann, per Bayard

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	Chislehurst IN.	
1	·22	·20	..	..	·01	..	·16	..	..	·09	·12	·73	1
2	·15	..	..	..	·05	..	·35	·02	..	·02	·10	·18	2
3	·23	..	·51	..	..	..	·08	..	·04	..	·06	·40	3
4	·11	..	·54	..	..	·02	·27	·05	..	..	·04	·26	4
5	·04	·29	·52	..	..	..	..	..	·01	..	·04	·26	5
6	·03	..	·04	..	..	..	..	..	..	·01	..	·06	6
7	·02	..	·24	..	..	..	..	..	..	..	·08	..	7
8	·21	..	·05	..	..	..	..	..	..	..	·08	..	8
9	·25	..	·03	·07	·17	..	..	..	..	..	·07	..	9
10	·16	..	..	..	..	..	..	..	..	..	..	..	10
11	..	..	·09	·24	..	..	·40	..	..	..	..	..	11
12	..	..	·03	·06	..	..	·05	..	..	..	..	..	12
13	..	..	..	·35	..	..	..	..	..	·12	..	..	13
14	·25	..	..	·25	..	..	..	..	·51	..	..	..	14
15	..	..	·05	·18	..	..	..	..	..	..	..	·15	15
16	..	·50	..	..	..	..	..	..	..	..	·10	..	16
17	..	·27	..	·04	..	..	..	..	..	..	·18	..	17
18	·09	·59	·08	..	..	..	..	..	·04	..	·07	·14	18
19	..	·05	·37	..	..	·15	·27	·34	·24	..	·08	·01	19
20	·07	·07	·07	..	..	·78	·32	·13	..	..	..	·03	20
21	·19	·25	..	..	..	..	·07	..	..	..	·04	..	21
22	..	·07	·02	..	..	..	·24	..	·26	..	·04	·17	22
23	..	..	·01	..	..	·05	..	..	·13	..	·02	·12	23
24	..	..	..	·23	..	·01	..	·03	..	·15	·04	..	24
25	·02	..	..	..	·05	..	..	·12	..	..	..	..	25
26	·04	·32	·11	·06	..	..	·15	·15	·09	..	..	·22	26
27	·40	·12	·05	1·12	..	..	·06	·28	..	..	..	·04	27
28	..	..	·26	..	..	..	..	·80	..	..	·22	·25	28
29	·04		..	·10	..	..	..	·36	..	·32	..	·04	29
30	..		..	·23	..	·09	..	·34	..	·11	·16	·37	30
31	..		..		..		·03	..		..		·03	31
Total	2·52	2·73	3·07	2·93	·28	1·10	2·45	2·62	1·32	·82	1·54	3·46	Year's Total
	..	5·25	8·32	11·25	11·53	12·63	15·08	17·70	18·02 19·02	19·84	21·38	24·84	24·84
Days with ·01 in. or more	18	11	18	12	4	6	13	11	8	7	18	18	144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W.B. [illegible] Copy by B.R.O. #07

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Chislehurst, Hawkwood

in the County of

by per Bayard, Miss C.M. Edlmann

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Chislehurst	Chislehurst	Chislehurst	Chislehurst	Chislehurst	Chislehurst	Chislehurst	Chislehurst	Chislehurst	Chislehurst	Chislehurst	Chislehurst	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	..	..	..	·17	..	..	·15	..	..	·18	..	·22	1
2	..	..	·06	..	..	..	..	·26	..	·15	..	·04	2
3	..	..	..	..	..	·03	..	..	·12	·02	..	·07	3
4	..	·14	..	·17	..	..	·44	·03	..	·03	..	·03	4
5	..	..	·06	..	·05	..	·59	·05	·07	..	..	..	5
6	..	..	·15	..	·07	..	·15	..	..	..	..	·03	6
7	..	..	·02	..	·03	..	·23	..	..	..	..	·02	7
8	..	..	..	·06	·08	..	·15	..	..	..	..	..	8
9	·21	..	..	..	..	..	..	..	..	..	..	..	9
10	·41	·06	·07	·05	..	·04	·21	..	..	..	·05	..	10
11	·14	..	·04	·17	..	·03	·24	..	..	..	..	·16	11
12	·07	..	..	·12	..	·33	..	..	..	..	·01	..	12
13	·24	..	·07	·10	..	..	..	..	..	..	..	..	13
14	..	..	·22	·11	..	·09	..	..	·08	·05	·17	..	14
15	·01	..	·05	·24	..	..	..	..	1·00	..	·07	..	15
16	..	..	..	·10	..	·01	..	..	·45	..	..	..	16
17	..	..	..	..	·07	·33	..	..	·51	..	..	·06	17
18	..	..	..	..	..	..	..	1·04	·20	..	..	..	18
19	·17	..	..	·27	..	..	..	..	..	..	..	·17	19
20	·06	·20	..	·17	..	·52	..	..	·08	..	..	..	20
21	..	..	..	..	..	..	·63	·03	·83	..	..	·05	21
22	..	..	..	·31	..	..	..	..	·22	..	..	·36	22
23	..	..	..	..	..	..	·39	..	..	..	..	·26	23
24	..	..	·01	..	..	..	..	..	..	..	..	·02	24
25	..	..	..	·06	..	..	·14	..	·04	..	..	..	25
26	·02	..	·07	·02	..	..	..	..	..	..	..	..	26
27	·21	(·27)	..	·16	..	·12	·11	..	..	..	·30	·12	27
28	·41	..	·09	·18	·04	..	·07	..	..	..	·04	·02	28
29	·44	..	·03	..	..	..	..	..	..	..	·03	·15	29
30	..		..	..	..	·05	·09	..	·31	..	·22	·10	30
31	·01		..		·01		..	..		·35		·06	31
TOTAL	2·40	·57	·94	2·46	·35	1·55	3·59	1·41	3·91	·78	·89	1·94	YEAR'S TOTAL
	..	2·97	3·91	6·37	6·72	8·27	11·86	13·27	17·18	17·96	18·85	20·79	20·79
Days with ·01 in. or more	13	4	13	17	7	10	14	5	12	6	8	18	~~127~~
Days with ·04 in. or more	10	4	10	16	5	7	14	3	12	4	6	13	104

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CLIFTONVILLE

KENT

1911, 1916-20

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REG

Kept at Margate

in the County of Kent

by D. W. Horner

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18				·01				·03	1
2					·20						·14	·08	2
3				·08	·04					·09	·06	·08	3
4				·11						·66	·15	·26	4
5				·01						·05		·12	5
6												·20	6
7										1·04	·17	·42	7
8											·36	·12	8
9				·03						·01	·40	·10	9
10				·02							·15	·35	10
11											·54		11
12						·08					·13	·01	12
13					·47					·50	·08	·17	13
14					·25				·60	·02		·20	14
15									·07		·03	·04	15
16						37					·15		16
17					·01						·17	·06	17
18										·01	·57	·06	18
19					·07	·01			·05		·24	·10	19
20					·01			·48	·01	·06		·50	20
21				·01				·01	·28	·94		·08	21
22										·14		·40	22
23						·70			·13		·05	·04	23
24						·03	·14	·06		·32		·25	24
25				·10		·10	·01	·28	·03		·12		25
26				·30						·14	·26	·14	26
27				·04					·13	·40		·03	27
28				·08			·21					·05	28
29				·05		·14	·06		·23	·16			29
30				·02	·16				·07	·22			30
31													31
Total				1·03	1·21	1·43	·42	·84	1·60	4·76	3·77	3·89	TOTAL for year
No. of Rain Days				13	8	7	4	5	10	16	18	25	

9,000, IX. '10.

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at *Margate Cliftonville*

in the County of *Kent* 2

by *D. W. Horner*

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18				·01				·03	1
2					·20						·14	·08	2
3				·08	·04					·09	·06	·08	3
4				·11						·66	·15	·26	4
5				·01						·05		·12	5
6												·20	6
7										1·04	·17	·42	7
8											·36	·12	8
9				·03						·01	·40	·10	9
10				·02							·15	·35	10
11											·54		11
12						·08					·13	·01	12
13					·47					·50	·08	·17	13
14					·25				·60	·02		·20	14
15									·07		·03	·04	15
16						·37					·15		16
17					·01						·17	·06	17
18										·01	·57	·06	18
19					·07	·01			·05		·24	·10	19
20					·01			·48	·01	·06		·50	20
21				·01				·01	·28	·94		·08	21
22										·14		·40	22
23						·70			·13		·05	·04	23
24						·03	·14	·06		·32		·25	24
25				·10		·10	·01	·28	·03		·12		25
26				·30						·14	·26	·14	26
27				·04					·13	·40		·03	27
28				·08			·21					·05	28
29				·05		·14	·06		·23	·16			29
30				·02	·16				·07	·22			30
31													31
Total				1·03	1·21	1·43	·42	·84	1·60	4·76	3·77	3·89	TOTAL for year
No. of Rain Days				13	8	7	4	5	10	16	18	25	

9,000, IX. '10.

8L W 8L [illegible] 39

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Margate Cliftonville

in the County of Kent

by J. W. Gunnis

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.01		.05				.06	.03	.40		1
2	.48	.01	.17		.08					.35			2
3		.26	.12			.08			.02	.09	.27		3
4	.09	.07		.01		.12			.01		.15		4
5	.06			.02	.04	.28	.18			.01	.23		5
6		.02	.05	.23		.13	.18	.01			.26		6
7	.04		.98		.52	.10	.18				.51	.02	7
8					.09							.06	8
9					.21	.09						.06	9
10		.09	.03	.11	—	.05	.10					.26	10
11	.02	.38	.04	.16	.01	.11	.01		.04		.01	.01	11
12	.06			.04	1.01	.24		.02		.16		.37	12
13		.24	.05	.05	.03	.07	.55		.01			.12	13
14		.47	.12	.02		.03	.39	.03		.03	.03	.07	14
15	.13	.15	.01				.05	.02	.02			.01	15
16		.04		.18			.04			.04		.02	16
17		.02	.01	.15			.09	.15	.29	.63		.02	17
18	.07	.15	.01	.09				.02	.11	.10	.58		18
19	.07			.05		.02		.15	.28	.04	.73	.03	19
20	.07		.01	.26				.01			.02	.38	20
21			.30	.29							.03	.09	21
22	.03	.31	.26	.16	.01							.45	22
23		.36	.02			.14	.01	.03		.11	.03	.01	23
24		.15								.55	.03	.28	24
25		.09	.10		.02			.10		.18	.03		25
26		.17				.44		.01		.04	.05		26
27	.10	.22	.51			.10	.02	.23		.61			27
28		.63	.29		.01	.02		.02	.12	.04		.18	28
29		.26				.10		.79	.01	.23		.16	29
30		✕						.39	.05	.37			30
31	.02	✕		✕		✕			✕		✕	.02	31
Total	1.26	4.09	3.09	1.82	2.08	2.12	~~1.78~~ 1.80	1.98	1.02	3.61	3.36	2.62	YEAR'S TOTAL 28.85
Rain Days.	14	20	19	15	12	17	13	15	12	18	16	20	~~189~~ 191

W. 8,000. X. 15.

ans 6.1.17

J. W. GUNNIS
~~COUNTY SURVEYOR~~
~~LONGFORD.~~

13 Wyndham Aven
Cliftonville
Margate
2. 1. 17

Dr Sir/

I enclose return for Jany '17 – Can you oblige me with a post card saying how my return for 1916 agrees with returns near here —.

Mr Pemberton has given me a copy of his return for 1916 which differs from mine by ·04 inches or so & a smaller number of rain days this latter can be accounted for as he ~~tells~~ me the float in his gauge sometime sticks & jumps up when disturbed. this would give a clear day everytime it fails — but 6 inches in the total upsets one. —

Have been careful to keep my return accurately & take same at 9. am. — Snow is the only chance of error.

Yrs tr;

G. W. Gimmins

p. S.;

Fingers too cold to write properly.

11 Godwin Road
Margate

8th Feby 1914.

Dear Sir

In reply to your letter re the difference in the total amount of rainfall registered here between Mr. J.V. Gunnis & myself, the variation certainly seems somewhat remarkable, the distance between the two stations being not more than three-quarters of a mile.

The guage I use is of the Snowdon pattern, made of copper, and has registered the rain here for many years, belonging formerly to Mr. J Stokes, the late observer. It was tested by Mr. Corless of the M. Office last September and found correct. In addition to this we have one of Negretti and Zambra's Hytograph self recording guages and it is to this instrument that Mr. Gunnis doubtless refers. This got out of order during the summer and gave some little trouble before I discovered the cause and meeting Mr. Gunnis one day I mentioned the matter to him asking his advice about it. Possibly he may have thought this would partly account for the difference in our totals. My returns are taken from the rainfall in the ordinary guage the amount being ascertained by the usual measuring glass.

The rainfall in this district is frequently very limited in area, and further my station is a very exposed one on the promenade near the sea, and to these two causes I attributed the difference in the readings.

I beg to thank you for the interesting booklet "Rules for Rainfall Observers".

Yours Faithfully
C. J. Pemble
Observer

Carle Salter, Esq
British Rainfall Organization

8L 353

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Cliftonville Margate

in the County of Kent (13 Wyndham Avenue)

by J. W. [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·20				2·50	·07				1
2	·04		·01	·31				·24					2
3				·20				·91					3
4		·03		·01									4
5	·28	·08	·02	·06					·32				5
6	·01			·08		·05			·03				6
7	·22						·03						7
8	·43		·02	·09			·53	·71					8
9	·22		·03	·11				·02					9
10	·12		·09	·03				·09	·02				10
11	·19	·06	·58	·13					·09				11
12	·19		·16	·02				·01	·01				12
13			·12	·20	·22								13
14	·27		·01				·01						14
15								·09					15
16	·43			·14	·14		·05	·01					16
17	·14			·16	·27		·11						17
18	·04			·08			·15	·02					18
19		·09	·26	·02		·11							19
20		·16	·16			·09	·03	·12					20
21		·05	·01		·02	·43		·11					21
22		·01	·21			·17		·03					22
23					·01	·02							23
24						·01							24
25			·05			·01		·02					25
26			·09					·11					26
27						·16		·97					27
28			·02			·56		·19					28
29	·13		·01			·06	1·08	·04					29
30		X	·14				·54	·06					30
31		X	·28	X		X	1·78 ~~2·50~~	·02	X		X		31
Total	2·71	·48	2·27	1·84	·66	1·67	4·31 ~~5·03~~	6·27	nil				YEAR'S TOTAL
Rain Days.	14	7	19	16	5	11	10	20					

7·05

W. 8,000, VIII. 16

81

~~56~~

REGISTER w/ DL OF RAINFALL IN 1918

[illegible]

FORM A.
BRITISH RAINFALL.
27. 1. 19

Kept at 13, Wyndham Avenue, Cliftonville,
in the County of Kent. Margate
by J. W. Gunnis

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.01	.05	.09	1
2											.49	.14	2
3										.03	.40		3
4											.23	.02	4
5										.02			5
6										.11	.30		6
7										.03		.01	7
8										.03	.12		8
9										.10		.17	9
10										.02		.14	10
11										.41	.08	.16	11
12										.32	.03	.02	12
13												(08)	13
14										.19	.01	.03	14
15										.14		.04	15
16									.02	.02			16
17												.16	17
18									1.09			.02	18
19									.04	.29			19
20									.04	.31			20
21									.06	.20		.02	21
22									.71	.01		.24	22
23									.03			.06	23
24									.10		.02		24
25											.05		25
26										.02	.09	.09	26
27									.01	.04	.01	.03	27
28										.01	.16	.08	28
29									.83	.01	.07		29
30		×							.07	.18	.01		30
31		×		×		×			×	.08	×	.27	31
Total									inp ~~3.00~~	2.58	2.12	1.87	YEAR'S TOTAL
Rain Days.									~~11~~	23	16	19	

W. 8,000, IX. 17.

81

~~W~~ corrd by surrounding stns.

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at 13. Wyndham Avenue, Cliftonville, Margate
in the County of Kent
by J. W. Gunnis

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·03		·03	·02		·62			·23	·01		1
2	·10	·06			·10		·02	·01			·04	·01	2
3	·19		·33		·01		·17				·20	·20	3
4	·04		·31			·02	·03	·02		·01		·19	4
5	·23	·26	·83								·02	·21	5
6	·03	·05								·01	·03	·14	6
7			·04				·05			·01	·01		7
8	·27		·04	·01							1·0[illegible]		8
9	·10		·03	·31						·01	·01		9
10	·16		·01	·01							·09		10
11	·26		·04	·34							·02	·10	11
12	·03					·03	·40			·07			12
13	·03			·09							·33	·01	13
14	·07			·29			·32			·01	·08		14
15	·02	·01		·20			·01			·03	·14	·01	15
16	·03	·44		·02							·08		16
17		·60		·10							·18	·04	17
18		·11	·01				·30		·02			·04	18
19		·06	·27				·02		·01	·01	·01	·02	19
20	·34	·01	·08			·37	·67	·08	·04				20
21		·13	·14			·08	·11			·01			21
22		·02	·04				·10		·16		·03	·63	22
23	·08			·04		·09	·22		·49	·01		·05	23
24				·21		·14	·02		·05		·11		24
25	·09				·09	·04		·38		·05		·02	25
26	·11	·14	·08	·13					·04		·03	·23	26
27	·05	·06	·05	·34			·01	·05		·02	·01	·03	27
28	·18	·02	·10	·41				·26	·06	·01	·50	·44	28
29	·08		·16					·62		·24	·22	·01	29
30		X	·01	·36				·65		·35	·01	·18	30
31	·03	X	·13	X		X	·02		X	·61	X	·05	31
Total	2·68	2·00	2·70	2·89	·22	·77	3·09	2·07	·87	1·69	(3·17) ~~2·17~~	2·61	YEAR'S TOTAL (24·76) ~~23·76~~
Rain Days.	23	15	19	16	4	7	17	8	8	17	23	20	179

W. 6,500, VII. 18. W W C

5·6 cndly mm stats 309

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cliftonville, Margate

in the County of Kent

by J. W. Gunnis

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.26	.01		.03			.26	~~.22~~	.19	1
2			.08		.01			.28	.03	.14		.08	2
3					.11	.17		.01				.03	3
4		.02	.02	.34	.01		.13		.05			.17	4
5				.12	.05		.56	.04	.18			.29	5
6			.04		.15		.11					.05	6
7			.01	.15	.01		.03			.01		.02	7
8	.03				.01		.03			.01			8
9	.24	.01		.09	.04			+1					9
10	.19	.01	.04	.01				+			.01	.25	10
11	.14		.04	.13			.20					.40	11
12	.08		.04	.15	.03	.08	.46						12
13	.29		.03	.04		.07				.02	.07		13
14			.13	.16		.03			.11	.01	.08		14
15									.56	.07			15
16					.03			1·93	.17			.30	16
17	.01			.07	.01		.01		.13		+ .04	.03	17
18	.03			.01	.02			+1	.52			.02	18
19	.19			.23				+				.02	19
20	.04	.43		.06		.57			2.85		.01		20
21		.05					.43	+1	.12				21
22				.12				+1				.42	22
23			.01				.37	+				.27	23
24									.11		.01		24
25		.01		.07					.04		.01		25
26	.05		.16	.11		.01	.39					.01	26
27	.04	.11		.21		.16	.02				.14	.19	27
28	.24				.35		.04				.10	.05	28
29	.21		.08	(.02)	.20		.01		.01		.29	.06	29
30	.02	╳					.11		.14		.07	.12	30
31		╳		╳		╳	~~.11~~		╳	(.22)	╳		31
TOTAL	1.80	.64 ✓	.68	2.35 ✓	1.04	1.09	2.92	2.26	5.02	.74 ~~.52~~	.83 ✓	2.97	YEAR'S TOTAL 22.34 ~~22.1~~
Days with ·01 in. or more	15	7	12	18 9	15	7	16	10	14	8	12	20	(15[illegible])
.04"	11	3	8	16	6	5	10	8	12	4	8	14	(105)

(44)2[illegible] Wt.2[illegible]958—218[illegible] 7500. 10/19. Gp.132. A.&E.W.

479

FORM A.
BRITISH RAINFALL.

3 JAN 1916

COBHAM
~~Sca~~ (SCALES HILL)
1915 + 17-20

REGIS

Kept at Scalers Hill. ... m.
... Pole Street, L.C.&R.
in the County of Kent
by A. W. Booth
... Gauge 5 in.
... Ground 2 ft. — in.
Sea Level 280 ft.

IMPORTANT NOTI... the result entered to the previous day. If an Observer prefers not to conform ... ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08							·18		·44	·42	1
2	·53	·08	·14		·03					·08			2
3	·09	·14	·15	·22				·45				·73	3
4	·48							·55	·05		·02	·27	4
5	·04									·11		·31	5
6		·32		·29			·11	·08			·05	·05	6
7	·35	·12					·37					·15	7
8	·47	·40					·18						8
9	·04	·67		·08		·14				·08	·29	·48	9
10	·10	·15	·06			·08		·22				·45	10
11	·21											·07	11
12				·36	·46						·76		12
13				·06	1·56			·18			·60		13
14	·12	·76					·09					·21	14
15		·06			·05			·04	·05		·42	·20	15
16	·18			·04			·71	·32				·07	16
17	·03	·50			1·94		·08					·15	17
18		·32	·11		·61						·11		18
19		·13					·03						19
20		·07	·02	·05						·21		·22	20
21	·27		·03					·13				·05	21
22	·08	·03					·43					·14	22
23	·35	·14					·49		·06	·26		·24	23
24		·14	·15				·38		·41	·09		·23	24
25			·25	·36		·03	·18					·29	25
26												·38	26
27		·09					·16			·33		·07	27
28			·08			·07			1·78	·14			28
29	·03		·06			·02	·20	·10	·02		·21	·07	29
30		X				·64			·04		·51	·03	30
31	·03	X		X		X			X	·51	X	·29	31
Total	3·40	4·20	1·05	1·46	4·65	·98	3·41	2·07	2·59	1·81	3·41	5·57	YEAR'S TOTAL 34·60
Rain Days.	17	18	10	8	6	6	13	9	8	9	10	24	138

W. 8,000. X. 15.

479

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGIS

Kept at Scalers Hill. Cobham

in the County of Kent

5

by A. W. Booth.

Lat. —
Long. —
Time of Observation 9. am.
Nearest Railway Station Sole Street. L.C.D.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08							·18		·44	·42	1
2	·53	·08	·14		·03					·08			2
3	·09	·14	·15	·22				·45				·73	3
4	·48							·55	·05		·02	·27	4
5	·04									·11		·31	5
6		·32		·29			·11	·08			·05	·05	6
7	·35	·12					·37					·15	7
8	·47	·40					·18						8
9	·04	·67		·08		·14				·08	·29	·48	9
10	·10	·15	·06			·08		·22				·45	10
11	·21											·07	11
12				·36	·46						·76		12
13				·06	1·56			·18			·60		13
14	·12	·76					·09					·21	14
15		·06			·05			·04	·05		·42	·20	15
16	·18			·04			·71	·32				·07	16
17	·03	·50			1·94		·08					·15	17
18		·32	·11		·61						·11		18
19		·13					·03						19
20		·07	·02	·05						·21		·22	20
21	·27		·03					·13				·05	21
22	·08	·03					·43					·14	22
23	·35	·14					·49		·06	·26		·24	23
24		·14	·15				·38		·41	·09		·23	24
25			·25	·36		·03	·18					·29	25
26												·38	26
27		·09					·16			·33		·07	27
28			·08			·07			1·78	·14			28
29	·03		·06			·02	·20	·10	·02		·21	·07	29
30		X				·64			·04		·51	·03	30
31	·03	X		X		X			X	·51	X	·29	31
Total	3·40	4·20	1·05	1·46	4·65	·98	3·41	2·07	2·59	1·81	3·41	5·57	YEAR'S TOTAL 34·60
Rain Days.	17	18	10	8	6	6	13	9	8	9	10	24	138 ✓

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 15 JAN 1918

Kept at Scalers Hill. Cobham

in the County of Kent.

by Arthur . W. Booth.

Lat. Long.

Time of Observation 9. am.

Nearest Railway Station Sole Street, L.C.D.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01		·33				2·	·04	·15	·05		1
2				·12				·24					2
3				·16				·70			·24		3
4			·32				·08	·02		·43			4
5	·17								·32	·16	·04		5
6		·07		·41		·10			·39	·02	·07		6
7	·21	·07								·31		·02	7
8	·05			·07			·75	·12	·03	·23	·13	·22	8
9			·03	·15			·24	·21				·63	9
10	·15		·11	·11				·05					10
11	·07	·05	·29	·28					·11	·26			11
12	·04		·04					·11		·45			12
13			·11	·04						·14			13
14	·03		·03	·15	·03			·03					14
15	·25						·04	·14		·03			15
16					·22					·24		·81	16
17		·09		·12	·45		·23		·20	·24			17
18	·05	·04		·11	·05	·04	·06	·17	·10				18
19		·11	·13		·06	·15			·14				19
20	·03	·12	·08		·88		·46				·12		20
21		·04	·06		·07								21
22			·11					·16		·14			22
23		·09			·23	·03		·07					23
24										·06		·10	24
25						·37		·29					25
26			·05					·87		·05	·63		26
27													27
28		·02				1·07		·11				·10	28
29						·11	·80	·05		·41		·23	29
30		X	·30		·15		2·40	·06		·02		·07	30
31	·15	X	·02	X		X	1·08		X		X		31
Total	1·20	·71	1·68	2·05	2·14	1·87	6·14	5·40	1·33	3·34	1·28	2·18	YEAR'S TOTAL 29·32
Rain Days.	11	11	14	12	9	7	10	18	8	17	7	8	132

W. 8,000, IX. 17.

Ese 8 f

141

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2 . 1 . 19

Kept at Scalers Hill. Cobham. Kent

in the County of Kent.

by Arthur W. Booth.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Sole Street. S.E. & C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03								·15	·09	1
2		·06						·48			·23	·11	2
3		·03	·13	·07	·41			·73			·62	·07	3
4		·12	·08	·07				·05	·31		·45		4
5		·03			·29			·10	·02	·07			5
6	·23	·13		·21	·27			·15	·02			·05	6
7	·14	·05		·10	·15				·07				7
8		·07							·19		·10	·02	8
9	·08			·04		·07			·44	·21		·16	9
10				·15		·11	·59			·06	·03	·19	10
11				·02	·05		·62		·04	·53	·12	·07	11
12		·06			·18		·67		·04	·09		·04	12
13	·10	·03			·08		·14		·07				13
14	·11					·39	·12		·09	·26		·10	14
15	1·36			·77			·26					·12	15
16	·43			·22		·02	·13						16
17	·26		·03	·13	·03	·95	·53					·19	17
18	·36			·11		·20	·09		·48	·79		·12	18
19	·10		·10				·05			·17		·11	19
20	·03	·13		·28		·03	·66		·10	·30		·05	20
21	·17			·03					·26	·08			21
22	·05						·17		·40			·16	22
23	·04			·07	·20	·08	·64	·09				·06	23
24		·22					·05		·11		·03		24
25							·04	·19			·08		25
26				·03			·62	·09		·05	·08	·07	26
27		·02		·18			·28	·13	·04		·08	·03	27
28			·35	·08				·30			·35	·06	28
29									1·05		·02		29
30		X	·36						·08	·03			30
31		X		X		X		·16	X	·02	X	·03	31
Total	3·46	·95	1·08	2·56	1·66	1·85	5·66	2·47	3·81	2·66	2·34	1·90	YEAR'S TOTAL 30·40
Rain Days.	14	12	7	17	9	8	17	11	18	13	13	21	160

W. 6,500. VII. 18. w w c

023

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Scalers Hill. Cobham

in the County of Kent

by A. W. Booth.

Lat. — Long. —

Time of Observation 9. am.

Nearest Railway Station Sole Street SE & CR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·06			·03		·19			·16	·11	·69	1
2	·27				·02		·14				·10	·23	2
3	·26		·37		·04		·38		·17		·09	·23	3
4	·22		·42			·09	·04	·02			·04	·14	4
5	·15	·33	·81						·03		·03	·22	5
6	·04		·02										6
7	·07		·25								·16		7
8	·40		·04	·04							·05		8
9	·46		·03	·08	·03						·22		9
10	·19		·05										10
11	·06		·18	·26			·25					·07	11
12			·05	·04			·55						12
13				·48						·08			13
14	·23			·62			·22		·19	·02			14
15	·28	·05	·03	·33						·04	·12	·14	15
16	·05	·49		·02								·04	16
17		·66									·13		17
18		·22	·02						·07		·08	·09	18
19		·09	·46				·26	·07	·13		·05		19
20	·23	·11	·03				·21	·12					20
21	·18	·27	·04			·93	·08						21
22		·07	·04			·04	·19		·30			·22	22
23				·22		·04	·05		·24				23
24							·04	·04	·08		·12		24
25				·17	·13			·12					25
26	·09	·20	·15					·06				·33	26
27	·39			1·42			·04				·03	·03	27
28		·03	·25	·09				1·16			·48	·24	28
29	·08	✕		·03				·45		·30	·02	·08	29
30		✕	·02	·23				·44		·09	·16	·65	30
31	·15	✕	·03	✕		✕	·03		✕	·05	✕	·06	31
TOTAL	4·06 ✓	2·58 ✓	3·29 ✓	4·03 ✓	·25 ✓	1·10 ✓	2·67 ✓	2·48 ✓	1·21 ✓	·74 ✓	1·98 ✓	3·46 ✓	YEAR'S TOTAL 27·85 ✓
Days with ·01 in. or more	20 ✓	12 ✓	20 ✓	14 ✓	5 ✓	5 ✓	15 ✓	9 ✓	8 ✓	7 ✓	17 ✓	16 ✓	148 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1·42 in on April 27.

Esod 970

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

8 JAN 1921

Kept at Scalers Hill Cobham

in the County of Kent

by A. W. Booth

Lat.

Long.

Time of Observation 9 a.m.

Nearest Railway Station Sole Street S.E. C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·23			·23	·02		·15	·36	·30	1
2			·07		·02			·12	·05	·29		·23	2
3				·02		·09			·10	·07		·08	3
4		·09		·12	·02		·93	·17					4
5					·03		·49	·25				·11	5
6			·15		·15		·21						6
7				·15	·07		·09						7
8	·02			·07			·17	·02				·11	8
9	·24			·01			·03						9
10	·44	·08	·04	·12			·18						10
11	·18		·03	·19		·04	·30						11
12	·06			·24		·26						·21	12
13	·24		·09	·10									13
14			·26	·30		·16					·12		14
15			·03	·16					·05	·30			15
16			·02	·03	·22	·28			·97	·16			16
17				·07	·07	·11			·16			·03	17
18	·02			·06	·03			1·15	1·23			·11	18
19	·13			·40				·04	·22			·15	19
20	·05	·34		·25		·52			·30			·10	20
21				·02			·95	·06					21
22				·38					·89			·11	22
23							·25		·19			·33	23
24			·02									·35	24
25							·13		·05				25
26	·05		·05	·09			·04		·07				26
27	·29	·07		·16		·14	·04					·03	27
28	·47		·11	·04	·06		·07				·24	·19	28
29	·60		·04	·02	·01						·08	·03	29
30	·02						·05				·06	·15	30
31												·18	31
TOTAL	2·84	·58	·91	3·23	·68	1·60	4·16	1·82	4·28	·97	·86	2·80	YEAR'S TOTAL 24·73
Days with ·01 in. or more	15	4	12	23	10	8	16	8	12	5	5	18	136
Days with ·04 in. or more	11	4	8	18	6	8	15	6	12	5	5	15	113

(44,283). 10/19: (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Spade

REG

COBHAM
{SOLE STREET HOUSE}
KENT

1912. 14- 20

FORM A.
BRITISH RAINFALL.
JAN 1913
2
13 A.R.

Kept at Cobb

.30 am.

Sole Street

in the County of

5 in.

by John

…ove Ground 1 ft. 8 in.

Sea Level 311 ft.

IMPORTANT NO… …d the result entered to the previous day. If an O… …iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1913
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	3	–	–	–	2	16	18	1·49	–	15	1
2	–		10	·3		14	4		4	50		20	2
3	–		58				22			7			3
4	·18		4		4	20		17		3		4	4
5	·24		52		29	25		1			15		5
6	13	16	11					19			9	3	6
7	50	3			2			6				12	7
8			5		4	1·07		30				2	8
9	25	41	25			·98		16	2				9
10		8		·4			4				3	5	10
11		5	1					17			9	21	11
12	2	23						6	3			26	12
13		10	1		3		4	4		3	5		13
14		2						5			13		14
15			1		1			3		8	2		15
16			11		25			1			6	25	16
17	33		2		1			4		6	12		17
18	63		35				1	2				3	18
19			30					12		5	2	15	19
20	5	10	11				16	67			2		20
21	1		38		8		5			46			21
22		3	51		8					15	11		22
23	15	9	2		1		12			1		1	23
24	52	25	21							14	17	4	24
25	3	1	–		1			15				14	25
26	11	1	–			30		·97			26	51	26
27	·7	1	–			17		45		30	33	32	27
28		–	–	·1		–	15			13		9	28
29		4	–		–	–	14	4	·7	44	58	15	29
30			–			–	10	41	1·67	18	7	–	30
31			–		·8	–	–	2	–	33	–	–	31
	–	·03	–	–	–	·02	·16	·18	1·49	–	·15	–	YEAR'S TOTAL
Total	~~3.14~~	~~1.62~~	~~3.72~~	~~·8~~	~~·95~~	~~3.11~~	~~1.09~~	~~4.30~~	~~2.01~~	~~4.45~~	~~2.30~~	~~2.77~~	29.54
Rain Days.	3·14	1·65	3·69	·08	·95	3·13	1·23	4·32	3·32	2·96	2·45	2·62	29·54

W. 7,500, XI. ·12

REG

FORM A.
BRITISH RAINFALL.
JAN 1913

Kept at Cobham

in the County of Kent 5

by John Leratton

Lat. Long.
Time of Observation 9.30 am
Nearest Railway Station Sole Street S.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1913
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–	–	3	–	–	–	2	16	18	1.49	–	15	1
2	–		10	·3		14	4		4	50		20	2
3	–		58				22			7			3
4	·10		4		4	20		17		3		4	4
5	·24		52		29	25		1			15		5
6	13	16	11					19			9	3	6
7	50	3			2			6				12	7
8			5		4	1.07		30				2	8
9	25	41	25					16	2				9
10		8		·4			4				3	5	10
11		5	1					17			9	21	11
12	2	23						6	3			26	12
13		10	1		3		4	4		3	5		13
14		2						5			13		14
15			1		1			3		8	2		15
16			11		25	·98		1			6	25	16
17	33		2		1			4		6	12		17
18			35				1	2				3	18
19	63		30					12		5	2	15	19
20	5	10	11				16				2		20
21	1		38		8		5			46			21
22		3	51		8			67		15	11		22
23	15	9	2		1		12			1		1	23
24	52	25	21							14	17	4	24
25	3	1	–		1			15				14	25
26	11	1	–			30		97			26	51	26
27	7	1	–			17		45		30	33	32	27
28		–	–	1		–	15			13		9	28
29		4	–			–	14	4	·7	44	58	15	29
30			–			–	10	41	1.67	18	7	–	30
31			–		·8	–	–	2	–	33	–	–	31
	—	·03	—	—	—	·02	·16	·18	1.49	—	·15	—	YEAR'S TOTAL
Total	~~3.14~~	~~1.62~~	~~3.72~~	~~·8~~	~~·95~~	~~3.11~~	~~1.09~~	~~4.30~~	~~2.01~~	~~4.45~~	~~2.30~~	~~2.77~~	29.54
Rain Days.	3.14	1.65	3.69	·08	·95	3.13	1.23	4.32	3.32	2.96	2.45	2.62	29.54

W. 7,500, XI. 12

E/J M'C 9 W.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN

Kept at Sole Street House
Cobham
in the County of Kent 5
by John Scratton

Lat. Long.
Time of Observation 9 to 10 a.m.
Nearest Railway Station Sole Street S.E.&C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–					–	2				56	1
2	·3	–		1			–	9			2	1	2
3		–		2			10			2	7	16	3
4		–			14		9				1		4
5	·			18	1			2			38	23	5
6	6			29	20	away	15	42			1		6
7			away	11				1				20	7
8			Feb rain, Feb added	18	49		8					13	8
9	5			14	2		3	5				17	9
10	18			19					3			1.37	10
11	3		–	5	2						1	8	11
12		away from Home	–	1	1				18		27	28	12
13			5.59		2		4		18			58	13
14	4		16						12	4	10	56	14
15			21			May 1.51	1			44	11	38	15
16	4		23		25 May to June 16 }	90	1	3			81	18	16
17	3		3			–			3		1		17
18			18			–			7			11	18
19			25			–			1			40	19
20			60			–	4		2	7	25	22	20
21			22			4			1	7		9	21
22			8			1				4	1	2	22
23				1	10	5	14	2		19			23
24			16	1	50	15	3			1		9	24
25			4	5		–				5	5		25
26	2		60			–	5	7		40		4	26
27	–		6		away	.	2	7		10	31	46	27
28	2		8			–	1	7			4	32	28
29	·					–				13	36	68	29
30	2	X	1			.				67	20		30
31	–	X	2	X	~~1.51~~	X			X	11	X	13	31
Total	·52	(	8.52)	1.25	(	2.66)	·80	·87	.65	2.34	3.02	7.45	YEAR'S TOTAL 28.08 ✓
Rain Days.	11		17	13	10	5	14	11	9	14	18	25	

W. 8,000. X. 14.

corrected for WD 24.11.16. ~~W~~ 9118 cord fr auth 23.11.16 478

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN 1916

Kept at SOLE-STREET HOUSE, COBHAM, BY GRAVESEND. SOLE STREET STATION, S.E.& C.R.
in the County of 5 Kent
by John Scratton

Lat. Long.
Time of Observation 9.30 a.m.
Nearest Railway Station Sole Street SE&CR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0.30

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	1	8	-	-	-	·	-	15	1	57	56	1
2	59	7	8	-	4	·	·	12	8	3	48	48	2
3	9	14	16	13	-	-	-	34	-	3	1	4	3
4	51	-	2	16	5	·	-	67	4	-	·	63	4
5	3	-	-	·	·	-	-	1	-	2	·	30	5
6	4	32	·	-	·	-	-	9	·	13	5	34	6
7	30	8	1	31	1	-	13	-	·	-	·	7	7
8	58	44	2	-	-	-	37	2	·	·	·	7	8
9	11	78	·	3	-	-	11	11	·	-	·	-	9
10	1	8	·	3	-	16	-	7	·	8	33	50	10
11	22	-	·	-	-	8	·	·	·	-	·	45	11
12	1	-	·	-	·	-	·	-	·	·	80	5	12
13	7	9	·	38	43	-	·	20	·	2	60	·	13
14	3	85	·	7	1.15	-	·	1	5	1	-	-	14
15	-	3	·	·	-	-	9	2	·	1	-	24	15
16	26	-	·	·	4	-		11	-	·	42	23	16
17	3	48	·	3	-	-	81	·	·	-	·	9	17
18	-	34	·	-	1.59	-	9	-	-	-	-	15	18
19	2	15	12	·	45	-	·	·	-	-	13	-	19
20	-	7	·	-	-	-	3	28	·	21	-	-	20
21	34	-	2	3	4	-	·	·	-	-	-	35	21
22	8	4	·	·	-	-	-	-	-	-	-	5	22
23	15	12	3	-	-	-	69	-	-	-	-	17	23
24	21	16	10	2	-	1	22	·	5	25	-	23	24
25	·	-	-	10	-	-	21	-	43	17	·	25	25
26	·	-	25	23	-	-	19	-	-	-	·	25	26
27	1	7	·	·	-	5	·	-	-	-	-	43	27
28	·	3	4	-	-	4	14	-	3	32	-	5	28
29	·	X	·	-	-	12	·	-	1.85	18	-	-	29
30	·	X	·	-	-	60	18	12	-	-	25	5	30
31	4	X	8	X	-	X	-		X	2	X	4	31
	·01	·08	–	–	–	–	–	·15	·01	·57	·56	·30	YEAR'S TOTAL
Total	~~3.73~~	~~4.35~~	~~1.01~~	1.52	3.80	1.06	3.26	~~2.17~~	~~2.68~~	~~1.49~~	~~3.64~~	~~6.17~~	~~34.88~~
	3·74	4·42	·93					2·32	2·54	2·05	3·63	5·91	35·18 ✓
Rain Days.	~~22~~ 23	20	~~13~~ 12	12	9	7	13	~~14~~ 15	8	15	10	25	~~168~~ ✓ 169 ✓

W. 8,000. X. 15.

cnd for W.D. Exd e f E

466

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Sole Street House
in the County of Cobham Kent
by John Scratton

Lat. Long.
Time of Observation 9 to 10 am
Nearest Railway Station Sole street
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 311 ft.

2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·0·7

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	30	-	11	.	~~11~~	-	.	-	-	-	14	.	1
2	9	-	-	.	16	-	-	-	15	10	25	-	2
3	25	7	6	.	13	-	-	-	3	28	1	.	3
4	-	76	25	.	-	-	7	-	8	19	54	:	4
5	16	5	-	.	-	22	1	-	9	-	54	-	5
6	1		2	5	8	15	16	-	.	4	41	-	6
7	-	16	35	54	4	14	29	-	-	10	50	.	7
8	6		65	-	28	6	9	-	.	5	73	3	8
9	.		-	-	19	.	-	-	-	-	-	42	9
10	.		4	.	35	5	-	.	-	3	-	20	10
11	.	16	14	8	-	28	10	-	.	.	-	37	11
12	4	16	3	17	-	15	-	-	-	-	-	3	12
13	2	3	.	4	49	24	2	-	-	4	1	1	13
14	1	24	20	7	23	9	13	1	3	3	-	.	14
15	-	45 }	23	1	6	-	.	1	-	1	1	9	15
16	-	18 }		.	-	.	7	65	-	-	-	29	16
17	-	.2	9	13	-	-	31	14	-	-	-	:	17
18	8	8	-	4	.	.	26	- +	30	46	-	-	18
19	.	8	3	10	-	-	-	- +	3	8	98	:	19
20	10	1	6	13	-	.	-	} 24	22	-	50	5	20
21	14		12	7	.	.	-	-	.	-	2	66	21
22	.		93	-	-	.	-	-	-	-	-	3	22
23	-	3	14	.	-	-	-	.	-	3	-	48	23
24	-	60	7	.	-	25	1	-	-	-	2	9	24
25	1		2	.	.	1	-	2	-	21	4	35	25
26	-	71	22	.	3	.	-	19	-	14	5	:	26
27	-	18	9	-	-	3	-	-	-	10	5	:	27
28	3	4	74	93	.	1	-	19	6	16	-	-	28
29	-	38	18	-	2	2	-	1	9	-	-	12	29
30	-	X	-	-	-	14	-	85	8	35	-	17	30
31	-	X	-	X	7	X	-	41	X	39	X		31
Total	~~1.30~~ 1·00	~~4.39~~ 4·50	~~4.77~~ 4·66	2.36	2.13	1.84	1.52	2.72	1.16	·14 ~~2.79~~ 2·93	~~4.80~~ 4·66	·07 ~~3.3~~ 3·46	YEAR'S TOTAL ~~33.17~~ 32·94
Rain Days.	13	21	22	10	13	15	12	12	11	20	16	14	185

W. 8,000, VIII. 16

20.7d

5 made

cnd fn WD

REGISTER OF RAINFALL IN 19(7)

FORM A. BRITISH RAINFALL

44b

Kept at Sole Street House Cobham
in the County of Kent
by John Scratton

Lat. .... Long. ——
Time of Observation 9.30 am
Nearest Railway Station Sole Street SE&CR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. slight shower

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	7	12		3	-		2	1.02		1			1
2			2	16	-			1.95	7	1	4	2	2
3		2		20	-			22			2		3
4	1			13	-		1	80		8	18		4
5			26		-		13	1		43			5
6	17			42	-				30	16	6		6
7					-	11			19	2	5		7
8	25	11			-				1	32		1	8
9	5			7	-		60	12	1	25	15	27	9
10			2	12	-		26	18			3	65	10
11	18		10	7				4				1	11
12	7	3	30	28					7	31			12
13	5	2	4					11		43	1	1	13
14	2		7	5					1	15			14
15	10		3	16									15
16	12						16	9		3			16
17		6		4	2.05	2				34		60	17
18	1			8			19		20	28			18
19	4	2	14	12		1	5	15	20				19
20		8	4			16			8				20
21		9	4				35				8		21
22		1	10	1						2			22
23	5					1		15		15			23
24		8				1		8		1			24
25						1				8	3	5	25
26			2		-	39					2		26
27			1		-			23		5	60		27
28					-			93					28
29					-	1.08		14				9	29
30		X	2		11	10	75	2		46		22	30
31		X	29	X	-	X	2.52	7	X	2	X	5	31
	·12	-	·03			·02	1·02		·01				YEAR'S TOTAL
Total	1.19	.64	1.50	1.94	2.16	1.90	5.04	6.31	1.24	3.61	1.27	1.98	28.70
	1·24	·52	1·53	1·91	2·16	1·92	6·04	5·29	1·25	3·60	1·27	1·98	28·71
Rain Days.	14	11	16	15	..	10	11	18	10	21	12	11	~~1.49~~
	13	10	17	14	(7)	10	11	18	11	6.19) 21	12	11	(155)

W. 8,000, IX. 17.

140

FORM A. BRITISH RAINFALL 6.

REGISTER OF RAINFALL IN 19 18

Kept at Cobham

in the County of Kent

by John Stratton

Lat. ______ Long. –

Time of Observation 9 a.m.

Nearest Railway Station Sole Street S.E.&C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
											↗2		
1	–	–	2	–	–	(–)	–	–	25	7	14	–	1
2	5	1	–	–	–		–	–	–	–	26	7	2
3	–	3	–	7	–		–	21	–	–	50	9	3
4	–	–	11	3	36	36	–		–	1	48	5	4
5	1	9	7	3	–		–		29	·	–	–	5
6	·	3	–	–	25		–	78	2	5	–	1	6
7	17	10	1	21	25	–	–		1	1	–	3	7
8	6	5	–	8	17	·	–		7	5	1	–	8
9	–	6	–	–	·	·	–	1	18	·	9	2	9
10	4	–	–	3	·	4	–	–	51	17	–	10	10
11	4	–	2	13	·	14	57	–	2	4	3	25	11
12	1	–	–	3	4	–	58	–	4	58	9	7	12
13	–	5	–	–	17	·	78	–	8	7	–	1	13
14	9	1	–	4	7	–	14	–	6	–	–	–	14
15	9	–	–	1	–	41	5	–	10	20	–	8	15
16	1.33	–	–	63	–	2	31	–	–	4	–	13	16
17	35	–	–	20	–	–	14	–	–	–	–	–	17
18	25	–	1	10	4	41	59	6	1	–	–	21	18
19	36	–		–	–	18	11	–	50	59	–	10	19
20	10	–	8	9	–	1	4	–		27	2	8	20
21	3	10	–	30	–	2	62	–	13	35	2	8	21
22	15	–	–	9	–	1	–	–	30	5	1	–	22
23	4	–	–	4	–	–	11	–	45	1	1	18	23
24	3	–	–	1	–	–	70	4	1	·	–	5	24
25	–	21	–	–	–	7	4	–	9	–	3	–	25
26	–	–	–	–	–	–	2	19	–	2	7	–	26
27	–	–	–	–	–	–	70	10	–	4	7	7	27
28	1	1	–	20	–	–	42	11	7	·	6	2	28
29	–	–	34	4	–	–	–	20	–	·	35	7	29
30	2	✕	–	–	–	–	–	–	107	–	2	–	30
31	–	✕	35	✕		✕	–	–	✕	3	✕	3	31
	–	·02	–	–	–	–	–	25	·07	·02	–	·01	YEAR'S TOTAL
Total	~~3.25~~	~~.75~~	~~1.01~~	~~2.36~~	~~1.35~~	~~1.67~~	~~6.02~~	~~1.70~~	~~4.36~~	~~2.65~~	~~2.28~~	~~1.80~~	~~29.08~~
Rain	3·23	·77	·99	2·36	1·35	1·67	6·02	1·95	4·08	2·60	2·26	1·81	29·09
Days.	20	13	8	20	8	(12)	17	(13)	21	19	18	23	(192)

W, 6,500, VII. 18. w w c

2.36

corrected for WD

422

3 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cobham Kent

in the County of Kent

by John Scratton

Lat. ...... Long. ......

Time of Observation 9 am

Nearest Railway Station Sole Street SE&CR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·06

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1	-	-	5	25	(away)	3	4	-	-	7	11	1
2	30	-	-	-	2		14	-	-	11	12	76	2
3	25	-	-	-	4	11	22	-	-	4	10	21	3
4	29	-	35	-	2	-	49	-	15	-	6	24	4
5	24	10	38	-	-	9	3	-	-	-	6	20	5
6	11	27	85	-	1	-		2	2	-	3	23	6
7	5	-	2	-	-	-	1	-	-	-	2	4	7
8	6	-	31	-	-	-		-	-	-	15	-	8
9	38	-	5	2	-	-	-	-	-	1	4	-	9
10	51	-	3	9	-	-	-	-	-	-	18	-	10
11	15	-	4	2	-	-	-	-	-	2	1	3	11
12	5	-	18	24	-	-	32	-	-	-	-	4	12
13	1	-	4	6	-	-	47	-	-	3	-	-	13
14	3	-	-	40	-	-	-	-	2	3	-	-	14
15	21	-	-	68	-	-	11	-	26	-	-	-	15
16	28	4	3	31	-	-	-	-	-	24	-	10	16
17	5	57	-	1	-	-	-	-	-	-	9	4	17
18	-	48	2	2	-	-	-	-	-	-	18	-	18
19	-	30	5	-	-	-	-	-	14	-	6	8	19
20	-	8	55	2	-	15	26	8	11	-	9	-	20
21	22	11	5	-	← away from home →	79	12	15	1	1	2	-	21
22	10	27	3	-		3	8	-	-	-	2	2	22
23	6	6	6	-			21	-	32	-	5	18	23
24	-	-	-	2		3	5	1	23	-	1	2	24
25	-	-	2	19		2	5	2	-	2	10	-	25
26	3	-	-	-		2	-	12	-	-	-	-	26
27	5	17	15	8		-	-	7	8	-	-	39	27
28	18	2	2	1·31		-	-	28	-	-	5	3	28
29	20		28	~~38~~		-	4	82	-	-	37	37	29
30	9	X	-	-		-	-	50	-	23	14	8	30
31	-	X	1	X		X	-	48	X	9	X	72	31
	-	-	·05	·25		·03	·04	-	-	·07	·11	·06	YEAR'S TOTAL
TOTAL	~~3.91~~ 3·90	2.47	~~3.51~~ 3·56	~~3.30~~ 3·50		~~1.60~~ 1·38	~~2.63~~ 2·64	~~2.59~~ 2·55	1.24	~~.63~~ ·70	~~2.02~~ 2·06	~~3.89~~ 3·84	~~27.79~~ 27·84
Days with ·01 in. or more	25	12	21	17	-								

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cnd f pr WP

Exd 97 D

397

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Cobham
in the County of Kent
by John Serdtton

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Sole St. S.E.&C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	-	-	-	-	-	1	-	-	15	37	29	1
2	2	-	-	21	2	away from home	29	-	-	29	-	25	2
3	-	-	8	-	-			16	5	7	1	8	3
4	-	3	-	3	-			-	10	-	-	5	4
5	-	7	-	13	2		65	6	-	3	-	3	5
6	-	-	4	-	3	15	54	33	4	-	-	2	6
7	-	-	10	-	13		30	-	-	-	-	4	7
8	-	-	-	13	1		9	-	-	-	-	5	8
9	-	1	-	6	6		24	-	-	1	-	-	9
10	26	1	-	-	-		12	2	-	-	-	-	10
11	47	8	4	13	-	3	17	-	-	-	3	-	11
12	23	1	4	20	-	1	31	-	-	-	-	-	12
13	5	-	-	25	-	30	-	-	-	-	1	-	13
14	24	-	8	6	-	-	-	-	1	-	17	-	14
15	-	2	29	32	-	12	-	-	8	10	14	-	15
16	-	-	2	18	-	-	-	-	97	5	11	-	16
17	-	-	2	4	18	4	-	-	16	-	-		17
18	-	-	-	5	8	10	-	-	1.12	-	-	away	18
19	2	-	-	5	away from home	-	-	1.14	25	-	-	93	19
20	10	1	-	45		-	-	2		-	-		20
21	5	28	-	23		47	-	-	25	-	-		21
22	-	-	-	1		-	92	3	73	1	-		22
23	-	-	-	42		-	-	-	16	-	-	-	23
24	-	-	-	-		-	27	-	-	-	-	35	24
25	-	-	3	-		-	-	-	4	2	-	-	25
26	1	-	-	5		-	13	-	4	-	-	-	26
27	6	-	5	5		-	2	-	-	-	2	-	27
28	29	4	-	12		14	-	-	-	-	13	40	28
29	53	-	9	4		-	9	-	-	-	7	[illegible]	29
30	62	X	3	-		-	1	-	-	-	5		30
31	2	X	-	X		X	4		X	1	X	15	31
TOTAL	2·97 ~~3.03~~	.56	.91	3.21	May + June 1·90 ~~1.89~~		~~4.20~~ 4·19	1.76	4.00	.74	1.11	2.64	YEAR'S TOTAL ~~24.05~~ 23.99
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CRANBROOK

HARTLEY

1911 - 16.

FORM A.
BRITISH RAINFALL.

REC

Kept at Hartley
in the County of K
by George Pile

Long. 0.30 E.
ation Cranbrook
on 7 a m
in.
e Ground 1 ft. 6 in.
Sea Level 405 ft.

NOTE.—Full instructions respecti ainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to n Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·89			·02	·16			·05	·01	1
2	·07 S.		·03	·03	·34						·15	16	2
3	·04				·16						·11	·15	3
4	·22	·03	·08	·13 S.		·07				·50	32	·11	4
5	·10	·03		·05 S.						·44		·28	5
6	25			·04 S.								·50	6
7	·04		·07							·92	55	·36	7
8	·21		·05								·60	·18	8
9	·04		·14							·02	·48	·08	9
10		·06	·02	14							03	·80	10
11	·45		·03								1·03		11
12	·08		·65 A.R.			·01				·01	·07		12
13			·06		·13				·55	·15	·09	·24	13
14		·06	·01		·30					·02		·33	14
15		·02	·35 S.R.							·01	·10	·12	15
16						·47				·02 Dew	·40	·12	16
17						·02					30	·14	17
18		·19	·03							·01 Dew	1·22	·36	18
19						·02			·20	·08	·18	·11	19
20	·04 fog		·03					·33	·07	·32		·70	20
21	·04 fog	·17						·30		·13		·25	21
22	·04 R. fog	·01	·51			·08		·48		1·42		·51	22
23	03 W.F.	·31	·03			·80			·29		·08	·11	23
24	·02	11				·29	·15	·01		·89		·35	24
25		·03	·25 S.	·08		·13		·28	·06	·10			25
26			·20 S.R.	·23	·27	23				·30	·10 S.	·23	26
27		·08	·08	·26					·13	·45		·06	27
28	·01 fog	46		·17				·01			·01 fog		28
29				·12		·12	·66		20	·31	·01 fog		29
30				·06		·02			·04	32			30
31													31
Totals	1·73	1·56	2·62	2 20	1·20	2·26	·83	1·59	1·54	6·42	5·88	6·26	
Total from Jan. 1	1·73	3·29	5·91	8·11	9·31	11·57	12·40	13·99	15 53	21·95	27·83	34·09	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

√

REGISTER OF RAINFALL IN 1911

FORM A. BRITISH RAINFALL.

Kept at Hartley, Cranbrook

in the County of Kent

by George Pile

Lat. 51 5' N Long. 0·30 E.

Nearest Railway Station Cranbrook

RAIN GAUGE. Time of Observation 7 a m

Diameter 5 in.

Height of top above Ground 1 ft. 6 in.

" " Sea Level 405 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·89			·02	·16			·05	·01	1
2	S. ·07		·03	·03	·34						·15	16	2
3	·04				·16						·11	·15	3
4	·22	·03	·08	·13 S.		·07				·50	32	·11	4
5	·10	·03		·05 S.						·44		·28	5
6	25			·04 S.								·50	6
7	·04		·07							·92	55	·36	7
8	·21		·05								·60	·18	8
9	·04		·14							·02	·48	·08	9
10		·06	·02	14							03	·80	10
11	·45		·03								1·03		11
12	·08		·65 S.R.			·01				·01	·07		12
13			·06		·13				·55	·15	·09	·24	13
14		·06	·01		·30					·02		·33	14
15		·02	·35 S.R.							·01	·10	·12	15
16						·47				Dew ·02	·40	·12	16
17						·02					30	·14	17
18		·19	·03							Dew ·01	1·22	·36	18
19						·02			·20	·08	·18	·11	19
20	·04 fog		·03					·33	·07	·32		·70	20
21	·04 fog	·17						·30		·13		·25	21
22	·04 R. fog	·01	·51			·08		·48		1·42		·51	22
23	03 W.F.	·31	·03			·80			·29		·08	·11	23
24	·02	11				·29	·15	·01		·89		·35	24
25		·03	·25 S.	·08		·13		·28	·06	·10			25
26			·20 S.R.	·23	·27	23				·30	·10 S.	·23	26
27		·08	·08	·26					·13	·45		·06	27
28	·01 fog	46		·17				·01			·01 fog		28
29				·12		·12	·66		20	·31	·01 fog		29
30				·06		·02			·04	32			30
31													31
Totals	1·73	1·56	2·62	2 20	1·20	2·26	·83	1·59	1·54	6·42	5·88	6·26	
Total from Jan. 1	1·73	3·29	5·91	8·11	9·31	11·57	12·40	13·99	15 53	21·95	27·83	34·09	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 1911.

FORM A.
BRITISH RAINFALL.

Kept at Hartley, Cranbrook
in the County of Kent
by George Pile

Lat. 51·5 N Long. 0·30 E.
Nearest Railway Station Cranbrook
Time of Observation 7. am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 405 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·89			·02	·16			·05	·01	1
2	·07 S.		·03	·03	·34						·15	·16	2
3	·04				·16						·11	·15	3
4	·22	·03	·08	·13		·07				·50	·32	·11	4
5	·10	·03		·05						·44		·28	5
6	·25			·04								·50	6
7	·04		·07							·92	·55	·36	7
8	·21		·05								60	·18	8
9	·04		·14							·02	48	08	9
10		·06	·02	·14							·03	80	10
11	·45		·03								1·03		11
12	·08		S.R. ·65			·01				·01	·07		12
13			·06		·13				·55	·15	·09	24	13
14		·06	·01		·30					·02		·33	14
15		·02	S.R 35							·01	·10	·12	15
16						·47				02	·40	·12	16
17						·02					·30	·14	17
18		·19	·03							·01	1·22	·36	18
19						·02			·20	08	18	·11	19
20	·04 fog		·03					·33	·07	·32		·70	20
21	·04 fog	·17						·30		·13		·25	21
22	·04 fog	·01	·51			·08		·48		1·42		51	22
23	·03 WF	·31	·03			·80			·29		·08	11	23
24	·02	·11				·29	·15	·01		·89		35	24
25		03	S ·25	·08		13		·28	·06	·10			25
26			S.R. ·20	·23	27	·23				·30	·10	·23	26
27		·08	·08	·26					·13	·45		·06	27
28	·01 fog	46		·17				·01			·01		28
29				·12		·12	·66		·20	·31	·01		29
30				·06		·02			·04	32			30
31													31
Total	1·73	1·56	2·62	2·20	1·20	2·26	·83	1·59	1·54	6·42	5·88	6·26	TOTAL for year 34·09
No. of Rain Days	·17	13	18	12	5	12	3	7	8	20	20	24	1·59

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Inches 2·45 above average of 25 Years ending 1890 from MS   not from auth 10.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

10 FEB 1913

Kept at Hartley Cranbrook
in the County of Kent
by George Pile

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2													2
3								20					3
4								.10					4
5								.26					5
6								.75					6
7								.58					7
8								.25					8
9								.04					9
10								.24					10
11								.21					11
12								.32					12
13								.06					13
14								.15					14
15								.					15
16								.08					16
17								.09					17
18								.20					18
19								.40					19
20								.40					20
21								.26					21
22								.06					22
23								.42					23
24								.16					24
25								.60					25
26								.48					26
27								.					27
28								.03					28
29								.40					29
30								.48					30
31								.06					31
Total								7.28					YEAR'S TOTAL
Rain Days.								7.28 27					

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

Kept at Hartley, Cranbrook

in the County of Kent

by George Pile

Lat. 51° 5' N Long. 0° 30 E
Nearest Railway Station Cranbrook
Time of Observation 7 a. m
Diameter of Rain Gauge 5 - 6 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " Sea Level 405 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
~~Days~~	18	19	20	1	12	16	14	27	11	20	20	21	Days
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·10	—	—	·03	·05	—	·13	·93	—	·23	1
2	—	·16 S.	·21	—	—	—	·20	—	·02	·06	—	—	2
3	·03	·06 S	·05	—	—	·23	·03	·20	—	—	·02	·02	3
4	·23	—	·97	~~·15~~	·13	·60	—	·10	·02	—	·07	—	4
5	·05	·10 S.	·21	—	—	·35	—	·26	—	·01 W.F.	·23	·03	5
6	·55	·10	—	—	·02	—	—	·75	—	—	—	·05	6
7	—	—	·02	—	·13	·52	—	58	—	—	·01 fog	·10	7
8	·36	·42	·22	—	—	·10	·06	·25	—	—	·02 fog	·05 fog	8
9	·02	·03	—	—	—	—	·06	·04	~~·02~~	—	—	·12	9
10	—	·07	·01 fog	—	—	—	—	·24	·02	·03 fog	·10	·34	10
11	·01 fog	·23	—	—	—	·25	—	·21	·06	·01 fog	—	·26	11
12	·01 fog	·32	·02		·08	·25	·03	·32	·01 fog	·01 fog		·03	12
13	—	·05	·03 fog	—	—	—	—	·06	—	—	·26	·08	13
14	—	—	·01 fog	—	·06	—	—	·15	·01	·06	·02	·02	14
15	—	·03	·07	—	·11	·60	—	—	—	·01	·03	·08	15
16	·06	—	·12	—	·03	·12	—	·08	—	·07	·01 fog	·02	16
17	·16 R.S.	—	·51	—	—	·04	—	·09	—	—	·10	·15	17
18	·27	—	·26	—	—	—	·14	·20	—	·06	·01	·72	18
19	·05	·21	·33	—	—	—	·09	·40	—	—	—	—	19
20	·04	·01	·50 R.S.	—	·05	·02	·27	·40	—	78	·02	—	20
21	·01 fog	·03	·63	—	·03	—	—	·26	—	·43	·11	—	21
22	—	·45	·10	—	·03	—	·03	·06	—	—	—	—	22
23	·53	·35	·35	—	—	—	—	·42	·01	·15	·13	—	23
24	·02	·03	—	—	—	·02	—	·16	—	—	—	·14	24
25	·19	—	—	—	—	·35	—	·60	—	·01 Dew	·17	·28	25
26		·05	—	—	—	·05	—	·48	—	·40	·52	·77	26
27	—	—	—	—	—	—	·20	—	—	·15	·02 W.F.	·34	27
28	—	—	—	—	—	—	·15	·03	·05	·95	·45	·25	28
29	—	·04	—	·03	—	—	·10	·40	1·34	·13	·22	—	29
30	—	—	—	—	·05	·01	—	·48	1·97	·34	—	—	30
31	·02 S.		—		·02		·40	·06	—	·02		—	31
Total	2·61	2·74	4·72	·03	·74	3·81	1·81	~~7·30~~	3·64	4·61	2·52	4·08	TOTAL for year
~~No. of Rain Days~~								7·28					59 38·61

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

173 days wet

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

Kept at Hartley, Cranbrook

in the County of Kent

by George Pile

Lat. 51 : 5 N Long. 0 : 30 E

Nearest Railway Station Cranbrook

RAIN GAUGE.
Time of Observation 7 am
Diameter 5 in.
Height of top above Ground 1 ft. 3 in.
„ „ Sea Level 405 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	21	10	22	19	9	6	12	12	14	23	14	11	173
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·35	·07	·17	·13	·05	—	—		·10	·14	·06	1
2	w e. ·02	·21	—	—	—	—	·17	—	—	Dew ·03	·07	—	2
3	—	—	·05	—	·23	—	—	—	—	Dew ·03	—	·14	3
4	·16	—	·06	·37	—	—	·05	—	—	Dew ·02	·05	—	4
5	·16	·07	·02	·04	—	—	·07	—	·62	·15	·02	·04	5
6	—	·03	·14	·02	·06	·10	·31	—	·03	·10	·34	·06	6
7	—	27	·06	—	—	·06	—	—	—	53	·04	—	7
8	—	—	·05	—	·15	·06	—	—	—	·32	·13	·03	8
9	·01 fog fog	·08	—	·02	·08	—	—	·11	·13	—	—	—	9
10	·01	—	—	·03	—	—	·10	—	—	—	—	—	10
11	·58	—	—	·47	—	—	—	—	—	·38	·62	—	11
12	—	fog fog ·02	—	—	03	—	—	—	—	Dew ·02	1·11	·01	12
13	R. st. ·45	·01	—	—	—	—	—	·06	·06	·02	·05	—	13
14	·20	—	·22	·04	—	—	·43	·02	·04	·12	·31	—	14
15	·17	—	·62	·10	—	—	·22	—	·21	—	—	—	15
16	·35	—	·12	·46	—	—	—	—	·57	—	—	—	16
17	·08	·09	·07	·10	—	—	—	·02	—	—	—	·04	17
18	·03	—	·16	·20	—	—	30	—	·03	—	·13	—	18
19	·30	—	·20	—	—	·01	—	·01	·14	—	—	—	19
20	·96	—	·12	·10	—	—	·10	—	—	·32	—	—	20
21	·02	—	·15	·07	—	—	—	—	·14	·68	·98	—	21
22	·28	—	·13	—	—	—	—	—	·07	·10	—	—	22
23	—	—	·21	—	—	·09	·10	·04	·02	·01 fog	—	·66	23
24	·06	—	—	·02	—	—	—	·05	—	·02 fog	·02	—	24
25	—	—	—	·25	—	—	·03 fog	07	—	·03	—	—	25
26	·02	—	15	—	—	—	·01	—	—	1·06	—	·35	26
27	—	·08	·01	—	·02	—	—	·07	—	·15	—	—	27
28	·16	—	·28	·05	—	—	—	—	—	·33	—	·02 S.	28
29	·13	—	·25	·37	·18	—	—	·10	fog Dew ·02		—	·01 S	29
30	·67	--	—	·24	·10	—	—	·43	·02	·08	—	—	30
31	—		·05		—		—	·66		·06		—	31
Totals	4·82	1.23	3·19	3·12	·93	·37	1·89	1·64	2·10	4·66	4·01	1·42	
Total from Jan. 1	4·82	6·05	9·24	12·36	13.29	13·66	15·55	17·19	19.29	23·95	27·96	29.38	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.

Kept at Hartley, Cranbrook
in the County of Kent
by G. Pile

S. Snow, fog, Dew, W frost

RAIN GAUGE
Pattern Casella
Diameter of top 5 in.
Height of top above Ground 2 ft. — in.
" " " Sea Level 403 ft.

Time of Observation 9. a m

Nearest Railway Station
Name Cranbrook
Distance 1 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·02				·03			·03	·12	1
2		·01	0	·05			·20				·14	·20	2
3			·15		·23						·02 fog		3
4		·02 R.F		·25	·05			·06			·30	31	4
5	·10		·10	·45	·03		·30	·13			·01 fog		5
6		·04		·17	·02	·06	·08	·07			·01	·56	6
7		·40	·20	·15		·26	·07					·26	7
8	·05	·55	·50	·05		·05	·10	·03			·01	·13	8
9	·23		1·16	·15		·02			·09			·16	9
10		·04		·04	·08					·02		1·30	10
11		·35	30	·09	·04				·22		·14	·38	11
12		·05	·20				·11		·26		·02	·34	12
13		·56	40						·13	·07	·09	·50	13
14		·43	·32						·03	41	·06	·66	14
15		·08	·27				·22	·02		·04	·93	·47	15
16		·16	·10				·12						16
17		·27							·31			·10	17
18		·16	·18 R.S							·04		·52	18
19		·18	·90 R.S				·23			·30	·30 R.S.	·40 R.S	19
20		26	·27 R.S			·04			·05	·03		·20	20
21		·94	·06					·45		·01		·02	21
22		·08			·05	·02	·26	·03		·18			22
23			·52		·20	·49						·08	23
24			·01							·02 fog	·15	·02 fog	24
25			·17					·04		·32	·05	30	25
26	·10		·07					·24			·24	20	26
27	·01							·13		·15	·13	·52	27
28		·02								·55	·23	·48	28
29	·06				·03					·84	·22	·03	29
30			·10							13	1·39	·10	30
31	·03				·30							·14	31
Total	58	4·40	6·11	1·42	1·03	·94	1·69	1·23	1·09	3·11	4·45	8·50	TOTAL for year
No. of Rain Days	·58	4·98	11·09	12·51	13·52	14·48	16·17	17·40	18·49	21·60	26·05	34·55	

9,000, IX. '10.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Hartley. Cranbrook
in the County of Kent
by G. Pike

Lat. 51 5 N Long. 0. 30 east
Time of Observation 7 a. m.
Nearest Railway Station Cranbrook
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·63		·03^{s}					·05	·76			·43	1
2	·43	·10	·06	·05					·06		·16	·40	2
3	·50	·20	·11	·25	·16			·31	·21	·02		·30	3
4	·35		12					·31				·48	4
5	·06			·07				11		·03		·52	5
6	·02	·30		·57			·21					·58	6
7	·32	·15					·05					·13	7
8	·39	·31	·17^{s}				·20					·01	8
9	·01	·50									·06	·30	9
10		·28		·02		·06				·02	·50	·40	10
11	·30	05		·16		·37		·05		·02		·72	11
12										·02	·62	12	12
13	·05	1·00			2·14				·02	·03	·82		13
14	·06	·10		·01								·30	14
15	·07				·07		·13	·11		Fog ·01	·32	·40	15
16	·20	·63					·27	·11	·05			·04	16
17		·54			1·90		1·35	71				30	17
18		·16			·31							Fog ·03	18
19		·18								05			19
20										05			20
21	·21			·07								·20	21
22	·02^{s}						·93					·06	22
23	·02^{s}	·13^{s}	·03	·03			·08			·12		·21	23
24	·04		·12				·10		·40	·16		·40	24
25			·12	·03			·55					·81	25
26			·02	·05		·05			·02	·13		·36	26
27		04	·02			·12	·12					·60	27
28						·08			1·50	·40		·10	28
29			01^{s}		·01	·04		·22			·50		29
30							·08		·02		43	·14	30
31	·18						·12			50		·30	31
Total	3·86	4·71	·83	1·03	4·60	·79	4·19	1·98	3·02	1·44	3·41	8·64	YEAR'S TOTAL 38·54
Rain Days.													

W. 7,500, XI. ·12

315

FORM A. BRITISH RAINFALL. 24. APR.1917

REGISTER OF RAINFALL IN 1916

Kept at Hartley Cranbrook

in the County of Kent

by George Pile

Lat. Long.

Time of Observation 7 am

Nearest Railway Station Cranbrook

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 403 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18		·66						·06		·06		1
2	·33				·26				·05		·50		2
3		·08	54		·10				—	·30	·02		3
4		·65	15		·02		·04		·25	·14	·10		4
5	·25	·08				·45			·06	·15	·16		5
6	·02	·10		·05	·08	·20			·07	·13	2·40		6
7	·03	·05	S ·02	·48	·13	·40				·07	·20		7
8	·01	·03	S 46		·20	·07	56			·02	·18	·02	8
9					·20				·10		·06	·20	9
10			·03		·28							·40	10
11					·02	·55						·60	11
12		·18				·20						·14	12
13	·03	35	·10	·20	·18	·13	·10			07			13
14	·03	10		·03	·25	·10	·16			06			14
15		22	·20		·08			·18				·15	15
16		43	·11				·05	16				·03	16
17	·14	13	·10	·18	·17		·20		·25				17
18	·10	10	·01	·14			·23	33	20	·88			18
19	·04		·03	·08				·24	18	·58	·60		19
20		10	·03	·18							50	·50	20
21	·21	WF 01	·35	·14		·03		·27			20		21
22	·03		·10	·10							03	·60	22
23	·01	S 13	S ·18	·01		·02				·04		·65	23
24		S 15	S 10			·10	·02	·07			06	·09	24
25		S 12	·15								06	·29	25
26		S 34			·08			·34		·82	05		26
27	·03	S 06	·60			·25		·02		·32		WF ·01	27
28	·04	S ·18	RS 21			·65		·15		·72			28
29		·60			·07	·07		·05	·13	·12		·13	29
30		✕				·28		·55	05	·60		·33	30
31		✕		✕		✕		·32	✕	·62	✕		31
	–	·66	–	–	–	–	–	·06	–	·06	–	(–)	YEAR'S TOTAL
Total	~~1·48~~	~~4·19~~	~~4·13~~	1·59 ✓	2·12 ✓	3·40 ✓	1·36	~~2·68~~	~~1·40~~	~~5·64~~	~~5·28~~	~~4·74~~	~~37·31~~ ✓
Rain Days.	1·30 15 ✓	4·85 23 ✓	3·47 19 ✓	1·59 11 ✓	2·12 15	3·40 15	1·36 8	2·74 13	1·34 10 ✓	5·70 18	5·12 15	4·14 15	37·13 ~~189~~ 177

W. 8,000. X. 15.

✓

REC

CROCKHAM HILL
THE WARREN
KENT
1911

FORM A2.
BRITISH RAINFALL.

-5 MAR 1912

Kept at The Warren

in the County of Ke

by E.C. Ouvr

te

in.

Ground 1 ft. — in.

Sea Level 705 ft.

a.m.

Name ~~E C Ouvry~~ westerham

Distance 2½ Direction N.

IMPORTANT NOTE.—Rain shou d the result entered to the previous day. If an Observer prefers not to conform to this iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·72	·01		·02	·05					1
2				·19	·30								2
3	·14	·05			·17								3
4	·14	·03	·07	Snow		·02			·03	·43			4
5				Snow						·49			5
6	·25		·06	·37									6
7	·08		·03							·43			7
8	·12		·10										8
9	·30		·08	·09									9
10	·13	·09	·07										10
11	·30		·06		·11								11
12	Snow		Snow		·04	·02			·01				12
13			·61		·26				·35	·14			13
14		·08	·06		·11								14
15		·05	·40							·05			15
16						·35							16
17			·05			·06							17
18		·21		·02		·02							18
19		·02				·35			·09				19
20	·03							·19	·02	·30			20
21	·03	·21	·03					·16	·09	·73			21
22	·04		·22			·15		·06		·28			22
23		·25	·05			·80			·35	·04			23
24		·14				·09				·63			24
25	·01	·05	·14	·06		·18	·03		·06				25
26			·17	·30	·17	·19				·15			26
27		·41	·16	·20					·15	·33			27
28		·20	·01	·38									28
29				·46		·17		·10	·19	·29			29
30						·02	·45			·29			30
31					·35			·03		·02	Total		31
Total	1·60	1·79	2·37	2·79	1·52	2·42	·50	·59	1·34	4·60	9 months 19·52		TOTAL for year
No. of Rain Days.	14 13	13	19 18	12 10	9	13	3	6	10	15	114		

W. 8,000, X. '11.

✓

REC

FORM A2.
BRITISH RAINFALL.
-5 MAR 1912

Kept at The Warren Crockham Hill

in the County of Kent 4

by E. C. Ouvry.

RAIN GAUGE
Pattern [illegible]
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 705 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name ~~E C Ouvry~~ Westerham
Distance 2½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·72	·01		·02	·05					1
2				·19	·30								2
3	·14	·05			·17								3
4	·14	·03	·07	Snow		·02		~~[illegible]~~	·03	·43			4
5				Snow						·49			5
6	·25		·06	·37									6
7	·08		·03							·43			7
8	·12		·10										8
9	·30		·08	·09									9
10	·13	·09	·07										10
11	·30		·06		·11								11
12	Snow		Snow		·04	·02			·01				12
13			·61		·26				·35	·14			13
14		·08	·06		·11								14
15		·05	·40							·05			15
16		[illegible]				·35							16
17			·05			·06							17
18		·21		·02		·02							18
19		·02				·35			·09				19
20	·03							·19	·02	·30			20
21	·03	·21	·03					·16	·09	·73			21
22	·04		·22			·15		·06		·28			22
23		·25	·05			·80			·35	·04			23
24		·14				·09				·63			24
25	·01	·05	·14	·06		·18	·03		·06				25
26			·17	·30	·17	·19				·15			26
27		·41	·16	·20					·15	·33			27
28		·20	·01	·38									28
29				·46		·17		·10	·19	·29			29
30						·02	·45			·29			30
31					·35			·03		·02	Total		31
Total	1·60	1·79	2·37	2·79	1·52	2·42	·50	·59	1·34	4·60	9 months 19·52		TOTAL for year
No. of Rain Days.	14 13	13	19 18	12 10	9	13	3	6	10	15	114		

W. 8,000, X. '11.

CROSSNESS

KENT

1911-20

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIS Y

Kept at Crossnes
in the County of Kent
by L.C.C. Stap

d ft. 6 in.
evel 16 ft. 417

Abbey Wood
nce 1½ Direction S.W.

IMPORTANT NOTE. – result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing o Rainfall Organization are given in "R ication to Dr. H. R. Mill, 62, Camden ~~Square, London, N.W.~~

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04			0·64				0·02					1
2	0·11			0·13	0·08						0·16	0·04	2
3					0·08						0·04	0·14	3
4	0·02	0·03	0·05	0·07						0·06	0·15	0·11	4
5	0·04	0·01		0·02						0·11		0·13	5
6	0·13		0·19									0·15	6
7	0·02									0·14	0·28	0·11	7
8	0·09		0·10								0·28	0·25	8
9	0·12		0·01									0·01	9
10		0·09	0·04	0·01							0·02	0·26	10
11	0·26										0·50		11
12	0·01		0·36		0·54	0·05				0·07	0·15		12
13			0·07		0·14				0·27	0·13	0·05	0·06	13
14		0·06			0·13							0·37	14
15		0·01	0·23									0·01	15
16						0·37					0·44		16
17			0·04			0·04					0·28	0·05	17
18		·12									0·56	0·11	18
19			0·01			0·03		0·08	0·21	0·08	0·18	0·04	19
20			0·02					0·17	0·01	0·10		0·41	20
21		0·08						0·92		0·38		0·06	21
22	0·01		0·07							0·02		0·31	22
23		0·09	0·14			0·68			0·14			0·09	23
24		0·08				0·01	0·03			1·09		0·21	24
25		0·03	0·01	0·02		0·14	0·10						25
26			0·08	0·14		0·08				0·07	0·06	0·20	26
27		0·23	0·06	0·04					0·15		0·02	0·04	27
28		0·10		0·16				0·04			0·03		28
29		×		0·06		0·15	0·24		0·07	0·16			29
30		×		0·05				0·14	0·04	0·13			30
31		×		×		×			×		×		31
Total	0·85	0·93	1·48	1·34	0·97	1·55	0·37	1·37	0·89	2·54	3·20	3·16	TOTAL for year 18.65
No. of Rain Days.	11	12	16	11	5	9	3	6	7	13	16	22	131

W. 8,000, X. '11.

REGISTER OF RAINFALL IN

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Crossness

in the County of Kent 5

by L.C.C. Staff

RAIN GAUGE
Pattern
Diameter of top 13½ in.
Height of top above Ground ft. 6 in.
" " " Sea Level 16 ft. 41

Time of Observation 9 a.m.

Nearest Railway Station
Name Abbey Wood
Distance 1½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04			0·64				0·02					1
2	0·11			0·13	0·08						0·16	0·04	2
3					0·08						0·04	0·14	3
4	0·02	0·03	0·05	0·07						0·06	0·15	0·11	4
5	0·04	0·01		0·02						0·11		0·13	5
6	0·13		0·19									0·15	6
7	0·02									0·14	0·28	0·11	7
8	0·09		0·10								0·28	0·25	8
9	0·12		0·01									0·01	9
10		0·09	0·04	0·01							0·02	0·26	10
11	0·26										0·50		11
12	0·01		0·36		0·54	0·05				0·07	0·15		12
13			0·07		0·14				0·27	0·13	0·05	0·06	13
14		0·06			0·13							0·37	14
15		0·01	0·23									0·01	15
16						0·37					0·44		16
17			0·04			0·04					0·28	0·05	17
18		·12									0·56	0·11	18
19			0·01			0·03		0·08	0·21	0·08	0·18	0·04	19
20			0·02					0·17	0·01	0·10		0·41	20
21		0·08						0·92		0·38		0·06	21
22	0·01		0·07							0·02		0·31	22
23		0·09	0·14			0·68			0·14			0·09	23
24		0·08				0·01	0·03			1·09		0·21	24
25		0·03	0·01	0·02		0·14	0·10						25
26			0·08	0·14		0·08				0·07	0·06	0·20	26
27		0·23	0·06	0·04					0·15		0·02	0·04	27
28		0·10		0·16				0·04			0·03		28
29		×		0·06		0·15	0·24		0·07	0·16			29
30		×		0·05				0·14	0·04	0·13			30
31		×		×		×			×		×		31
Total	0·85	0·93	1·48	1·34	0·97	1·55	0·37	1·37	0·89	2·54	3·20	3·16	TOTAL for year 18·65
No. of Rain Days.	11	12	16	11	5	9	3	6	7	13	16	22	131

W. 8,000, X. '11.

REGISTER OF RAINFALL, IN 1912

FORM A.
BRITISH RAINFALL.

18 JAN 1913

Kept at Crossness

in the County of Kent 5

by L. C. C. Staff

Lat. 51:30:45 N Long. 0° 7' 50" E

Time of Observation 9 a.m.

Nearest Railway Station Abbey Wood

Diameter of Rain Gauge 13½ in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·01	0·02			0·09		0·20	0·26		0·17	1
2		0·01	0·20			0·13	0·22						2
3	0·06		0·04			0·07		0·30				0·04	3
4	0·24	0·04	0·52		0·21	0·09					0·09		4
5	0·10	0·02						0·08			0·06		5
6	0·41	0·03			·01 drain			0·04				0·15	6
7			0·03		0·02	0·55	0·04	0·04					7
8	0·26	·21 drain	0·10			0·02	0·02	25 drain					8
9		0·04		0·02		0·19						0·10	9
10		0·01		0·04		0·05		0·32			0·05	24 drain	10
11	0·02	0·20				0·07			0·09			0·10	11
12	0·01	0·04			0·14	0·09					0·02	·01 drain	12
13		0·01	0·03				0·03				0·06		13
14					·01 drain			0·03		0·12			14
15			0·11		0·26	0·03		0·02				0·43	15
16	0·19		0·01		0·06	0·65		0·03		0·02	0·06		16
17	0·51		0·17			0·02		0·03				0·02	17
18	0·01		0·08					0·10		0·03	0·03	0·07	18
19	0·12	0·05	0·12	0·03			0·06	0·11					19
20			0·20							0·33			20
21		0·04	0·12					0·07		0·06	0·03		21
22	0·12	0·10					0·17	0·12				0·02	22
23	0·36	0·33	0·27				0·18	0·29		0·02	2 drain	0·11	23
24	0·14					0·24	0·01	0·10				0·10	24
25	0·15					0·12		0·99			0·17	0·42	25
26								0·20		0·28	0·26	0·23	26
27							0·05			0·08		0·11	27
28		0·10					0·03	0·01	0·06	0·16	0·27	0·07	28
29						0·03	0·28	0·10	0·80	0·13			29
30		X			0·08	0·02			1·05	0·13			30
31		X	0·05	X		X	0·04		X		X		31
Total	2·70	1·23	2·06	0·11	0·79	2·37	1·22	3·23	2·20	1·62	1·31	2·39	YEAR'S TOTAL 21·23
Rain Days.	15	15	16	4	8	16	13	20	5	12	12	14	153

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19/13

FORM A.
BRITISH RAINFALL,
19 JAN 1914

Kept at Crossness & Bl 5
in the County of Kent
by L. C. C. Staff

Lat. 51:30:45 N Long. 0:7:50 E
Time of Observation 9 am.
Nearest Railway Station Abbey Wood
Diameter of Rain Gauge 13½ in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·19	·03	·37		·01			·05		·02	·07	1
2	·02	·16					·05		·01		·13		2
3	·01		·07	·13	·44							·05	3
4	·09				·19		·06			·05			4
5	·32					·02	·17		·29	·22	·01	·06	5
6		·01	·13		·03	·08	·32			28	·13		6
7		·04					·18	04		·23	·02		7
8		·02	·02		·06	·12	·02			·03	·02		8
9		·08			·03		~~08~~		·03			·03	9
10			·08	·03			·16	·05			·53		10
11	·23			·37	·06		·01			·53	·19		11
12					·02						·30		12
13	·08					·13		·07	·03		·40		13
14	·02		·07	·06			·42	·05	·02	·16	·07		14
15	·26	·03	·26	·12			·24						15
16	·13		·24	·08					·55				16
17	·03		·03	·04			·22						17
18		·01	·06	·06							·01		18
19	·13	·01	·11				·15		·11				19
20	·10		·40							·38			20
21		·01	·14	·14			·10			·35	·52		21
22	·32		·18						·10				22
23			·04		·20	·01		·26	·01			·28	23
24											·03		24
25				·15		·01							25
26		·02	·17	·02		·01		·15		·75		·18	26
27			·01	·03						·05			27
28	·18	·02	·13	·05						·15			28
29	·03	X	·03	·15				·20		·01			29
30	·20	X		·25				·20		·01			30
31		X		X		X		·80	X	·05	X		31
Total	2·15	0·60	2·20	2·05	1·03	0·39	2·10	1·82	1·20	3·25	2·38	0·67	YEAR'S TOTAL 19·84
Rain Days.	16	12	19	16	8	8	13	9	10	15	14	6	146

W.7,000, XI. 13

Ex LMCC

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.
29 JAN 1915
41

Kept at Crossness
in the County of Kent
by L. C. C. Staff

5

Lat. 51. 30·45 N Long. 0: 7: 50 E
Time of Observation 9 Am
Nearest Railway Station Abbey Wood
Diameter of Rain Gauge 13½ in.
Height of top of Gauge above Ground - ft. 6 in.
" " " " Sea Level - 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·10			·02	·02	1
2				·02			·06	·06			·01	·35	2
3			·16	·06	·07								3
4	·07			·12							·31	·18	4
5	·04		·05	·15	·17		·32	·28					5
6		·06		·09		·20		·02			·03	·02	6
7		·14	·26	·31	·68	·25	·10					·10	7
8	·02	·16	·59	·06	·04	·08	·08	·04				·02	8
9	·15		·64	·04		·05						·81	9
10	·02	·01			·04				·03			·02	10
11		·44	·28			·10			·17		·45	·33	11
12		·01	·09		·02		·03		·16			·09	12
13		·12	·07		·01				·09	·10	·07	·74	13
14		·02	·16			·01	·48			·10	·03	·40	14
15	·02		·20					·03		·04	·51	·04	15
16	·02												16
17		·25	·05						·02			·06	17
18		·07	·15		·01							·21	18
19			·28			·15	·06				·17	·24	19
20		·06	·19			·18			·09			·03	20
21		·56	·05			·01		·02				·04	21
22		·05	·06	·06	·53	·15	·11	·02		·06			22
23			·06		·04	·17	·03			·04		·05	23
24			·05	·02						·02	·10		24
25	·01		·23					·06		·22		·01	25
26			·02				·06	·03		·03	·11	·39	26
27			·03					·01			·02	·06	27
28										·04	·25	·94	28
29		X								·24	·04		29
30		X								·03	·12	·05	30
31	·01	X		X	·20	X	·02		X		X	·02	31
Total	0·34	1·97	3·67	·93	1·81	1·35	1·35	0·67	0·52	0·92	2·56	5·22	YEAR'S TOTAL ~~21·35~~
Rain Days.	8	13	21	10	11	11	11	11	6	11	15	25	165

W. 8,000. X. 14.

Supt.

21·35

498

BRITISH RAINFALL
FORM A.
24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Crossness

in the County of Kent 5

by L. C. C Staff

Lat. 51 30.45 N Long. 0. 4. 30 E
Time of Observation 9 AM
Nearest Railway Station Abbey Wood
Diameter of Funnel of Rain Gauge 13½ in. 41
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·34	·09	·03						·08		67	·32	1
2	0·07	·09	·15	·09	01			·49		·04		·02	2
3	40		·04	·19	01			·74	·12			·48	3
4	0·08											·25	4
5	·02	21			·30							·31	5
6	·27	·04	01	·19			·85	·03				·07	6
7	·30	·19	·01				·05					·13	7
8	·04	·28		·14			·07	26					8
9	01	·02		·03		·05		·08		·03	·29	54	9
10	24					·03		·80				21	10
11	01										·64	·04	11
12	·05	·02		21	·34			·18			·41	01	12
13	·03	·38			1·18			·03		·03			13
14		·03					·33		01			·26	14
15	·14				·03			·11			·24	·03	15
16		·10		·03			·42	·02				46	16
17		·18			·94		·04						17
18		·05	·05		20						·08		18
19		24					·04						19
20	·22		·02	06				·04				·27	20
21	·05											·05	21
22	1·10	·04	·06	06			·47					·11	22
23		·14	·03				20			·27		·23	23
24			·03			·02	·12		·27	·09		·46	24
25			·09	·12			·06					·15	25
26		·03					·04					·28	26
27						21	·15			·25		·02	27
28		·02				·05			1·29	·19			28
29		X	·03			·03	·34	·13			·08	·03	29
30		X				·03			·02		·25		30
31	·05	X		X		X			X	·06	X	·19	31
Total	3·42	2·15	0·55	1·12	301	0·42	3·18	2·91	1·79	0·96	2·69	4·92	YEAR'S TOTAL 27·12
Rain Days.	18	18	~~11~~ 12	10	8	7	14	12	6	8	8	22	145 ~~144~~

W. 8,000. X. 15.

Exd FW

488

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

417

10 JAN 1917

Kept at Southern Outfall Works, Crossness.

in the County of Kent.

by London County Council

Lat. 51°30'31"N Long. 0°8'25"E.

Time of Observation 9 a.m.

Nearest Railway Station Abbey Wood

Diameter of Funnel of Rain Gauge 14 in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	–	–	–	0·10	–	–	–	0·05	–	0·22	–	1
2	0·20	0·04	0·05	–	0·26	–	=	–	0·23	0·29	0·06	–	2
3	0·09	0·38	0·18	–	–	–	0·06	–	0·17	0·23	0·44	–	3
4	0·17	0·06	–	–	–	0·12	–	–	0·01	–	0·30	–	4
5	0·01	–	–	–	0·04	0·10	0·13	–	0·02	0·04	0·25	–	5
6	–	0·03	0·22	0·36	–	0·02	0·21	–	–	–	0·21	–	6
7	0·05	–	0·24	–	0·09	0·22	0·25	–	–	–	0·54	0·05	7
8	–	–	0·01	–	0·19	–	–	–	–	–	–	0·18	8
9	–	–	–	–	0·16	–	–	–	–	0·03	–	0·09	9
10	–	0·13	0·07	0·09	–	0·32	0·15	–	–	–	–	0·10	10
11	–	0·14	0·04	0·12	=	0·07	–	–	–	–	–	0·02	11
12	0·03	0·01	–	0·03	0·29	0·13	0·02	–	0·01	0·03	–	–	12
13	–	0·21	0·08	0·08	0·08	0·12	0·33	0·05	–	–	–	–	13
14	–	0·29	0·01	0·06	0·04	–	=	0·34	–	–	=	0·05	14
15	–	0·26	0·22	–	=	–	0·05	0·14	–	0·03	–	–	15
16	–	0·02	0·04	0·11	–	–	0·16	–	–	–	–	–	16
17	0·03	0·05	0·05	0·03	–	–	–	0·32	0·12	0·47	–	–	17
18	–	0·01	0·01	0·08	–	–	0·01	0·10	0·10	0·02	0·81	–	18
19	0·06	0·02	0·07	0·03	=	–	–	–	0·07	–	0·62	0·05	19
20	0·12	–	0·24	–	–	–	–	–	0·01	–	0·02	0·27	20
21	–	–	0·49	=	–	–	0·10	–	–	–	–	0·17	21
22	0·02	–	0·06	–	–	–	–	–	–	–	–	0·29	22
23	–	0·34	–	–	–	0·05	–	–	=	0·05	0·03	0·12	23
24	–	0·04	–	–	0·04	–	–	–	–	0·09	–	0·31	24
25	–	0·19	0·09	–	–	–	–	0·18	–	0·08	0·09	–	25
26	–	0·14	0·05	–	–	0·03	–	1·13	–	0·04	–	–	26
27	0·08	0·02	0·69	–	–	0·27	–	0·49	–	0·70	–	0·01	27
28	–	0·26	0·19	–	–	–	–	0·02	–	0·08	–	0·12	28
29	–	0·05	0·02	=	–	0·22	–	0·79	0·05	0·12	–	0·12	29
30	–	╳	–	–	0·11	–	–	0·29	0·01	0·20	–	–	30
31	–	╳	–	╳	=	╳	–	–	╳	0·11	╳	0·06	31
Total	0·90	2·69	3·12	0·99	1·40	1·67	1·47	3.85	0.85	2·61	3.59	2·02	YEAR'S TOTAL 25·16
Rain Days.	12	21	22	10	11	12	11	11	12	17	12	16	167

W. 8,000, VIII. 16

2865

417

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Crossness Outfall Works

in the County of Kent

by the London County Council.

Lat. 51°30'31" N Long. 0°8'25" E.
Time of Observation 9 a.m.
Nearest Railway Station Abbey Wood (SE&C Ry)
Diameter of Funnel of Rain Gauge 14 ins.
Height of top of Gauge above Ground — ft. 6 ins
" " " " Sea Level 16·00 ft.

16 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·15	—	—	—	1·30	0·04	—	0·03	—	1
2	—	—	—	0·21	—	—	—	0·08	—	—	0·02	—	2
3	—	—	—	0·05	—	0·02	—	0·12	—	0·22	0·27	—	3
4	—	0·12	0·18	—	—	—	0·02	0·32	—	0·38	—	—	4
5	0·20	—	0·02	0·17	—	—	—	0·10	0·56	0·14	0·04	—	5
6	—	—	—	0·06	—	—	—	—	0·05	0·03	0·09	—	6
7	0·11	—	—	—	—	0·06	0·04	—	0·02	0·15	0·01	—	7
8	0·07	—	—	0·06	—	—	0·88	0·73	0·02 ~~0·02~~	0·18	0·04	0·27	8
9	0·02	—	0·02	0·09	—	—	0·05	0·04	— ~~0·02~~	—	0·08	0·29	9
10	0·17	—	0·07	0·11	—	—	—	0·04	—	—	—	0·02	10
11	0·09	—	0·68	0·14	—	—	—	—	0·15 —	0·25	—	—	11
12	0·03	—	0·01	—	—	—	—	—	— ~~0·15~~	0·28	—	—	12
13	0·03	—	0·11	0·03	—	—	—	0·07	—	0·09	—	0·03	13
14	—	—	—	0·13	—	—	—	—	—	—	—	—	14
15	0·03	—	—	—	—	—	0·25	0·24	—	0·02 ~~[illegible]~~	—	—	15
16	0·03	16 [illegible]	—	0·06	0·20	—	0·18	—	—	0·17	—	0·18	16
17	—	0·02	—	0·11	0·50	—	0·43	0·11	0·25	0·04	—	—	17
18	0·02	—	—	0·10	0·02	0·02	0·08	0·03	0·15 ~~0·25~~	—	—	—	18
19	—	0·10	0·03	—	0·19	0·02	—	—	0·19 ~~0·15~~	—	—	—	19
20	0·02	0·18	0·10	—	1·19	—	0·06	—	— ~~0·19~~	—	0·05	—	20
21	—	0·01	0·01	—	04 [illegible]	—	—	—	—	—	0·02	—	21
22	—	—	0·03	—	—	0·01	—	0·11	—	0·07	—	—	22
23	—	0·06	—	—	0·16	—	—	0·04	—	—	—	—	23
24	—	—	—	—	—	0·11	—	—	—	·16 [illegible]	0·02	0·03	24
25	—	—	0·06	—	—	—	0·02	—	—	—	0·01	—	25
26	—	—	04 [illegible]	—	—	—	—	0·17	0·02	—	0·55	—	26
27	—	—	—	—	—	—	—	0·77	— ~~0·02~~	—	—	—	27
28	—	—	0·02 ~~[illegible]~~	—	—	0·81	—	0·03	—	—	—	0·05	28
29	—	✕	0·01 ~~0·10~~	—	0·80	0·02	0·97	0·06	—	0·10 ~~0·02~~	—	0·15	29
30	0·02	✕	0·24	—	—	—	0·51	0·04	—	0·02	—	0·08	30
31	0·07	✕	0·03	✕	—	✕	98 [illegible]	—	✕	—	✕	—	31
Total	0·91	0·65	1·66	1·47	3·10	1·07	4·47	4·40	1·45	2·30	1·23	1·10	YEAR'S TOTAL 23·81
Rain Days.	14	7	17	14	8	8	13	19	10	16	13	9	148

W. 8,000, IX. 17.

158
417

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Crossness Outfall Works,
in the County of Kent
by London County Council.

RAIN GAUGE
Pattern
Diameter of top 13½ in.
Height of top above Ground 0 ft. 6 in.
" " " Sea Level 16·00 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Abbey Wood (SE&CRY).
Distance 1¾ miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·04	—	—	—	—	—	—	0·09	0·09	1
2	—	0·13	—	0·08	0·01	—	—	0·27	—	0·02	0·09	0·13	2
3	—	0·01	0·04	—	0·59	—	—	0·31	—	—	0·52	0·03	3
4	—	0·02	0·08	0·08	—	—	—	0·04	0·26	—	0·35	0·01	4
5	—	0·02	—	—	0·22	—	—	0·03	0·20	0·03	—	—	5
6	0·25	0·09	0·01	0·18	0·20	—	—	—	0·80	—	—	—	6
7	0·02	0·10	—	0·10	0·10	—	—	—	0·14	0·14	0·05	0·03	7
8	—	0·01	—	—	—	—	—	—	0·10	—	0·06	—	8
9	—	0·04	—	—	—	0·01	0·21	—	0·23	0·10	—	0·04	9
10	—	—	—	0·05	—	—	0·29	—	0·02	0·03	—	0·24	10
11	0·04	—	—	0·02	0·06	—	1·30	—	0·02	0·26	0·12	0·15	11
12	—	0·03	—	—	0·14	—	0·10	—	0·05	—	—	0·02	12
13	—	0·01	—	—	0·09	—	0·23	—	0·10	—	—	—	13
14	0·11	—	—	—	—	0·26	0·02	—	·19	0·11	—	0·17	14
15	1·16	—	—	0·76	—	—	0·31	—	—	0·06	—	0·04	15
16	0·11	—	—	0·20	—	0·01	—	—	0·07	—	—	—	16
17	0·37	—	—	0·17	0·07	0·60	1·47	0·02	—	—	—	0·15	17
18	0·43	—	—	—	—	0·03	0·02	—	0·50	0·22	—	0·05	18
19	0·03	—	0·06	0·12	—	0·12	0·16	—	0·02	0·06	—	0·09	19
20	0·01	0·10	—	0·36	—	0·05	0·32	—	0·15	0·09	—	—	20
21	0·03	—	—	0·11	—	—	—	—	0·43	0·10	—	—	21
22	0·02	—	—	0·06	0·17	—	0·07	—	0·12	—	—	0·15	22
23	—	—	—	0·03	0·25	—	0·65	0·07	—	—	—	0·03	23
24	—	0·21	—	—	0·01	0·02	0·58	0·01	0·04	—	0·02	0·05	24
25	—	—	—	0·10	—	0·03	0·42	0·25	0·04	—	0·01	—	25
26	—	—	—	—	—	—	0·39	0·13	—	0·02	0·08	0·05	26
27	—	0·01	—	0·08	—	—	0·01	0·08	—	—	0·07	0·02	27
28	—	—	0·26	0·01	—	—	—	0·06	0·13	—	0·27	0·06	28
29	—	X	0·02	—	—	—	—	—	1·02	—	0·01	—	29
30	—	X	·36	—	—	—	—	—	0·02	0·01	0·01	—	30
31	—	X	0·01	X	—	X	—	0·10	X	0·02	X	0·01	31
Total	2·58	0·78	0·84	2·55	1·91	1·13	6·55	1·37	4·65	1·27	1·75	1·61	TOTAL for year. 26·99
No. of Rain Days.	12	13	8	18	12	9	17	12	22	15	14	21	173

100—(25883—3C—C.14)—6.1.12—6997

~~H/P~~ [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Crossness Outfall
in the County of Kent
by the London County Council

Lat. Long. Information
Time of Observation already given
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.24	0.09	-	-	0.02	-	0.08	-	-	0.12	0.08	0.75	1
2	0.21	-	-	-	0.14	-	0.19	0.01	-	0.06	0.06	0.12	2
3	0.12	-	0.40	-	-	-	0.21	-	0.19	-	0.06	0.31	3
4	0.12	-	0.50	-	-	0.04	0.06	0.02	-	-	0.03	0.10	4
5	0.08	0.18	0.37	-	-	-	0.05	-	0.02	-	0.02	0.22	5
6	0.01	0.05	0.15	-	-	-	-	-	-	-	-	0.06	6
7	-	-	0.23	-	-	-	-	-	-	-	0.09	-	7
8	-	-	0.03	-	-	-	-	-	-	-	0.01	-	8
9	0.31	-	0.02	0.08	0.13	-	-	-	-	-	0.10	-	9
10	0.02	-	0.01	0.01	-	-	-	-	-	-	-	-	10
11	0.09	-	0.14	0.29	-	-	0.22	-	-	-	-	0.01	11
12	-	-	0.08	-	-	0.01	0.24	-	-	0.12	-	-	12
13	-	-	-	0.18	-	-	-	-	-	0.02	-	0.01	13
14	0.18	-	-	0.25	-	-	0.17	-	0.26	-	-	-	14
15	0.14	0.06	0.03	0.21	-	-	0.01	-	-	0.02	-	0.17	15
16	0.06	0.43	-	0.03	-	-	-	-	-	-	0.08	0.01	16
17	-	0.56	-	0.02	-	-	-	-	-	-	0.16	-	17
18	-	0.29	0.05	-	-	-	-	-	0.02	-	0.05	0.07	18
19	0.02	0.04	0.27	-	-	0.27	0.08	0.19	0.06	-	0.04	0.01	19
20	0.16	0.03	0.02	-	-	0.91	0.32	0.12	0.01	-	-	-	20
21	0.15	0.15	-	-	-	-	0.03	-	-	-	0.01	0.08	21
22	-	0.11	-	-	-	-	0.18	-	0.17	-	0.04	0.20	22
23	-	-	-	-	-	0.05	0.12	-	0.09	-	0.01	0.01	23
24	-	-	-	0.23	-	0.01	0.03	0.01	0.01	0.07	0.03	0.04	24
25	-	-	-	0.12	0.03	0.01	-	0.08	-	0.01	0.01	-	25
26	0.06	0.17	0.10	0.06	-	-	-	0.21	0.07	-	-	0.23	26
27	0.41	0.03	-	1.22	-	-	-	0.35	-	-	-	-	27
28	-	-	0.24	0.03	-	-	-	0.71	-	-	0.17	0.28	28
29	0.02		-	0.07	-	-	-	0.39	-	0.30	0.07	0.08	29
30	-		-	0.22	-	0.20	-	0.11	-	0.08	0.12	0.22	30
31	-		-		-		-	-		-		-	31
TOTAL	2.40	2.19	2.64	3.02	0.32	1.50	1.99	2.20	0.90	0.80	1.24	2.98	22.18 YEAR'S TOTAL ~~22.20~~
Days with ·01 in. or more	18	13	16	15	4	8	15	11	10	9	20	20	159

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd WO

416

417

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

22 JAN 1921

Kept at Crossness Outfall
in the County of ~~London~~ Kent
by London County Council

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	0·26	0·01	–	0·15	0·01	–	0·17	–	·18 ~~0·15~~	1
2	–	–	0·20	–	–	–	–	0·48	0·02	0·12	–	0·03	2
3	–	0·03	–	–	–	–	–	–	0·02	–	–	0·01	3
4	–	0·05	–	0·09	–	–	0·08	–	–	0·02	–	0·02	4
5	–	–	0·12	–	0·03	–	0·45	0·18	0·04	0·01	–	–	5
6	–	–	0·12	–	0·11	–	0·16	0·01	–	–	–	0·03	6
7	0·01	–	0·03	0·10	0·12	–	0·16	–	–	–	–	0·01	7
8	0·06	–	–	0·03	0·10	–	0·06	–	–	–	–	–	8
9	0·28	0·02	–	0·02	–	–	–	–	–	–	–	–	9
10	0·53	0·02	0·05	0·06	–	0·04	0·08	–	–	–	–	0·01	10
11	0·20	–	0·05	0·21	0·02	0·01	0·24	–	–	–	–	0·13	11
12	0·06	–	–	0·07	–	0·20	–	–	–	–	–	–	12
13	0·15	–	0·06	0·06	–	–	–	–	0·05	–	–	–	13
14	–	–	0·12	0·13	–	0·13	–	–	0·13	0·04	0·16	–	14
15	–	0·01	0·05	0·15	–	–	0·01	–	0·85	0·08	0·05	–	15
16	–	–	–	0·16	–	0·05	–	–	0·24	0·01	–	0·01	16
17	–	–	–	0·01	0·08	0·04	–	–	0·29	0·19	–	0·01	17
18	0·02	–	–	0·03	0·01	–	–	0·92	0·08	–	–	0·02	18
19	0·11	–	–	0·27	–	0·04	–	–	–	–	–	0·08	19
20	0·04	0·19	–	0·10	–	0·42	–	–	0·14	–	–	–	20
21	–	–	–	–	–	–	0·65	0·02	0·85	–	–	0·01	21
22	–	–	–	0·32	–	–	–	–	0·21	–	–	0·32	22
23	–	–	–	–	–	–	0·27	–	–	–	–	0·33	23
24	0·01	–	0·02	–	–	–	–	–	–	–	–	–	24
25	–	0·04	–	0·02	–	–	0·10	–	–	–	–	–	25
26	0·02	–	0·21	0·03	–	0·01	0·01	–	–	–	–	–	26
27	0·09	0·03	–	0·20	–	0·14	0·01	–	–	–	0·19	0·07	27
28	0·34	–	0·12	0·03	0·05	–	0·04	–	–	–	0·03	0·02	28
29	0·19	–	0·02	–	–	–	–	–	–	–	0·03	0·15	29
30	0·01	╳	–	–	0·10	–	0·32	–	0·27	–	0·16	0·12	30
31	–	╳	–	╳	–	╳	–	–	╳	0·22	╳	0·06	31
TOTAL	2·12	0·39	1·17	2·35	0·63	1·08	2·79	1·62	3·19	0·86	0·62	1·62	YEAR'S TOTAL 18·44
Days with ·01 in. or more	16	8	13	21	10	10	16	6	13	9	6	20	148
Days with ·04 in. or more	11	3	10	14	6	8	13	3	11	6	4	9	98

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Winchcombe Farm REGI

CRUNDALE

KENT

1916 - 19

Kept at Crundale

in the County of Kent

by Wilfred Higgs

(approx)

a.m.

Wye (1½ miles) SE. Cry

FORM A. BRITISH RAINFALL.

3 JAN 1917

Gauge 5 in.

ve Ground 5 ft. - in.

Sea Level 350 (approx) ft.

IMPORTANT NOT the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	5	2	1	0	1	0	0	0	6	0	25	0	1
2	24	5	45	0	10	0	0	0	0	15	9	0	2
3	2	34	25	0	0	11	14	0	2	16	50	0	3
4	6	17	2	0	0	23	19	0	0	16	46	0	4
5	2	2	2	15	5	11	33	0	2	4	23	0	5
6	1	4	20	45	3	26	22	0	0	3	30	0	6
7	5	4	110	0	44	2	13	0	0	1	33	2	7
8	1	0	8	0	32	0	0	0	0	0	0	22	8
9	0	0	1	0	22	2	0	0	4	0	0	25	9
10	1	11	5	9	0	34	5	0	2	5	0	50	10
11	3	25	2	6	0	8	0	0	4	0	0	11	11
12	4	3	3	11	59	18	5	1	0	8	0	11	12
13	2	16	14	9	19	39	20	0	0	5	1	0	13
14	1	35	6	8	3	2	3	7	0	3	0	13	14
15	0	14	5	2	0	0	0	1	1	0	0	9	15
16	0	0	4	17	0	0	15	10	0	0	0	0	16
17	12	7	1	9	0	0	6	0	30	75	0	0	17
18	7	9	0	12	0	0	0	4	10	9	78	5	18
19	7	2	3	17	0	3	0	10	12	4	105	13	19
20	7	0	10	16	0	2	0	8	1	0	4	33	20
21	2	3	89	22	0	0	0	0	0	0	0	28	21
22	1	45	43	15	0	2	0	0	0	1	7	54	22
23	0	36	7	1	0	7	2	9	0	1	4	3	23
24	2	0	7	0	2	1	0	0	0	30	6	26	24
25	0	53	12	0	0	0	0	40	0	31	3	0	25
26	5	25	5	0	0	17	1	10	0	20	7	0	26
27	2	33	53	0	0	5	0	4	1	30	0	0	27
28	0	60	14	0	0	2	0	0	6	56	0	28	28
29	0	22	1	0	0	20	0	66	4	47	0	20	29
30	0	X	4	0	1	1	0	70	1	30	0	1	30
31	0	X	1	X	0	X	0	1	X	23	X	2	31
Total	102	467	503	214	201	236	158	241	86	433	431	356	YEAR'S TOTAL 3428
Rain Days.	22	24	30	16	12	21	13	14	15	23	16	19	225

W. 8,000, VIII. 16

Winchcombe Farm

REGISTER OF RAINFALL IN

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Crundale nr. Canterbury

in the County of Kent

by Wilfred Higgs

Lat. 51'23 N Long. 1 (approx)
Time of Observation 9 AM
Nearest Railway Station Wye (1½ miles) SE CR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. - in.
" " " " Sea Level 350 (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	5	2	1	0	1	0	0	0	6	0	25	0	1
2	24	5	45	0	10	0	0	0	0	15	9	0	2
3	2	34	25	0	0	11	14	0	2	16	50	0	3
4	6	17	2	0	0	23	19	0	0	16	46	0	4
5	2	2	2	15	5	11	33	0	2	4	23	0	5
6	1	4	20	45	3	26	22	0	0	3	30	0	6
7	5	4	110	0	44	2	13	0	0	1	33	2	7
8	1	0	8	0	32	0	0	0	0	0	0	22	8
9	0	0	1	0	22	2	0	0	4	0	0	25	9
10	1	11	5	9	0	34	5	0	2	5	0	50	10
11	3	25	2	6	0	8	0	0	4	0	0	11	11
12	4	3	3	11	59	18	5	1	0	8	0	11	12
13	2	16	14	9	19	39	20	0	0	5	1	0	13
14	1	35	6	8	3	2	3	7	0	3	0	13	14
15	0	14	5	2	0	0	0	1	1	0	0	9	15
16	0	0	4	17	0	0	15	10	0	0	0	0	16
17	12	7	1	9	0	0	6	0	30	75	0	0	17
18	7	9	0	12	0	0	0	4	10	9	78	5	18
19	7	2	3	17	0	3	0	10	12	4	105	13	19
20	7	0	10	16	0	2	0	8	1	0	4	33	20
21	2	3	89	22	0	0	0	0	0	0	0	28	21
22	1	45	43	15	0	2	0	0	0	1	7	54	22
23	0	36	7	1	0	7	2	9	0	1	4	3	23
24	2	0	7	0	2	1	0	0	0	30	6	26	24
25	0	53	12	0	0	0	0	40	0	31	3	0	25
26	5	25	5	0	0	17	1	10	0	20	7	0	26
27	2	33	53	0	0	5	0	4	1	30	0	0	27
28	0	60	14	0	0	2	0	0	6	56	0	28	28
29	0	22	1	0	0	20	0	66	4	47	0	20	29
30	0	X	4	0	1	1	0	70	1	30	0	1	30
31	0	X	1	X	0	X	0	1	X	23	X	2	31
Total	102	467	503	214	201	236	158	241	86	433	431	356	YEAR'S TOTAL 3428
Rain Days.	22	24	30	16	12	21	13	14	15	23	16	19	225

W. 8,000, VIII. 16

XV C72

327

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

Kept at Winchcombe Farm, Crundale,

in the County of Kent [W. Canterbury

by Wilfred Higgs

Lat. 51·23 Long. 1 - approximately -
Time of Observation 9 AM
Nearest Railway Station WYE S.E.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	20	·	·	·	198	16	·	6	·	1
2	1	·	·	33	·	·	·	25	·	7	3	·	2
3	4	·	·	12	·	·	·	(129)	·	11	·	·	3
4	·	8	9	·	·	·	7	2	·	26	·	·	4
5	28	·	3	10	·	·	·	·	8	11	1	·	5
6	·	·	·	17	·	29	·	·	10	4	25	2	6
7	30	·	1	·	·	3	4	·	·	57	·	3	7
8	28	·	·	10	·	·	28	28	·	35	30	22	8
9	17	·	4	12	·	·	4	9	2	·	4	153	9
10	6	·	8	10	·	·	·	8	·	·	·	·	10
11	22	7	56	8	·	·	·	1	6	·	·	10	11
12	10	2	16	4	·	·	·	9	·	56	·	·	12
13	3	·	7	1	10	·	·	·	2	10	·	·	13
14	7	·	4	23	1	·	·	5	·	1	·	·	14
15	14	·		1	80	·	·	·	·	1	·	5	15
16	30	3	·	11	28	·	2	23	·	5	·	45	16
17	6	1	·	10	25	·	10	·	20	18	·	15	17
18	13	·	·	13	·	·	16	11	7	·	·	·	18
19	·	5	14	2	·	·	·	1	10	1	·	·	19
20	·	15	11	·	50	2	·	29	·	·	9	·	20
21	·	2	11	·	7	5	1	2	·	·	3	10	21
22	·	·	18	·	23	31	·	18	·	22	·	7	22
23	·	5	·	·	·	2	·	8	·	2	·	1	23
24	·	·	4	·	·	1	·	10	·	13	·	4	24
25	·	1	5	·	·	·	·	·	·	·	4	·	25
26	·	·	15	·	·	·	·	18	2	·	92	2	26
27	·	·	·	·	·	·	·	96	·	·	·	9	27
28	·	1	9	·	·	42	·	46	·	·	·	4	28
29	1		5	·	·	30	121	2	·	32	·	18	29
30	50	×	16	·	·	·	146	·	·	15	1	3	30
31	1	×	15	×	·	×	153	4	×	1	×	·	31
Total	271	50	231	197	224	145	492	682	83	328	178	313	YEAR'S TOTAL 3194
Rain Days.	18	11	20	17	8	9	11	23	10	20	11	17	175

W. 8,000, IX. 17.

25

FORM A.
BRITISH RAINFALL
16. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Winchcombe Farm
in the County of Kent Crundale Nr Canterbury
by Wilfred Higgs.

Lat. 51°23 Long. 1
Time of Observation 9 am.
Nearest Railway Station WYE SE&CR.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	-	7	.	.	.	.	.	.	.	11	4	1
2	.	-	5	5	.		.	46	.	1	60	23	2
3	.	1	4	14	11	.	.	4	.	5	65	.	3
4	.	4	.	2	50	.	.	5	2	.	50	.	4
5	.	7	.	.	10	.	.	5	8	3	.	2	5
6	24	10	.	10	22	.	.	18	57	2	11	2	6
7	5	3	.	12	56	.	.	3	56	3	.	.	7
8	.	3	.	2	.	.	.	1	5	.	8	3	8
9	3	-	.	2	.	5	.	.	41	15	.	8	9
10	-	-	.	8	.	.	12	-	50	6	3	33	10
11	2	-	.	1	5	.	6	.	9	30	5	10	11
12	.	8	.	.	11	.	7	.	5	42	1	2	12
13	19	8	.	.	13	.	1	.	5	.	.	3	13
14	2	.	3	2	.	10	8	.	15	15	.	5	14
15	124	.	.	36	.	1	26	.	.	2	.	.	15
16	17	.	.	26	.	18	5	.	1	.	.	.	16
17	22	.	.	8	.	25	8	4	.	.	.	16	17
18	19	.	.	2	.	38	.	.	59	2	.	9	18
19	10	.	29	8	.	41	.	.	.	63	.	5	19
20	5	7		.	.	.	117	.	13	129	.	2	20
21	10	1	.	3	.	1	18	.	25	5	.	.	21
22	10	.	.	.	.	.	15	.	83	.	.	19	22
23	6	.	.	.	12	.	71	6	.	.	.	.	23
24	-	30	.	5	11	5	3	.	16	.	2	1	24
25	-	.	.	.	.	2	17	4	-	.	.	.	25
26	-	.		.	.	.	23	18	4	2	8	17	26
27	-	7	.	6	.	.	36	20	2	1	2	8	27
28	-	11	16	1	.	36	.	5	-	.	29	5	28
29	-	×	.	.	.	.	4	1	103	.	8	1	29
30	-	×	35	.	-	.	.	.	11	15	.	2	30
31	-	×	2	×	.	×	.	.	×	5	×	30	31
Total	280	100	101	153	201	182	377	140	569	346	263	210	YEAR'S TOTAL 2922
Rain Days.	16	13	8	19	10	11	17	14	21	19	14	23	185

W. 8,000, IX. 17.

309

MAR

FORM·A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION**

REGISTER OF RAINFALL IN 1919.

Kept at Wirichcombe Farm, Crundale
in the County of Kent (W. Canterbury)
by Wilfred Higgs

Lat. 51·23 N. Long. 1° Approximately.
Time of Observation 9. AM Greenwich mean.
Nearest Railway Station WYE. SE. CR.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. - in.
„ „ „ ABOUT Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·10	—	·3	·5	~~1~~	16	—	—	10	3	41	1
2	·28	—	·2	—	·8	~~5~~	20	6	1	—	30	14	2
3	·24	—	·38	—	·2	—	34	—	—	—	—	26	3
4	·23	—	·30	—	—	·5	11	2	7	2	5	6	4
5	·13	·30	1·37	—	—	—	—	7	—	2	4	24	5
6	·12	—	·1	—	—	—	—	—	—	3	6	25	6
7	·10	—	·25	—	—	—	2	—	—	—	5	-	7
8	·23	—	·8	·9	—	—	—	—	—	—	—	-	8
9	·40	—	·4	·3	—	—	—	—	—	—	12	-	9
10	·52	—	·5	—	—	—	—	—	—	—	8	-	10
11	·17	—	·16	·37	1	—	—	—	—	—	5	8	11
12	·12	—	·2	—	—	—	33	—	—	5	—	8	12
13	·1	—		·20	—	—	7	—	—	2	2	2	13
14	·23	·1	—	·55	—	—	·13	—	10	5	4	7	14
15	·18	—	·4	·5	—	—	—	—	—	—	—	3	15
16	·10	·30	—	·15	—	—	—	—	—	—	—	12	16
17	—	·56	·1	·5	—	—	—	—	·12	—	35	-	17
18	—	·22	—	—	—	—	·12	·1	8	—	10	-	18
19	—	·16	·61	—	—	—	·3	4	—	—	9	-	19
20	·24	·9	·15	—	—	54	·50	·18	17	—	—	4	20
21	—	·30	·8	·1	—	·8	·15	—	21	—	—	2	21
22	—	·4	·7	—	—	—	·23	—	9	—	5	22	22
23	—	—	—	·5	—	6	·14	—	10	—	2	2	23
24	—	—	—	13	—	1	2	5	—	—	15	-	24
25	·7	—	—	15	—	1	—	·24	—	—	—	-	25
26	—	·17	·20	10	6	—	·1	·70	~~26~~	—	15	25	26
27	·53	·1	·2	1·03	—	—	·2	·15	4	—	—	10	27
28	·4	—	·26	10	—	—	·1	·47	—	—	50	27	28
29	·16		—	18	—	—	—	·58	—	48	28	14	29
30	·2		·3	23	—	1	8	·70	—	34	11	41	30
31	·20		—		—			7		81		-	31
TOTAL	4·65	2·20	4·15	3·50	·22	·76	2·68	2·94	·99	1·92	2·64	3·23	YEAR'S TOTAL 29·87
Days with ·01 in. or more	23	12	21	18	5	7	19	14	10	10	21	21	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

RE

Kept at Dartford

in the County of Ken

by F. C. Bayard

DARTFORD

{WEST HILL HOUSE}

KENT

1911-20

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

5 in.

Ground 1 ft. 3 in.

Sea Level 100 ft.

Name

Distance Direction

IMPORTANT NOTI the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this ent of rain, the selection and placin tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·81				·05					1
2	·16			·21	·15						·08	·08	2
3					·13						·12	·22	3
4	·06		·10	·26						·10	·12	·14	4
5	·02	·04		·09						·21		·07	5
6	·04		·16	·02								·25	6
7	·18									·23	·33	·16	7
8	·12		·12								·46	·27	8
9	·16		·03								·03	·08	9
10		·09	·02									·62	10
11	·22										·62		11
12	·02		·47		·20						·16		12
13					·19				·12	·10	·09	·12	13
14		·07			·25	·02						·48	14
15		·02	·27									·04	15
16						·27					·62	·03	16
17			·06								·33	·08	17
18		·23	·05								1·06	·10	18
19						·23		·12	·37	·16	·32	·12	19
20			·02					·27		·04		·62	20
21		·10						·50		·60		·07	21
22	·02		·03			·03		·03		·05		·44	22
23		·15	·07			·75			·15			·06	23
24		·11				·02	·05			·78		·16	24
25		·03	·02			·18	·62			·05		·04	25
26			·16	·23		·19				·15	·08	·27	26
27		·28	·12	·10					·17	·05		·07	27
28		·07		·18				·03			·05		28
29				·22		·20	·15		·10	·10			29
30				·10				·23	·03	·22			30
31					·02								31
Total	1·04	1·19	1·70	2·22	·94	1·89	·82	1·23	·94	2·84	4·47	4·59	TOTAL for year 23·87
No. of Rain Days	11	11	15	10	6	9	3	7	6	14	15	24	131

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Dartford, West Hill House

in the County of Kent 5

by F. C. Bayard, Lt: Col: C. W. Kidd.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 100 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·81				·05					1
2	·16			·21	·15						·08	·08	2
3					·13						·12	·22	3
4	·06		·10	·26						·10	·12	·14	4
5	·02	·04		·09						·21		·07	5
6	·04		·16	·02								·25	6
7	·18									·23	·33	·16	7
8	·12		·12								·46	·27	8
9	·16		·03								·03	·08	9
10		·09	·02									·62	10
11	·22										·62		11
12	·02		·47		·20						·16		12
13					·19				·12	·10	·09	·12	13
14		·07			·25	·02						·48	14
15		·02	·27									·04	15
16						·27					·62	·03	16
17			·06								·33	·08	17
18		·23	·05								1·06	·10	18
19						·23		·12	·37	·16	·32	·12	19
20			·02					·27		·04		·62	20
21		·10						·50		·60		·07	21
22	·02		·03			·03		·03		·05		·44	22
23		·15	·07			·75			·15			·06	23
24		·11				·02	·05			·78		·16	24
25		·03	·02			·18	·62			·05		·04	25
26			·16	·23		·19				·15	·08	·27	26
27		·28	·12	·10					·17	·05		·07	27
28		·07		·18				·03			·05		28
29				·22		·20	·15		·10	·10			29
30				·10				·23	·03	·22			30
31					·02								31
Total	1·04	1·19	1·70	2·22	·94	1·89	·82	1·23	·94	2·84	4·47	4·59	TOTAL for year 23·87
No. of Rain Days	11	11	15	10	6	9	3	7	6	14	15	24	131

9,000, IX. '10.

I made

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

12 FEB 1913

Kept at Dartford West Hill House

in the County of Kent 5

by F. C. Bayard, Lieut: Col. C. N. Kidd

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.06			.08	.07		.05	.51		.23	1
2		.05	.35			.02	.27			.02			2
3	.06	.08	.06			.06		.18				.05	3
4	.26		.50		.32	.18		.04			.12		4
5	.16		.10					.13			.09		5
6	.46	.06			.02							.24	6
7						.76	.03	.30					7
8	.25	.32	.22			.04		.15					8
9		.05		.03		.10	.05					.08	9
10		.03				.03		.12			.10		10
11	.03	.16				.08			.03		.02	.17	11
12	.02	.06	.06		.13	.05							12
13		.03					.01				.08		13
14					.02			.07		.12	.02		14
15			.09		.38	.56					.01	.54	15
16	.25				.04	.03		.07			.10		16
17	.42		.25					.01			.02	.05	17
18			.19				.02	.07		.02		.05	18
19	.30	.07	.10				.12			.03			19
20			.48					.05		.40			20
21		.03	.43					.09		.10	.05		21
22	.15	.10					.18	.11			.01	.02	22
23	.53	.43	.43				.20	.32		.05	.20	.05	23
24	.12	.03						.16				.15	24
25	.20					.17		1.07				.48	25
26								.34		.33	.45	.28	26
27							.03			.08		.18	27
28		.06					.05	.07	.03	.40	.44	.13	28
29						.03	.15	.07	1.02	.10			29
30					.08	.27		.12	1.64	.20			30
31							.12	.13					31
Total	3.21	1.56	3.32	.03	.99	2.46	1.30	3.67	2.77	2.36	1.71	2.70	YEAR'S TOTAL 26.08
Rain Days.	14	15	14	1	7	15	13	21	5	13	14	15	147

W. 7,500, XI. '12

Smode ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Dartford West Hill ~~Hospl~~

in the County of Kent 5

by F C Bayard Lt Col CN Kidd

Lat. Long.

Time of Observation

Nearest Railway Station —

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.28		.38					.15	.02		.07	1
2	.10	.18					.18				.07		2
3			.02	.26	.32						.05	.12	3
4				.04	.10		.02			.06	.01	.02	4
5	.60				.02		.18		.43	.04	.01	.05	5
6	.10		.10			.04	.24			.28	.08	.02	6
7		.09			.05		.18	.15		.29	.09		7
8					.09	.08				.15			8
9		.11			.03				.09		.03		9
10			.16				.14	.02			.50		10
11	.26			.32	.22			.01		.52	.18		11
12					.02						.53	.02	12
13	.09							.08			.48		13
14	.07			.07			.21		.10	.12	.05		14
15	.21		.30	.10			.38						15
16	.22		.27	.10					.55				16
17	.03	.10	.07	.05			.16	.02					17
18			.06						.02				18
19	.23		.25			.10	.20		.10				19
20	.25		.60	.03						.40			20
21	.03	.02	.32	.10			.10			.50	.77		21
22	.39		.16				.02		.14				22
23			.10					.17				.40	23
24	.02										.05		24
25				.15		.07							25
26				.03				.14		1.12		22	26
27				.12						.07			27
28	.20		.05	.02						.18			28
29	.12		.09	.15	.26			.11		.12			29
30	.28			.32				.19		.07			30
31								.78		06			31
Total	3.20	.78	2.55	2.24	1.11	.29	2.01	1.67	1.58	4.00	2.90	.92	YEAR'S TOTAL 23.25
Rain Days.	17	6	14	16	9	4	12	10	8	16	14	8	134

W.7,000, XI. 13

~~from~~ Croydon Tables

4 RJ

REGISTER OF RAINFALL IN 1914

Kept at Dartford West Hill House

in the County of Kent 5

by F. C. Bayard Col C. H. Kidd

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 100 ft.

FORM A.
BRITISH RAINFALL.
8 - MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03					.17			.02		1
2	.02						.08	.21			.05	.16	2
3			.10		.10		03	.02					3
4			.02	.10							.38	.26	4
5	.10		.03	.26		.05	.16	.46					5
6		.10		.12		.25					.05	.16	6
7		.28	.23	.15	.45	.25	.07					.06	7
8		.32	.50	.12		.06		.06				.06	8
9	.20		.95	.09		.03						1.20	9
10	.07	.02	.03	.03	.02							.06	10
11		.42	.12		.02				.22		.25	.46	11
12	.02	.03	.12						.16			.53	12
13		.15	.07						.10	.15	.10	.75	13
14		.05	.17				.06			.22	.06	.70	14
15	.02		.22				.01	.03			.80	.10	15
16			.12						.03				16
17		.18	06									.05	17
18		.08	.18									.25	18
19		02	.48				.18		.03		.25	.16	19
20		.10	.25			.08			.05	.04		.05	20
21		75	.10							.03		.03	21
22			.02		.50		.16			.04		03	22
23			.10		.10		.05			.03		.03	23
24			.05	.02			.02				.11		24
25	.05		.38							.27			25
26			.03		.03			.12		.05	.15	.48	26
27			.11								.05	.28	27
28		.05								05	.26	96	28
29			.01							.48	.16		29
30		X									.40	.05	30
31		X		X	.28	X	.02		X		X	.02	31
Total	48	2.55	4.48	.89	1.50	.72	.84	1.07	.59	1.36	3.09	6.89	YEAR'S TOTAL 24.46
Rain Days.	7	14	26	8	8	6	11	7	6	10	15	24	142

W. 8,000. X. 14.

494

FORM A.
BRITISH RAINFALL.
14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Dartford West Hill House
in the County of Kent
by Col C.N. Kidd per Croydon Nat His Soc

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.05	.07						.04	.06	37	.32	1
2	.08	.22	.20	.16	.01			.45		.03			2
3	.48		.04	.18	.02			1.00	.30			.68	3
4	.08							.05				.26	4
5	.08	.26			.08			.02		.05		.27	5
6	.48	.03		.26			.38					.26	6
7	.38	.29					.09	.03				.22	7
8	.18	.61	.02	.03			.20	.05					8
9		.03		.02		.08		.05		.10	.42	.87	9
10	.23		.03			.02		.04				.32	10
11										.09	.55	.04	11
12		.06		.28	.46			.26			.44	.03	12
13	.12	.72	.02	.02	1.55			.05				.02	13
14		.05					.17	.02	.02			.20	14
15	.12				.05			.15			.43	.26	15
16		.32		.03			.53					.09	16
17		.02			1.20		.05					.02	17
18		.27	.07		.35								18
19	.03	.07					.04			.10			19
20	.25	.20		.08				.22				.30	20
21	.37						.07					.07	21
22	87		.07	.03			.56					.13	22
23		.27	.06			.01	.25			.37	.13	.37	23
24						.01	.08		.30	.15		.30	24
25			.25	.23			55					.20	25
26		.05				.02						.42	26
27			.01			.10	.15			.27		.03	27
28		.07	.01			.01			1.55	.17			28
29						.09	.06	.04			.15	.03	29
30	.03										.62		30
31	.05									.67		.24	31
Total	4.21	3.59	.85	1.32	3.72	.34	3.18	2.43	2.21	2.06	3.11	5.95	YEAR'S TOTAL 32.97
Rain Days.	17	18	12	11	8	8	14	14	5	11	8	25	151

W. 8,000. X. 15.

Small

Ex DL

409

482

FORM A.
BRITISH RAINFALL.
13 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Dartford, West Hill House

in the County of Kent

by F. C. Bayard, Col. C. N. Kidd

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05				·15				·23		·22		1
2	·24	·04	·10		·15		·02		·10	·10	·05		2
3		·80	·23				·02		·15		·56		3
4	·28	·04									·56	·05	4
5	·01	·02			·05	·08	·15		·07		·62		5
6		·06	·27	·40		·32	·14				·48		6
7	·07		·57		·11	·05	·10				·83		7
8			·04		·24								8
9	·07		·03		·10					·11		·03	9
10		·25	·20	·10		·58	·15					·20	10
11	·01	·15	·04	·15		·05							11
12	·02	·02		·05	·35	·13				·05			12
13	·02	·07	·23		·17	·08	·14		·02				13
14		·25			·08		·13	·15				·20	14
15		·30	·22					·23				·16	15
16			·13	·25			·17	·11					16
17	·07	·25					·07	·12	·27	·48		·03	17
18		·10		·15				·13	·06	·05	1·03		18
19	·07	·04	·13	·09					·01		·76		19
20	·14		·26								·05	·35	20
21			·77				·20						21
22			·07							·02		·22	22
23	·02	·72	·04			·10	·01			·02		·32	23
24		·10	·15							·18	·06	·32	24
25		·50	·15		·05			·25			·07		25
26		·31	·09					·05		·10			26
27	·04		·92	·02		·15		·72		·32			27
28		·36	·22			·02		·03	·12			·22	28
29		·10				·15		1·25	·05	·22		·20	29
30					·25			·25		·35			30
31										·10		·08	31
Total	1·11	4·48	4·86	1·21	1·70	1·71	1·30	3·29	1·08	2·10	5·29	2·38	YEAR'S TOTAL 30·51
Rain Days.	14	20	21	8	11	11	12	11	10	13	12	13	156

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Dartford, West Hill House

in the County of Kent

by F. C. Bayard, Col. C. H. Kidd

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·18				1·33	·03		·04		1
2		·02		·28				·17			·12		2
3				·06				·70		·05	·32		3
4		·15	·18				·12	·06		·55			4
5	·22			·30					·32	·12	·02		5
6			·02	·05		·12			·05	·02	·10		6
7	·22						·02			·12		·02	7
8	·04			·12			·75	·80	·04	·42	·12	·40	8
9	·09			·15			·20	·05			·07	·38	9
10	·25		·12	·17				·04				·04	10
11	·09		·48	·25				·02	·39	·22			11
12	·06			·01				·05		·10	·02	·02	12
13	·05		·15	·11				·01	·01	·62			13
14	·02			·15				·01					14
15	·07			·01			·23	·32		·02			15
16		·23			·20		·20			·10		·50	16
17				·09	·58		·32		·37	·12			17
18	·05	·12		·14	·05		·27	·25	·16				18
19	·05	·13	·10		·12	·10			·17				19
20	·04	·22	·10		1·24		·19				·02		20
21		·02	·02		·02								21
22			·03							·12			22
23		·10			·17	·03		·11				·01	23
24	·05					·02	·04			·12	·02		24
25											·12		25
26			·10					·30			·62	·05	26
27			·02			·01		·74					27
28						1·35		·07				·06	28
29			·04		·14	·29	·74	·04		·32		·10	29
30		X	·28				2·15	·03				·05	30
31	·12	X	·08	X		X	·83	·01	X		X	·01	31
Total	1·42	1·02	1·72	2·07	2·52	1·92	6·06	5·11	1·54	3·02	1·59	1·64	YEAR'S TOTAL 29·63
Rain Days.	15	9	14	15	8	7	13	20	9	15	12	12	149

4·92.

from M.S. Exd C & E 155

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 10 4. 19

Kept at Darlford West Hill House

in the County of Kent

by J. Taylor per F. C. Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·02			·18	·10	1
2		·16						·23			·12	·10	2
3		·04	·15	·05	·57			·08			·32	·02	3
4		·03	·10					·05	·23		·42	·05	4
5	·24				·29				·13	·03	·02		5
6		·26		·27	·20			·23	·44	·01		·05	6
7	·08	·04		·11	·22				·05	·06	·08	·04	7
8		·05							·14		·07		8
9						·02			·40	·12		·17	9
10	·05					·18	·38		·04	·02	·05	·17	10
11				·17	·06		·76			·32	·17	·10	11
12		·04			·04		·34						12
13	·04				·17		·10		·08				13
14	·03		·02	·02		·30	·08		·08	·39		·18	14
15	1·30			·75		·02	·27					·08	15
16	·56						·02						16
17	·34			·12				·02				·08	17
18	·39					·18			·52	·35		·08	18
19			·10	·15		·13	·15			·05			19
20	·03	·12		·32			·47		·38	·17		·20	20
21	·15			·47			·43		·16	·05			21
22				·08	·03				·16				22
23					·27		·83	·26				·18	23
24		·26			·07	·02	·05		·16				24
25				·12		·03	·10	·18		·03	·05	·02	25
26				·07			·23	·13		·02	·20	·12	26
27		·05		·10			·12	·28	·08		·05		27
28			·20	·07				·03			·48	·12	28
29									·96				29
30		X	·42						·06	·02		·03	30
31		X	·02	X		X		·11	X	·01	X		31
Total	3·21	1·05	1·01	2·87	1·91	·88	4·33	1·62	4·07	1·65	2·21	1·89	YEAR'S TOTAL 26·70
Rain Days.	11	10	7	15	10	8	15	12	17	15	13	19	152

W, 6,500, VII. 18. w w c

4BR

437

17 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dartford, West Hill House

in the County of Kent

by J. Taylor, per Bayard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Dartford	Dartford	Dartford	Dartford	Dartford	Dartford	Dartford	Dartford	Dartford	Dartford	Dartford	Dartford	
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	..	·13	..	..	..	..	·28	..	..	·10	·12	·83	1
2	·17	..	..	..	..	..	·15	..	·03	·06	·10	·25	2
3	·17	..	·49	..	..	..	·08	..	·30	..	·06	·38	3
4	·12	..	·52	..	..	·03	·08	·02	..	..	·06	1·15	4
5	·12	..	·83	..	..	..	..	·06	..	..	·02	·28	5
6	·05	..	·05	..	..	..	..	..	..	..	..	·05	6
7	·02	..	·27	..	..	..	..	..	..	..	·22	..	7
8	·31	..	·07	·05	..	..	..	..	..	..	·05	..	8
9	·42	..	·25	..	·05	..	..	..	..	..	·20	..	9
10	·17	..	·05	·03	..	..	..	..	..	·02	..	..	10
11	·07	..	·25	·25	..	..	·23	..	..	..	..	·02	11
12	·03	..	..	·05	..	·01	·30	..	..	·04	·02	..	12
13	·05	·02	..	·33	..	..	..	..	..	·03	..	·05	13
14	·16	..	..	·35	..	..	·15	..	·25	..	..	..	14
15	·16	·08	·09	·32	..	..	..	..	..	..	..	·22	15
16	·05	·43	..	·05	..	..	..	..	..	..	·10	·03	16
17	..	·48	..	..	..	..	..	..	..	..	·25	..	17
18	..	·43	·10	..	..	..	..	..	·07	..	·07	..	18
19	..	·05	·08	..	..	·03	·28	·26	·09	..	·02	..	19
20	·07	·05	·15	..	..	1·28	·38	·09	..	..	·05	·03	20
21	·19	·33	·06	..	..	·06	·15	..	..	..	·02	·01	21
22	..	·18	·12	..	..	..	·18	..	·26	..	·05	·27	22
23	..	..	..	..	..	·02	·08	·06	·06	..	·04	..	23
24	..	..	·09	·18	..	·01	·08	..	..	·12	·03	..	24
25	..	..	..	..	·03	..	..	·13	..	..	..	..	25
26	·10	..	..	·15	..	..	..	·11	·07	..	..	·23	26
27	·35	·32	..	1·12	..	..	..	·09	..	..	·03	·03	27
28	·02	..	·10	·19	..	..	·03	1·01	..	·03	·25	·33	28
29	..		·05	·18	..	..	..	·35	..	·30	·05	·06	29
30	..		·25	·22	..	·02	..	·34	..	·04	·25	·33	30
31	·09		·05		..		·02	..		..		·03	31
TOTAL	2·89 ..	2·50 5·39	3·92 9·31	3·47 12·78	·08 12·86	1·46 14·32	2·47 16·79	2·52 19·31	1·13 20·44	·74 21·18	2·06 23·24	4·58 27·82	YEAR'S TOTAL 27·82
Days with ·01 in. or more	21	11	20	14	2	8	15	11	8	9	22	19	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Extr

412

Copy by B.R.O. ... 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dartford, West Hill House

in the County of Kent

by per Bayard, J. Taylor

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground ...... ft. ...... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	Dartford IN.	
1	·05	..	..	·25	·01	..	·20	..	..	·25	..	·23	1
2	..	..	·05	..	..	..	..	·22	·05	·25	..	·03	2
3	..	·03	..	..	..	·03	·04	..	·10	·02	..	·04	3
4	..	·08	..	·44	..	..	·38	..	..	·15	..	·09	4
5	..	..	·10	..	·03	..	·54	·05	·05	..	..	·06	5
6	..	..	·12	..	·15	..	·25	..	..	..	..	·02	6
7	..	..	·03	·14	·02	..	·15	..	..	..	..	·02	7
8	..	·01	..	·14	·03	..	·18	..	..	..	..	..	8
9	·32	·03	..	·01	..	..	..	·03	..	..	..	..	9
10	·63	·08	·07	·06	..	·02	·20	..	..	..	·05	·09	10
11	·23	·03	·07	·32	..	..	·32	..	..	..	..	·20	11
12	·12	..	..	·22	..	·26	..	..	..	..	..	..	12
13	·13	..	·11	·10	..	..	..	..	..	..	·05	..	13
14	..	..	·21	·12	..	·32	..	..	·14	·10	·15	..	14
15	..	..	·07	·15	..	..	..	..	2·12	·03	..	·02	15
16	..	..	..	·05	..	·03	..	..	·24	..	..	·02	16
17	..	..	..	·03	·03	·01	..	..	·80	..	..	·07	17
18	·01	..	..	·02	·01	..	..	1·36	·18	..	..	·05	18
19	·11	..	..	·32	..	..	..	..	..	..	..	·09	19
20	·05	·38	..	·18	..	·58	..	..	·22	..	..	..	20
21	..	..	..	..	..	..	·98	·05	1·30	..	..	·09	21
22	..	..	..	·42	..	..	..	..	·26	..	..	·52	22
23	..	..	..	..	..	..	·32	..	..	..	..	·33	23
24	..	..	·01	..	..	..	..	..	..	..	..	·02	24
25	..	·03	·01	·10	..	..	·12	..	·01	..	..	..	25
26	·03	·02	·04	·05	..	..	·04	..	..	..	·01	·02	26
27	·18	·03	..	·20	..	·12	·02	..	..	..	·24	·10	27
28	·38	..	·11	·10	·08	..	·05	..	..	..	..	·03	28
29	·38	..	·01	·03	..	..	·02	..	..	..	·03	·18	29
30	·01		..	·03	·01	..	·15	..	·33	..	·26	·05	30
31	..		..		..		..	..		·33		·28	31
	2·63	·72	1·01	3·48	·37	1·37	3·96	1·71	5·80	1·13	·79	2·65	YEAR'S TOTAL
TOTAL	..	3·35	4·36	7·84	8·21	9·58	13·54	15·25	21·05	22·18	22·97	25·62	25·62
Days with ·01 in. or more	14	10	14	23	9	8	17	5	13	7	7	24	151
Days with ·04 in. or more	11	3	10	18	2	4	15	4	12	5	5	16	105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

289

REG

DEAL + WALMER
{WATER WORKS}

KENT

1911 - 20

Kept at Deal + Walmer …… on

……in.

……und 1 ft. …… in.

in the County of Kent …… Level 110 ft.

……m

by Mr A. Mantle …… me Walmer

……tance ½ mile Direction S.

IMPORTANT NOTE.- …… e result entered to the previous day. If an Obser…… al rule, he is earnestly requested to add the reading …… in the space provided for it at the end of this p…… t of rain, the selection and placing …… h Rainfall Organization are given in " …… lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·02	·45				·08		·04	·08		1
2	·04		·02	·01	·24						·04	·07	2
3	·11	·02		·10	·06					·22	·07	·16	3
4	·05	·01	·03							·42	·30	·12	4
5	·07							·15		·03		·28	5
6	·60									·02		·25	6
7	·01									·76	·33	·72	7
8	·02	·03	·02							·03	·55	·16	8
9	·11		·06	·01						·02	·94	·05	9
10		·05		·02							·20	·66	10
11	·72										1·25		11
12	·06		·68			·18				·11	·11		12
13			·02		·26	·47			·44	·87	·03	·20	13
14		·05			·02	·01						·25	14
15		·05	·18						·01	·01	·04	·05	15
16						·15			·01		·17	·09	16
17			·01	—		·14					·09	·17	17
18		·10	·01								·62	·24	18
19				—	·03	·02			·06		·25	·16	19
20						·01		·54	·07	·20		·52	20
21	·01	·04	·76					·01	·21	·98		·20	21
22			·07						·04	·53		·65	22
23		·15	·02			1·18			·11	·35	·08	·21	23
24	·01	·03	·19			·04	·11	·01		·37		·31	24
25		·01	·24	·02		·12	·01	·17	·01	·02	·14	·01	25
26			·05	·17		·01				·38	·18	·18	26
27		·17		·08		—			·14	·39		·02	27
28		·21		·14						·01	·01	-	28
29		X	·01	·10		·11	·10	—	·19	·19		-	29
30		X		·01	·17	·01			·03	·44			30
31		X	·01	X		X			X		X		31
Total	1"·90	0"·92	2"·40	1"·11	0"·78	2"·45	0"·22	0"·96	1"·32	6"·39	5"·48	5"·73	TOTAL for year 29·66
No. of Rain Days.	~~13~~	~~13~~	~~18~~	~~11~~	~~6~~	~~13~~	~~3~~	~~6~~	~~12~~	~~22~~	~~20~~	~~24~~	~~161~~

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

289

REGISTER OF RAINFALL IN 1911

Kept at Deal + Walmer Water Works

in the County of Kent

by Mr A. Mantle, Engineer.

2

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 110 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Walmer
Distance ½ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·02	·45				·08		·04	·08		1
2	·04		·02	·01	·24						·04	·07	2
3	·11	·02		·10	·06					·22	·07	·16	3
4	·05	·01	·03							·42	·30	·12	4
5	·07							·15		·03		·28	5
6	·60									·02		·25	6
7	·01									·76	·33	·72	7
8	·02	·03	·02							·03	·55	·16	8
9	·11		·06	·01						·02	·94	·05	9
10		·05		·02							·20	·66	10
11	·72										1·25		11
12	·06		·68			·18				·11	·11		12
13			·02		·26	·47			·44	·87	·03	·20	13
14		·05			·02	·01						·25	14
15		·05	·18						·01	·01	·04	·05	15
16						·15			·01		·17	·09	16
17			·01			·14					·09	·17	17
18		·10	·01								·62	·24	18
19					·03	·02			·06		·25	·16	19
20						·01		·54	·07	·20		·52	20
21	·01	·04	·76					·01	·21	·98		·20	21
22			·07						·04	·53		·65	22
23		·15	·02			1·18			·11	·35	·08	·21	23
24	·01	·03	·19			·04	·11	·01		·37		·31	24
25		·01	·24	·02		·12	·01	·17	·01	·02	·14	·01	25
26			·05	·17		·01				·38	·18	·18	26
27		·17		·08					·14	·39		·02	27
28		·21		·14						·01	·01	–	28
29		X	·01	·10		·11	·10		·19	·19			29
30		X		·01	·17	·01			·03	·44			30
31		X	·01	X		X			X		X		31
Total	1″·90	0″·92	2″·40	1″·11	0″·78	2″·45	0″·22	0″·96	1″·32	6″·39	5″·48	5″·73	TOTAL for year 29·66
No. of Rain Days.	~~13~~	~~13~~	~~18~~	~~11~~	~~6~~	~~13~~	~~3~~	~~6~~	~~13~~	~~22~~	~~20~~	~~24~~	~~161~~

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

E.f. DL

FORM A.
BRITISH RAINFALL.
2 JAN 1913
289

Kept at Deal + Walmer, Water Works

in the County of Kent 2

by A. Mantle, Engineer

Lat. 51·12 N. Long. 1·23·E.
Time of Observation 9 a. m.
Nearest Railway Station Walmer
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·10			·30	·15		·07	·62		·28	1
2		·18	·11			·07	·06	·05		·13			2
3	·06	·02	·01		·01	·35		·07		·03		·03	3
4	·31		·57		·08	·58			·01	·06	·16	·01	4
5	·10	·17	·12			·11		·24			·15	·02	5
6	·56	·16			·09		·09	·82					6
7	·18		·04			·15		·17				·05	7
8	·20	·33	·20			·04		·11	·24				8
9			·03	·08			·07	·09				·05	9
10		·03						·13	·05		·03	·32	10
11	·02	·21				·09		·05	·10			·11	11
12		·25	·01					·29				·02	12
13		·15	·02			·02	·09	·13			·30	·01	13
14			·06		·09			·04	·04	·02	·05		14
15		·01	·07		·05	·59		·01			·03	·16	15
16	·19		·06		·15	·02		·04		·02	·01		16
17	·38		·63					·01				·05	17
18	·25		·30				·17	·09		·10	·07	·37	18
19	·03	·14	·25		·03		·24	·34			·01		19
20	·02	·01	·65					·04		·55	·01		20
21		·06	·49				·01	·06		·25	·04		21
22	·01	·23	·06		·01		·13	·03					22
23	·31	·10	·24		·02			·50		·08	·11	·01	23
24	·22	·03	·02				·21	·08		·06		·15	24
25	·06					·32	·11	·86			·26	·30	25
26							·11	·46		·21	·43	·58	26
27			·01				·32			·09	·02	·17	27
28				·02			·14	·11		·55	·15	·05	28
29				·07			·12	·14	·82	·11	·12	·01	29
30		X				·01		·10	2·09	·22	·01	–	30
31	·01	X	·02	X	·01	X	·19	·06	X		X		31
Total	2"·91	2"·08	4"·07	0"·17	0"·54	2"·65	2"·21	5"·12	3"·42	3"·10	1"·96	2"·75	YEAR'S TOTAL 30"·98
Rain Days.	~~17~~	~~16~~	~~23~~	~~3~~	~~10~~	~~13~~	~~16~~	~~28~~	~~8~~	~~16~~	~~18~~	~~20~~	~~188~~

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
2 JAN 1914

289

2

Kept at Deal & Walmer Water Works
in the County of Kent
by Mr A. Mantle

Lat. 51·12½ Long. 1·23 E.
Time of Observation 9 a.m.
Nearest Railway Station Walmer
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·42	·02	·04		·19					·18	·04	1
2	·01	·20					·30				·16		2
3			·03	·48	·20					·06		·14	3
4	·08		·01				·04		·04	·03	·04		4
5	·03			·01			·19		·11	·07	·05	·02	5
6	·04		·04			·06		·01	·01	·39	·31		6
7		·11	·05	·02		·02		·17		·42			7
8			·01	·03	·19	·02				·30	·19		8
9	·02			·02	·28		·02	1·67	·07		·03		9
10	·60		·01	·07			·01				·63		10
11				·44						·35	·04		11
12				·03				·02		·01	·35		12
13	·33							·07			·25		13
14	·07		·06	·02			·64		·79	·20	·13		14
15	·28	·01	·20	·10			·11						15
16	·32		·44	·31			·02		·37				16
17	·13	·03	·01	·04			·15		·32		·03	·16	17
18	·04		·13	·18			·03	·03	·24		·10		18
19	·07		·11		·03		·07	·06	·06				19
20	·58		·02	·11		·06				·29			20
21	·03		·07		·08		·02			·76	·96		21
22	·22		·04				·10		·01	·04			22
23			·02				·01			·01		·47	23
24			·06					·23			·01		24
25	·01			·22		·17							25
26	·01	·01	·16							·34		·24	26
27		·02	·01		·02					·18			27
28	·13		·18							·14		·02	28
29	·23	X	·09		·05			·04		·01		·42	29
30	·53	X	·14	·35	·11			·02		·05		·40	30
31		X	·33	X		X		·13	X	·05	X		31
Total	3·76	0·80	2·24	2·47	0·96	0·52	1·71	2·45	2·02	3·70	3·46	1·91	YEAR'S TOTAL 26·00
Rain Days.	~~21~~	~~7~~	~~24~~	~~17~~	~~8~~	~~6~~	~~14~~	~~14~~	~~10~~	~~19~~	~~16~~	~~9~~	~~172~~

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
2 - JAN 1915
269

Kept at Deal & Walmer Water Works
in the County of Kent. 2
by Mr. A. Mantle

Lat. 51·12 N. Long. 1·23 E.
Time of Observation 9 a.m.
Nearest Railway Station Walmer.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02							·04		·01	·20	·02	1
2	·01						·02				·01	·27	2
3			·05		·14		·07						3
4	·21		·01	·25				·06			·35	·50	4
5			·04	·36	·05		·15	·22			·01		5
6				·12	·03	·39	·03	·04			·01	·56	6
7		·42	·12	·02		·17		·01				·18	7
8	·10	·04	·46				·02	·03				·07	8
9	·19		·95	·12								1·00	9
10	·12			·05	·01							·05	10
11		·51	·45	·06	·01	·01			·23		·33	·30	11
12		·02	·07		·05				·34		·01	·32	12
13	·05	·35	·10						·12	·10	·02	·42	13
14	·01	·18	·33				·02			·34	·03	·64	14
15		·01	·30				·65	·02			·47	·05	15
16	·03	·17					·58		·08		·05		16
17		·17							·47	·21		·15	17
18		·11	·28							·27	·07	·59	18
19		·04	·57						·01	·15	·21	·36	19
20		·08	·48			·02	·04			·15		·46	20
21		·49	·07					·12		·02		·07	21
22		·01			·35	·27	1·75			·10		·07	22
23			·89		·13	·29	·01			·01		·09	23
24				·28	·01		·01			·02	·04	·04	24
25	·02		·05		·04					·56	·01		25
26	·09		·03				·14	·18			·16	·21	26
27			·06		·01					·02	·08	·78	27
28										·07	·49	·33	28
29	·02	X								·70	·14		29
30	·01	X	·02	·01						·08	·63	·01	30
31		X		X	·28	X			X		X	·14	31
Total	0·88	2·60	5·33	1·27	1·11	1·15	3·49	0·72	1·25	2·81	3·32	7·68	YEAR'S TOTAL 31·61
Rain Days.	13	14	20	9	12	6	13	9	6	16	20	26	164

W. 8,000. X. 14.

35³

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

9 - JAN 1916

289

Kept at Deal + Walmer Water Works
in the County of Kent 2
by Mr A. Mantle. (Engineer.)

Lat. 51·12 N. Long. 1·23 E.
Time of Observation 9 A.M.
Nearest Railway Station Walmer
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53	·12	·06						·47		·35	·20	1
2	·24	·29	·13	·04				·04	·02		·14	·01	2
3	·15		·05	·20	·06			·02	1·40			·56	3
4	·04			·01				·03		·29	·14	·34	4
5	·01	·13		·15			·11	·02		·47	·17	·44	5
6	·21	·31		·55			·04					·22	6
7	·25	·29	·14				·05					·25	7
8	·03	·07	·20	·01			·12					·55	8
9		·55	·13	·01			·12	·02		·05	·52	·77	9
10	·34											·01	10
11	·01									·01	·75		11
12	·01	·07		·28	·14					·06	·64		12
13	·09	1·09		·06	1·13								13
14	·04	·02					·31	·10				·31	14
15	·24				·02		·17	·35			·71	·24	15
16		·37		·05	·01		·96			·01	·04		16
17		·87			·93			·57				·43	17
18		·26	·04		·42					·11	·06	·11	18
19	·01	·02								·05		·01	19
20	·22	·23										·18	20
21	·15	·18								·03		·02	21
22	·01		·03			·01	·48					·24	22
23	·04	·19	·04			·03	·02				·01	·32	23
24	·26		·01	·24					·10	·08		·43	24
25	·01		·10	·02		·29	·41					·28	25
26	·02	·04		·02						·02	·02	·49	26
27			·01							·25	·13	·04	27
28		·09							1·05	·75		·01	28
29		X					·43	·56	·05	·13	·36	·03	29
30	·06	X				·08			·10	·05	·27		30
31	·08	X		X		X			X	·28	X	·38	31
Total	3·05	5·19	0·94	1·64	2·71	0·41	3·22	1·71	3·19	2·64	4·31	6·87	YEAR'S TOTAL 35·88
Rain Days.	24	19	12	13	7	4	12	9	7	16	15	26	164

W. 8,000. X. 15.

337

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917 28

Kept at Deal & Walmer Water Works
in the County of Kent
by A. Mantle · Engineer

Lat. 51·12·36 Long. 1·23 E.
Time of Observation 9 a.m
Nearest Railway Station Walmer
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08								·04		·17		1
2	·36	·07	·52		·15					·44			2
3		·25	·02						·02	·15	·24		3
4	·16	·05				·36				·04	·18		4
5	·03			·04	·03	·21	·20			·02	·72	·01	5
6		·07	·25	·20		·24	·12			·04	·76		6
7	·04	·02	·71		·34	·04	·20				·76	·02	7
8			·04		·07							·10	8
9			·01		·56	·11			·01			·12	9
10		·08		·04		·11				·02		·23	10
11	·02	·12	·07	·12		·06			·02			·10	11
12	·04	·02	·02	·06	·84	·32	·07			·09		·28	12
13		·16	·02	·07	·11	·06	·92			·02		·01	13
14		·63	·09	·07	·01	·01	·03	·22		·02	·04	·30	14
15		·10	·02					·01	·04			·03	15
16		·02	·02	·11			·04						16
17	·11			·04			·02	·21	·26	·75			17
18	·11	·10	·01	·07				·28	·11	·10	·73		18
19	·15	·01		·09				·03	·17	·02	·93	·07	19
20	·07		·04	·09				·07			·43	·36	20
21			·61	·23							·20	·38	21
22		·20	·20	·22								·65	22
23		·21	·13			·08		·03		·01	·04	·26	23
24			·01		·02					·39	·12	·31	24
25		·19	·18					·48		·20	·10	·01	25
26		·03	·01			·2[illegible]		·22		·04	·04		26
27	·01	·30	·70			·02		·03		1·21		·01	27
28		·52	·05			·01		·13	·19	·26		·10	28
29		·16	·01		·01	·30		·75	·04	·49		·23	29
30		×	·02					·24	·05	·46			30
31	·01	×		×		×			×	·08	×	·04	31
Total	1·19	3·31	3·76	1·45	2·14	2·13	1·60	2·70	0·95	4·85	5·46	3·62	YEAR'S TOTAL 33"·16
Rain Days.	13	21	24	14	10	15	8	13	11	21	15	21	186

W. 8,000, VIII. 16

33

Em OL

FORM A.
BRITISH RAINFALL
3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Deal & Walmer Water Works
in the County of Kent
by Mr A. Mantle - Engineer.

Lat. 51.12 N. Long. 1.23 E.
Time of Observation 9 a.m
Nearest Railway Station Walmer
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05				1·95	·10		·07	·02	1
2	·02			·41				·12		·05	·04		2
3	·02			·35				1·00		·08			3
4		·09	·06	·01			·06			·21			4
5	·18		·02						·09	·03	·02		5
6				·20		·04			·10		·27		6
7	·58		·01	·25			·03			1·02		·02	7
8	·45						·12	·55		·26	·29	·33	8
9	·44		·04					·01			·05	·87	9
10	·10		·09	·09				·12			·01	·01	10
11	·17	·06	·28	·25				·10	·02	·44			11
12	·17	·01	·02	·01						·11			12
13	·04		·10		·08		·01		·02	·12			13
14	·11		·01	·18			·03			·08	·01		14
15	·03				·19			·10		·02		·02	15
16	·09	·03		·05	·23					·12		·16	16
17	·31			·11	·39		·09		·09	·24		·16	17
18	·07			·09			·15		·08				18
19		·04	·11	·02		·16			·07				19
20		·22	·15		·04	·07	·17	·04			·10		20
21		·01	·03		·04	·39		·01			·03	·07	21
22			·09			·32		·12		·12		·12	22
23			·06		·07	·01		·07		·02		·02	23
24							·01	·05		·11	·04		24
25			·07									·01	25
26			·03					·07			·60	·15	26
27						·14		1·04				·22	27
28			·04			·48		·54				·03	28
29	·06	X	·04			·03	1·07	·13		·35		·14	29
30	·03	X	·12			·02	·38	·20		·20		·01	30
31	·07	X	·09	X		X	1·28	·01	X		X	·03	31
Total	2"·94	0"·46	1"·46	2"·07	1"·04	1"·66	3"·40	6"·23	0"·57	3"·58	1"·53	2"·39	YEAR'S TOTAL 27"·33
Rain Days.	~~18~~	~~7~~	~~20~~	~~14~~	~~7~~	~~10~~	~~12~~	~~19~~	~~8~~	~~18~~	~~12~~	~~18~~	~~163~~

W. 8,000, IX. 17.

~~5.80~~

Exe DL

28

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

8. 1. 19 289

Kept at Deal + Walmer Water Works

in the County of Kent

by Mr. A. Mantle - Engineer

Lat. 51·10 Long. 1·23

Time of Observation 9 A.M.

Nearest Railway Station Walmer

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17	·02							·06	·56	1
2		·02	·02					·34			·37	·11	2
3	·12		·02	·20	·03					·01	·57	·02	3
4		·04	·01	·04	·49			·03	·35		·53		4
5		·05			·51			·06	·03			·01	5
6	·08	·05		·05	·32			·04	·01	·02	·54		6
7	·01	·03		·03	·31				·65				7
8		·03		·01					·16	·02	·09		8
9	·01					·08			·60	·25		·24	9
10				·04			·10		·13	·01	·03	·20	10
11					·04				·50	·27	·07	·12	11
12		·04			·09		·03			·37			12
13	·13	·09			·22				·04				13
14	·23			·01		·05	·30		·14	·16		·05	14
15	1·38			·20			·01			·12		·11	15
16	·19			·09		·11	·01			·05			16
17	·20			·04			·24	·02				·42	17
18	·18			·02		·22			·50			·03	18
19	·16		·26	·06						·30		·01	19
20	·02	·05					·66		·20	·58			20
21	·08						·09		·07	·03		·05	21
22	·11			·01			·04		·45			·16	22
23	·03			·04	·14		·74	·06				·24	23
24		·16		·02	·10	·05	·01		·05		·18		24
25							·11					·01	25
26							·54	·35	·05	·04	·03	·07	26
27		·01		·08			·16	·11	·02		·01	·06	27
28		·03	·40					·05		·05	·15	·08	28
29		×		·02				·02	1·12		·05	—	29
30		×	·41						·13	·10		·04	30
31	·01	×	·04	×		×			×	·04	×	·22	31
Total	2"·94	0"·60	1"·33	0"·98	2"·25	0"·51	3"·04	1"·08	5"·20	2"·42	2"·68	1·93	YEAR'S TOTAL 24·96
Rain Days.	16	12	8	18	10	5	12	10	19	17	13	21	163

W. 6,500, VII. 18. w w c

312

289

3 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Deal & Walmer Water Works
in the County of Kent
by A. Mantle Engineer

Lat. 51·12 N. Long. 1·23 E.
Time of Observation 9 a.m.
Nearest Railway Station Walmer
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55	·06			·04		·20			·14		·47	1
2	·25	·01	·02		·11		·03				·15	·38	2
3	·22		·35		·02		·32		·02		·02	·17	3
4	·09		·26			·63	·27	·03		·06		·10	4
5	·21	·49	·90									·18	5
6	·21		·01							·01	·07	·08	6
7	·01		·29								·11	·02	7
8	·37		·05	·01			·01				·05		8
9	·14		·04	·08						·63	·90	·01	9
10	·13		·05								·11		10
11	·14		·12	·12	·01					·02	·05	·01	11
12	·17						·46			·02	·06		12
13	·01			·07			·01				·05		13
14	·41			·88			·46		·01				14
15	·10	·05		·48			·01			·05	·09	·02	15
16	·12	·51		·06							·10	·04	16
17		·57		·05							·17	·02	17
18		·05					·13		·02		·03	·11	18
19		·17	·28				·02		·08		·07		19
20	·29	·04	·07			·44	·47	·05		·01			20
21		·46	·01			·04	·10		·01			·01	21
22		·06	·26				·21		·46		·02	·36	22
23	·04			·23		·10	·10		·28		·02	·03	23
24				·25		·10	·03	·08			·24	·04	24
25	·06	·01			·03	·12		·45		·11			25
26		·13	·13	·13					·02		·31	·49	26
27	·10	·04	·11	·41				·12	·05	·03	·02	·05	27
28	·22	·02	·19	·26				·21	·16		·95	·19	28
29	·10	X		·13				·10		·28	·22	·09	29
30	·01	X	·01	·14				·18		·16	·11	·45	30
31	·11	X		X		X	·05	·01	X	·18	X	·03	31
TOTAL	4·06	2·67	3·15	3·30	0·21	0·83	2·88	1·23	1·11	1·10	3·92	3·35	YEAR'S TOTAL 27·81
Days with ·01 in. or more	24	15	18	15	5	6	17	9	10	13	23	23	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

EX9M2 290

8 JAN 1921

289

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Deal + Walmer Water Works
in the County of Kent
by Mr A. Mantle - Engineer + Manager

Lat 51·12·N Long 1·23 E
Time of Observation 9 a.m.
Nearest Railway Station Walmer
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·11	·03		·02		·02	·72	·01	·29	1
2				·35	·02		·02	·53	·05	·19		·16	2
3						·14			·02			·12	3
4		·04	·01	·13			·03	·06				·12	4
5				·10	·02		·34	·04	·04			·10	5
6			·09		·07		·13					·05	6
7	·02			·04	·10		·04			11		·05	7
8				·18	·01		·06						8
9	·26			·03	·20		·01	·01				·01	9
10	·23	·07	·01	·01							·02	·04	10
11	·33		·11	·18			·06					·08	11
12	·06	·02	·02	·25		·05	·42						12
13	·32	·04	·07	·02		·07					·08		13
14			·43	·19		·05				·04	·35		14
15			·01	·01					·20	·32	·24	·07	15
16						·06			·20			·20	16
17				·13	·06		·05		·19			·02	17
18	·07			·04	·19		·01	1·12	·77			·02	18
19	·21			·25				·18					19
20	·03	·16		·09		·42			·60				20
21		·04					·02	·01	·31			·21	21
22				·11				·02	·26			·20	22
23							·40					·20	23
24			·01		·02		·02		·10			·03	24
25		·01		·04			·22		·02				25
26	·10		·04	·02			·09					·03	26
27	·38	·06	·03	·19		·04					·23	·31	27
28	·25				·66		·20				·37	·02	28
29	·80		·10	·01	·47				·01		·18	·07	29
30	·02	✕		·05	·23		·05		·12		·16	·06	30
31	·04	✕		✕		✕			✕	·18	✕	·30	31
TOTAL	3·15	0·44	0·93	2·53	2·08	0·83	2·19	1·97	2·91	1·56	1·64	2·86	YEAR'S TOTAL 23·09
Days with ·01 in. or more	~~16~~	~~8~~	~~12~~	~~23~~	~~13~~	~~7~~	~~19~~	~~8~~	~~15~~	~~6~~	~~9~~	~~24~~	~~160~~ ✓
Days with ·04 in. or more	~~12~~	~~6~~	~~6~~	~~17~~	~~8~~	~~7~~	~~12~~	~~5~~	~~11~~	~~6~~	~~7~~	~~18~~	~~115~~ ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIS

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

DETLING

{THE CROFT}

KENT

1911-20

Kept at Detling, Th

in the County of W. K

by R. Cooke

n.

d ft. in.

evel ft.

ce Direction

IMPORTANT NOTE.—I result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "*Ru* ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·01	·98	·01		·01	·16			·03	·02	1
2	·06		·01	·04	·24						·10	·14	2
3	·16	·04		·01	·14						·05	·12	3
4	·35	·04	·10	·30					·02	1·38	·26	·19	4
5	·07	·03		·09						·29	·01	·16	5
6	·20	·01	·01	·01						·01		·28	6
7	·07		·03	·02						·87	·33	·30	7
8	·19		·11							·01	·48	·11	8
9	·25		·06	·07							·04	·06	9
10	·01	·08	·03	·06							·03	·74	10
11	·36		·09								·75	·01	11
12	·01		·74		·02	·09					·03	·01	12
13			·13		·45	·21			·51	·19	·03	·21	13
14		·09	·01		·27	·03				·01		·39	14
15		·03	·41							·02	·04	·02	15
16			·01			·33					·37	·06	16
17			·03			·01					·93	·13	17
18		·23	·04								·95	·17	18
19		·01	·01		·02	·10			·13	·40	·25	·14	19
20	·02					·02		·27	·22	·21	·01	·62	20
21	·03	·15						·10	·01	·55		·25	21
22	·01		·18			·04		·12		·15		·42	22
23	·01	·19	·12			1·00			·24	·07	·05	·14	23
24		·12				·21	·09			·32		·32	24
25		·06	·42	·05		·33		·03	·02	·01	·10	·01	25
26			·37	·28		·13				·21	·06	·20	26
27		·28	·06	·06					·16	·66		·07	27
28	·01	·11	·01	·12							·01	·01	28
29	·01		·01	·25		·13	·54		·23	·20	·01		29
30				·07				·03	·03	·22		·01	30
31													31
Total	1·95	1·47	3·00	2·41	1·15	2·63	·64	·71	1·57	5·78	4·92	5·31	TOTAL for year 31·54
No. of Rain Days	18	15	24	15	7	13	3	6	10	19	23	29	182

9,000, IX. '10.

DL

56

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Detling, The Croft
in the County of W. Kent 4
by R. Cooke

Old Gauge

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·01	·98	·01		·01	·16			·03	·02	1
2	·06		·01	·04	·24						·10	·14	2
3	·16	·04		·01	·14						·05	·12	3
4	·35	·04	·10	·30					·02	1·38	·26	·19	4
5	·07	·03		·09						·29	·01	·16	5
6	·20	·01	·01	·01						·01		·28	6
7	·07		·03	·02						·87	·33	·30	7
8	·19		·11							·01	·48	·11	8
9	·25		·06	·07							·04	·06	9
10	·01	·08	·03	·06							·03	·74	10
11	·36		·09								·75	·01	11
12	·01		·74		·02	·09					·03	·01	12
13			·13		·45	·21			·51	·19	·03	·21	13
14		·09	·01		·27	·03				·01		·39	14
15		·03	·41							·02	·04	·02	15
16			·01			·33					·37	·06	16
17			·03			·01					·93	·13	17
18		·23	·04								·95	·17	18
19		·01	·01		·02	·10			·13	·40	·25	·14	19
20	·02					·02		·27	·22	·21	·01	·62	20
21	·03	·15						·10	·01	·55		·25	21
22	·01		·18			·04		·12		·15		·42	22
23	·01	·19	·12			1·00			·24	·07	·05	·14	23
24		·12				·21	·09			·32		·32	24
25		·06	·42	·05		·33		·03	·02	·01	·10	·01	25
26			·37	·28		·13				·21	·06	·20	26
27		·28	·06	·06					·16	·66		·07	27
28	·01	·11	·01	·12							·01	·01	28
29	·01		·01	·25		·13	·54		·23	·20	·01		29
30				·07				·03	·03	·22		·01	30
31													31
Total	1·95	1·47	3·00	2·41	1·15	2·63	·64	·71	1·57	5·78	4·92	5·31	TOTAL for year 31·54 ✓
No. of Rain Days	18	15	24	15	7	13	3	6	10	19	23	29	182 ✓

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REG

DETLING
THE CROFT
KENT
1911. 13-20

Kept at Detling,

in the County of W.

by R. Cooke

in.

round ft. in.

Level ft.

me

stance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·01	1·01	·01	–	·01	·16		–	·03	·02	1
2	·06		·01	·04	·24			–			·10	·14	2
3	·16	·04			·14						·05	·12	3
4	·35	·04	·10	·31					·02	1·40	·27	·19	4
5	·07	·03		·09						·29	·01	·16	5
6	·20	·01	·01	·01						·01		·28	6
7	·07		·03	·02						·88	·34	·30	7
8	·19		·11							·01	·49	·11	8
9	·25		·06	·07							·04	·06	9
10	·01	·08	·03	·06							·03	·74	10
11	·37	—	·09								·75	·01	11
12	·01		·79		·02	·10					·03	·01	12
13			·13		·45	·21			·52	·19	·03	·21	13
14		·09	·01		·28	·03				·01		·39	14
15		·03	·42							·02	·04	·02	15
16			·01			·34					·37	·06	16
17			·03			·01					·93	·13	17
18		·23	·04								·96	·17	18
19		·01	·01		·02	·10			·13	·41	·25	·14	19
20	·02					·02		·27	·21	·21	·01	·63	20
21	·03	·16						·10	·01	·56		·25	21
22	·01		·18			·04		·12		·15		·42	22
23	·01	·19	·12			1·02			·24	·07	·05	·14	23
24		·12				·21	·09			·32		·33	24
25		·06	·43	·05		·34		·03	·02	·01	·10	·01	25
26			·38	·29		·13				·21	·06	·20	26
27		·28	·07	·06					·16	·68		·07	27
28	·01	·11	·01	·12							·01	·01	28
29	·01		·01	·25		·13	·54		·24	·20	·01		29
30				·07				·03	·03	·22		·01	30
31													31
Total	1·96	1·48	3·09	2·45	1·16	2·68	·64	·71	1·58	5·85	4·96	5·33	TOTAL for year 31·89 ✓
No. of Rain Days	18	15	24	14	7	13	3	6	10	19	23	29	181 ✓

9,000, IX. '10.

Dl 56

REGISTER OF RAINFALL IN 191

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Detling, The Croft

in the County of W. Kent 4

by R. Cooke

New Gauge

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·01	1·01	·01		·01	·16			·03	·02	1
2	·06		·01	·04	·24						·10	·14	2
3	·16	·04			·14						·05	·12	3
4	·35	·04	·10	·31					·02	1·40	·27	·19	4
5	·07	·03		·09						·29	·01	·16	5
6	·20	·01	·01	·01						·01		·28	6
7	·07		·03	·02						·88	·34	·30	7
8	·19		·11							·01	·49	·11	8
9	·25		·06	·07							·04	·06	9
10	·01	·08	·03	·06							·03	·74	10
11	·37		·09								·75	·01	11
12	·01		·79		·02	·10					·03	·01	12
13			·13		·45	·21			·52	·19	·03	·21	13
14		·09	·01		·28	·03				·01		·39	14
15		·03	·42							·02	·04	·02	15
16			·01			·34					·37	·06	16
17			·03			·01					·93	·13	17
18		·23	·04								·96	·17	18
19		·01	·01		·02	·10			·13	·41	·25	·14	19
20	·02					·02		·27	·21	·21	·01	·63	20
21	·03	·16						·10	·01	·56		·25	21
22	·01		·18			·04		·12		·15		·42	22
23	·01	·19	·12			1·02			·24	·07	·05	·14	23
24		·12				·21	·09			·32		·33	24
25		·06	·43	·05		·34		·03	·02	·01	·10	·01	25
26			·38	·29		·13				·21	·06	·20	26
27		·28	·07	·06					·16	·68		·07	27
28	·01	·11	·01	·12							·01	·01	28
29	·01		·01	·25		·13	·54		·24	·20	·01		29
30				·07				·03	·03	·22		·01	30
31													31
Total	1·96	1·48	3·09	2·45	1·16	2·68	·64	·71	1·58	5·85	4·96	5·33	TOTAL for year 31·89 ✓
No. of Rain Days	18	15	24	14	7	13	3	6	10	19	23	29	181 ✓

9,000, IX. '10.

Il

Sx. HEb

62

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Detling

in the County of Kent 4

by R. Cooke

Old Range

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·04	·03		·17	·14		·04	·68		·18	1
2		·07	·30	·01		·01	·18	·06	·01	·11		·01	2
3	·10	·10	·03		·10	·17	·01	·17			·01	·05	3
4	·19		·44		·15	·28					·16		4
5	·08	·04	·18			·05		·28			·24	·01	5
6	·44	·07			·02			·34			·01	·07	6
7		·01	·01		·09	·78		·10				·02	7
8	·25	·23	·19			·18		·08	·05		·01	·03	8
9		·01	·01	·01		·03	·21	·15			·02	·11	9
10	·01	·03	·01					·16	·09		·07	·23	10
11	·03	·20	·01			·19		·06	·07			·22	11
12	·01	·14	·01		·15	·28	·02	·34			·02	·03	12
13	·01	·04	·01				·02	·01			·29	·01	13
14					·01			·07	·01	·06	·03		14
15		·01	·08		·28	·67		·02			·07	·31	15
16	·14	·01	·03		·03	·08		·07		·06	·01		16
17	·64		·33			·04		·04			·11	·12	17
18	·04		·29				·01	·05		·07	·02	·09	18
19	·03	·19	·13				·15	·49			·01		19
20	·01	·01	·40	·03	·02	·02		·14		·44			20
21	·01	·04	·55				·01	·07		·23	·14		21
22	·09	·21	·03		·03		·07	·11			·01	·01	22
23	·60	·28	·25		·12			·40		·05	·18	·07	23
24	·04	·03	·01		·04	·29		·17			·01	·09	24
25	·05					·20		·94			·37	·34	25
26	·03					·04		·45		·32	·15	·47	26
27			·01				·06			·07	·01	·12	27
28		·05					·06	·02	·03	·54	·39	·26	28
29				·02		·02	·05	·20	1·32	·25	·20		29
30					·08	·01	·02	·17	1·46	·28			30
31			·05		·03		·19	·15					31
Total	2·81	1·77	3·40	·10	1·15	3·51	1·20	5·31	3·08	3·16	2·54	2·85	TOTAL for year 30·88
No. of Rain Days.	21	20	24	5	14	19	15	28	9	13	24	22	214

W. 8,000, X. '11.

8L ✓ Rox. H86 62

FORM A2. BRITISH RAINFALL.

22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Detling

in the County of Kent 4

by R. Cooke New Gauge

RAIN GAUGE: Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
„ „ „ Sea Level ____ ft.

Time of Observation

Nearest Railway Station: Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·04	·03		·17	·14		·04	·69		·18	1
2		·08	·30	·01		·01	·18	·06	·01	·12		·01	2
3	·10	·11	·03		·10	·17	·01	·17			·01	·05	3
4	·19		·45		·15	·28					·16		4
5	·08	·04	·18			·05		·28			·24	·01	5
6	·44	·07			·02			·34			·01	·07	6
7		·01	·01		·09	·79		·10				·02	7
8	·25	·23	·19			·18		·08	·05		·01	·03	8
9		·01	·01	·01		·03	·21	·15			·02	·11	9
10	·01	·03	·01					·16	·09		·07	·23	10
11	·03	·20	·01			·19		·06	·07			·22	11
12	·01	·14	·01		·15	·29	·02	·34			·02	·03	12
13	·01	·04	·01				·02	·01			·30	·01	13
14					·01			·07	·01	·07	·03		14
15		·01	·08		·28	·68		·02			·07	·32	15
16	·14	·01	·03		·03	·08		·07		·06	·01		16
17	·64		·33			·04		·04			·11	·12	17
18	·04		·29				·01	·05		·07	·02	·09	18
19	·03	·19	·13				·15	·49			·01		19
20	·01	·01	·40	·03	·02	·02		·14		·45			20
21	·01	·04	·54				·01	·07		·23	·14		21
22	·09	·21	·03		·03		·07	·11			·01	·01	22
23	·60	·28	·25		·12			·40		·05	·18	·07	23
24	·04	·03	·01		·04	·30		·17			·01	·09	24
25	·05					·20		·95			·38	·35	25
26	·03					·04		·45		·32	·15	·48	26
27			·01				·06			·07	·01	·13	27
28		·05					·06	·02	·03	·55	·40	·27	28
29				·02		·02	·05	·20	1·33	·25	·20		29
30					·08	·01	·02	·17	1·45	·28			30
31	·02		·05		·03		·19	·15					31
Total	2·83	1·79	3·40	·10	1·15	3·55	1·20	5·32	3·08	3·21	2·57	2·90	TOTAL for year 31·10
No. of Rain Days.	22	20	24	5	14	19	15	28	9	13	24	22	215

W. 8,000, X. '11.

82. Oct refer 7.XI.13
– confirm. 11.XI.13

69

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Detling, The Croft

in the County of Kent 4

by R. Cooke

Old Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01	·29	·03	·26		·02				·10	·04	·06	1
2	·03	·17		·01			·33		·05		·06	·01	2
3	·01	·01	·05	·77	·32				·01	·01	·01	·11	3
4	·10			·04	·01		·06		·03		·03	·01	4
5	·19	·02				·10	·28		1·23	·19	·17	·04	5
6	·22	·03	·09		·02	·05	·06		·04	·34	·12		6
7	·01	·07	·06			·01	·10	·28		·20	·05		7
8		·02	·05		·06	·02			·01	·27	·04	·01	8
9		·09	·01	·03	·07		·01	·34	·08	·01	·02	·02	9
10	·01		·03	·06			·36	·04			·70		10
11	·38			·45						·54	·25		11
12					·02					·01	·98	·01	12
13	·44		·01					·09	·01		·30		13
14	·07	·01	·06	·08			·62	·02	·01	·19	·12		14
15	·05		·20	·10			·68		·02	·01	·01	·01	15
16	·22	·01	·39	·17			·09		·58				16
17	·01	·10	·04	·09			·37	·02				·05	17
18	·01		·05	·18			·01		·08		·03		18
19	·12		·14		·01		·13	·01	·16			·02	19
20	·57		·03	·06		·24			·03	·96			20
21	·03		·26	·06			·07			1·25	·91		21
22	·27		·16	·12	·01		·11	·04	·08	·01	·01	·02	22
23	·01		·25			·01	·03	·08	·02	·02	·01	·45	23
24	·04		·04	·01		·02		·01			·02		24
25				·15		·13				·01	·01	·01	25
26		·01	·15			·01	·03	·05		1·56	·01	·26	26
27		·05	·03		·43		·01			·16			27
28	·14		·22	·05						·24			28
29	·19		·02	·27	·12			·03		·08			29
30	·33			·19	·11			·09		·05		·02	30
31	·01		·06					·38	·02	·08			31
Total	3·47	·88	2·43	3·15	1·18	·61	3·35	1·48	2·46	6·29	3·90	1·11	YEAR'S TOTAL 30·31
Rain Days.	25	13	24	20	11	10	18	14	17	22	22	16	212

W. 7,500, XI. ·12

81 Oct refer? 7. XI. 13
~ confirm? 11. XI. 13

69

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Detling, The Croft
in the County of Kent 4
by R. Cooke New Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.30	.03	.26		.02				.10	.04	.06	1
2	.03	.17		.01			.33		.05		.06	.01	2
3	.01	.01	.05	.77	.33				.01	.01	.01	.11	3
4	.10			.04	.01		.06		.03		.03	.01	4
5	.19	.02				.11	.29		1.24	.20	.17	.04	5
6	.22	.03	.09		.02	.05	.06		.04	.35	.12		6
7	.01	.07	.06			.01	.10	.29		.21	.05		7
8		.02	.05		.06	.02			.01	.27	.04	.01	8
9		.09	.01	.03	.07		.01	.34	.08	.01	.02	.02	9
10	.01		.03	.06			.36	.04			.71		10
11	.39			.47						.55	.25		11
12					.02					.01	.99	.01	12
13	.45		.01					.09	.01		.30		13
14	.07	.01	.06	.08			.63	.02	.01	.19	.13		14
15	.05		.21	.11			.69		.02	.01	.01	.01	15
16	.22	.01	.39	.17			.09		.59				16
17	.01	.10	.04	.10			.37	.02				.05	17
18	.01		.06	.18			.01		.08		.03		18
19	.12		.14		.01		.13	.01	.16			.02	19
20	.58		.03	.06		.25			.03	.98			20
21	.03		.26	.06			.07			1.26	.93		21
22	.27		.16	.13	.01		.11	.04	.08	.01	.01	.02	22
23	.01		.25			.01	.03	.08	.02	.02	.01	.46	23
24	.04		.04	.01		.02		.01			.02		24
25				.15		.13				.01	.01	.01	25
26		.01	.16			.01	.03	.05		1.57	.01	.26	26
27		.05	.03		.44		.01			.16			27
28	.14		.22	.05						.24			28
29	.20		.02	.27	.12			.03		.08			29
30	.34			.19	.12			.09		.05		.02	30
31	.01		.06					.38	.02	.08			31
Total	3.52	.89	2.46	3.20	1.21	.63	3.38	1.49	2.48	6.37	3.95	1.12	YEAR'S TOTAL 30.70
Rain Days.	25	13	24	20	11	10	18	14	17	22	22	16	212

W. 7,500, XI. 12

Dl

Ex LMCC

5·5

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Detling, The Croft

in the County of Kent 4

by R. Cooke Old Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09			·02	·03			·04	·04	1
2				·01		·01	·12	·01			·10	·18	2
3			·18	·02	·14		·04				·01		3
4			·08	·20	·02			·02			·27	·22	4
5	·10	·01	·04	·29	·20		·20	·19			·01		5
6		·04	·01	·14	·02	·20	·01	·02			·01	·17	6
7	·01	·29	·25	·18	·04	·33	·05					·15	7
8	·09	·38	·20	·06		·03	·07	·05				·09	8
9	·24		1·17	·09					·04			2·42	9
10	·01	·01	·01	·05	·07					·03	·02	·15	10
11		·35	·31	·04		·05			·20		·12	·27	11
12	·04	·06	·10		·01		·19		·26	·01	·01	·47	12
13	·03	·16	·23	·01					·20	·05	·08	·51	13
14		·13	·22				·04		·01	·41	·04	·20	14
15	·02	·02	·23				·27	·02		·01	·71	·08	15
16	·06	·04	·03						·04	·01	·02	·01	16
17		·22	·11						·05			·03	17
18		·18	·10						·01	·01	·01	·28	18
19		·07	·96				·05		·01	·12	·19	·10	19
20		·09	·18			·07	·01		·01	·31	·01	·18	20
21		·70	·08	·01		·05		·06		·02	·03	·14	21
22		·02	·01	·01	·10	·03	·21	·03		·26	·01	·02	22
23			·42		·35	·19	·01			·04		·22	23
24		·01	·02	·10			·01			·01	·07	·13	24
25	·05		·39		·02		·03	·03		·30	·01	·02	25
26			·08				·02	·12		·05	·21	·34	26
27	·05		·04				·02	·02		·01	·06	·33	27
28	·02	·02			·02		·11			·15	·48	·60	28
29	·02		·01							·97	·12	·01	29
30			·03							·14	·78	·09	30
31					·28		·01					·04	31
Total	·74	2·80	5·49	1·30	1·27	·96	1·49	·60	·83	2·91	3·42	7·49	YEAR'S TOTAL 29·30
Rain Days.	13	19	27	15	12	9	20	12	10	19	25	29	210

W.7,000, XI. 13

8L

exLMce

55

FORM A. BRITISH RAINFALL

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Detling, The Croft

in the County of Kent 4

by R. Cooke New Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09			·02	·03			·04	·05	1
2				·01		·01	·12	·01			·10	·19	2
3			·19	·02	·14		·04				·01		3
4			·08	·20	·02	—		·02			·27	·23	4
5	·10	·01	·04	·30	·20		·20	·19			·01		5
6		·04	·01	·14	·02	·20	·01	·02		—	·01	·17	6
7	·01	·30	·26	·18	·04	·33	·05					·15	7
8	·09	·39	·21	·06		·03	·07	·05				·09	8
9	·25		1·20	·09					·04			2·43	9
10	·01	·01	·01	·05	·07	—				03	·02	·15	10
11		·36	·31	·04		·05			·22		·12	·27	11
12	·04	·06	·10		·01		·19		·27	·01	·01	·47	12
13	·03	·17	·24	·01					·20	·05	·08	·53	13
14		·14	·22				·04		·01	·41	·04	·20	14
15	·02	·02	·23				·28	·02		·01	·71	·08	15
16	·06	·04	·03						·04	·01	·02	·01	16
17		·22	·12						·05			·03	17
18		·18	·10						·01	·01	·01	·29	18
19		·07	·98				·05		·01	·12	·19	·10	19
20		·10	·18			·07	·01		·01	·31	·01	·18	20
21		·71	·08	·01		·05		·06		·02	·03	·14	21
22		·02	·01	·01	·10	·03	·21	·03		·26	·01	·02	22
23			·43		·35	·20	·01			·04		·23	23
24		·01	·02	·10			·01			·01	·07	·14	24
25	·06		·40		·02		·03	·03		·31	·01	·02	25
26			·08				·02	·13		·05	·22	·35	26
27	·05		·04				·02	·02		·01	·06	·35	27
28	·02	·02			·02		·11			·15	·49	·61	28
29	·02		·01							·97	·13	·01	29
30			·03							·14	·81	·09	30
31					·28		·01					·04	31
Total	·76	2·87	5·61	1·31	1·27	·97	1·50	·61	·86	2·92	3·48	7·62	YEAR'S TOTAL 29·78
Rain Days.	13	19	27	15	12	9	20	12	10	19	25	29	210

W.7,000, XI. 13

Jl

442
52

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Detting E 5th
4
in the County of Kent
by R. Cooke Old Gauge

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·55	·08	·12					·04	·30	·02	·73	·38	1
2	·18	·15	·18	·05	·01			·41		·02	·02	·02	2
3	·37	·01	·05	·19	·04			·44	·15		·02	·45	3
4	·04		·01	·01				·14		·02	·01	·49	4
5	·03	·25						·09		·09	·06	·35	5
6	·26	·13	·01	·32			·25				·01	·03	6
7	·28	·25	·06				·06	·02				·39	7
8	·03	·49	·05	·04			·46	·06			·03	·01	8
9	·02	·26		·04		·03		·16			·40	·52	9
10	·28	·01	·01			·03						·62	10
11	·04	·01	·01							·01	·56	·01	11
12	·06	·09		·36	·38			·02		·02	·71		12
13	·09	·74		·10	1·14						·01		13
14	·06	·07			·01		·20	·11	·07			·23	14
15	·15	·01			·06		·02	·13			·41	·20	15
16	·03	·24		·06	·02		·79	1·20				·02	16
17	·01	·37			1·37		·06	·03			·02	·37	17
18		·11	·09		·65						·09		18
19	·01	·03					·01			·07	·01	·01	19
20	·28	·01	·01	·01	·02			·05				·32	20
21	·15	·03								·01		·06	21
22	·08	·02	·02	·01			·84					·18	22
23	·02	·18	·18				·14			·12		·37	23
24	·01		·01	·12			·23		·30	·05		·50	24
25			·15	·24			·28			·11		·20	25
26	·05	·04	·01	·01		·08						·33	26
27		·03	·11			·04	·13			·30		·04	27
28	·02		·10			·35			2·08	·26			28
29			·03		·04	·99	·36	·16	·02	·01	·47	·04	29
30	·06	✕							·04	·02	·37	·02	30
31	·06	✕		✕		✕		·25	✕	·46	✕	·22	31
Total	3·22	3·61	1·21	1·56	3·74	1·52	3·83	3·31	2·96	1·59	3·93	6·38	YEAR'S TOTAL 36·86
Rain Days.	27	24	19	14	11	6	14	16	7	16	17	27	198

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Detling Ecth
in the County of Kent 4
by R. Cooke New Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.57	.08	.12					.04	.30	.02	.75	.40	1
2	.19	.16	.18	.05	.01			.43		.02	.02	.02	2
3	.38	.01	.05	.19	.04			.45	.15		.02	.46	3
4	.04		.01	.01				.14		.02	.01	.50	4
5	.03	.26						.09		.09	.06	.37	5
6	.26	.13	.01	.33			.26				.01	.03	6
7	.28	.26	.06				.06	.02				.40	7
8	.03	.50	.05	.04			.48	.06			.03	.01	8
9	.02	.27		.04		.03		.16			.41	.53	9
10	.29	.01	.01			.03						.64	10
11	.04	.01	.01							.01	.57	.01	11
12	.06	.09		.37	.39			.02		.02	.73		12
13	.09	.76		.10	1.15						.01		13
14	.07	.07			.01		.20	.12	.07			.25	14
15	.16	.01			.06		.02	.13			.42	.21	15
16	.03	.26		.06	.02		.82	1.15				.02	16
17	.01	.39			1.37		.06	.03			.02	.38	17
18		.11	.10		.66						.09		18
19	.01	.03					.01			.07	.01	.01	19
20	.28	.01	.01	.01	.02			.05				.33	20
21	.15	.03								.01		.06	21
22	.09	.02	.02	.01			.88					.18	22
23	.02	.20	.18				.14			.12		.38	23
24	.01		.01	.12			.23		.30	.05		.52	24
25			.15	.24			.28			.11		.21	25
26	.05	.04	.01	.01		.08						.34	26
27		.03	.11			.04	.13			.30		.04	27
28	.02		.10			.36			2.08	.28			28
29			.03		.04	.97	.37	.16	.02	.01	.48	.04	29
30	.06								.04	.02	.37	.02	30
31	.06							.25		.46		.22	31
Total	3.30	3.74	1.22	1.58	3.77	1.51	3.94	3.30	2.96	1.61	4.01	6.58	YEAR'S TOTAL 37.52
Rain Days.	27	24	19	14	11	6	14	16	7	16	17	27	198

W. 8,000. X. 14.

Dh ✓ Ex Dh 429

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Detling, The Croft

in the County of Kent

by R. Cooke Old Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·01		·03				·04	·07	·32		1
2	·28	·05	·67		·06					·30	·01		2
3	·01	·41	·34		·01	·01	·02		·10	·31	·41		3
4	·16	·12	·01	—	·01	·19			·05	·02	·49		4
5	·02	·01	·01		·06	·35	·06		·01	·03	·42	·02	5
6	·02	·04	·27	·58	·02	·21	·23			·02	·26		6
7	·05	·02	1·12		·19	13	·04				·64	·03	7
8			·01		·24						·01	·27	8
9	01		·05		·32	·02				·01		·20	9
10		·09	·09	·06	·01	·36	·34		·04	·02	·01	·58	10
11	·03	·26	·03	·13		·16	·01		·03			·06	11
12	·04	·06	·01	·07	·42	·25	·03			·09	01	·01	12
13	·03	·32	·25	·12	·32	·24	·15	·03		·07			13
14		·40	·03	·01	·07	·01		·01	·02		·01	·29	14
15		·16	·12	·01			·06	·32	·01			·06	15
16	·01	·07	·08	·19			·35	·04			—	·01	16
17	14	·07	·01	·05			·15	·06	·33	·63	·02	·01	17
18	·01	·12	·02	·07				·04	·03	·16	·75	·01	18
19	10	·02	·04	·05		·09			·19	·05	·52	·04	19
20	·07		·10	·11					·01		·06	·40	20
21	·01		·97	·19							·02	·23	21
22	02	·02	·30	·04		·03	·01			·01	·01	·44	22
23	·01	·30	·10			·21	·01	·03			·03	·04	23
24	·02		·04			·02		·02		·29	·04	·34	24
25		·66	·17	—	·02			·30		·12	·02	·01	25
26	·01	·21	·02			·09				·16	·06	·01	26
27	·05	·22	·63			·01		·34	·02	·25	·01	·01	27
28	·01	·33	·23		·04	·04		·05	·09	·02	·01	·14	28
29		·10	·01			·14		·78	·01	·38		·21	29
30	·01	X						·49		·24		·01	30
31		X		X		X		·05	X	·18	X	·04	31
Total	1·20	4·06	5·74	1·68	1·82	2·56	1·46	2·56	·98	3·43	4·14	3·47	YEAR'S TOTAL 33·10
Rain Days.	24	23	29	14	15	19	13	14	15	22	23	25	236

W. 8,000. X. 15.

8L ✓ Exe DL 430 57

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Detling The Croft

in the County of Kent

by R Cooke New Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·01		·03				·04	·07	·32		1
2	·30	·05	·69		·06					·30	·01		2
3	·01	·50	·34		·01	·01	·02		·10	·32	·42		3
4	·17	·13	·01		·01	·20			·05	·02	·50		4
5	·02	·01	·01		·06	·36	·06		·01	·03	·48	·02	5
6	·02	·05	·29	·60	·02	·21	·24			·02	·31		6
7	·05	·02	1·15		·19	·13	·04				·67	·03	7
8			·01		·25						·01	·27	8
9	·01		·05		·34	·02				·01		·20	9
10		·09	·09	·06	·01	·36	·35		·04	·02	·01	·58	10
11	·03	·26	·03	·13		·16	·01		·03			·06	11
12	·04	·06	·01	·07	·43	·25	·03			·09	·01	·01	12
13	·03	·34	·25	·12	·32	·24	·15	·03		·07			13
14		·41	·03	·01	·07	·01		·01	·02		·01	·29	14
15		·17	·12	·01			·06	·32	·01			·06	15
16	·01	·07	·08	·19			·35	·04				·01	16
17	·15	·07	·01	·05			·15	·06	·34	·64	·02	·01	17
18	·01	·12	·02	·07				·04	·03	·16	·75	·01	18
19	·10	·02	·04	·05		·09			·19	·05	·53	·03	19
20	·08		·10	·11					·01		·06	·41	20
21	·01		·98	·19							·02	·23	21
22	·02	·02	·30	·04		·03	·01			·01	·01	·44	22
23	·01	·31	·10			·21	·01	·03			·03	·04	23
24	·02		·04			·02		·02		·29	·04	·34	24
25		·68	·18		·02			·30		·12	·02	·01	25
26	·01	·22	·02			·09				·16	·06	·01	26
27	·05	·22	·65			·01		·35	·02	·26	·01	·01	27
28	·01	·33	·24		·04	·04		·05	·09	·02	·01	·14	28
29		·10	·01			·15		·79	·01	·39		·21	29
30	·01	X						·50		·24		·01	30
31		X		X		X		·05	X	·18	X	·04	31
Total	1·25	4·25	5·86	1·70	1·86	2·59	1·48	2·59	·99	3·47	4·31	3·47	YEAR'S TOTAL 33·82
Rain Days.	24	23	29	14	15	19	13	14	15	22 ~~22~~	23	25	236

W. 8,000. X. 15.

411
~~115~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Detling The Croft
in the County of Kent
by R. Cooke Old Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·02	·02	·30				2·00	·05		·07	·03	1
2				·14				·56			·03		2
3	·02			·12			·04	1·33		·07	·02		3
4			·15				·14	·01		·41			4
5	·16	·01	·03	·31					·15	·16	·01		5
6	·01			·09		·12			·08	·02	·11		6
7	·23						·04			·80		·04	7
8	·06			·07			·49	·03	·01	·30	·20	·27	8
9	·01		·04	·15			·24	·05	·01		·02	1·54	9
10	·12		·09	·08			·01	·06				·01	10
11	·18	·05	·39	·34				·06	·12	·28			11
12	·06	·07	·03	·02	·02			·13		·45	·01	·01	12
13	·04	·01	·07	·04				·03	·01	·27	·01	·01	13
14	·10		·04	·23				·05					14
15	·15		·01	·01			·08	·02		·03		·01	15
16	·20	·09		·14	·30		·05			·14		·67	16
17	·01	·03		·17	·48		·22	·01	·20	·10			17
18	·08	·02		·13	·02		·07	·09	·12		·01		18
19	·01	·06	·08	·01	·16	·09		·01	·17				19
20	·02	·12	·07		·70	·02	·29	·07	·02		·06		20
21		·02	·04		·07	·01		·01			·02	·03	21
22		·01	·15			·44		·11		·15		·02	22
23		·07	·04		·22	·02		·12		·01		·05	23
24		·01				·04		·06		·10		·06	24
25		·01	·04			·08				·02	·04		25
26			·08			·01		·22	·01	·04	·79	·01	26
27			·01			·02		·82					27
28		·02	·03			·99	·06	·25				·09	28
29	·01		·10		·39	·23	·30	·02		·31	·01	·22	29
30	·08	✕	·28			·02	2·93	·08		·13		·04	30
31	·03	✕	·11	✕		✕	1·22		✕	·02	✕		31
Total	1·59	·62	1·90	2·35	2·36	2·09	6·18	6·20	·95	3·81	1·41	3·11	YEAR'S TOTAL 32·57
Rain Days.	21	16	22	17	9	13	15	25	12	20	15	17	202

W. 8,000, VIII. 16

Dl ✓

Eye 81

412
48

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Detling The Croft

in the County of Kent

by R. Cooke New Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·02	·02	·30				2·00	·05		·07	·03	1
2				·14				·56			·03		2
3	·02			·12			·04	1·35		·07	·02		3
4			·15				·14	·01		·41			4
5	·16	·01	·03	·31					·15	·16	·01		5
6	·01			·09		·12			·08	·02	·11		6
7	·23						·04			·80		·04	7
8	·06			·07			·49	·03	·01	·30	·20	·27	8
9	·01		·04	·15			·24	·05	·01		·02	1·54	9
10	·12		·09	·08			·01	·06				·01	10
11	·18	·05	·39	·34				·06	·12	·28			11
12	·06	·07	·03	·02	·02			·13		·45	·01	·01	12
13	·04	·01	·07	·04				·03	·01	·27	·01	·01	13
14	·10		·04	·23				·05					14
15	·16		·01	·01			·08	·02		·03		·01	15
16	·20	·09		·14	·30		·05			·14		·68	16
17	·01	·03		·17	·48		·22	·01	·20	·10			17
18	·08	·02		·13	·02		·07	·09	·12		·01		18
19	·01	·06	·08	·01	·16	·09		·01	·17				19
20	·02	·12	·07		·71	·02	·29	·07	·02		·06		20
21		·02	·04		·07	·01		·01			·02	·03	21
22		·01	·15			·44		·11		·15		·02	22
23		·07	·04		·22	·02		·12		·01		·05	23
24		·01				·04		·06		·10		·06	24
25		·01	·04			·08				·02	·04		25
26			·08			·01		·22	·01	·04	·80	·01	26
27			·01			·02		·83					27
28		·02	·03			·99	·06	·25				·09	28
29	·01		·10		·39	·23	·30	·02		·32	·01	·22	29
30	·08	✕	·28			·02	2·96	·08		·13		·04	30
31	·03	✕	·11	✕		✕	1·22		✕	·02	✕		31
Total	1·60	·62	1·90	2·35	2·37	2·09	6·21	6·23	·95	3·82	1·42	3·12	YEAR'S TOTAL 32·68
Rain Days.	21	16	22	17	9	13	15	25	12	20	15	17	202

W. 8,000, VIII. 16

8·39

106
#7

FORM A.
BRITISH RAINFALL.

27 · 1 19

REGISTER OF RAINFALL IN 1918

Kept at Detling, The Croft
in the County of Kent
by R. Cooke

Old Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·01	·10	·01							·11	·06	1
2		·01	·01	·03				·27			·23	·11	2
3		·02	·08	·03	·29			·04		·04	·53	·02	3
4		·04	·04	·01	·12			·05	·48		·43	·01	4
5		·12	·01		·26			·05	·05	·03		·02	5
6	·21	·11		·15	·34			·02	·06	·04	·03	·04	6
7	·10	·03		·04	·35			·01	·23	·11		·01	7
8		·11		·01	·01			·01	·13	·01	·13	·06	8
9	·05	·02		·02		·18	·06		·37	·22	·01	·13	9
10	·01	·01		·17		·04	·23		·22	·05	·02	·24	10
11	·02			·02	·03		·07		·02	·74	·09	·10	11
12		·09			·14		·11		·02	·14		·01	12
13	·12	·05		·05	·08		·04		·08				13
14	·11	·01	·01	·02	·02	·12	·08		·09	·23		·14	14
15	1·13			·80		·09	·25			·05		·19	15
16	·27			·25		·11	·27		·03				16
17	·21	·01		·19	·01		·11	·02				·26	17
18	·31			·02		·25			·48	·09		·07	18
19	·10		·14	·12		·08	·01		·11	·42	·01	·09	19
20	·05	·08		·23		·02	·89	·01	·14	·70	·01	·08	20
21	·15	·01		·01		·02	·13		·47	·05			21
22	·06			·02			·13		·74		·01	·14	22
23	·04	·01			·07	·01	·56	·04			·02	·04	23
24	·01	·28		·02	·13	·09	·01		·16		·04		24
25		·01				·06	·30	·25		·01	·03	·02	25
26							·42	·10	·04	·07	·10	·11	26
27	·01	·01		·35			·80	·14	·04	·01	·07	·04	27
28	·01	·03	·23	·01		·02	·01	·16		·02	·35	·08	28
29	·01		·01	·05					1·20		·04		29
30	·01	X	·39						·14	·03		·05	30
31	·02	X		X		X			X	·03	X	·02	31
Total	3·04	1·07	1·02	2·63	1·85	1·09	4·48	1·17	5·30	3·09	2·26	2·14	YEAR'S TOTAL 29·14
Rain Days.	23	21	10	24	13	13	19	14	22	21	19	26	225

W. 8,000, VIII. 16

81

107
~~47~~

FORM A.
BRITISH RAINFALL.

27·1·18

REGISTER OF RAINFALL IN 1918

Kept at Detling, The Croft
in the County of Kent
by R. Cooke

New Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·01	·10	·01							·11	·06	1
2		·01	·01	·03				·27			·23	·11	2
3		·02	·08	·03	·29			·04		·04	·54	·02	3
4		·04	·04	·01	·12			·05	·48		·43	·01	4
5		·12	·01		·26			·05	·05	·03		·02	5
6	·21	·11		·15	·34			·02	·06	·04	·03	·04	6
7	·10	·03		·04	·35			·01	·23	·11		·01	7
8		·11		·01	·01			·01	·13	·01	·13	·06	8
9	·05	·02		·02		·18	·06		·37	·22	·01	·13	9
10	·01	·01		·17		·04	·23		·22	·05	·02	·24	10
11	·02			·02	·03		·07		·02	·74	·09	·10	11
12		·09			·14		·11		·02	·14		·01	12
13	·12	·05		·05	·08		·04		·08				13
14	·11	·01	·01	·02	·02	·12	·08		·09	·23		·14	14
15	1·14			·81		·09	·25			·05		·19	15
16	·28			·25		·11	·28		·03				16
17	·21			·19	·01		·11	·02				·27	17
18	·31			·02		·25			·48	·09		·07	18
19	·10		·14	·12		·08	·01		·11	·43	·01	·09	19
20	·05	·08		·23		·02	·89	·01	·14	·71	·01	·08	20
21	·15	·01		·01		·02	·13		·47	·05			21
22	·06			·02			·13		·74		·01	·14	22
23	·04	·01			·07	·01	·57	·04			·02	·04	23
24	·01	·28		·02	·13	·09	·01		·16		·04		24
25		·01				·06	·30	·25		·01	·03	·02	25
26							·42	·10	·04	·07	·11	·11	26
27	·01	·01		·36			·81	·14	·04	·01	·07	·04	27
28	·01	·03	·23	·01		·02	·01	·16		·02	·36	·08	28
29	·01		·01	·05					1·20		·04		29
30	·01		·39						·14	·03		·05	30
31	·02									·03		·02	31
Total	3·06	1·06	1·02	2·65	1·85	1·09	4·51	1·17	5·30	3·11	2·29	2·15	YEAR'S TOTAL 29·26
Rain Days.	23	20	10	24	13	13	19	14	22	21	19	26	224

W. 8,000, VIII. 16

Dl

Eve-Dl

387
~~416~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Detling, The Croft
in the County of Kent
by R. Cooke

Old Gauge

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.28	.15		.05	.03		.35			.20	.11	.58	1
2	.23	.01	.01		.03		.06	.04		.02	.59	.25	2
3	.24		.28	.01	.01		.43		.13		.29	.25	3
4	.16	.01	.40		.01	.09	.03	.02	.01		.06	.08	4
5	.08	.30	1.20					.01			.09	.26	5
6	.04	.01	.01							.03	.07	.08	6
7	.13		.39							.01	.11		7
8	.28		.05						.01		.04		8
9	.51		.04	.12							.43		9
10	.50		.01	.03							.06	.02	10
11	.31		.14	.39	.02		.21					.02	11
12	.04		.01	.08			.39			.04	.03		12
13	.02			.43						.04		.03	13
14	.24	.01		.30			.21		.22		.01	.02	14
15	.14	.03		.12					.02	.04	.01	.07	15
16	.09	.34		.01							.09	.08	16
17		.65		.02							.19	.05	17
18		.32	.04						.07		.05	.06	18
19	.02	.07	.35	.01		.10	.28	.05	.06		.10	.02	19
20	.18	.08	.14	.01		.91	.18	.09			.01	.01	20
21	.03	.30	.08				.11				.02		21
22		.04	.03				.18		.33		.08	.18	22
23		.01				.11	.13	.01	.27		.02	.06	23
24				.18		.01	.02	.02			.06	.01	24
25	.04			.01	.09			.28		.05		.01	25
26	.06	.15	.07	.19			.08	.01	.11		.02	.31	26
27	.30	.06	.09	1.68				.20			.01	.05	27
28	.01		.20	.09			.02	.67		.02	.45	.27	28
29	.11		.01	.08				.62		.25	.02	.09	29
30	.01	X	.02	.34		.05		.52		.24	.09	.52	30
31	.03	X	.03	X		X	.08	.02	X	.10	X	.06	31
													YEAR'S TOTAL
Total	4.08	2.54	3.60	4.15	.19	1.27	2.76	2.56	1.23	1.04	3.11	3.44	29.97
Rain Days.	26	17	22	20	6	6	16	14	10	12	27	26	202

W. 6,500, VII. 18. —W W C

81

~~3.88~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Eo 81

Kept at Detling, The Croft

in the County of Kent

by R. Cooke

New Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·16		·05	·03		·35			·20	·11	·59	1
2	·23	·01	·01		·03		·06	·04		·02	·59	·25	2
3	·24		·28	·01	·01		·43		·13		·29	·25	3
4	·16	·01	·40		·01	·09	·03	·02	·01		·06	·08	4
5	·08	·32	1·21					·01			·09	·26	5
6	·04	·01	·01							·03	·07	·08	6
7	·13		·39							·01	·11		7
8	·29		·05						·01		·04		8
9	·52		·04	·12							·43		9
10	·50		·01	·03							·06	·02	10
11	·31		·14	·40	·02		·21					·02	11
12	·04		·01	·08			·39			·04	·03		12
13	·02			·44						·04		·03	13
14	·24	·01		·30			·21		·22		·01	·02	14
15	·14	·03		·12					·02	·04	·01	·07	15
16	·09	·35		·01							·09	·08	16
17		·65		·02							·19	·05	17
18		·32	·04						·07		·05	·06	18
19	·02	·07	·35	·01		·10	·28	·05	·06		·10	·02	19
20	·18	·08	·14	·01		·91	·18	·09			·01	·01	20
21	·03	·31	·09				·11				·02		21
22		·04	·03				·18		·33		·08	·18	22
23		·01				·11	·13	·01	·27		·02	·06	23
24				·18		·01	·02	·02			·06	·01	24
25	·04			·01	·09			·28		·05		·01	25
26	·06	·15	·07	·19			·08	·01	·11		·02	·31	26
27	·31	·06	·09	1·69				·20			·01	·05	27
28	·01		·20	·09			·02	·68		·02	·45	·27	28
29	·11		·01	·08				·63		·25	·02	·09	29
30	·01	X	·02	·34		·05		·53		·24	·09	·52	30
31	·03	X	·03	X		X	·08	·02	X	·10	X	·06	31
Total	4·11	2·59	3·62	4·18	·19	1·27	2·76	2·59	1·23	1·04	3·11	3·45	YEAR'S TOTAL 30·14
Rain Days.	26	17	22	20	6	6	16	14	10	12	27	26	202

W. 6,500. VII. 18. w w c

363

21 MAR 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Detling, The Croft

in the County of Kent

by R. Cooke (Old Gauge)

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·22	01		·14		·15	·75		·24	1
2	·02		23		·02			·14	09	·12		·05	2
3		01	·01	·32	·10	·08	·06			·01		·03	3
4		·05		·36	01		·34	·03	·04	·03		·08	4
5			·03	·01	·04		·50	·10				·15	5
6			·21		·13		·23					·07	6
7	·02		·01	·08	·04		·17			·01		·10	7
8		·01		·04	·07		·09			·01			8
9	·32	·01		·02	·04		·02					·01	9
10	·40	·10	·05	·20		·02	·12				·01	·03	10
11	·37	·02	·04	·34	·01		·35					·09	11
12	·10	·02	·03	·25	·04	·25							12
13	·32	·01	·06	·07					·02		·02	·01	13
14	·01	·02	·28	·26		·09	·01		·14	·04	·21	·01	14
15	·03	·01	·01	·20					·71	·12	·08	·02	15
16	·01		·03	·03	·10	·11			·20			·07	16
17	·02			·16	·18	·08			·42			·15	17
18	·03		·02	·03	·06			1·31	·49			·14	18
19	12			·21				·04				·13	19
20	·06	·25		·18		·40			·62			·01	20
21		·01		·01			·70	·03	·73			·07	21
22	02			·35					·08			·29	22
23	·01		·01	·01			·24					·31	23
24		·01	·03	·01					·07			·02	24
25	01	·01	·01	·03	·02		·08		·01	·01			25
26	·05		·06	·03								·01	26
27	19	·10	·01	·16		·10					·13	·16	27
28	·38	·01		·06	·11		·11				·27	·02	28
29	·44		·03	·01	·01		·01				·04	·12	29
30	·02	✕		·01			·11		·10		28	·14	30
31	·01	✕		✕		✕			✕	·29	✕	·14	31
TOTAL	3·04	·65	1·16	3·66	·99	1·13	3·28	1·65	3·87	1·39	1·04	2·67	YEAR'S TOTAL 24·53
Days with ·01 in. or more	24	16	19	28	17	8	17	6	15	10	8	28	196
Days with ·04 in. or more	12	4	7	17	11	7	14	4	13	5	6	18	118

62 364

FORM A/1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Detling, The Croft
in the County of Kent
by R. Cooke

New Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·22	·01		·14			·76		·24	1
2	·02		·23		·02			·14	·15	·12		·05	2
3		·01	·01	·33	·10	·08	·06		·09	·01		·03	3
4		·05		·36	·01		·34	·03		·03		·08	4
5			·03	·01	·04		·50	·10	·04			·15	5
6			·21		·13		·23					·07	6
7	·02		·01	·08	·04		·17			·01		·10	7
8		·01		·04	·07		·09			·01			8
9	·32	·01		·02	·04		·02					·01	9
10	·41	·10	·05	·20		·02	·12				·01	·03	10
11	·37	·02	·04	·34	·01		·35					·09	11
12	·10	·02	·03	·25	·04	·25							12
13	·33	·01	·06	·07					·02		·02	·01	13
14	·01	·02	·28	·26		·09	·01		·14	·04	·21	·01	14
15	·03	·01	·01	·20					·71	·12	·08	·02	15
16	·01		·03	·03	·10	·11			·20			·07	16
17	·02			·16	·18	·08			·42			·15	17
18	·03		·02	·03	·06			1·32	·49			·14	18
19	·12			·21				·04				·13	19
20	·06	·25		·18		·40			·62			·01	20
21		·01		·01			·71	·03	·75			·07	21
22	·02			·35					·08			·30	22
23	·01		·01	·01			·24					·31	23
24			·03	·01					·07			·02	24
25	·01	·01	·01	·03	·02		·08		·01	·01			25
26	·05		·06	·03								·01	26
27	·19	·10	·01	·16		·10					·13	·16	27
28	·38	·01		·06	·11		·11				·27	·02	28
29	·44		·03	·01	·01		·01				·04	·12	29
30	·02			·01			·11		·10		·28	·14	30
31	·01									·29		·14	31
TOTAL	3·06	·64	1·16	3·67	·99	1·13	3·29	1·66	3·89	1·40	1·04	2·68	YEAR'S TOTAL 24·61
Days with ·01 in. or more	24	15	19	28	17	8	17	6	15	10	8	28	195
	12	4	7	17	11	7	14	4	13	5	6	18	118

(44233). Wt.21,958—218/7500. 10/19. Gp.132. A.&E.W.

DOVER

KENT

1912 -13

REGI

FORM A.
BRITISH RAINFALL.

21 JAN 1913

Kept at Maison Dieu … Priory

in the County of Ken … m

5 in.

by W. C. Hawk

Ground 1 ft. - in.

Sea Level ft.

NOTE.—Rain should be measured … instructions for the measurement of rain and particulars as to the British … ervers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square,

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					-	·49	·04	-	04	·61	-	·30	1
2					-	·05	·05	·04	-	·04	-	·01	2
3					-	·46	-	·08	Trace	·06	Trace	Trace	3
4					·05	·62	·01	·01	·01	·03	·13	-	4
5					-	·34	-	·21	-	-	·21	·01	5
6					·03	-	·02	·47	-	-	-	·01	6
7					·14	·14	-	·17	-	-	Trace	·10	7
8					Trace.	·16	·05	·05	·23	-	-	Trace	8
9					-	Trace	·10	·08	-	-	-	·25	9
10					-	-	-	·08	·05	-	-	·32	10
11					·01	·20	-	·41	·14	-	·03	·07	11
12					-	Trace.	-	·46	-	-	·01	·06	12
13					·11	-	·08	·10	-	-	·33	·05	13
14					·07	-	-	·08	·08	·01	·04	·01	14
15					·05	·65	-	·04	-	-	·05	·30	15
16					-	·07	-	·09	-	·06	·02	Trace	16
17					-	·02	-	·03	-	-	·01	·04	17
18					-	-	·09	·12	·01	·12	·04	·61	18
19					·06	-	·14	·45	-	-	·01	Trace	19
20					Trace	-	-	·04	-	·54	·01	Trace	20
21					-	-	-	·08	-	·47	·10	-	21
22					·02	-	·07	·13	-	-		Trace	22
23					·03	-	-	·50	·02	·22	·19	·02	23
24					·04	-	·15	·43	-	·36	-	·24	24
25					-	·26	-	1·12	-	-	·57	·47	25
26					-	·17	-	·14	-	·52	·15	·26	26
27					-	-	·19	-	-	·10	·02	·28	27
28	Rain Gauge fixed				-	-	·10	·08	-	·55	·20	·04	28
29	29th April 1912.			·04	-	-	·35	·12	·96	·12	·20	Trace	29
30	approved by			-	-	·01	-	·12	1·61	·25	·06	-	30
31	Meteorological Office.			-	-		·13	·13	-	·01	-	-	31
Total	Inspected by			~~·04~~	·61	3·64	1·57	5·56	3·15	4·10	2·38	3·45	TOTAL for year ~~24.30~~
No. of Rain Days	Mr. Lampfert			~~1~~	11	14	15	29	10	17	20	20	~~134~~

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.
21 JAN 1913

Kept at Maison Dieu House Grounds Dover.

in the County of Kent.

by W. C. Hawke Esq

Lat. .... Long. ....

Nearest Railway Station Dover Priory

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " Sea Level .... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					-	·49	·04	-	·04	·61	-	·30	1
2					-	·05	·05	·04	-	·07	-	·01	2
3					-	·46	-	·08	Trace	·06	Trace	Trace	3
4					·05	·62	·01	·01	·01	·03	·13	-	4
5					-	·34	-	·21	-	-	·21	·01	5
6					·03	-	·02	·47	-	-	-	·01	6
7					·14	·14	-	·17	-	-	Trace	·10	7
8					Trace	·16	·05	·05	·23	-	-	Trace	8
9					-	Trace	·10	·08	-	-	-	·25	9
10					-	-	-	·08	·05	-	-	·32	10
11					·01	·20	-	·11	·14	-	·03	·07	11
12					-	Trace	-	·46	-	-	·01	·06	12
13					·11	-	·08	·10	-	-	·33	·05	13
14					·07	-	-	·08	·08	·01	·04	·01	14
15					·05	·65	-	·04	-	-	·05	·30	15
16					-	·07	-	·09	-	·06	·02	Trace	16
17					-	·02	-	·03	-	-	·01	·04	17
18					-	-	·09	·12	·01	·12	·04	·61	18
19					·06	-	·14	·45	-	-	·01	Trace	19
20					Trace	-	-	·04	-	·54	·01	Trace	20
21					-	-	-	·08	-	·47	·10	-	21
22					·02	-	·07	·13	-	-		Trace	22
23					·03	-	-	·50	·02	·22	·19	·02	23
24					·04	-	·15	·43	-	·36	-	·24	24
25					-	·26	-	1·12	-	-	·57	·47	25
26					-	·17	-	·14	-	·52	·15	·26	26
27					-	-	·19	-	-	·10	·02	·28	27
28	Rain Gauge fixed				-	-	·10	·08	-	·55	·20	·04	28
29	29th April 1912.			·04	-	-	·35	·12	·96	·12	·20	Trace	29
30	approved by			-	-	·01	-	·12	1·61	·25	·06	-	30
31	Meteorological Office.			-	-		·13	·13	-	·01	-	-	31
Total	Inspected by			~~·04~~	·61	3·64	1·57	5·56	3·15	4·10	2·38	3·45	TOTAL for year ~~24·50~~
No. of Rain Days	Mr. Lampfert			~~1~~	11	14	15	29	10	17	20	20	~~134~~

1,000, IX, '10.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A2.
BRITISH RAINFALL.

21 FEB 1914

REGISTER OF RAINFALL IN 1913

ex. [illegible]

Kept at Maison Dieu House Grounds, Dover

in the County of Kent

by W. C. Hawke, Esq, A.M.I.C.E.

RAIN GAUGE
Pattern M. O. Pattern Pastorelli & Rapkin Ltd.
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station: Name Priory; Distance; Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·58	·07	·05									1
2	·01	·24	–	Trace									2
3	–	Trace.	·04	·63									3
4	·13	Trace	·03	–									4
5	·04	·02	·02	·03.									5
6	·03	Trace	·05	·01									6
7	–	·10	–	·02									7
8	–	Trace	·03	·08									8
9	–	·02	Trace										9
10	·02	–	·02										10
11	·50	–	–										11
12	–	–	–										12
13	·35	–	·02										13
14	·06	–	·07										14
15	·24	·01	·25										15
16	·36	·01	·42										16
17	·27	·03	·08										17
18	Trace.	·01	·07										18
19	·03	–	·18										19
20	·37	–	·01										20
21	·04	–	·11										21
22	·19	–	Trace										22
23	–	–	–										23
24	·03	–	·11										24
25	·02	–	·04										25
26	Trace	·09	·22										26
27	–	·02	–										27
28	·11	–	·18										28
29	·26		·08										29
30	·45		·15										30
31	Trace.		·30										31
Total	3·54	1·13	2·55										TOTAL for year
No. of Rain Days	21	11	23										

Removed to Danes 9th April 1913.

9,000, IX. '10.

326

DOVER

{MET OFFICE}

KENT

1916, 19–20

FORM A.
BRITISH RAINFALL.
18 JUN 1917

REGIS

Kent at Boro Meteorological … E … Priory

in the County of Kent

by W. C. Hawke

…in.

…nd ft. 12 in.

…Level 234. ft.

NOTE.—Rain should be measured dai… …ctions for the measurement of rain and particulars as to the British R… …ent post-free on application to Dr. H. R. MILL, 62, Camden Square, L…

Date.	Jan.	Feb.	March.	Ap							Nov.	Dec.	Date
	in.	in.	in.	i							in.	in.	
1	·8		9								7·7		1
2	14·6	·1	15·4								~~4·3~~		2
3		3·3	15·4			1·5				1·0	4·9		3
4	6·4	·2	~~[illegible]~~			6·4			·1	4·9	2·6		4
5	1·2		·3	1·2	2·2	7·2	·69		·2	·6	12·4		5
6	·2	1·9	2·4	5·1	·2	5·7	3·6	·1	·5	2·2	19·6		6
7	1·7		25·4		3·0	1·2	5·1		·4	·6	19·2	·6	7
8			·6		2·0							2·0	8
9	·2		·4		11·3	3·7			·1			3·2	9
10		1·4	·3	·6		5·3			·4			6·8	10
11	·9	8·4	·2	2·1		1·0		·3	1·7		·2	1·8	11
12	1·2	1·8		5·0	13·9	6·6	·2·0	·2		3·1	·1	1·2	12
13	·2	7·2	3·0	2·8	3·0	2·4	7·6			1·6	·1	7·0	13
14		10·1	1·6	2·7	·7	·2	·2	10·0		1·2		3·0	14
15		3·4	1·9	·2				·2	·3		·3		15
16	·2	1·4	1·2	6·0			1·3			31·6		·2	16
17	6·7		·1	1·2			·5	·7	7·6			·1	17
18	2·1	4·6	·5	2·4				2·2	3·3	1·7	18·2		18
19	5·5	1·4	·2	2·2		·4		10·1	4·6	·8	15·1		19
20	1·4		1·6	18		·2		4·7			12·0	3·0	20
21	·6		9·2	3·4							4·3	11·0	21
22	·8	4·3	7·9	10·7	·1·6	·2				·9	·2	18·0	22
23	·2	3·0	3·7					·1·4		·2	1·7	1·0	23
24	·6		·9	·2	·5	2·1		·3		4·8	1·3	4·6	24
25		4·6	2·7		·8			4·9		6·3	4·9	·3	25
26	·1	1·1	·5			4·5	·2	2·3		1·0	·6		26
27	·1	8·8	15·3			·1		12·3	·6	26·4	·3	·3	27
28		12·3	1·0			2·3		4·1	1·6	11·3		6·3	28
29		2·3	·1		·5	10·1	·2	25·3	2·6	6·4		9·5	29
30			1·0		·4	·5		5·2	·1	23·7		·2	30
31	·3									6·3		·1	31
Total	46·0 ✓	81·6 ✓	99·7 ✓	47·8 ✓	45·3 ✓	64·1 ✓	28·1 ✓	84·3 ✓	24·7 ✓	145·8 ✓	116·0 ✓	83·2	TOTAL for year 869·6 ✓
No. of Rain Days	20 ✓	19 ✓	26 ✓	14 ✓	14 ✓	20 ✓	11 ✓	16 ✓	13 ✓	22 ✓	~~21~~ 19	~~21~~ 19 ✓	~~220~~ 216

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.
18 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Boro Meteorological Station
in the County of Kent Dover
by W. C. Hawke

Lat. 51° 7' N Long. 1° 19' E
Nearest Railway Station Dover Priory
Time of Observation 9am
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 12 in.
" " " Sea Level 234 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·8		9			·5	·5				7·7		1
2	14·6	·1	15·4	·2	3·2				·6	6·2	4·3		2
3		3·3	15·4			1·5				1·0	4·9		3
4	6·4	·2				6·4			·1	4·9	2·6		4
5	1·2		3	1·2	2·2	7·2	·69		·2	·6	12·4		5
6	·2	1·9	2·4	5·1	·2	5·7	3·6	·1	·5	2·2	19·6		6
7	1·7		25·4		3·0	1·2	5·1		·4	·6	19·2	6	7
8			·6		2·0							2·0	8
9	·2		·4		11·3	3·7			·1			3·2	9
10		1·4	·3	·6		5·3			·4			6·8	10
11	·9	8·4	·2	2·1		1·0		·3	1·7		·2	1·8	11
12	1·2	1·8		5·0	15·9	6·6	·2·0	·2		3·1	·1	1·2	12
13	·2	7·2	3·0	2·8	3·0	2·4	7·6			1·6	·1	7·0	13
14		10·1	1·6	2·7	·7	·2	·2	10·0		1·2		3·0	14
15		3·4	1·9	·2				·2	·3		·3		15
16	·2	1·4	1·2	6·0			1·3			31·6		·2	16
17	6·7		·1	1·2			·5	·7	7·6			·1	17
18	2·1	4·6	·5	2·4				2·2	3·3	1·7	18·2		18
19	5·5	1·4	·2	2·2		·4		10·1	4·6	·8	15·1		19
20	1·4		1·6	18		·2		4·7			12·0	3·0	20
21	·6		9·2	3·4							4·3	11·0	21
22	·8	4·3	7·9	10·7	·1·6	·2				·9	·2	18·0	22
23	·2	3·0	3·7					1·4		·2	1·7	1·0	23
24	·6		·9	·2	·5	2·1		3		7·8	1·3	7·6	24
25		4·6	2·7		·8			4·9		6·3	4·9	·3	25
26	·1	1·1	·5			9·5	·2	2·3		1·0	·6		26
27	·1	8·8	15·3			·1		12·3	·6	26·4	·3	·3	27
28		12·3	1·0			2·3		4·1	1·6	11·3		6·3	28
29		2·3	·1		·5	10·1	2	25·3	2·6	6·4		9·5	29
30			1·0		·4	·5		8·2	·1	23·7		·2	30
31	·3									6·3		·1	31
Total	46·0 ✓	81·6 ✓	99·7 ✓	47·8 ✓	45·3 ✓	67·1 ✓	28·1 ✓	84·3 ✓	24·7 ✓	145·8 ✓	116·0 ✓	83·2	TOTAL for year 869·6
No. of Rain Days	20 ✓	19 ✓	26 ✓	14 ✓	14 ✓	20 ✓	11 ✓	16 ✓	13 ✓	22 ✓	~~21~~ 19	~~2~~ 19 ✓	216

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex. C.a.b. 5/2/20

302

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

7 FEB 20

Kept at Dover [M.O.]

in the County of Kent

by James F. Lockwood

Lat 51° 7' Long 1° 19' E

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10·7	2·4	-	-	0·6	-	3·6	-	-	2·2	-	17·8	1
2	4·0	-	1·0	-	3·5	-	-	0·7	-	-	6·6	6·6	2
3	4·8	-	11·3	-	0·6	-	0·1	-	0·8	-	1·3	5·3	3
4	4·1	-	10·2	-	-	1·3	7·8	0·5	0·3	1·4	0·2	1·6	4
5	2·7	8·9	33·1	-	-	-	-	-	-	-	0·3	10·0	5
6	6·3	-	0·6	-	-	-	-	-	-	0·2	0·9	2·6	6
7	0·1	-	7·1	-	-	-	0·3	-	-	0·1	2·1	-	7
8	6·2	-	2·3	-	-	-	-	-	-	-	2·5	-	8
9	3·5	-	1·1	2·2	-	-	-	-	-	-	22·0	-	9
10	2·2	-	1·2	0·5	-	-	-	-	-	-	3·7	-	10
11	3·7	-	3·7	8·1	0·1	-	-	-	-	-	0·6	1·3	11
12	1·1	-	-	-	-	-	11·7	-	-	1·1	3·1	0·1	12
13	0·2	-	-	4·1	-	-	0·5	-	-	-	1·8	3·6	13
14	10·0	0·4	-	12·1	-	-	5·2	-	1·3	0·1	-	0·3	14
15	4·0	1·3	0·4	7·1	-	-	0·1	-	0·1	1·5	3·0	0·3	15
16	4·5	17·6	-	1·1	-	-	-	-	-	-	6·0	1·2	16
17	-	13·4	-	1·9	-	-	-	-	-	-	4·8	1·6	17
18	-	3·7	-	-	-	-	2·5	0·1	-	-	2·0	3·5	18
19	-	2·1	8·7	-	-	0·7	5·7	1·5	1·0	-	7·1	0·2	19
20	6·2	1·3	2·4	-	-	16·4	5·7	1·9	-	-	-	0·2	20
21	-	11·0	1·0	-	-	1·0	4·6	-	-	-	-	1·0	21
22	-	1·1	4·3	-	-	-	6·2	-	18·5	-	2·5	5·9	22
23	0·9	0·1	-	1·5	-	1·1	2·8	-	6·5	-	1·5	1·1	23
24	-	2·8	-	4·1	-	1·4	0·3	1·5	-	-	8·3	0·8	24
25	3·0	0·2	0·1	-	0·3	1·7	-	10·9	-	4·0	-	0·1	25
26	2·0	4·8	4·0	9·5	-	-	-	0·2	0·9	-	11·6	10·2	26
27	6·3	0·5	5·9	13·7	-	-	-	2·8	2·4	1·0	0·5	0·7	27
28	7·8	0·3	6·2	6·7	-	-	0·5	6·7	2·4	0·3	25·6	10·5	28
29	4·0		-	6·9	-	-	-	1·1	-	8·3	5·0	4·6	29
30	0·1	╳	0·2	3·8	-	-	-	4·6	-	2·7	2·6	8·3	30
31	3·5	╳	-	╳	-	╳	1·2	-	╳	7·3	╳	0·1	31
TOTAL	101·9	71·9	104·8	83·3	5·1	23·6	53·1	32·5	34·2	30·2	125·6	99·5	YEAR'S TOTAL 765·7
Days with 0·2 mm. or more	23	16	19	15	4	7	15	11	9	11	25	24	179

767

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

and 5 mm slots 280

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dover (MO)
in the County of Kent
by The Borough Engineer

Lat. 51° 7′ N Long. 1° 19′ E
Time of Observation 9h GMT.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·0	-	-	3·4	0·7	-	1·7	-	-				1
2	-	-	0·4	-	0·7	-	0·8	14·0	0·5				2
3	-	-	-	-	-	1·4	-	-	0·7				3
4	-	0·7	0·2	2·2	-	-	1·5	0·6	-				4
5	-	-	0·3	1·4	0·6	-	7·1	0·4	1·7				5
6	-	-	2·2	-	4·1	-	3·8	-	-				6
7	0·5	-	-	2·4	1·0	-	1·0	-	-				7
8	-	-	-	4·7	0·1	-	2·2	-	-				8
9	13·6	0·4	-	0·6	2·1	-	1·4	-	-				9
10	13·0	9·1	0·7	2·9	-	0·2	0·2	-	-				10
11	4·9	-	3·7	6·1	-	-	8·8	-	-				11
12	3·8	0·6	2·0	4·0	0·1	1·4	11·3	-	-				12
13	10·2	0·8	2·8	0·1	-	1·3	-	-	0·3				13
14	-	0·2	8·1	3·2	-	1·0	-	-	0·2				14
15	0·7	-	0·2	0·2	-	-	-	-	6·6				15
16	0·1	-	0·1	0·1	-	0·1	-	-	4·0				16
17	0·1	-	-	3·0	2·6	1·4	3·4	-	16·1				17
18	2·0	-	0·1	0·4	2·7	-	-	22·2	16·7				18
19	3·1	-	-	5·6	-	-	-	2·4	2·8				19
20	1·2	3·9	-	0·8	-	13·0	-	-	12·3				20
21	-	1·5	-	-	-	-	0·3	0·2	3·6				21
22	0·3	-	-	3·8	-	-	0·1	3·8	0·4				22
23	-	-	-	-	-	-	19·0	3·7	-				23
24	-	-	-	-	0·1	-	-	-	1·8				24
25	0·2	0·1	-	0·6	1·5	-	5·1	-	0·3				25
26	1·6	-	1·6	1·6	-	0·6	0·2	-	-				26
27	5·9	1·7	1·5	2·7	-	2·3	6·3	-	-				27
28	4·5	0·2	-	-	17·2	-	11·9	-	-				28
29	15·5	-	1·9	0·5	5·3	-	1·5	-	-				29
30	0·7		-	(3·5)	0·2	-	-	-	5·3				30
31	(2·0)		-		-		-	-					31
TOTAL	85·9	19·2	25·8	53·8	39·0	22·7	87·6	47·3	73·3				YEAR'S TOTAL
Days with 0·2 mm. or more	19	10	13	21	12	9	19	8	16				
		4		15	8	7	15	5	10				

Station stopped

(44,284). Wt. 24058—218. 500. 12/19. Gp.132. A.&E.W.

Copied from [illegible] 3283

FORM A2.
BRITISH RAINFALL.

21 FEB 1914

REGIS

DOVER
THE DANES
KENT
1913 - 14

Kept at The Danes.

in the County of Kent

by W. C. Hawke

in.

nd 1 ft. in.

Level 30 ft.

nce Direction

IMPORTANT NOTE.—R result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·25					·31	·04	1
2							·41	trace		·03	·12	·02	2
3					·18	trace				·13		·13	3
4					·02		·05		·02		·12	·02	4
5							·13			·08	·10	·02	5
6					·02	·12	·10	·12		·34	·47		6
7					·01	·05		·07	trace	·31	·02	·03	7
8					·21	·03				·59	·12	trace	8
9				·03	·28		trace	·05	·07		·04	trace	9
10				·08			·09				·65		10
11				·46						·29	trace		11
12				·02				·04		trace	·29	trace	12
13								·07			·26		13
14				·03			·50		·63	·18	·16		14
15				·09			·17						15
16				·24					·39		·02	·01	16
17				·10			·18	trace	·16		·03	·20	17
18				·20			·03	·02	·32		·11		18
19						·03	·07	·05	·11				19
20				·12		·05				·39	trace		20
21				·09	·09		·03		trace	·61	·85		21
22				trace.			·11		·03	·03		trace	22
23							·04	trace	·02	trace		·41	23
24				·02		·02					·03		24
25				·21		·30	trace						25
26						trace	trace	trace		·33		·26	26
27							·01			·10		trace	27
28						·10				·16	trace		28
29				·06	·09			·02		·02		·46	29
30				·35	·11			·10	trace	·06	trace	1·09	30
31								·86		·08		·03.	31
Total				2·10	1·01	·95	1·92	1·40	1·75	3·73	3·70	2·72	TOTAL for year ~~19·28~~
No. of Rain Days				15	9	9	14	10	9	17	17	13	~~113~~

9,000, IX. '10.

REGIS

Ex. H96

FORM A2.
BRITISH RAINFALL.

21 FEB 1914

Kept at The Danes, Dover.

in the County of Kent.

by W. C. Hawke

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 30 ft.

Time of Observation 9

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·25					·31	·04	1
2							·41	trace		·03	·12	·02	2
3					·18	trace				·13		·13	3
4					·02		·05		·02		·12	·02	4
5							·13			·08	·10	·02	5
6					·02	·12	·10	·12		·34	·44		6
7					·01	·05		·04	trace	·31	·02	·03	7
8					·21	·03				·59	·12	trace	8
9				·03	·28		trace	·05	·04		·04	trace	9
10				·08			·09				·65		10
11				·46						·29	trace		11
12				·02				·04		trace	·29	trace	12
13								·04			·26		13
14				·03			·50		·63	·18	·16		14
15				·09			·14						15
16				·24					·39		·02	·01	16
17				·10			·18	trace	·16		·03	·20	17
18				·20			·03	·02	·32		·11		18
19						·03	·04	·05	·11				19
20				·12		·05				·39	trace		20
21				·09	·09		·03		trace	·61	·85		21
22				trace.			·11		·03	·03		trace	22
23							·04	trace	·02	trace		·41	23
24				·02		·02					·03		24
25				·21		·30	trace						25
26						trace	trace	trace		·33		·26	26
27							·01			·10		trace	27
28						·10				·16	trace		28
29				·06	·09			·02		·02		·46	29
30				·35	·11			·10	trace	·06	trace	1·09	30
31								·86		·08		·03.	31
Total				2·10	1·01	·95	1·92	1·40	1·45	3·43	3·40	2·42	TOTAL for year ~~19·28~~
No. of Rain Days				15	9	9	14	10	9	14	14	13	~~113~~

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

13 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Dones. Dover.

in the County of Kent

by Borough Engineer Dover.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Dover Priory Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1					·02			03					1
2		trace		·02			·06						2
3		·01	·08	·04	·16		·04						3
4	trace	trace	·02	·23				·35					4
5	·20	·01	·08	·35		·02	·26	·37					5
6		trace		·19	·03	·33				·02			6
7	·01	·24	·19	·04	·01	·71	·03	trace					7
8	·10	·04	·46			·05	·04	·06					8
9	·21		·96	·08									9
10	·07			·07	·11				·03	·01			10
11		·43	·68	·11		·02			·25				11
12		·03	·05			·19			·27				12
13	·06	·24	·19						·28	·12			13
14		·10	·27			·12	·01		trace	·45			14
15		·02	·29				·69	trace	·06	Discontinued			15
16	·09	·26	·05				·16		·07	from this date			16
17	·02	·28	·05						·17	as land taken			17
18		·11	·21							over by the			18
19		·10	·60			trace	·05	·04	·10	Military.			19
20		·07	·38			·08	·02						20
21		·48	·06					·13					21
22		·02		·05	·21	·09	·84	·02	·02				22
23			·84		·05	·38	trace						23
24				·27	trace		·03		trace				24
25	·04		·08		·04		trace	·08					25
26	·11		·05		trace			·28					26
27			·05										27
28	·02	·01			·03								28
29	·02												29
30	·01		·08	·01									30
31					·31							Incomplete	31
													YEAR'S TOTAL
Total	·96	2·45	5·72	1·46	·97	1·99	2·23	1·36	1·25	~~·60~~	—	—	~~18·99~~
Rain Days.	13	17	22	12	10	10	12	9	9	~~4~~	—	—	~~118~~

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

Priory
1126 yds S.W.
2 JAN 1912
268

—

DOVER

{WATER WORKS}

KENT

1911-20

REGIS

Kept at Water Works

in the County of Kent

by W. C. Hawke

in.

nd 1 ft. 6 in.

Level 200 ft.

NOTE.—Rain should be measured dai
of rain and particulars as to the British F
to Dr. H. R. MILL, 62, Camden Square,]

ictions for the measurement
ent post-free on application

Date.	Jan.	Feb.	March.	Ap							Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·06	·–	·04	·							·06	·–	1
2	·08	·–	·03	·							·09	·29	2
3	·06	·03	·–	·21	·05	·–	·–	·–	·–	·21	·13	·36	3
4	·15	·03	·07	·04	·–	·–	·–	·–	·–	·77	·22	·12	4
5	·07	·02	·–	·–	·–	·–	·–	·11	·–	·03	·–	·12	5
6	·11	·–	·–	·–	·–	·–	·–	·–	·–	·18	·–	·30	6
7	·31	·–	·–	·–	·–	·–	·–	·–	·–	·77	·73	·42	7
8	·10	·–	·11	·–	·–	·–	·–	·–	·–	·04	·59	·12	8
9	·16	·–	·08	·06	·–	·–	·–	·–	·–	·06	·80	·07	9
10	·–	·05	·–	·08	·–	·–	·–	·–	·–	·–	·10	·50	10
11	1·20	·–	·04	·–	·–	·–	·–	·–	·–	·–	1·33	·–	11
12	·05	·–	·90	·–	·–	·25	·–	·–	·–	·18	·14	·–	12
13	·–	·–	·06	·–	·26	·19	·–	·–	·58	·93	·–	·16	13
14	·–	·06	·01	·–	·01	·05	·–	·–	·–	·–	·–	·19	14
15	·–	·09	·19	·–	·–	·–	·–	·–	·01	·–	·08	·12	15
16	·–	·01	·–	·–	·–	·18	·–	·–	·03	·–	·24	·08	16
17	·01	·–	·–	·–	·–	·10	·–	·–	·–	·–	·09	·–	17
18	·–	·14	·05	·–	·–	·–	·–	·–	·–	·–	·51	·23	18
19	·–	·–	·–	·–	·05	·04	·–	·–	·06	·04	·23	·18	19
20	·–	·–	·–	·–	·–	·06	·–	·58	·10	·14	·–	·51	20
21	·02	·06	·–	·–	·–	·–	·–	·–	·06	·98	·–	·31	21
22	·04	·–	·28	·–	·–	·03	·–	·03	·–	·32	·–	·47	22
23	·–	·13	·–	·–	·–	·91	·–	·–	·22	·93	·07	·10	23
24	·02	·27	·20	·–	·–	·04	·11	·04	·–	·27	·–	·34	24
25	·–	·06	·25	·04	·–	·07	·02	·–	·04	·11	·18	·–	25
26	·–	·–	·47	·34	·–	·–	·–	·–	·–	·22	·10	·21	26
27	·–	·30	·05	·11	·–	·–	·–	·–	·12	·45	·–	·09	27
28	·–	·–	·–	·16	·–	·–	·–	·–	·–	·–	·–	·04	28
29	·–	X	·–	·03	·–	·24	·09	·–	·58	·46	·–	·–	29
30	·–	X	·–	·02	·12	·01	·–	·–	·04	·25	·–	·–	30
31	·–	X	·–	X	·–	X	·–	·01	X	·–	X	·–	31
Total	2·44	1·25	2·83	1·64	·48	2·17	·22	·87	1·84	7·35	5·69	5·33	TOTAL for year 32·41
No. of Rain Days	~~15~~	~~13~~	~~16~~	~~11~~	~~6~~	~~13~~	~~3~~	~~6~~	~~11~~	~~21~~	~~18~~	~~23~~	~~136~~ ✓

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19

29 JAN 1912

768

Kept at Water Works, Dover.

in the County of Kent.

by W. C. Hawke Esq.,

Lat. .... Long. ....

Nearest Railway Station Dover Priory 1126 yds SW

Time of Observation 10·0 am.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 200 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·–	·04	·55	·–	·–	·–	·10	·–	·01	·06	·–	1
2	·08	·–	·03	·–	·29	·–	·–	·–	·–	·–	·09	·29	2
3	·06	·03	·–	·21	·05	·–	·–	·–	·–	·21	·13	·36	3
4	·15	·03	·07	·04	·–	·–	·–	·–	·–	·77	·22	·12	4
5	·07	·02	·–	·–	·–	·–	·–	·11	·–	·03	·–	·12	5
6	·11	·–	·–	·–	·–	·–	·–	·–	·–	·18	·–	·30	6
7	·31	·–	·–	·–	·–	·–	·–	·–	·–	·77	·73	·42	7
8	·10	·–	·11	·–	·–	·–	·–	·–	·–	·04	·59	·12	8
9	·16	·–	·08	·06	·–	·–	·–	·–	·–	·06	·80	·07	9
10	·–	·05	·–	·08	·–	·–	·–	·–	·–	·–	·10	·50	10
11	1·20	·–	·04	·–	·–	·–	·–	·–	·–	·–	1·33	·–	11
12	·05	·–	·90	·–	·–	·25	·–	·–	·–	·18	·14	·–	12
13	·–	·–	·06	·–	·26	·19	·–	·–	·58	·93	·–	·16	13
14	·–	·06	·01	·–	·01	·05	·–	·–	·–	·–	·–	·19	14
15	·–	·09	·19	·–	·–	·–	·–	·–	·01	·–	·08	·12	15
16	·–	·01	·–	·–	·–	·18	·–	·–	·03	·–	·24	·08	16
17	·01	·–	·–	·–	·–	·10	·–	·–	·–	·–	·09	·–	17
18	·–	·14	·05	·–	·–	·–	·–	·–	·–	·–	·51	·23	18
19	·–	·–	·–	·–	·05	·04	·–	·–	·06	·04	·23	·18	19
20	·–	·–	·–	·–	·–	·06	·–	·58	·10	·14	·–	·51	20
21	·02	·06	·–	·–	·–	·–	·–	·–	·06	·98	·–	·31	21
22	·04	·–	·28	·–	·–	·03	·–	·03	·–	·32	·–	·44	22
23	·–	·13	·–	·–	·–	·91	·–	·–	·22	·93	·07	·10	23
24	·02	·27	·20	·–	·–	·04	·11	·04	·–	·27	·–	·34	24
25	·–	·06	·25	·04	·–	·07	·02	·–	·04	·11	·18	·–	25
26	·–	·–	·44	·34	·–	·–	·–	·–	·–	·22	·10	·21	26
27	·–	·30	·05	·11	·–	·–	·–	·–	·12	·45	·–	·09	27
28	·–	·–	·–	·16	·–	·–	·–	·–	·–	·–	·–	·04	28
29	·–	X	·–	·03	·–	·24	·09	·–	·58	·46	·–	·–	29
30	·–	X	·–	·02	·12	·01	·–	·–	·04	·25	·–	·–	30
31	·–	X		X	·–	X	·–	·01	X	·–	X	·–	31
Total	2·44	1·25	2·83	1·64	·78	2·17	·22	·87	1·84	7·35	5·69	5·33	TOTAL for year 32·41
No. of Rain Days	~~15~~	~~13~~	~~16~~	~~11~~	~~6~~	~~13~~	~~3~~	~~6~~	~~11~~	~~21~~	~~18~~	~~23~~	~~156~~ ✓

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1912.

FORM A1.
BRITISH RAINFALL.

21 JAN 1913

268

Kept at Water Works, Dover.
in the County of Kent
by W. C. Hawke Esq.

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 200 ft.

Time of Observation 10 am.

Nearest Railway Station
Name Dover Priory
Distance 1126 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·10	·03		·46			·04	·65		·29	1
2		·32	·14			~~46~~ ·08	·04	·05		·04			2
3	·06	·05				·42 ~~08~~		·04		·03			3
4	·46			·02		~~42~~ ·64					·20		4
5	·16	·16	·50		·04	~~64~~ ·34		·18			·18	·02	5
6	·42	·15	·08	·01		~~34~~		·45					6
7	·19				·03	·13		·11				·09	7
8	·40	·14	·04		·14	~~13~~ ·15	·05		·23				8
9	·12		·11			~~15~~	·08	·15				·26	9
10		·04	·06	·05				·02	·08		·02	·38	10
11	·04	·21				·18	·09	·05	·10		·02	·07	11
12		·24				~~18~~		·47					12
13		·18						·10			·34	·09	13
14			·08					·06	·08	·02	·04		14
15		·06	·09		·11	·65		·03			·05	·01	15
16	·20		·04		·09	~~65~~ ·04		·08		·06		·31	16
17	·52		·10		·02	~~04~~ ·03		·02				·02	17
18			·54			~~03~~	·09	·13		·10	·04	·62	18
19	·25	·12	·24				·15	·48					19
20	·04		·35		·06		·03	·03		·50	·02		20
21		·14	·75				·05	·06		·38	·10		21
22	·03	·44	·20		·02			·16					22
23	·36	·28	·04					·46	·02	·21	·20	·03	23
24	·08	·03	·39		·03		·19	·39		·30		·17	24
25	·07		·02		·06	·25		1·19			·54	·48	25
26		·03				~~25~~ ·19	·05	·14		·58	·14	·26	26
27						~~19~~	·11			·12		·28	27
28		·02	·04				·07			·50	·21	·04	28
29	·02						·31	·10	1·14	·10	·22		29
30		X		·04				·21	1·41	·21	·02		30
31		X		X	·02	X	·11	·13	X		X		31
Total	3·42	2·61	3·94	·15	·60	3·56	1·42	5·27	3·10	3·80	2·34	3·42	TOTAL for year 33·63
No. of Rain Days	~~17~~	~~17~~	~~20~~	~~5~~	~~11~~	~~13~~	~~14~~	~~26~~	~~8~~	~~15~~	~~16~~	~~17~~	~~179~~

1,000, X. '09.

Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C.

Price 2d.

REGISTER OF RAINFALL IN 19 13.

Ex. [illegible]

FORM A.
BRITISH RAINFALL.

21 FEB 1914

268

Kept at Water Works, Dover
in the County of Kent
by W. C. Hawke Esq.

Lat. Long.
Time of Observation 10-a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 199·53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·56	·07	·03		·25					·27	·04	1
2		·22					·41			·02	·14	·02	2
3			·04	·63	·15					·13		·12	3
4	·14		·03				·07	·03	·04		·12	·02	4
5	·03	·03	·04	·02			·09		·21	·08	·18		5
6	·02		·05		·03	·05	·19	·14		·32	·52		6
7		·08	·05	·02		·03				·40	·04		7
8			·02	·06	·21		·01	·03		·41	·08	·06	8
9		·02		·03	·25		·07	·02	·08		·03		9
10				·08							·60		10
11	·02			·47				·03		·39			11
12	·51							·02			·35		12
13	·32		·01					·08		·02	·28		13
14	·05	·02	·06	·04			·49		·53	·16	·16		14
15	·27		·20	·16			·13						15
16	·32		·40	·12					·48		·02		16
17	·27		·06	·09			·17		·27			·21	17
18		·03	·04	·17			·03	·02	·19		·18		18
19	·06		·15		·02		·09	·04	·07				19
20	·39			·06		·17				·42			20
21	·03		·09	·02	·07		·02			·61	·79		21
22	·18						·04		·03				22
23							·11					·45	23
24	·03		·03			·03		·02			·03		24
25	·03			·20		·21							25
26		·05	·21							·33		·26	26
27		·02								·07			27
28	·12		·17							·01		·02	28
29	·26	X	·05	·05	·09					·15		·56	29
30	·41	X	·17	·35	·17			·08		·04		·49	30
31		X	·31	X		X		·82	X	·09	X	·03	31
Total	3·50	1·03	2·25	2·60	·99	·74	1·92	1·33	1·90	3·65	3·79	2·28	YEAR'S TOTAL 25·98
Rain Days.	~~20~~	~~9~~	~~21~~	~~18~~	~~8~~	~~6~~	~~14~~	~~12~~	~~9~~	~~14~~	~~16~~	~~12~~	~~162~~

6x m.c

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

13 JAN 1915

268

Kept at Water Works Dover.

in the County of Kent

by Borough Engineer. Dover.

Lat. Long.

Time of Observation 10 am

Nearest Railway Station Dover Priory Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				·02				·02			·08	·04	1
2							·05					·21	2
3			·05	·04	·17		·06						3
4	·04			·18				·31			·28	·66	4
5	·21		·10	·32			·21						5
6				·20	·02	·36		·14				·35	6
7	·02	·20	·19	·04		·62	·03					·19	7
8	·12		·44			·03	·05					·08	8
9	·21		·94	·12								·95	9
10	·07	·04		·11	·14							·12	10
11		·36	·52	·05					·25		·09	·24	11
12		·02	·06			·27			·26			·39	12
13	·03	·21	·19			·02			·29	·120	·07	·28	13
14		·09	·14				·06			·44	·06	·62	14
15			·48				·63		·06		·28	·03	15
16	·12	·25	·05						·08		·11		16
17		·28	·10						·11	·26		·05	17
18		·04	·15							·20	·12	·30	18
19		·10	·75				·04	·05	·10	·12	·18	·53	19
20		·06	·24			·05	·02			·05		·61	20
21		·46	·06					·12		·11		·04	21
22		·02		·04	·20	·06	1·04	·02	·04	·12			22
23			·82		·06	·50						·11	23
24				·28			·03			·04	·13		24
25	·11		·06		·04			·10		·42			25
26	·05		·04					·23		·04	·08	·36	26
27			·04								·10	·37	27
28	·03				·04					·09	·41	·33	28
29	·02	X								·73	·04		29
30		X	·07							·10	·35	·02	30
31		X		X	·33	X			X		X	·12	31
Total	1·03	2·13	5·49	1·40	1·00	1·91	2·22	·99	1·19	2·84	2·38	7·00	YEAR'S TOTAL 29·58
Rain Days.	~~12~~	~~13~~	~~21~~	~~11~~	~~8~~	~~8~~	~~11~~	~~8~~	~~8~~	~~14~~	~~15~~	~~24~~	~~153~~

W. 7,500, XI. 12

cordly own stats 22 IV.15

344

FORM A.
BRITISH RAINFALL.
22 JAN 1916
268

REGISTER OF RAINFALL IN 1915

Kept at The Water Works Dover

in the County of Kent

by Borough Engineer Dover

Lat. 51°8'N Long. 1°19'E

Time of Observation 10 am

Nearest Railway Station Priory Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 199.53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·09	·10						·60		·47	·37	1
2	·29	·20		·12				·02	·02		·15		2
3	·17		·07	·20	·11				1·76			·58	3
4	·03		·12					·72		·40	·12	·26	4
5	·03	·10		·17				·06		·48	·21	·40	5
6	·62	·14	·06	·51			·03					·18	6
7	·38	·20					·04					(·50)	7
8	·02	·10	·25	·09			·07				·04		8
9		·39	·13				·12			·03	·45	1·11	9
10	·51											·64	10
11	·01										·69	·07	11
12	·06	·12		·41	·19					·06	·68		12
13	·10	·78		·16	1·54								13
14	·15	·04					·41		·05			·65	14
15	·21				·04		·07	·23			·99	·25	15
16		·28		·06	·05		·80	·04					16
17		·55			1·04			·06				·44	17
18		·16	·03		·23					·30		·11	18
19		·08											19
20	·38											·20	20
21	·13	·03								·07		·05	21
22			·06				·80					·24	22
23	·06	·05	·09				·02					·66	23
24	·18		·08	·29					·16	·07		·40	24
25			·05	·09		·42	·61			·02		·31	25
26		·08				·04					·09	·81	26
27										·40	·13		27
28		·04				·05			1·35	1·12			28
29		X	·02				·65	·40	·09	·48	·33	·05	29
30	·24	X					·13			·03	·22		30
31	·02	X		X		X			X	·16	X	·35	31
Total	4·19	3·43	1·06	2·10	3·20	·51	3·75	1·53	4·03	3·62	4·57	8·63	YEAR'S TOTAL 40·62
Rain Days.	~~20~~	~~18~~	~~12~~	~~10~~	~~7~~	~~3~~	~~12~~	~~7~~	~~7~~	~~13~~	~~13~~	~~21~~	~~143~~

W. 8,000. X. 15

Exd CJE

327

REGISTER OF RAINFALL IN 1916

FORM BRITISH RAINFALL.
26. JAN. 1917
268

Kept at Water Works Dover
in the County of Kent
by W. C. Hawke. Esq.

Lat. 51° 8' 30" N Long. 1° 15' E
Time of Observation 9. a. m
Nearest Railway Station Kearsney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ~~126.54~~ 199 · 53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·02				·03	·29		1
2	·58		·64		·15					·31			2
3	·03	·08	·06			·04				·11	·22		3
4	·19	·01				·32				·02	·17		4
5					·07	·20	·33		·03	·02			5
6	·03	·04	·09			·31	·23				·46		6
7			1·02		·25		·07			·06	·81		7
8					·15							·13	8
9					·39	·20						·14	9
10		·10		·22		·47						·26	10
11		·30		·11		·08			·07			·17	11
12		·08	·15	·06	·66	·23	·06	·01		·15		·27	12
13	·02	·29	·05	·09	·09		·31			·04		·32	13
14		·45	·13	·11	·03					·03	·02	·10	14
15		·16	·03									·05	15
16		·02		·21			·06						16
17	·47			·07					·38	1·15	·02		17
18	·08	·20		·04				·44		·08	·80		18
19		·03		·07				·39	·22		·83	·03	19
20	·03		·06	·10							·21	·46	20
21	·02		·65	·34							·22	·49	21
22	·02	·26	·30	·35							·01	·59	22
23		·22	·18			·19		·16		·02	·07	·02	23
24	·02				·04			·02		·36	·22	·33	24
25		·22						·20		·26	·11		25
26						·41		·49		·03	·02		26
27		·30	·60			·06		·20		1·08			27
28		·51	·12					·08		·34		·27	28
29		·07	·03		·02	·40		·10	·05	·50		·34	29
30								·59		·67			30
31	·01							·41		·15		·05	31
Total	1·50 ✓	3·34 ✓	4·11 ✓	1·77 ✓	1·85 ✓	2·93 ✓	1·06 ✓	3·09 ✓	·75 ✓	5·41 ✓	4·48 ✓	4·02 ✓	YEAR'S TOTAL 34·31
Rain Days.	~~12~~ ✓	~~18~~ ✓	~~15~~ ✓	~~12~~ ✓	~~10~~ ✓	~~13~~ ✓	~~6~~ ✓	~~12~~ ✓	~~5~~ ✓	~~20~~ ✓	~~16~~ ✓	~~17~~ ✓	~~156~~ ✓

W. 8,000, VIII. 16

and by nun stats ~~W~~ Sep interpolated by M.O.

320

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

268

Kept at Water Works, Dover

in the County of Kent, 2309

by W. C. Hawke, Esq.

Lat. 51° 8' N Long. 1° 19' E

Time of Observation 10 am.

Nearest Railway Station Dover Priory

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 199.53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·	·	·05	·	·	·	1·68	*(26)	·	·05	·	1
2	·03	·	·	·32	·	·	·	·12	·	·	·02	·	2
3	·05	·	·	·28	·	·	·	1·14	·	·52	·	·	3
4	·	·04	·18	·	·	·	·08	·	·	·16	·	·	4
5	·	·	·04	·07	·	·	·	·	(·07)	·07	·	·	5
6	·	·	·	·	·	·04	·	·	(·05)	·03	·26	·	6
7	·34	·	·02	·	·	·	·02	·	·	·61	·	·19	7
8	·55	·	·	·15	·	·	·10	·37	·	·47	·42	·22	8
9	·64	·	·05	·17	·	·	·	·	·	·	·05	·85	9
10	·13	·	·11	·03	·	·03	·	·18 ~~·13~~	·	·	·06	·	10
11	·25	·02	·24	·13	·	·	·	·05	(·03)	·44	·	·	11
12	·18	·	·	·06	·	·	·	·	·	·39	·	·	12
13	·	·	·13	·	·07	·	·02	·	3.–	·12	·	·	13
14	·	·	·	·21	·	·	·03	·	(·02)	·	·	·	14
15	·02	·	·	·03	·26	·	·	·	·	·02	·	·	15
16	·18	·20	·	·14	·25	·	·	·06	~~–~~	·08	·	·12	16
17	·30	·	·	·12	·20	·	·30	·	(11)	·	·	·12	17
18	·15	·	·	·10	·	·	·21	·	(18)	·	·	·	18
19	·	·11	·01	·	·	·	·	·	(17)	·	·	·	19
20	·	·	·	·	·16	·08	·	·	(11)	·	·10	·	20
21	·	·09	·	·	·08	·34	·	·	·	·	·02	·06	21
22	·	·	·37	·	·	1·21	·	·11	·	·21	·	·13	22
23	·	·11	·	·	·10	·	·	·	·	·	·	·03	23
24	·	·	·	·	·	·	·04	·11	·	·29	·05	·02	24
25	·	·	·06	·	·	·	·	·	·	·	·06	·	25
26	·	·	·08	·	·	·	·	·	·	·	1·16	·22	26
27	·	·	·	·	·	·14	·	1·08	·	·	·	·26	27
28	·	X	·10	·	·	·44	·19	·36	·	·	·	·	28
29	·	X	·	·	·	·02	·58	·	·	·21	·	·14	29
30	·06	X	·08	·	·	·02	·70	·39	·	·25	·	·	30
31	·08	X	·13	X	·	X	1·43	1·03	X	·	X	·	31
Total	3·01	·57	1·60	1·86	1·12	2·42	3·70	5·68	x (1·00) ~~·28~~	3·87	2·25	2·36	YEAR'S TOTAL ~~29·82~~ ~~28·86~~
Rain Days.	~~15~~	~~6~~	~~14~~	~~14~~	~~7~~	~~9~~	~~12~~	~~13~~	x (10) ~~8~~	~~13~~	~~11~~	~~12~~	(135) ~~133~~

W. 8,000, IX. 17.

x See note at back

29·44 (~~29·44~~)

~~[illegible]~~ [illegible]

19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

24.1.19
268

Kept at Waterworks Dover.

in the County of Kent

by W. C. Hawke, Esq.,

Lat. 51° 8' N Long. 1° 19' E

Time of Observation 10 am

Nearest Railway Station Dover Priory

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 199·53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·		·04					·35	~~·02~~		·06	·11	1
2	·		·11						·02		·53	·27	2
3	·03		·02	·21	·04			·05	~~·36~~	·01	·44		3
4	·			·05	·80			·09	·36				4
5	·	·09			·12			·04	~~·02~~	·02	·		5
6	·20	·12		·05	·35			·03	·02		·45	·02	6
7	·01	·07		·19	·33				~~·28~~		·10		7
8	·	·03		·01					·28	·03			8
9	·					·07			·35	·18		·09	9
10	·			·04			·11		·25	·03		·19	10
11	·			·02	·03		·08		·05	·29	·04	·13	11
12	·	·20			·27		·01		·02	·31			12
13	·18	·03		·01	·12		·02		·07			·04	13
14	·16					·11	·26			·05		·08	14
15	1·71			·27			·02		[illegible]	·05			15
16	·36			·07		·32	·11					·10	16
17	·14			·09		·09	·41	·02					17
18	·17			·02		·20			·95			·40	18
19	·12		·35	·02		·05				·44		·07	19
20	·02	·14				·01	·77		·13	·94		·04	20
21	·06						·26		·16	·08		·02	21
22	·11			·01			·36		·80			·06	22
23	·04			·09	~~·43~~		·68	·08				·23	23
24	·	·26		·02	·05		·05		·16		·06	·04	24
25	·					·03	·03					·02	25
26	·						·20	·13	·09	·02	·04	·02	26
27	·	·06		·13				·27	·07		·02	·15	27
28	·	·05	·26					·03		·03	·19	·12	28
29	·	X							1·06			·09	29
30	·	X	·48						~~[illegible]~~	·15			30
31	·	X	·05	X		X			X	·04	X	0·15	31
Total	3·31	1·04	1·31	1·30	2·24 2·25	·88	3·37	1·09	4·84 ~~1·09~~	2·67	1·93	2·44	YEAR'S TOTAL 26·42
Rain Days.	14	10	7	17	16	8	16	10	17	15	10	22	159

W, 6,500, VII. 18. W W C

Ex Dh

303

268

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Dover Water Works

in the County of Kent

by W. C. Hawke

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station –
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground · ft. in.
" " " " Sea Level 199·53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·08			·06		·14	·06		·10		·83	1
2	·41		·05		·15							·10	2
3	·16		·53					·03	·04		·27	·15	3
4	·20		·35			·05	·28	·04	·02	·06	·02	·06	4
5	·12	·38	1·24								·02	·36	5
6	·18		·04							·02	·06	·07	6
7	·25		·28				·02				·10		7
8	·24		·10								·12		8
9	·14		·04	·05						·01	·93		9
10	·09		·06	·04							·13		10
11	·16		·15	·31							·04	·05	11
12							·36			·05	·10		12
13				·20			·03				·06	·14	13
14	·39	·03		·41			·24		·06			·02	14
15	·15	·06	·02	·25						·03	·16	·01	15
16	·17	·72		·07							·17	·06	16
17		·54		·09							·20	·07	17
18		·15					·10				·12	·30	18
19		·10					·04		·05		·25		19
20	·25	·06	·41			·68	·23	·13					20
21		·44	·07			·06	·07					·02	21
22		·04	·11				·11		·70		·10	·30	22
23				·07		·04	·39		·28				23
24		·12		·16		·06	·01	·06			·35	·05	24
25						·07		·43		·15			25
26	·15	·20	·31	·27				·01	·03		·39	·42	26
27	·08	·03		·48				·12		·04	·03	·02	27
28	·19		·27	·21				·29	·12	·02	·98	·42	28
29	·29	X		·22			·02	·04		·27	·18	·20	29
30	·16	X	·02	·14				·18		·11	·16	·32	30
31	·17	X		X		X			X	·37	X	·01	31
TOTAL	4·30	2·95	4·05	2·97	·20	·96	2·04	1·39	1·30	1·23	4·94	3·98	YEAR'S TOTAL 30·31
Days with ·01 in. or more	21	14	17	16	2	6	14	11	8	12	23	22	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

281

5 MAR 19
268

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Water Works Dover

in the County of Kent

by Wm Boulton Smith B Sc (Eng) Assoc. M. I. C. E.

Lat. Long.

Time of Observation 10 a m.

Nearest Railway Station Dover Priory

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·04		·06			·53		·31	1
2	·08		·02	·14	·04		·04	·56		·31.		·16	2
3		·04				·06			·06			·09	3
4			·01	·08			·06	·03	·08			·20	4
5			·02	·05	·03		·29					·13	5
6			·11		·15		·17						6
7	·03			·10	·05		·03			·03			7
8				·20			·09						8
9	·10			·06	·09		·06						9
10	1·03	·02		·10							·02		10
11	·10	·32	·03	·25								·20.	11
12	·15	·03	·08	·17		·06	·47				·02		12
13	·40	·05	·06			·06	·39				·21		13
14		·01	·12	·13		·05			·03	·10	·39		14
15	·04		·34	·02	·15				·32	·12	·09		15
16	·02				·06				·15			·33	16
17				·06		·09			1·11			·10	17
18	·10			·19			·13	·89	·62			·02	18
19	·13			·24				·06	·08			·02	19
20	·05	·15		·04		·49			·50				20
21							·02		·15			·42	21
22				·17				·15	·02			·28	22
23							·71	·10				·55	23
24			·03						·10			·10	24
25				·04	·04		·23		·02				25
26			·11	·08									26
27	·28	·12		·11		·09	·21				·23	·31	27
28	·18	·03			·69		·48				·33	·09	28
29	·58		·10		·15						·17		29
30	·03			15	·01	·03	·07		·21		·11	·36	30
31	·09									·20		·29	31
TOTAL	3·39	·77	1·03	2·38	1·50	·93	3·51	1·79	3·45	1·29.	1·57	3·96	YEAR'S TOTAL 25·57
Days with ·01 in. or more	~~17~~	~~9~~	~~12~~	~~20~~	~~12~~	~~8~~	~~17~~	~~6~~	~~14~~	~~6~~	~~9~~	~~18~~	~~148~~
Days with ·04 in. or more	~~14~~	~~5~~	~~7~~	~~19~~	~~10~~	~~7~~	~~15~~	~~5~~	~~11~~	~~5~~	~~7~~	~~16~~	~~121~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DOWNE
COUNCIL SCHOOL
KENT
1911 - 20

R 1

FORM A2.
BRITISH RAINFALL.

8 FEB 1912

Kept at Doune

in the County of

by Arthur J

5 in.

ve Ground ft. 5 in.

Sea Level 500 ft.

am

Name Orpington

Distance 3½m Direction N.N.E.

IMPORTANT NOT d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·67	·00	·00	·00	·01	·00	·02	·00	·00	·21	·01	·00	1
2	·08	·00	·01	1·22	·03	·00	·02	·00	·00	·00	·21	·00	2
3	·03	·00	·00	·01	·18	·00	·00	·00	·00	·00	·00	·02	3
4	·08	·02	·09	·13 snow	·00	·00	·00	·00	·00	·00	·46	·23	4
5	·10	·00	·00	·10 snow	·00	·00	·00	·00	·02	·17	·05	·34	5
6	·00	·00	·13	·00	·00	·00	·00	·00	·00	·48	·00	·25	6
7	·30	·00	·01	·00	·00	·00	·00	·00	·00	·00	·50	·39	7
8	·01	·00	·11	·00	·00	·00	·00	·00	·00	·21	·36	·37	8
9	·65	·00	·04	·06	·00	·00	·00	·00	·00	·00	·03	·11	9
10	·00	·08	·00	·00	·00	·00	·00	·00	·00	·00	·05	·96	10
11	·42	·00	·06	·00	·00	·00	·00	·00	·00	·00	·50	·00	11
12	·00	·00	·42	·00	·19	·00	·00	·00	·00	·00	·57	·00	12
13	·00	·03	·16	·00	·00	·06	·00	·00	·01	·00	·05	·24	13
14	·00	·10	·00	·00	·37	·00	·00	·00	·01	·00	·00	·72	14
15	·01	·04	·42	·00	·01	·00	·00	·00	·00	·11	·11	·05	15
16	·01	·00	·00	·00	·01	·00	·00	·00	·00	·00	·71	·12	16
17	·00	·20	·00	·00	·00	·20	·00	·00	·00	·00	·72	·29	17
18	·00	·00	·01	·00	·00	·30	·00	·00	·00	·00	1·01	·37	18
19	·00	·00	·00	·00	·00	·19	·00	·00	·00	·23	·21	·13	19
20	·06	·01	·02	·00	·00	·14	·00	·00	·20	·00	·03	·95	20
21	·00	·13	·00	·00	·00	·02	·00	·49	·01	·05	·00	·23	21
22	·01	·00	·24	·00	·00	·04	·00	·13	·12	·46	·00	·23	22
23	·01	·24	·02	·00	·00	·25	·00	·01	·00	·01	·02	·52	23
24	·00	·15	·00	·00	·01	·08	·00	·00	·21	1·50	·00	·25	24
25	·00	·06	·00	·07	·00	·55	·04	·01	·00	·04	·00	·26	25
26	·00	·00	·13	·28	·00	·24	·05	·00	·04	·10	·07	·01	26
27	·00	·30	·15	·05	·21	·00	·00	·00	·00	·00	·02	·21	27
28	·00	·26	·01	·00	·00	·00	·00	·00	·10	·00	·08	·04	28
29	·00	—	·00	·53	·00	0·00	·00	·06	·00	·35	·00	·00	29
30	·00	—	·01	·00	·00	·04	·38	·01	·00	·36	·00	·00	30
31	·00	—	—	—	·28	-	·00	·25	-	·01	-	·01	31
Total	1·84	1·62	2·04	2·45	1·30	2·11	·51	·96	·72	4·29	5·77	7·30	TOTAL for year 30·91
No. of Rain Days.	14	13	18	9	10	12	5	7	9	15	21	25	158

W. 8,000, X. '11.

REGISTER OF RAIN 11

FORM A2.
BRITISH RAINFALL.
8 FEB 1912

Kept at Downe Council School

in the County of Kent 5

by Arthur J Ridge.

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	ft. 5 in.
	" " " Sea Level	500 ft.

Time of Observation 9 am

Nearest Railway Station: Name Orpington; Distance 3½ m Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·67	·00	·00	·00	·01	·00	·02	·00	·00	·21	·01	·00	1
2	·08	·00	·01	1·22	·03	·00	·02	·00	·00	·00	·21	·00	2
3	·03	·00	·00	·01	·18	·00	·00	·00	·00	·00	·00	·02	3
4	·08	·02	·09	·13 snow	·00	·00	·00	·00	·00	·00	·46	·23	4
5	·10	·00	·00	·10 snow	·00	·00	·00	·00	·02	·17	·05	·34	5
6	·00	·00	·13	·00	·00	·00	·00	·00	·00	·48	·00	·25	6
7	·30	·00	·01	·00	·00	·00	·00	·00	·00	·00	·50	·39	7
8	·01	·00	·11	·00	·00	·00	·00	·00	·00	·21	·36	·37	8
9	·65	·00	·04	·06	·00	·00	·00	·00	·00	·00	·03	·11	9
10	·00	·08	·00	·00	·00	·00	·00	·00	·00	·00	·05	·96	10
11	·42	·00	·06	·00	·00	·00	·00	·00	·00	·00	·50	·00	11
12	·00	·00	·42	·00	·19	·00	·00	·00	·00	·00	·57	·00	12
13	·00	·03	·16	·00	·00	·06	·00	·00	·01	·00	·05	·24	13
14	·00	·10	·00	·00	·37	·00	·00	·00	·01	·00	·00	·72	14
15	·01	·04	·42	·00	·01	·00	·00	·00	·00	·11	·11	·05	15
16	·01	·00	·00	·00	·01	·00	·00	·00	·00	·00	·71	·12	16
17	·00	·20	·00	·00	·00	·20	·00	·00	·00	·00	·72	·29	17
18	·00	·00	·01	·00	·00	·30	·00	·00	·00	·00	1·01	·37	18
19	·00	·00	·00	·00	·00	·19	·00	·00	·00	·23	·21	·13	19
20	·06	·01	·02	·00	·00	·14	·00	·00	·20	·00	·03	·95	20
21	·00	·13	·00	·00	·00	·02	·00	·49	·01	·05	·00	·23	21
22	·01	·00	·24	·00	·00	·04	·00	·13	·12	·46	·00	·23	22
23	·01	·24	·02	·00	·00	·25	·00	·01	·00	·01	·02	·52	23
24	·00	·15	·00	·00	·01	·08	·00	·00	·21	1·50	·00	·25	24
25	·00	·06	·00	·07	·00	·55	·04	·01	·00	·04	·00	·26	25
26	·00	·00	·13	·28	·00	·24	·05	·00	·04	·10	·07	·01	26
27	·00	·30	·15	·05	·21	·00	·00	·00	·00	·00	·02	·21	27
28	·00	·26	·01	·00	·00	·00	·00	·00	·10	·00	·08	·04	28
29	·00	—	·00	·53	·00	0·00	·00	·06	·00	·35	·00	·00	29
30	·00	—	·01	·00	·00	·04	·38	·01	·00	·36	·00	·00	30
31	·00	—	—	—	·28	-	·00	·25	-	·01	-	·01	31
Total	1·84	1·62	2·04	2·45	1·30	2·11	·51	·96	·72	4·29	5·77	7·30	TOTAL for year 30·91
No. of Rain Days.	14	13	18	9	10	12	5	7	9	15	21	25	158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

19 APR 1913

Ex JC.

REGISTER OF RAINFALL IN 1912

Kept at Downe Council School
in the County of Kent 5
by Arthur J. Ridge

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 560 ft.
Time of Observation 9. am
Nearest Railway Station
Name Orpington
Distance 3½ Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·01	·02	·00	·00	·12	·10	·00	·00	·56	·00	·38	1
2	·00	·00	·15	·02	·00	·10	·34	·40	·00	·05	·00	·00	2
3	·05	·08	·45	·00	·00	·15	·05	·00	·07	·00	·00	·07	3
4	·22	·00	·61	·00	·00	·20	·00	·10	·00	·00	·16	·00	4
5	·10	·03	·12	·00	·27	·00	·00	·05	·00	·00	·12	·02	5
6	·56	·05	·01	·00	·02	·00	·00	·10	·00	·00	·01	·24	6
7	·00	·00	·01	·00	·09	·62	·05	·12	·00	·00	·00	·06	7
8	·29	·47	·26	·00	·00	·05	·00	·20	·01	·00	·00	·04	8
9	·01	·13	·00	·07	·00	·21	·05	·01	·00	·00	·00	·12	9
10	·01	·00	·00	·00	·00	·00	·00	·37	·00	·01	·10	·25	10
11	·02	·44	·01	·00	·00	·04	·00	·06	·08	·00	·01	·29	11
12	·01	·13	·03	·00	·03	·03	·00	·00	·00	·00	·02	·01	12
13	·00	·02	·02	·00	·00	·00	·00	·05	·00	·01	·16	·00	13
14	·01	·00	·02	·00	·04	·00	·00	·00	·00	·06	·01	·04	14
15	·01	·00	·16	·00	·22	·55	·00	·10	·00	·01	·01	·36	15
16	·23	·00	·11	·00	·02	·42	·00	·09	·00	·08	·12	·00	16
17	·30	·00	·46	·00	·00	·00	·00	·27	·00	·00	·01	·11	17
18	·21	·00	·18	·00	·00	·00	·00	·06	·00	·00	·02	·11	18
19	·12	·11	·13	·03	·00	·05	·09	·07	·00	·01	·01	·01	19
20	·02	·01	·54	·00	·00	·01	·00	·15	·00	·44	·03	·00	20
21	·01	·03	·34	·00	·00	·01	·00	·25	·00	·11	·00	·10	21
22	·09	·23	·11	·00	·03	·00	·12	·10	·00	·02	·00	·00	22
23	·40	·40	·30	·00	·00	·00	·00	·53	·00	·11	·00	·08	23
24	·08	·04	·00	·00	·00	·20	·00	·15	·00	·00	·24	·20	24
25	·12	·00	·00	·00	·00	·39	·00	1·09	·00	·00	·30	·64	25
26	·01	·02	·00	·00	·00	·00	·07	·57	·00	·48	·64	·40	26
27	·01	·00	·00	·00	·00	·00	·14	·25	·00	·15	·00	·20	27
28	·00	·05	·00	·00	·00	·00	·00	·15	·27	·80	·72	·30	28
29	·01	·03	·00	·00	·00	·00	·23	·16	1·10	·16	·00	·20	29
30	·00	—	·00	·00	·28	·00	·03	·09	2·70	·33	·00	·00	30
31	·01	—	·08	—	·00	—	·30	·00	—	·02	—	·00	31
Total	2·91	2·28	4·17	0·12	1·00	3·15	1·57	5·54	4·23	3·41	2·69	4·23	TOTAL for year 35·30
No. of Rain Days	25	18	22	3	9	16	12	26	6	18	18	23	196

7,000. X. '09.

FORM A.
BRITISH RAINFALL.

28 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Downe Council School
in the County of Kent 5 Ex. H.O.
by Arthur J. Ridge.

Lat. 51·20′ Long. 0°·3·20 E
Time of Observation 9 a.m.
Nearest Railway Station Orpington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 5 in.
„ „ „ „ Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·32	·00	·25	·00	·03	·00	·00	·12	·08	·14	·08	1
2	·00	·12	·04	·00	·00	·00	·15	·00	·01	·10	·14	·01	2
3	·00	·00	·04	·43	·30	·00	·00	·00	·00	·00	·00	·24	3
4	·12	·00	·06	·00	·06	·00	·08	·00	·01	·08	·02	·06	4
5	·50	·00	·01	·05	·00	·06	·10	·00	·44	·00	·00	·00	5
6	·00	·11	·15	·00	·01	·15	·41	·00	·00	·24	·14	·04	6
7	·01	·00	·00	·00	·04	·06	·04	·14	·00	·25	·11	·03	7
8	·00	·20	·00	·01	·15	·00	·00	·00	·00	·25	·05	·01	8
9	·00	·14	·04	·02	·06	·02	·00	·00	·16	·01	·00	·03	9
10	·00	·00	·05	·15	·00	·01	·00	·02	·00	·05	·43	·00	10
11	·00	·00	·00	·00	·03	·00	·00	·00	·00	·20	·20	·00	11
12	·58	·00	·00	·33	·04	·00	·00	·00	·00	·65	·53	·00	12
13	·20	·00	·00	·00	·00	·00	·00	·00	·00	·01	·23	·00	13
14	·11	·01	·40	·08	·00	·00	·30	·10	·04	·14	·04	·00	14
15	·33	·00	·00	·31	·00	·00	·32	·00	·02	·00	·00	·00	15
16	·20	·00	·50	·26	·00	·00	·00	·00	·40	·00	·00	·00	16
17	·03	·09	·11	·03	·00	·00	·22	·04	·01	·00	·00	·01	17
18	·00	·00	·12	·00	·00	·03	·00	·00	·01	·00	·08	·00	18
19	·28	·00	·13	·18	·00	·05	·16	·00	·22	·00	·00	·00	19
20	·34	·00	·18	·00	·00	·00	·00	·00	·00	·57	·05	·00	20
21	·04	·00	·09	·02	·00	·15	·00	·00	·07	·25	·86	·00	21
22	·31	·00	·11	·22	·01	·00	·00	·00	·12	·00	·00	·01	22
23	·00	·00	·02	·00	·00	·01	·15	·14	·01	·00	·00	·41	23
24	·04	·01	·00	·03	·00	·02	·00	·01	·00	·00	·00	·01	24
25	·00	·00	·24	·20	·00	·00	·00	·00	·04	·00	·03	·04	25
26	·00	·00	·14	·03	·00	·00	·03	·23	·00	·84	·00	·23	26
27	·00	·00	·22	·05	·23	·00	·00	·00	·01	·11	·00	·00	27
28	·25	·00	·18	·03	·00	·00	·00	·00	·00	·21	·00	·00	28
29	·05		·06	·36	·13	·00	·00	·12	·00	·03	·00	·00	29
30	·48		·10	·15	·00	·00	·00	·23	·00	·19	·01	·00	30
31	·00		·16		·00		·00	·88		·00		·01	31
Total	3·90	1·03	3·21	3·19	1·06	·59	1·99	1·94	1·75	4·29	3·15	1·25	YEAR'S TOTAL 27.35
Rain Days.	17.	8.	23.	21.	11.	11.	11.	10.	16.	19.	16.	15.	178

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 FEB 1915

Kept at Downe Council School
in the County of Kent 5
by Arthur J. Ridge

Lat. 51°·20' Long. 0°·3'·20"E
Time of Observation 9 am
Nearest Railway Station Orpington
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground – ft. 5 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·00	·00	·01	·00	·00	·00	·24	·00	·00	·08	·03	1
2	·01	·00	·00	·00	·00	·01	·07	·13	·00	·00	·05	·03	2
3	·00	·01	·13	·01	·25	·00	·15	·02	·00	·00	·00	·13	3
4	·04	·01	·02	·20	·01	·00	·00	·08	·00	·00	·35	·45	4
5	·09	·00	·05	·38	·33	·04	·30	·75	·00	·00	·00	·00	5
6	·00	·00	·01	·12	·01	·20	·00	·02	·00	·00	·01	·34	6
7	·00	·68	·31	·14	·30	·36	·09	·00	·00	·06	·00	·21	7
8	·08	·81	·50	·00	·04	·26	·10	·18	·01	·00	·00	·15	8
9	·22	·00	1·00	·19	·00	·01	·00	·01	·18	·00	·00	1·65	9
10	·01	·06	·03	·00	·06	·00	·00	·00	·03	·00	·00	·09	10
11	·00	·72	·46	·19	·02	·02	·00	·00	·28	·00	·00	·35	11
12	·03	·05	·06	·00	·00	·00	·14	·00	·22	·00	·19	·72	12
13	·01	·45	·25	·00	·00	·07	·00	·00	·13	·08	·00	1·30	13
14	·00	·23	·31	·00	·00	·00	·43	·00	·00	·55	·15	·62	14
15	·03	·02	·25	·00	·00	·00	·00	·07	·00	·00	1·00	·11	15
16	·02	·01	·04	·00	·00	·00	·09	·00	·00	·00	·00	·00	16
17	·00	·43	·23	·00	·00	·00	·00	·00	·17	·00	·00	·73	17
18	·00	·10	·29	·00	·00	·00	·00	·00	·00	·00	·00	·62	18
19	·00	·04	·52	·00	·00	·03	·17	·00	·00	·00	·23	·32	19
20	·00	·20	·40	·00	·00	·05	·00	·00	·14	·00	·00	·09	20
21	·00	1·00	·08	·00	·00	·05	·00	·10	·00	·08	·00	·03	21
22	·00	·04	·00	·00	·52	·52	·22	·00	·00	·21	·00	·00	22
23	·00	·01	·16	·02	·14	·00	·06	·00	·00	·03	·00	·09	23
24	·00	·01	·15	·02	·00	·00	·00	·00	·00	·00	·08	·01	24
25	02	·00	·33	·00	·00	·00	·04	·00	·00	·54	·00	·03	25
26	01	·00	·05	·00	·00	·00	·00	·44	·00	·07	·25	·80	26
27	02	·00	·01	·00	·00	·00	·00	·00	·00	·00	·11	·42	27
28	03	·03	·00	·00	·00	·00	·00	·00	·00	·04	·42	·76	28
29	10	–	·03	·00	·00	·00	·00	·00	·00	·51	·28	·00	29
30	00	–	·08	·00	·00	·00	·00	·00	·00	·08	·94	·33	30
31	04	–	·00	–	·29	–	·00	·00	–	·01	–	·03	31
Total	·77	4·91	5·75	1·28	1·97	1·62	1·86	2·04	1·16	2·20	4·14	10·44	YEAR'S TOTAL 38·14
Rain Days.	17	20	26	10	11	12	12	11	8	11	14	~~28~~	~~180~~

27 179

cnd for pt. WD 23.11.16 Exd F.W

REGISTER OF RAINFALL IN 1915

471
FORM A.
BRITISH RAINFALL.
5 FEB 1916

Kept at Downe.

in the County of Kent. 5

by Arthur J. Ridge.

N Lat. 51°. 20 Long. 0°. 3'. 20" E

Time of Observation 9 am

Nearest Railway Station Orpington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	61	·15	·05	·00	·00	·00	·17	·60	·19	·03	·35	·00	1
2	12	·23	·20	·00	·03	·00	·00	·46	·00	·05	·00	·55	2
3	47	·00	·04	·12	·00	·00	·00	·00	·11	·00	·00	·53	3
4	03	·00	·00	·20	·04	·00	·00	·04	·00	·01	·01	·35	4
5	·02	·49	·00	·00	·00	·00	·00	·00	·00	·09	·02	·45	5
6	·46	·08	·03	·00	·00	·00	·00	·03	·00	·00	·02	·32	6
7	·55	·53	·03	·51	·00	·00	·65	·10	·00	·00	·00	·25	7
8	·08	·80	·00	·00	·00	·00	·45	·06	·00	·00	·00	·00	8
9	·00	·13	·01	·08	·00	·00	·10	·00	·00	·05	·38	·48	9
10	·30	·00	·00	·16	·00	·05	·00	·00	·00	·00	·00	·35	10
11	·01	·00	·00	·00	·00	·00	·00	·46	·00	·00	·65	·07	11
12	·04	·08	·00	·00	·00	·00	·00	·01	·00	·06	·60	·01	12
13	·02	·92	·00	·45	·44	·00	·00	·10	·00	·00	·00	·00	13
14	·01	·04	·00	·00	1·40	·00	·00	·00	·05	·00	·00	·50	14
15	·23	·00	·00	·00	·00	·00	·16	·08	·00	·01	·30	·37	15
16	·00	·59	·00	·00	·06	·00	·00	·00	·00	·00	·00	·23	16
17	·00	·62	·00	·01	·00	·00	1·00	·00	·00	·00	·00	·01	17
18	·00	·14	·03	·00	1·00	·00	·06	·00	·00	·00	·10	·00	18
19	·00	·24	·00	·00	·32	·00	·00	·00	·00	·05	·00	·00	19
20	·33	·00	·00	·00	·01	·00	·06	·00	·00	·00	·00	·28	20
21	·08	·00	·00	·02	·01	·00	·00	·00	·00	·03	·00	·10	21
22	1·06	·05	·06	·00	·00	·00	·00	·00	·00	·00	·00	·16	22
23	·01	·42	·03	·07	·00	·00	·80	·00	·00	·33	·01	·28	23
24	·01	·01	·00	·00	·00	·10	·65	·00	·25	·00	·00	·31	24
25	·00	·00	·06	·00	·00	·00	·43	·00	·00	·23	·00	·35	25
26	·00	·08	·00	·20	·00	·00	·27	·00	·00	·00	·00	·55	26
27	·00	·03	·00	·00	·00	·07	·00	·00	·00	·38	·00	·00	27
28	·00	·03	·00	·00	·00	·18	·23	·00	1·89	·23	·00	·00	28
29	·01	—	·00	·00	·00	·11	·00	·17	·00	·00	·30	·00	29
30	·04	X	·00	·00	·00	·05	·00	·01	·01	·05	·63	·35	30
31	·00	X	·00	X	·00	X	~~·00~~	·18	X	·06	X	·05	31
Total	4·49	5·66	0·54	1·82	3·31	17 ~~0·56~~ 73	~~5·03~~ 4·86	2·30	2·50	1·66	3·37	6·90	YEAR'S TOTAL 38·14
Rain Days.	21	20	10	10	9	~~6~~ 7	~~13~~ 12	13	6	15	12	23	158

East Kt

457

FORM A.
BRITISH RAINFALL.
1. JAN. 1917

REGISTER OF RAINFALL ~~IN~~ 1916

Kept at Downe
in the County of Kent
by Arthur J. Ridge

Lat. 51° 20' N Long. 0° 3' 20" E
Time of Observation 9 am
Nearest Railway Station Orpington S.E.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 7. in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.01	.01	.00	.45	.00	.00	.00	.29	.07	.25	.00	1
2	.40	.13	.07	.00	.33	.00	.00	.00	.06	.30	.05	.00	2
3	.01	.70	.39	.00	.00	.00	.04	.00	.21	.31	.81	.00	3
4	.26	.14	.02	.00	.00	.38	.00	.00	.09	.03	.49	.00	4
5	.00	.03	.01	.03	.18	.17	.08	.00	.00	.09	.65	.03	5
6	.01	.20	.47	.48	.03	.13	.40	.00	.00	.24	.82	.00	6
7	.08	.00	.48	.01	.21	.01	.27	.00	.00	.02	1.24	.04	7
8	.00	.00	.00	.00	.32	.00	.00	.00	.00	.00	.01	.47	8
9	.00	.00	.00	.00	.44	.00	.00	.00	.00	.03	.00	.29	9
10	.01	.12	.12	.11	.00	.40	.10	.00	.00	.04	.00	.10	10
11	.04	.15	.06	.11	.00	.33	.00	.00	.00	.00	.01	.00	11
12	.03	.04	.01	.09	.27	.28	.05	.01	.00	.09	.00	.00	12
13	.00	.27	.33	.28	.09	.10	.09	.02	.00	.07	.01	.10	13
14	.00	.50	.03	.01	.13	.00	.00	.09	.00	.05	.00	.10	14
15	.00	.11	.25	.01	.00	.00	.00	.44	.00	.03	.00	.00	15
16	.00	.03	.15	.18	.00	.00	.22	.03	.00	.00	.00	.00	16
17	.17	.09	.00	.04	.00	.00	.04	.32	.00	.65	.00	.00	17
18	.05	.11	.03	.34	.00	.00	.00	.38	.39	.26	.70	.03	18
19	.20	.07	.13	.23	.00	.00	.10	.02	.08	.00	.68	.04	19
20	.15	.00	.21	.03	.00	.00	.00	.00	.10	.00	.06	.43	20
21	.01	.00	.36	.00	.00	.00	.07	.00	.00	.00	.04	.44	21
22	.02	.02	.11	.00	.00	.00	.00	.00	.00	.06	.01	.48	22
23	.01	.52	.08	.00	.00	.08	.00	.01	.00	.10	.08	.38	23
24	.00	.00	.01	.00	.03	.06	.00	.03	.00	.18	.09	.20	24
25	.00	.84	.36	.00	.04	.00	.00	.22	.00	.12	.09	.00	25
26	.00	.15	.10	.00	.00	.18	.00	.03	.00	.17	.02	.00	26
27	.04	.00	1.01	.00	.00	1.43	.00	.27	.05	.67	.01	.00	27
28	.00	.44	.35	.00	.00	.01	.01	.00	.00	.06	.02	.24	28
29	.01	.12	.00	.00	.00	.26	.00	.70	.08	.32	.00	.26	29
30	.00	X	.00	.00	.38	.00	.00	.22	.00	.46	.00	.00	30
31	.00	X	.00	X	.00	X	.00	.00	X	.15	X	.03	31
Total	1.63	4.79	5.15	1.95	2.90	3.82	1.47	2.79	1.35	4.57	6.14	3.66	YEAR'S TOTAL 40.22
Rain Days.	18	22	25	14	13	14	12	15	9	25	21	17	205

W. 8,000, VIII. 16

exalter

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
26 JAN

Kept at Downe Cl. School

in the County of Kent

by Arthur J Ridge

Lat. 51° 20' Long. 0° 3.20' E

Time of Observation 9 am

Nearest Railway Station Orpington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·02	·01	·25	·00	·00	·00	1·48	·12	·00	06	·03	1
2	·00	·00	·00	·20	·00	·00	·00	·39	·00	·00	15	·00	2
3	·01	·00	·00	·10	·00	·02	·31	·64	·00	·01	31	·00	3
4	·00	·21	·13	·00	·00	·00	·31	·38	·00	·12	·00	·00	4
5	·20	·00	·01	·48	·00	·00	·00	·00	·36	·48	·09	·00	5
6	·01	·00	·04	·06	·00	·08	·00	·00	·18	·17	·11	·01	6
7	·40	·00	·00	·00	·00	·00	·21	·00	·00	·59	·00	·04	7
8	·12	·00	·01	·08	·00	·00	·63	·51	·03	·30	·30	·14	8
9	·03	·00	·04	·10	·00	·00	·35	·10	·03	·00	·09	·94	9
10	·19	·00	·18	·09	·00	·00	·00	·10	·00	·01	·00	·12	10
11	·12	·03	·28	·40	·00	·00	·00	·06	·16	·43	·00	·00	11
12	·14	·02	·03	·02	·00	·00	·00	·00	·00	·52	·02	·01	12
13	·08	·00	·07	·05	·00	·00	·00	·01	·03	·28	·01	·01	13
14	·00	·00	·04	·18	·00	·00	·00	·05	·01	·01	·00	·00	14
15	·03	·00	·01	·00	·00	·00	·02	·26	·00	·07	·01	·03	15
16	·08	·11	·00	·18	·12	·00	·04	·00	·00	·63	·01	1·20	16
17	·03	·00	·00	·08	·67	·00	·17	·02	·40	·20	·00	·01	17
18	·06	·03	·00	·19	·06	·01	·12	·80	·25	·05	·00	·00	18
19	·01	·10	·07	·02	·05	·10	·00	·18	·12	·01	·00	·00	19
20	·00	·07	·08	·00	·85	·00	·27	·00	·01	·00	·05	·00	20
21	·07	·02	·02	·02	·02	·02	·00	·00	·01	·01	·04	·00	21
22	·02	·00	·08	·00	·00	·00	·00	·14	·00	·13	·00	·00	22
23	·02	·13	·00	·00	·28	·06	·00	·14	·00	·12	·00	·03	23
24	·00	·03	·01	·00	·00	·11	·01	·01	·00	·14	·03	·03	24
25	·00	·02	·05	·00	·00	·03	·00	·00	·00	·05	·06	·00	25
26	·00	·00	·03	·00	·00	·00	·00	·53	·01	·08	·62	·02	26
27	·00	·00	·00	·00	·00	·00	·00	·20	·03	·01	·00	·02	27
28	·00	·02	·00	·00	·00	·37	·00	·34	·00	·00	·00	·05	28
29	·00		·04	·00	·00	·25	·08	·00	·00	·43	·00	·12	29
30	·02	X	·30	·00	·12	·00	2·07	·14	·00	·04	·00	·00	30
31	·11	X	·02	X	·00	X	·68	·03	X	·02	X	·07	31
Total	1·75	0·81	1·55	2·50	2·17	2·05	5·27	6·51	1·75	4·91	1·96	2·88	YEAR'S TOTAL 34·11
Rain Days.	20	13	22	17	8	10	14	22	15	26	16	18	201

5·34

W. 8,000, IX. 17.

E xd E F E

133

FORM A. BRITISH RAINFALL

15

REGISTER OF RAINFALL IN 1918

Kept at Downe Council School
in the County of Kent.
by Arthur J Ridge

Lat. 51°20 Long. 0° 3' 20" E
Time of Observation 9 am
Nearest Railway Station Orpington SE&C
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·02	·00	·00	·03	·00	·00	·01	·00	·00	·18	·08	1
2	·00	·05	·01	·03	·00	·00	·00	·21	·00	·01	·10	·21	2
3	·01	·00	·11	·05	·53	·00	·00	·05	·00	·02	·55	·01	3
4	·00	·29	·11	·01	·00	·00	·00	·03	·24	·01	·86	·02	4
5	·00	·03	·00	·00	·16	·00	·00	·10	·56	·08	·00	·02	5
6	·21	·19	·00	·35	·24	·00	·00	·04	·04	·03	·00	·06	6
7	·06	·11	·00	·14	·38	·00	·00	·02	·13	·09	·03	·03	7
8	·00	·17	·00	·00	·00	·01	·00	·00	·21	·03	·16	·12	8
9	·04	·01	·00	·09	·00	·02	·25	·00	·51	·18	·01	·22	9
10	·00	·00	·00	·13	·00	·06	·53	·00	·08	·18	·01	·50	10
11	·03	·07	·00	·04	·00	·00	·52	·00	·03	·38	·09	·08	11
12	·00	·00	·01	·00	·15	·00	·12	·00	·04	·00	·01	·06	12
13	·06	·03	·00	·03	·18	·00	·11	·00	·06	·21	·01	·01	13
14	·18	·00	·01	·01	·01	·42	·13	·00	·13	·01	·01	·16	14
15	1·38	·00	·00	·86	·00	·03	·33	·00	·03	·01	·00	·21	15
16	·34	·00	·00	·16	·00	·01	·03	·00	·10	·01	·00	·00	16
17	·32	·00	·00	·13	·05	·00	1·00	·06	·01	·01	·00	·26	17
18	·50	·00	·00	·01	·00	·19	·20	·00	·52	·25	·00	·11	18
19	·11	·00	·07	·12	·01	·13	·11	·00	·01	·16	·00	·09	19
20	·04	·17	·00	·67	·00	·02	·32	·00	·27	·00	·01	·01	20
21	·16	·02	·00	·51	·00	·00	·06	·00	·35	·06	·01	·02	21
22	·06	·00	·00	·01	·15	·00	·20	·00	·27	·00	·04	·20	22
23	·05	·00	·00	·03	·17	·00	·59	·23	·03	·01	·01	·05	23
24	·00	·30	·00	·00	·02	·11	·09	·00	·19	·00	·03	·00	24
25	·01	·00	·00	·79	·00	·02	·08	·14	·00	·03	·06	·01	25
26	·00	·01	·00	·00	·00	·00	·76	·06	·01	·05	·09	·11	26
27	·00	·04	·00	·15	·00	·00	·03	·18	·10	·00	·06	·05	27
28	·01	·01	·37	·06	·00	·00	·00	·06	·00	·00	·25	·09	28
29	·01	—	·00	·00	·00	·00	·00	·00	1·14	·00	·03	·00	29
30	·01	X	·40	·00	·00	·00	·00	·00	·10	·05	·00	·02	30
31	·01	X	·03	X	·00	X	·00	·00	X	·09	X	·06	31
Total	3.60	1·52	1·12	4·38	2·08	1·02	5·46	1·20	5·16	1·96	2·61	2·87	YEAR'S TOTAL 32·98
Rain Days.	21	16	9	22	13	11	19	13	25	23	22	28	222

W, 6,500, VII. 18. w w c

Ex. Hob

414

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Downe Council School
in the County of Kent.
by Arthur J. Ridge.

Lat. 51° 20" Long. 0° 3' 20" E
Time of Observation 9 a.m.
Nearest Railway Station Orpington SE&C
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft 8 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·09	·01	·00	·04	·00	·10	·00	·00	·09	·07	·87	1
2	·28	·01	·02	·00	·06	·00	·20	·03	·05	·02	·12	·27	2
3	·29	·00	·44	·00	·01	·00	·13	·00	·06	·00	·06	·43	3
4	·18	·05	·30	·00	·00	·04	·13	·02	·00	·00	·06	·06	4
5	·04	·31	·75	·00	·00	·00	·00	·00	·01	·01	·05	·40	5
6	·04	·00	·03	·00	·00	·00	·00	·000	·00	·00	·02	·13	6
7	·07	·00	·39	·00	·00	·00	·00	·00	·00	·00	·06	·000	7
8	·35	·00	·04	·02	·00	·00	·00	·00	·00	·00	·09	·00	8
9	·48	·00	·04	·07	·01	·00	·00	·00	·00	·00	·11	·00	9
10	·23	·00	·07	·00	·00	·00	·00	·00	·00	·00	·01	·03	10
11	·04	·00	·22	·25	·01	·00	·23	·00	·000	·01	·00	·03	11
12	·05	·00	·07	·17	·00	·01	·21	·00	·00	·07	·00	·00	12
13	·01	·01	·00	·44	·00	·00	·00	·00	·01	·02	·00	·02	13
14	·51	·74	·00	·75	·00	·00	·06	·00	·55	·00	·01	·02	14
15	·17	·02	·06	·09	·00	·00	·00	·00	·00	·02	·00	·23	15
16	·01	·50	·00	·01	·00	·00	·00	·00	·00	·00	·11	·01	16
17	·01	·18	·04	·02	·00	·00	·00	·00	·000	·00	·17	·01	17
18	·01	·41	·05	·00	·00	·00	·00	·00	·03	·01	·07	·07	18
19	·01	·11	·56	·00	·00	·14	·32	·18	·10	·00	·11	·00	19
20	·25	·18	·08	·00	·00	·97	·29	·18	·00	·01	·02	·02	20
21	·15	·43	·03	·00	·00	·04	·08	·00	·00	·00	·02	·01	21
22	·00	·08	·01	·00	·00	·00	·26	·000	·36	·00	·03	·25	22
23	·00	·00	·00	·00	·00	·03	·02	·00	·36	·00	·01	·07	23
24	·01	·00	·00	·25	·00	·01	·02	·04	·00	·12	·06	·00	24
25	·01	·01	·00	·00	·00	·00	·00	·13	·00	·000	·01	·04	25
26	·06	·37	·04	·10	·00	·00	·00	·04	·13	·00	·00	·46	26
27	·51	·13	·08	1·25	·00	·00	·02	·26	·01	·00	·01	·04	27
28	·00	·01	·18	·03	·00	·00	·09	·04	·00	·01	·36	·26	28
29	·06	—	·02	·06	·00	·00	·00	·28	·00	·03	·01	·15	29
30	·00		·00	·22	·00	·04	·00	·26	·01	·10	·13	·76	30
31	·10		·10		·00		·03	·00		·03		·15	31
TOTAL	4·43	3·62	3·63	3·73	0·13	1·08	2·19	1·46	1·68	0·55	1·78	4·79	YEAR'S TOTAL 29·07 ✓
Days with ·01 in. or more	27	18	24 ~~23~~	15	5	8	16	11	12	14	25	25	~~199~~ 200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

389

[illegible]

5 FEB 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Downe Council School
in the County of Kent
by Arthur J Ridge.

Lat. 51°-20' Long. 0. 3.20' E
Time of Observation 9am
Nearest Railway Station Orpington S.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~–~~ ft. 10 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.00	.00	.28	.04	.00	.34	.00	.00	.24	.01	.30	1
2	.00	.00	.03	.00	.02	.00	.01	.23	.07	.24	.01	.06	2
3	.01	.03	.00	.00	.01	.02	.01	.00	.03	.04	.01	.08	3
4	.00	.11	.01	.26	.00	.00	.66	.08	.03	.04	.00	.12	4
5	.00	.02	.12	.00	.03	.00	.53	.61	.00	.00	.01	.02	5
6	.00	.00	.18	.00	.13	.00	.16	.00	.00	.00	.00	.03	6
7	.02	.02	.01	.20	.04	.00	.35	.00	.00	.00	.00	.02	7
8	.00	.02	.00	.07	.08	.00	.33	.00	.00	.01	.00	.00	8
9	.26	.03	.00	.03	.01	.00	.03	.06	.00	.00	.00	.00	9
10	.49	.09	.07	.31	.01	.18	.13	00	.00	.00	.05	.00	10
11	.23	.00	.05	.08	.00	.00	.17	.06	.00	.00	.00	.16	11
12	.07	.02	.02	.20	.00	.96	.00	00	.00	.01	.02	.00	12
13	.29	.01	.14	.15	.00	.00	.00	.00	.00	.00	.04	.00	13
14	.00	.01	.43	.26	.00	.00	.00	.00	.00	.43	.27	.00	14
15	.01	.00	.07	.20	.00	.00	.00	.00	1.14	.06	.22	.00	15
16	.01	.02	.01	.30	.00	.00	.00	.00	.45	.00	.01	.01	16
17	.01	.01	.00	.05	.13	.00	.00	.00	1.26	.00	.00	.10	17
18	.04	.01	.00	.10	.03	.00	.00	1.02	.16	.00	.02	.10	18
19	.15	.01	.00	.25	.00	.00	.00	.00	.00	.01	.00	.09	19
20	.05	.23	.00	.49	.00	.43	.00	.00	.07	.00	.00	.01	20
21	.00	.01	.00	.01	.00	.00	.72	.01	.64	.00	.01	.13	21
22	.01	.01	.00	.38	.00	.00	.00	.00	.12	.01	.00	.29	22
23	.00	.01	.00	.01	.00	.00	.33	.00	.00	.00	.01	.33	23
24	.00	.00	.05	.01	.00	.00	.00	.00	.00	.00	.01	.02	24
25	.00	.02	.01	.07	.00	.00	.30	.00	.08	.00	.01	.00	25
26	.00	.00	.00	.26	.00	.00	.01	.00	.01	.00	.00	.00	26
27	.42	.00	.17	.03	.00	.06	.06	.00	.00	.01	.33	.00	27
28	.51	.06	.11	.04	.06	.00	.11	.00	.00	.01	.06	.21	28
29	.67	.00	.06	.01	.00	.00	.01	.00	.00	.01	.06	.02	29
30	.02		.00	.01	.01	.08	.11	.00	.27	.02	.36	.28	30
31	.03		.00		.01		.00	.00		.41		.19	31
TOTAL	3.36	.75	1.54	4.06	.61	1.73	4.37	2.07	4.33	1.55	1.52	2.57	YEAR'S TOTAL 28.46
Days with ·01 in. or more	20	20	17	26	14	6	19	7	13	15	19	21	197
Days with ·04 in. or more	12	4	11	19	6	5	14	6	10	7	8	14	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DOWN~~E~~
PETLEYS
KENT
1911, 12, 14.

R ~~12~~ 11

FORM A2. BRITISH RAINFALL.
1 JUN 1912

Kept at Downe
in the County of Ke
by E. E. H…

…usi & Zambra
5 in.
…ve Ground ft. 10½ in.
Sea Level ft.
A.M.
Name Orpington
Distance 3¾ miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·37½							1
2				1·14 [illegible]									2
3				·15	·24		·05				·21	·23½	3
4	·21				·17½						·13	·33	4
5	·02½	·11½	·10	[illegible]						·16	·31	·17	5
6				·28						·51			6
7	·39		·15									·39	7
8										·23	·45½	·38	8
9	·12										·37	·41	9
10	·25½		·10								·04	·05	10
11	·45	·09½	·12									·87	11
12					·22						·50		12
13						·05½					·19½		13
14		·11							·38	·06		·21½	14
15			·50		·37					·04		·72	15
16		·03½	·50								·09½	·03	16
17						·38½					·69½	·09½	17
18		·20									·67½	·24	18
19						·17					·93	·34	19
20									·16	·28	·20	·14	20
21							~~·38½~~	·38½		·12		·82½	21
22		·13½				·09	[illegible]	·19	·10	·69		·16	22
23		·23	·31									·54½	23
24						·77			·22	·33	·04½	·30½	24
25		·13½				·06	·04			1·17 [illegible]		·17½	25
26						·15	·02		·04	·07			26
27		·25		·34	·23	·28				·18		·20	27
28		·26		·05½					·10	·16	·09½	·05½	28
29				·23½				·06					29
30				·30		·11	·41½	·02½	·13½	·21			30
31								·20		·38			31
Total	1·45	1·59½	1·78	2·50	·37½ ~~1·23½~~	~~2·44½~~	·52½	·86	1·13½	4·59	4·94½	6·88	TOTAL for year
No. of Rain Days. 113	6	10	7	7	6	9 ~~10~~	4	5	7	15	15	22	113
	1·45	1·595	1·78	2·50	1·61	2·07	·525	·86	1·135	4·59	4·945	6·88	29·9

W. 8,000, X. '11.

R 11

FORM A2.
BRITISH RAINFALL.

1 JUN 1912

Kept at Downe.

in the County of Kent 5

by E. E. Hunter (Miss)

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground ft. 10½ in.
" " " Sea Level ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Orpington
Distance 3¾ miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·37½							1
2				1·14 ~~[illegible]~~									2
3				·15	·24		·05				·21	·23½	3
4	·21				·17½						·13	·33	4
5	·02½	·11½	·10	~~[illegible]~~						·16	·31	·17	5
6				·25						·51			6
7	·39		·15									·39	7
8										·23	·45½	·38	8
9	·12										·37	·41	9
10	·25½		·10								·04	·05	10
11	·45	·09½	·12									·87	11
12					·22						·50		12
13						·05½					·19½		13
14		·11							·38	·06		·21½	14
15			·50		·37					·04		·72	15
16		·03½	·50								·09½	·03	16
17						·38½					·69½	·09½	17
18		·20									·67½	·24	18
19						·17					·93	·34	19
20									·16	·28	·20	·14	20
21							~~·38½~~	·38½		·12		·82½	21
22		·13½				·09	~~[illegible]~~	·19	·10	·69		·16	22
23		·23	·31									·54½	23
24						·77			·22	·33	·04½	·30½	24
25		·13½				·06	·04			1·17		·17½	25
26						·15	·02		·04	·07			26
27		·25		·34	·23	·28				·18		·20	27
28		·26		·05½					·10	·16	·09½	·05½	28
29				·23½				·06					29
30				·30		·11	·41½	·02½	·13½	·21			30
31								·20		·38			31
Total	1·45	1·59½	1·78	2·50	·37½ ~~1·23½~~	~~2·44½~~	·52½	·86	1·13½	4·59	4·94½	6·88	TOTAL for year 29·94
No. of Rain Days.	113 6	10	7	7	6	9 ~~10~~	4	5	7	15	15	22	113
W. 8,000, X. '11.	1·45	1·595	1·78	2·50	1·61	2·07	·525	·86	1·135	4·59	4·945	6·88	29·94

(321) cont by pun nots cont for W.D. 5.11.13

FORM A. BRITISH RAINFALL.

23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Petleys Downe

in the County of Kent 5

by Miss G. Murton

Lat. Long.

Time of Observation 9 o'clock

Nearest Railway Station Orpington

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 ½ in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nothing

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08			·09	·43	·05	1·97	·04	·28	1
2			·19			·10	·11			·56			2
3			·43			~~·20~~	·29		·09	·10			3
4		·22	·13			·20	·05	·36	·03			·08	4
5	·29		·63		·33	·20	·04	·06			·26		5
6	·14		·12					·44			·11		6
7	·49				·02			·11	·04			·26	7
8						·60		·08				·08	8
9	·28	·50	28			·12		·40					9
10		·11				·10	·04	·01					10
11		·06						·32			·05	·38	11
12	·04	·43				·04		·04	·06				12
13		·10			·02	·03		·10				·29	13
14			·05					~~·07~~				·01	14
15			·17		·02			·08		·05			15
16					·22	·75						·32	16
17	·27		·08		·01	·11		·08 ~~·08~~		·07	·23		17
18	·30		·46					·06				·10	18
19	·39		·17					·08		·03		·14	19
20			·15			·04	·06	·24					20
21		·15	·69					·06		·40			21
22		·50	·29					·06		·13			22
23		·22	·09				·09	·15		·04		·05	23
24	·52	·39	·31					·24		·10	·38		24
25	·04 ~~·07~~					·17		·18				·23	25
26	·12					·33		(1·00)		·12	·30	·54	26
27										·23		·40	27
28							·02	·51		·13	·57	·17	28
29		·11				·04	·16		·05	·75	·84	·24	29
30						·03		·73	1·46	·15	·08		30
31					·29			·10	~~1·78~~	·33			31
	–	–	·08	–	–	·09	·43	·05	1·97	·04	·28	–	YEAR TOTAL
Total	2·88	2·79	~~4·24~~ 4·32	~~·08~~ –	·91	~~2·86~~ 2·95	~~·95~~ 1·29	~~5·41~~ 5·03	~~1·78~~ 3·70	~~5·16~~ 3·23	~~2·86~~ 3·10	~~3·57~~ 3·29	33·49 33·49
Rain Days.	11	11	~~16~~ 17	~~1~~ 0	~~6~~ 7	~~15~~ 16	10	24	7	16	10	~~16~~ 15	144

W. 7,500, XI. ·12

[illegible] 19.IV.15

FORM A.
BRITISH RAINFALL.

7 - APR 1915

REGISTER OF RAINFALL IN 1914

Kept at PETLEYS, DOWNE,
in the County of KENT. 5
by G. N. MURTON

Lat. Long.
Time of Observation
Nearest Railway Station Orpington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~ft.~~ 11 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.22				.03	1
2								.09				.14	2
3			.14		.21		.11						3
4				.34				.08			.34		4
5	.13		.07	.32	.26		.37	.65					5
6		.15		.13		.21						.62	6
7		.62	.31	.17	.27	.36	.09					.18	7
8	.09	.68	.52			.34		.13				.11	8
9	.24		1.09	.24					.15			1.66	9
10			.02	.07	.07							.06	10
11		.79	.43			.03			.37			.33	11
12		.04	.08		06 .06				.19		.14	.72	12
13		.35	.19			.08			.14		.12	1.10	13
14		.27	.33							.54	.06	.62	14
15			.23				.14	.03			.20	.05	15
16			.04										16
17			.06						.13			.21	17
18			.24									.55	18
19			.47				.16				.20	.31	19
20		.45	.41						.12			.12	20
21		.98	.08										21
22		.07			.54		.18	.08		.23			22
23			.14		.12	.42	.06					.11	23
24			.13								.10		24
25			.36							.45			25
26			.04				.07			.12	.30	.80	26
27								.31					27
28	.18	.03	.03						.02		.50	1.06	28
29	.09									.46	.32		29
30			.11							.08	.76	.31	30
31	.05				.29							.04	31
Total	.78	4.43	5.52	1.27	1.82	1.44	1.18	1.59	1.12	1.88	3.04	9.13	YEAR'S TOTAL 33.20
Rain Days.	6	11	23	6	8	6	8	8	7	6	11	21	~~121~~

W. 8,000. X. 14.

290

Form A. 2. METEOROLOGI

IZATION.

REGI

DUNGENESS

KENT

1919-20

Kept at Dunge

in the County of Ke

by J. H. Jarvis, & F

uge in.

round ft. in.

a Level 22 ft.

IMPORTANT NOTE.—Rai d to the previous day.

If an Observer prefers not to co to add the reading at 9 a.m. on 1st Jan e end of this paragraph. Full instructions gauges, and particulars as to the British bservers," sent post-free on application to Camden Square, London, N.W. 1.

Jan. 1, following.

Reco

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·8	3·8	-	-	2·8	-	0·3	-	-	3·2	1·2	13·6	1
2	3·8	-	0·9	-	1·1	-	1·6	-	-	0·1	4·2	5·6	2
3	5·3	-	12·2	-	1·2	-	-	-	1·1	-	2·6	5·4	3
4	5·2	1·7	9·3	-	0·2	0·6	2·1	0·8	0·4	-	0·7	3·3	4
5	1·2	8·8	13·7	-	-	-	-	1·4	-	-	0·6	5·6	5
6	4·9	-	0·7	-	-	-	-	-	-	-	0·3	1·1	6
7	0·9	-	5·8	-	-	-	-	-	-	0·2	2·2	-	7
8	4·1	-	-	-	-	-	-	-	-	-	-	-	8
9	5·6	-	2·0	-	-	-	-	-	-	-	12·2	-	9
10	1·4	-	0·8	0·6	-	-	-	-	-	-	1·7	-	10
11	3·2	-	2·1	5·0	1·2	-	-	-	-	-	-	1·4	11
12	0·8	-	0·8	1·4	0·4	-	6·8	-	-	5·4	2·6	-	12
13	-	-	0·3	0·7	-	-	2·2	-	-	-	-	0·2	13
14	7·8	0·2	-	14·3	-	-	9·2	-	-	-	-	0·2	14
15	5·6	0·7	-	6·1	-	-	-	-	-	1·8	2·2	0·7	15
16	5·4	9·4	0·2	0·7	-	-	-	-	-	-	10·3	0·3	16
17	-	5·9	0·2	0·6	-	-	-	-	-	-	2·0	0·3	17
18	-	2·0	-	-	-	-	0·2	-	0·6	-	0·3	1·3	18
19	-	2·3	5·9	-	-	-	1·2	0·9	-	-	2·9	-	19
20	3·2	1·1	3·8	-	-	7·7	11·8	1·8	-	-	-	0·3	20
21	-	10·3	0·3	-	-	0·6	2·3	-	-	-	-	0·7	21
22	-	1·8	0·3	-	-	-	5·9	-	4·6	-	1·4	2·4	22
23	0·2	-	-	0·9	-	0·9	0·6	-	1·8	-	0·4	0·1	23
24	-	7·3	-	3·6	-	-	-	1·2	-	-	10·7	1·1	24
25	1·8	0·3	-	-	1·0	0·6	-	9·6	-	1·2	1·9	-	25
26	4·0	5·3	0·3	4·4	-	-	1·2	-	1·1	-	5·6	8·7	26
27	12·8	-	6·4	~~[illegible]~~	-	-	-	0·3	0·7	-	0·3	0·2	27
28	0·7	-	2·3	~~2·7~~	-	-	-	12·2	0·4	-	23·3	6·9	28
29	4·0		2·6	~~2·1~~	-	0·2	-	2·6	-	4·6	1·6	4·9	29
30	0·2		-	~~2·2~~	-	-	-	4·9	-	0·9	0·3	5·6	30
31	1·8		-		-		0·2	0·1		7·9		-	31
TOTAL	93·7	60·9	70·9	59·7	7·9	10·6	45·6	35·8	10·7	25·3	91·5	69·9	YEAR'S TOTAL 58 2·5
Days with 0·2 mm. or more	24	15	21	15	7	6	14	10	8	8	24	22	174

58

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

290

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dungeness

in the County of Kent

by J. H. Jarvis, & F. W. Webb

Lat. Long.

Time of Observation 7h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.8	3.8	-	-	2.8	-	0.3	-	-	3.2	1.2	13.6	1
2	3.8	-	0.9	-	1.1	-	1.6	-	-	0.1	4.2	5.6	2
3	5.3	-	12.2	-	1.2	-	-	-	1.1	-	2.6	5.4	3
4	5.2	1.7	9.3	-	0.2	0.6	2.1	0.8	0.4	-	0.7	3.3	4
5	1.2	8.8	13.7	-	-	-	-	1.4	-	-	0.6	5.6	5
6	4.9	-	0.7	-	-	-	-	-	-	-	0.3	1.1	6
7	0.9	-	5.8	-	-	-	-	-	-	0.2	2.2	-	7
8	4.1	-	-	-	-	-	-	-	-	-	-	-	8
9	5.6	-	2.0	-	-	-	-	-	-	-	12.2	-	9
10	1.4	-	0.8	0.6	-	-	-	-	-	-	1.7	-	10
11	3.2	-	2.1	5.0	1.2	-	-	-	-	-	-	1.4	11
12	0.8	-	0.8	1.4	0.4	-	6.8	-	-	5.4	2.6	-	12
13	-	-	0.3	0.7	-	-	2.2	-	-	-	-	0.2	13
14	7.8	0.2	-	14.3	-	-	9.2	-	-	-	-	0.2	14
15	6.6	0.7	-	6.1	-	-	-	-	-	1.8	2.2	0.7	15
16	5.4	9.4	0.2	0.7	-	-	-	-	-	-	10.3	0.3	16
17	-	5.9	0.2	0.6	-	-	-	-	-	-	2.0	0.3	17
18	-	2.0	-	-	-	-	0.2	-	0.6	-	0.3	1.3	18
19	-	2.3	5.9	-	-	-	1.2	0.9	-	-	2.9	-	19
20	3.2	1.1	3.8	-	-	7.7	11.8	1.8	-	-	-	0.3	20
21	-	10.3	0.3	-	-	0.6	2.3	-	-	-	-	0.7	21
22	-	1.8	0.3	-	-	-	5.9	-	4.6	-	1.4	2.4	22
23	0.2	-	-	0.9	-	0.9	0.6	-	1.8	-	0.4	0.1	23
24	-	7.3	-	3.6	-	-	-	1.2	-	-	10.7	1.1	24
25	1.8	0.3	-	-	1.0	0.6	-	9.6	-	1.2	1.9	-	25
26	4.0	5.3	0.3	4.4	-	-	1.2	-	1.1	-	5.6	8.7	26
27	12.8	-	6.4	14.4	-	-	-	0.3	0.7	-	0.3	0.2	27
28	0.7	-	2.3	2.7	-	-	-	12.2	0.4	-	23.3	6.9	28
29	4.0		2.6	2.1	-	0.2	-	2.6	-	4.6	1.6	4.9	29
30	0.2		-	2.2	-	-	-	4.9	-	0.9	0.3	5.6	30
31	1.8		-		-		0.2	0.1		7.9		-	31
TOTAL	93.7	60.9	70.9	59.7	7.9	10.6	45.6	35.8	10.7	25.3	91.5	69.9	YEAR'S TOTAL 582.5
Days with 0·2 mm. or more	24	15	21	15	7	6	14	10	8	8	24	22	174

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

58

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 271

REGISTER OF RAINFALL IN 1920.

(M.O)

Kept at Dungeness (Lighthouse)
in the County of Kent
by Principal Lightkeeper for M.O.

Lat. 50°55 Long. 0° 58' E
Time of Observation 7 h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.9	-	-	3.8	0.6	-	3.0	-	-	4.0	0.4	5.2	1
2	-	-	-	0.3	0.4	-	0.2	7.0	2.0	0.8	-	4.0	2
3	-	-	-	0.2	-	1.1	-	-	0.4	-	-	-	3
4	-	0.8	0.2	1.6	-	-	5.2	0.6	-	-	-	4.0	4
5	-	-	0.4	-	-	-	7.0	1.6	0.6	-	-	3.1	5
6	-	-	1.0	-	2.0	-	3.2	-	-	-	-	-	6
7	0.6	-	-	1.6	7.9	-	2.2	-	-	-	-	1.3	7
8	0.3	-	-	1.6	0.9	-	4.0	-	-	-	-	-	8
9	7.4	-	-	1.1	0.4	-	-	-	-	-	-	-	9
10	9.8	3.2	0.8	8.7	-	-	-	-	-	-	0.3	2.0	10
11	13.2	-	3.3	7.2	-	0.1	-	-	-	-	-	0.2	11
12	1.4	0.7	0.7	3.2	-	3.4	17.0	-	-	-	-	-	12
13	6.7	2.2	2.7	-	-	0.3	-	-	-	-	1.4	-	13
14	-	0.6	7.2	3.8	-	1.0	-	-	-	2.1	5.0	-	14
15	0.6	-	-	-	-	-	-	-	3.0	14.0	2.4	-	15
16	0.2	-	0.2	-	-	0.2	-	-	7.2	-	-	4.0	16
17	0.3	-	-	1.3	1.8	-	3.0	-	5.6	-	-	-	17
18	0.8	-	-	-	3.4	-	-	19.0	8.0	-	-	2.0	18
19	2.1	-	-	3.0	-	-	-	2.3	1.0	-	-	1.3	19
20	1.6	3.4	-	1.9	-	13.0	-	-	25.8	-	-	-	20
21	-	-	-	0.6	-	-	-	-	2.9	-	-	8.0	21
22	-	-	-	3.4	-	-	-	-	-	-	-	8.0	22
23	-	-	-	-	-	-	4.0	-	-	-	-	5.6	23
24	-	-	0.8	-	-	-	2.0	-	0.8	-	-	4.0	24
25	-	-	-	-	-	-	4.0	-	0.3	-	-	-	25
26	0.8	-	0.6	2.0	-	-	-	-	-	-	-	-	26
27	6.9	2.0	2.2	4.7	-	0.2	1.6	-	-	-	1.6	5.0	27
28	3.4	0.4	0.2	0.2	17.4	-	3.0	-	-	-	11.0	0.2	28
29	5.8	-	0.2	8.2	-	-	-	-	-	-	2.2	2.0	29
30	-	✗	0.8	-	-	-	0.2	-	6.0	-	4.0	0.2	30
31	0.6	✗	-	✗	-	✗	-	-	✗	1.0	✗	9.0	31
TOTAL	64.4	13.3	21.3	58.4	34.8	19.3	59.6	30.5	63.6	21.9	28.3	69.1	YEAR'S TOTAL 484.5 ✓
Days with 0·2 mm. or more	19 ✓	8 ✓	15 ✓	20 ✓	9 ✓	7 ✓	15 ✓	5 ✓	13 ✓	5 ✓	9 ✓	19 ✓	144 ✓
Days with 1·0 mm. or more	11 ✓	4 ✓	5 ✓	16 ✓	5 ✓	4 ✓	13 ✓	4 ✓	9 ✓	4 ✓	7 ✓	16 ✓	98 ✓

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W. Copied from M 3200.

FORM A. I. **METEOROLO ANIZATION.**

REC o.

DUNKIRK

HOUSE

KENT

1920

Kept at Dunkirk H ut 9. Am

Faversham

in the County of Ken n Gauge 5 in.

by Colonel Edward ve Ground – ft. 11 in.

Sea Level ~~about 400~~ ft.

IMPORTANT NOTE.– ntered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	–	·10	–	–	·03	–	–	·29	·09	·11	1
2	–	–	·18	–	·03	–	–	–	·04	·11	–	·06	2
3	–	–	–	–	·20	–	–	·14	·02	–	–	·03	3
4	–	·04	–	·37	–	·18	·60	–	–	·01	–	·20	4
5	–	–	–	·12	–	–	–	·14	–	–	–	·28	5
6	–	–	·11	–	·11	–	·56	·01	·09	–	–	·02	6
7	·03	–	·01	·08	·03	–	·04	–	–	·03	–	·05	7
8	–	–	–	·03	·07	–	·12	–	–	–	–	·01	8
9	·25	–	–	·03	·02	–	·11	–	–	–	–	–	9
10	·44	·10	·05	·22	–	–	–	–	–	–	–	·08	10
11	·29	–	–	·21	–	–	·05	–	–	–	·01	·02	11
12	·06	–	·06	·15	·03	·05	·39	–	–	–	–	–	12
13	·24	·02	·11	·02	–	·04	–	–	·03	–	·07	–	13
14	–	·01	·28	·21	–	–	–	–	–	–	·27	–	14
15	·01	–	·02	·12	–	·04	–	–	·77	·25	–	–	15
16	–	–	–	·14	·09	·03	–	–	·25	–	–	·38	16
17	·01	–	·02	·19	·31	·02	–	–	·71	–	–	–	17
18	·08	–	–	·09	·01	–	–	1·34	·16	–	–	·05	18
19	·15	–	–	·30	–	–	–	·06	–	–	–	–	19
20	·03	·22	–	·15	–	·45	–	–	–	–	–	·04	20
21	–	·05	–	·02	–	–	·44	·04	·74	–	–	·23	21
22	–	–	–	·10	–	–	–	·11	·72	–	–	·29	22
23	·02	–	–	·01	–	–	·55	·06	–	–	–	·11	23
24	·01	–	–	–	·04	–	·02	–	–	–	–	·01	24
25	·01	–	·03	–	·08	–	·08	·01	·14	–	–	–	25
26	·06	–	–	·02	–	–	·28	–	–	–	–	·01	26
27	·23	·04	·12	·18	–	·05	·05	–	–	–	·06	·13	27
28	·29	·01	–	·01	–	–	·04	–	–	–	·22	–	28
29	·84	–	·02	·02	·15	–	–	–	–	–	·06	·10	29
30	–	╳	·04	·01	·01	–	·08	–	·13	–	·25	·13	30
31	·02	╳	–	╳	–	╳	–	·01	╳	–	╳	·21	31
TOTAL	3·08 ~~2·98~~	·49	1·05	2·90	1·18	·86	3·44	1·92	3·80	·69	1·03	2·55	YEAR'S TOTAL 22·99 ~~22·89~~
Days with ·01 in. or more	20	8	13	25	14	8	16	10	12	5	8	22	161
Days with ·04 in. or more	11	5	8	16	8	6	14	7	10	3	7	15	110

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dunkirk House - Dunkirk
in the County of Kent
by Colonel Edward. F. Gosset

Lat. Long.
Time of Observation about 9. Am
Nearest Railway Station Faversham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
" " " " Sea Level about 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	–	·10	–	–	·03	–	–	·29	·09	·11	1
2	–	–	·18	–	·03	–	–	–	·04	·11	–	·06	2
3	–	–	–	–	·20	–	–	·14	·02	–	–	·03	3
4	–	·04	–	·37	–	·18	·60	–	–	·01	–	·20	4
5	–	–	–	·12	–	–	–	·14	–	–	–	·28	5
6	–	–	·11	–	·11	–	·56	·01	·09	–	–	·02	6
7	·03	–	·01	·08	·03	–	·04	–	–	·03	–	·05	7
8	–	–	–	·03	·07	–	·12	–	–	–	–	·01	8
9	·25	–	–	·03	·02	–	·11	–	–	–	–	–	9
10	·44	·10	·05	·22	–	–	–	–	–	–	–	·08	10
11	·29	–	–	·21	–	–	·05	–	–	–	·01	·02	11
12	·06	–	·06	·15	·03	·05	·39	–	–	–	–	–	12
13	·24	·02	·11	·02	–	·04	–	–	·03	–	·07	–	13
14	–	·01	·28	·21	–	–	–	–	–	–	·27	–	14
15	·01	–	·02	·12	–	·04	–	–	·77	·25	–	–	15
16	–	–	–	·14	·09	·03	–	–	·25	–	–	·38	16
17	·01	–	·02	·19	·31	·02	–	–	·71	–	–	–	17
18	·08	–	–	·09	·01	–	–	1·34	·16	–	–	·05	18
19	·15	–	–	·30	–	–	–	·06	–	–	–	–	19
20	·03	·22	–	·15	–	·45	–	–	–	–	–	·04	20
21	–	·05	–	·02	–	–	·44	·04	·74	–	–	·23	21
22	–	–	–	·10	–	–	–	·11	·72	–	–	·29	22
23	·02	–	–	·01	–	–	·55	·06	–	–	–	·11	23
24	·01	–	–	–	·04	–	·02	–	–	–	–	·01	24
25	·01	–	·03	–	·08	–	·08	·01	·14	–	–	–	25
26	·06	–	–	·02	–	–	·28	–	–	–	–	·01	26
27	·23	·04	·12	·18	–	·05	·05	–	–	–	·06	·13	27
28	·29	·01	–	·01	–	–	·04	–	–	–	·22	–	28
29	·84	–	·02	·02	·15	–	–	–	–	–	·06	·10	29
30	–		·04	·01	·01	–	·08	–	·13	–	·25	·13	30
31	·02		–		–		–	·01		–		·21	31
TOTAL	3·08 ~~2·98~~	·49	1·05	2·90	1·18	·86	3·44	1·92	3·80	·69	1·03	2·55	YEAR'S TOTAL 22·99 ~~22·89~~
Days with ·01 in. or more	20	8	13	25	14	8	16	10	12	5	8	22	161
Days with ·04 in. or more	11	5	8	16	8	6	14	7	10	3	7	15	110

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

EASTCHURCH
I. O. S.
KENT
1912 - 14

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

RE… 12

Kept at Royal Aero Club F… …don

… in. 1·…

…e Ground 1 ft. 0 in.

in the County of Kent … Sea Level 40 ft. approx

…m.

by Alec Ogilvie … Name Eastchurch

Distance ·54 miles Direction N.E.

IMPORTANT NOT… the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Record Not Yet Begun

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·34	·11		·10	·49		·07	1
2							·16	·01		·08			2
3					·07	·08		·17				·02	3
4					·09	·32					·10		4
5						·14		·08			·13		5
6					·03			·18					6
7					·03	·93							7
8						·07		·16	·13				8
9				·04			·14	·06				·04	9
10								·04			·02	·14	10
11						·35			·02	·02		·24	11
12					·28			·10					12
13								·10			·26		13
14					·03				·01	·05	·04		14
15					·27	·60					·02	·14	15
16					·06	·08							16
17						·01		·04			·10	·06	17
18			·11	·05			·06	·06			·03		18
19			·08			·03	·24	·25				·04	19
20			·20					·08		·55			20
21			·34					·04		·26	·10		21
22			·01				·10	·07				·02	22
23			·11					·39			·10	·03	23
24						·40		·11				·11	24
25						·07		1·32			·13	·33	25
26								·25		·20	·17	·13	26
27			·02				·01			·15	·23	·10	27
28							·11		·01	·35		·01	28
29				·04				·14	·61	·13			29
30					·01	·20		·08	1·07	·23			30
31					·02		·14	·15					31
Total			·87	·13	·89	3·62	1·07	3·88	1·95	2·51	1·43	1·48	TOTAL for year
No. of Rain Days.	part of month only →		7	3	10	14	9	22	7	11	13	15	

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Royal Aero Club Flying Ground, Eastchurch, Sheppey

in the County of Kent

by Alec Ogilvie.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 40 ft. approx

Time of Observation 9 a.m.

Nearest Railway Station
Name Eastchurch
Distance ·54 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Record Not Yet Begun					·34	·11		·10	·49		·07	1
2							·16	·01		·08			2
3					·07	·08		·17				·02	3
4					·09	·32					·10		4
5						·14		·08			·13		5
6					·03			·18					6
7					·03	·93							7
8						·07		·16	·13				8
9				·04			·14	·06				·04	9
10								·04			·02	·14	10
11						·35			·02	·02		·24	11
12					·28			·10					12
13								·10			·26		13
14					·03				·01	·05	·04		14
15					·27	·60					·02	·14	15
16					·06	·08							16
17						·01		·04			·10	·06	17
18			·11	·05			·06	·06			·03		18
19			·08			·03	·24	·25				·04	19
20			·20					·08		·55			20
21			·34					·04		·26	·10		21
22			·01				·10	·07				·02	22
23			·11					·39			·10	·03	23
24						·40		·11				·11	24
25						·07		1·32			·13	·33	25
26								·25		·20	·17	·13	26
27			·02				·01			·15	·23	·10	27
28							·11		·01	·35		·01	28
29				·04				·14	·61	·13			29
30					·01	·20		·08	1·07	·23			30
31					·02		·14	·15					31
Total			·87	·13	·89	3·62	1·07	3·88	1·95	2·51	1·43	1·48	TOTAL for year
No. of Rain Days.	part of month only →		7	3	10	14	9	22	7	11	13	15	

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

1858

REGISTER OF RAINFALL IN 1913

Kept at Eastchurch, Sheppey
in the County of Kent
by Alec Ogilvie.

Lat. Long.
Time of Observation 9.0. a.m.
Nearest Railway Station Eastchurch.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If, an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·15		·12		·14				·35	·03		1
2		·20					·28						2
3				·32	·17								3
4	·06			·04							·06		4
5	·05						·03		·37	·24	·05		5
6	·15		·06				·67			·29	·10		6
7		·05	·05				·14			·07	·03		7
8					·11						·02		8
9		·10			·06				·06		·03		9
10			·05	·03							~~[illegible]~~		10
11	·25			·59						·49	·55		11
12											·X·		12
13	·34										·X· See below		13
14	·03		·03	·03						·15	·11		14
15	·04		·15	·07									15
16	·47		·17	·08									16
17	·02												17
18			·05	·09									18
19	·16		·06										19
20	·47			·02									20
21	·10		·28	·10		·03				·85	·91		21
22	·25		·08										22
23			·12									·57	23
24	·02		·02								·03		24
25				·12									25
26			·13							·72		·09	26
27			·03		·47					·05			27
28	·22		·15							·35			28
29	·24		·04	·22									29
30	·24		·05	·25		·08				·02			30
31			·07							·03			31
Total	3·11	·50	1·59	2·08	·81	·25	/	/	/	3·61	/	·66	YEAR'S TOTAL
Rain Days.	17	4	18	14	4	3	/	/	/	12	/	2	

During this interval a foal grazing on the Flying Ground where the gauge is situated was in the habit of lifting the top of the gauge off with her teeth & leaving it lying about. Entering could not be permitted. hence the blank.

(foal again)

·X· The entry in the register brackets these two days as ·123. probably the sum for the two days should be 1·23.

W.7,000, XI. 13

6 × ML [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
10 APR 1915

Kept at Eastchurch

in the County of Kent

by Alec Ogilvie Esq.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·20					·02		1
2				·13							·06	·19	2
3							·75						3
4								·06			·30	·29	4
5	·10			·46			·25	·12			·33		5
6								·20				·05	6
7		·24			·27	·35		·02					7
8		·18				·61						·10	8
9			1·75	·085				·05				·89	9
10	·14												10
11		·14								·06			11
12			·18									·59	12
13	·17	·10	·14						·30			·19	13
14									·15	·25	·06	·23	14
15							·32				97		15
16			·42				1i·14			[illegible]	06		16
17												0·7	17
18			·09						·03			·22	18
19			·19							·05	·04	·07	19
20			·42					·02		·05	·36		20
21			·15							·03		·30	21
22				·61	[illegible]			·04		·05			22
23			·4		·05	·625	·25						23
24					·50					·03	·04		24
25	·05		·24							·29			25
26											·23	·58	26
27							·03	·25		·06		·14	27
28	·12									·25	·47	·50	28
29							·03			·58	·10		29
30		X								·14	·42		30
31		X		X		X			X		X		31
Total	·58	·66	3·98	1·285	·82	1·185	2·77	·76	·48	1·84	3·46	4·41	YEAR'S TOTAL 22·23
Rain Days.	5	4	11	4	3	4	7	8	3	12	14	15	~~10~~

W. 8,000. X. 14.

EAST MALLING
BROADWATER
KENT
1911 - 1920

REG

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Broadwat
in the County of Kent
by C.S. Mee

in.
Ground 1 ft. 6 in.
Sea Level 166 ft.
A M
Name Malling
Distance 1 mile Direction North

IMPORTANT NOTE. … the result entered to the previous day. If an Obse… …rsal rule, he is earnestly requested to add the readi… …ar in the space provided for it at the end of this … …ent of rain, the selection and placing … …tish Rainfall Organization are given in ' … …pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

11

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	—	—	·85	·01	—	—	·19	—	—	·02	·02	1
2	·08	—	—	·04	·26	—	—	—	—	—	·13	·20	2
3	·03	·04	—	·01	·15	—	—	—	—	—	·09	·20	3
4	·11	·01	·08	·30	·01	—	—	—	·18	1·09	·30	·08	4
5	·01	·01	—	·13	—	—	—	—	—	·40	·03	—	5
6	·18	—	·06	·02	—	—	—	—	—	—	—	·28	6
7	·07	—	·02	—	—	—	—	—	—	·40	·35	—	7
8	·12	—	·10	—	—	—	—	—	—	—	·47	·29	8
9	·15	—	·08	·04	—	—	—	—	—	—	—	·06	9
10	·01	·07	·04	·07	—	—	—	—	—	—	·02	·43	10
11	·38	—	·07	—	·01	—	—	—	—	—	·87	—	11
12	—	—	·70	—	—	·16	—	—	—	—	·07	·02	12
13	—	—	·07	—	·23	—	—	—	·52	·17	·04	·16	13
14	—	·07	·01	—	·19	·04	—	—	—	—	—	·31	14
15	—	·08	·34	—	—	—	—	—	—	—	·07	·02	15
16	—	·01	·01	—	—	·26	—	—	—	—	·53	·10	16
17	—	—	·10	—	—	·03	—	—	—	—	·93	·12	17
18	—	·23	·01	—	—	—	—	—	—	—	1·22	·20	18
19	—	·02	—	—	—	·12	—	—	·12	·15	·29	·07	19
20	—	—	·01	—	—	—	—	·33	·15	·20	·02	·75	20
21	—	·16	—	—	—	—	—	·02	·03	·61	—	·49	21
22	·05	·01	·28	—	—	·04	—	·05	—	·17	—	·19	22
23	—	·23	—	—	—	·92	—	—	·21	·05	·05	·43	23
24	—	·16	—	—	—	·18	·06	—	—	·20	—	·12	24
25	—	—	·39	·02	—	·18	—	·04	·02	·03	·06	·02	25
26	—	·01	·27	·32	·01	—	—	—	—	·15	·02	·24	26
27	—	·28	·10	·07	—	·03	—	—	·12	·45	·05	·07	27
28	—	·08	·01	·13	—	—	—	·01	—	—	·02	·01	28
29	—		—	·29	—	·15	·60	·01	·22	·24	—	—	29
30	—		—	—	—	·01	—	·42	·02	·22	·01	—	30
31	—		—		—		—	—		·01		—	31
99 Total	1·27	1·47	2·75	2·29	·87	2·12	·66	1·07	1·59	4·54	5·66	4·88	TOTAL for year 29·17
No. of Rain Days.	12	16	20	13	8	12	2	8	10	16	23	25	166 165

'11.

REGISTER OF RAIN

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Broadwater, East Malling

in the County of Kent 4

by C. B. Meux.

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 166 ft.

Time of Observation 9. A.M.

Nearest Railway Station: Name Malling
Distance 1 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	—	—	·85	·01	—	—	·19	—	—	·02	·02	1
2	·08	—	—	·04	·26	—	—	—	—	—	·13	·20	2
3	·03	·04	—	·01	·15	—	—	—	—	—	·09	·20	3
4	·11	·01	·08	·30	·01	—	—	—	·18	1·09	·30	·08	4
5	·01	·01	—	·13	—	—	—	—	—	·40	·03	—	5
6	·18	—	·06	·02	—	—	—	—	—	—	—	·28	6
7	·07	—	·02	—	—	—	—	—	—	·40	·35	—	7
8	·12	—	·10	—	—	—	—	—	—	—	·47	·29	8
9	·15	—	·08	·04	—	—	—	—	—	—	—	·06	9
10	·01	·07	·04	·07	—	—	—	—	—	—	·02	·43	10
11	·38	—	·07	—	·01	—	—	—	—	—	·87	—	11
12	—	—	·70	—	—	·16	—	—	—	—	·07	·02	12
13	—	—	·07	—	·23	—	—	—	·52	·17	·04	·16	13
14	—	·07	·01	—	·19	·04	—	—	—	—	—	·31	14
15	—	·08	·34	—	—	—	—	—	—	—	·07	·02	15
16	—	·01	·01	—	—	·26	—	—	—	—	·53	·10	16
17	—	—	·10	—	—	·03	—	—	—	—	·93	·12	17
18	—	·23	·01	—	—	—	—	—	—	—	1·22	·20	18
19	—	·02	—	—	—	·12	—	—	·12	·15	·29	·07	19
20	—	—	·01	—	—	—	—	·33	·15	·20	·02	·75	20
21	—	·16	—	—	—	—	—	·02	·03	·61	—	·49	21
22	·05	·01	·28	—	—	·04	—	·05	—	·17	—	·19	22
23	—	·23	—	—	—	·92	—	—	·21	·05	·05	·43	23
24	—	·16	—	—	—	·18	·06		—	·20	—	·12	24
25	—	—	·39	·02	—	·18	—	·04	·02	·03	·06	·02	25
26	—	·01	·27	·32	·01	—	—	—	—	·15	·02	·24	26
27	—	·28	·10	·07	—	·03	—	—	·12	·45	·05	·07	27
28	—	·08	·01	·13	—	—	—	·01	—	—	·02	·01	28
29	—		—	·29	—	·15	·60	·01	·22	·24	—	—	29
30	—		—	—	—	·01	—	·42	·02	·22	·01	—	30
31	—		—		—		—	—		·01		—	31
99 Total	1·27	1·47	2.75	2·29	·87	2·12	·66	1.07	1.59	4.54	5·66	4.88	TOTAL for year 29·17
No. of Rain Days.	12	16	20	13	8	12	2	8	10	16	23	25	166 165

'11.

C.I. J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

Kept at Broadwater, East Malling

in the County of Kent 4

by C W Mercer.

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 166 ft.

Time of Observation 9. a.m.

Nearest Railway Station { Name Malling
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
12 1	—	—	·07	—	—	·16	·01	—	·05	·60	—	·18	1
2	—	—	·29	—	—	·01	·17	·19	·02	·10	—	·01	2
3	·06	·17	·04	—	·13	·09	·04	·14	·01	—	·12	·04	3
4	·20	—	·57	—	·26	·36	—	·04	·01	—	·19	—	4
5	·13	—	·16	—	—	·02	—	·19	—	—	·12	·02	5
6	·39	·10	·02	—	·03	—	—	·35	—	—	·10	·08	6
7	—	—	·02	—	·09	·98	·01	·11	—	—	—	·06	7
8	·23	·33	·15	—	—	·16	—	·07	—	—	·01	·02	8
9	—	·05	·01	·08	—	·04	·07	·12	—	—	·01	·05	9
10	—	·03	—	—	—	—	—	·05	·04	—	—	·20	10
11	·03	·26	—	—	·02	·13	—	·07	·03	—	·07	·27	11
12	—	·08	·03	—	·24	·17	—	·18	—	—	·05	·03	12
13	—	·02	—	—	—	·01	—	·03	—	—	·21	—	13
14	—	—	—	—	·05	—	—	·10	—	·11	·02	—	14
15	·19	—	·08	—	·22	·65	—	·02	—	—	—	·29	15
16	—	—	·05	—	·02	·22	—	·13	—	·08	·08	—	16
17	·64	—	·22	—	—	·03	·02	·03	—	—	—	·06	17
18	·05	—	·30	—	—	—	—	·11	—	·04	·01	·06	18
19	·04	·13	·19	—	—	·01	·12	·37	—	—	·01	—	19
20	·01	·02	·39	—	—	—	—	·15	—	·48	—	—	20
21	—	·04	·36	—	·13	—	·02	·06	—	·16	—	—	21
22	·15	·25	·02	—	—	—	·08	·14	—	—	—	—	22
23	·46	·23	·32	—	—	·05	—	·37	—	·14	·13	·09	23
24	·05	·03	·02	—	—	·18	—	·21	—	—	—	·01	24
25	·04	—	—	—	—	·23	—	·85	—	—	·39	·39	25
26	—	—	—	—	—	—	—	·35	—	·39	·23	·34	26
27	—	·02	—	—	—	—	·14	·01	—	·12	—	·20	27
28	—	·06	—	—	—	·02	—	·04	·06	·57	·50	·16	28
29	—	—	—	·01	—	—	·09	·16	1·10	·11	—	·01	29
30	—		—	—	·07	·01	·07	·25	1·31	·27	—	—	30
31	—		·07		·01		·20	·11		—		—	31
99 Total	2·67	1·82	3·38	·09	1·27	3·53	1·04	5·00	2·63	3·17	2·25	2·57	TOTAL for year [illegible]
	15	16	21	2	12	20	13	30	9	13	17	21	189

FORM A.
BRITISH RAINFALL.
17 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Broadwater, East Malling
in the County of Kent
by C. B. Mercer

Lat. Long.
Time of Observation 9. AM
Nearest Railway Station Malling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~[illegible]~~ ft. 18 in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	—	.26	.02	.28	—	.01	—	—	.01	.07	.10	.05	1
2	.07	.19	—	—	.10	—	.18	—	.01	—	.09	.12	2
3	.01	.01	.05	.71	.29	—	—	—	—	.01	—	—	3
4	.11	—	.02	.06	—	.06	.03	—	—	.05	.01	.03	4
5	.28	.03	—	—	—	—	.14	—	.50	.04	.05	.10	5
6	.08	.03	.11	—	—	.05	.20	—	.03	.17	.07	.03	6
7	.01	.10	.02	—	—	.03	.06	.11	—	.40	.01	—	7
8	.01	.03	.03	—	.07	.06	—	.20	—	.19	.07	.02	8
9	—	.09	—	.04	.09	—	—	.44	.05	—	.03	—	9
10	—	—	.02	.03	—	—	.10	.04	.01	—	.86	—	10
11	.39	—	—	.43	—	—	—	—	—	.59	.18	—	11
12	—	—	—	.01	.02	—	—	—	—	—	1.13	—	12
13	.38	—	.02	—	—	—	—	.05	.04	—	.32	—	13
14	.09	—	.07	.07	—	—	.48	.02	.12	.13	.15	—	14
15	.17	—	.20	.20	—	—	.14	—	.03	—	.01	—	15
16	.25	—	.37	.13	—	—	.17	—	.40	—	—	—	16
17	.04	.13	.05	.11	—	—	.01	.01	.02	—	—	—	17
18	—	—	.11	.16	—	—	.04	—	.04	—	.07	—	18
19	.19	—	.14	.01	—	.07	.09	—	.30	—	—	—	19
20	.53	—	.08	.07	.03	.42	.01	—	—	—	—	.02	20
21	.03	—	.30	.03	—	—	.08	—	—	.55	.82	—	21
22	.32	—	.31	.12	—	—	.09	.02	.08	—	—	—	22
23	—	—	.25	—	—	.02	.04	.06	.02	—	—	.46	23
24	.05	—	.02	.01	—	—	—	—	—	—	.05	—	24
25	—	—	.01	.17	—	.01	—	.04	—	—	—	.01	25
26	—	.05	.18	.01	—	—	—	.07	—	1.02	—	.30	26
27	—	—	.04	—	—	—	—	—	—	.06	—	—	27
28	.17	—	.19	.06	.08	—	—	—	—	.35	—	—	28
29	.18		.01	.34	.27	—	—	.19	—	.25	—	—	29
30	.33		—	.22	.02	—	—	.10	.03	.06	—	—	30
31	.01		—		—		—	.40		.20		—	31
99 Total	3.70	.92	2.62	3.27	.97	.73	1.86	1.75	1.69	4.14	4.02	1.14	YEAR'S TOTAL 26.81
Rain Days.	22	10	24	22	9	9	16	14	16	16	17	10	185

7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Broadwater, East Malling
in the County of Kent 4
by C. S. Mercer

Lat. Long. —
Time of Observation 9. a. m
Nearest Railway Station Malling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .14

14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.05	—	.02	.02	.07	—	—	.05	.05	1
2	.02	—	—	—	—	—	.11	.01	—	—	.05	.30	2
3	—	—	.24	.01	.15	—	.02	—	—	—	.26	.02	3
4	.03	—	.04	.13	.03	—	—	.02	—	—	—	.23	4
5	—	—	.02	.36	.25	—	.16	.13	—	—	—	.01	5
6	—	.05	.05	.17	.02	—	.04	.04	—	—	—	.21	6
7	—	.35	.27	.23	.04	.50	.03	—	—	—	—	.20	7
8	.07	.37	.25	.01	—	—	.08	.05	—	—	.01	.08	8
9	.18	—	1.06	.11	—	—	—	—	.08	—	—	1.20	9
10	.03	.03	.02	.10	.06	—	—	—	.02	.03	.10	.10	10
11	—	—	.37	.03	.01	.05	—	—	.21	—	.03	—	11
12	—	.02	.12	—	.03	—	.11	—	.31	.02	—	.33	12
13	—	.22	.16	—	—	—	—	—	.17	.06	—	.43	13
14	—	.19	.23	—	—	—	.02	—	.01	.35	.05	.24	14
15	—	.04	.27	—	—	—	.11	.01	—	.01	1.00	.11	15
16	.10	.02	.04	—	—	—	—	—	.05	—	.01	—	16
17	—	.33	.13	—	—	—	—	—	—	—	—	.11	17
18	—	.13	.31	—	—	—	—	—	—	—	—	.34	18
19	—	.05	.93	—	—	—	.07	—	.06	.08	—	.31	19
20	—	.09	.23	—	—	—	—	—	—	.12	—	.10	20
21	—	.74	.06	—	—	.02	—	.08	—	.01	.34	.06	21
22	—	.02	—	—	.07	.10	—	.03	—	.22	.01	.01	22
23	—	—	.26	—	.08	.30	.16	—	—	.01	—	.11	23
24	—	—	.04	—	—	.01	.03	—	—	.31	.11	—	24
25	.08	—	.38	.03	—	—	.02	—	—	.08	.02	.02	25
26	—	—	.04	.02	—	—	.01	.20	—	.16	.27	.43	26
27	—	—	.02	—	—	—	—	—	—	—	.10	.20	27
28	—	.02	—	—	.01	—	—	—	—	—	.28	.61	28
29	.05	×	.01	—	—	—	—	—	—	.65	.15	.11	29
30	.01	×	.06	—	.02	—	—	—	—	.10	.98	—	30
31	—	×	—	×	.27	×	.02	—	×	—	×	.01	31 ✓
99 Total	.57	2.67	5.61	1.25	1.04	1.00	1.01	.64	.91	2.21	3.82	5.93	YEAR'S TOTAL 26.66
Rain Days.	9	16	26	12	13	7	16	10	8	15	18	27	177

W. 8,000. X. 14.

438

FORM A.
BRITISH RAINFALL
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Broadwater, E. Malling

in the County of Kent 4

by C B. Mercer

Lat. Long.
Time of Observation 9. AM
Nearest Railway Station Malling
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	·41	·09	·09	— ~~·09~~	·01	—	—	·44	·43	·03	·45	·33	1
2	·17	·11	·28	·09	—	—	—	·38	—	·01	—	·04	2
3	·33	·01	·03	·22	·11	·01	—	·40	·12	—	—	·46	3
4	·04	—	—	·01	·01	—	—	·11	—	·01	—	·66	4
5	·04	·20	—	·02	—	—	—	·23	—	—	·05	·30	5
6	·40	·13	·04	·40	—	—	·12	·02	—	·05	—	·07	6
7	·32	·21	—	·01	—	—	·10	·01	—	—	—	·34	7
8	·05	·46	·02	·02	—	—	·21	·11	—	—	·01	·01	8
9	·02	·11	—	·03	—	·15	—	·13	—	·01	·33	·77	9
10	·38	—	·01	·01	—	·10	—	—	—	—	—	·45	10
11	·07	·02	·02	—	—	—	—	—	—	—	·54	—	11
12	·10	·12	—	·22	·41	—	—	·25	—	—	·52	—	12
13	·05	·61	—	·01	1·33	—	·12	·01	—	—	—	—	13
14	·05	·03	—	—	—	—	—	·11	·06	—	—	·25	14
15	·16	—	—	—	·06	—	·37	·05	—	—	·45	·30	15
16	—	·26	—	·03	—	—	·74	·25	—	—	·04	·06	16
17	—	·30	—	—	1·08	—	·08	—	—	—	—	·14	17
18	·01	·14	·06	—	·31	—	·01	—	—	—	—	—	18
19	—	·12	—	—	—	—	—	—	—	·10	—	—	19
20	·30	·01	—	·02	·22	—	—	—	—	—	—	·22	20
21	·08	·08	—	—	—	—	—	—	—	—	—	·07	21
22	·10	·04	·05	—	—	—	·85	—	—	—	—	·14	22
23	·05	·35	·18	—	—	·01	·04	—	—	·23	—	·16	23
24	—	·01	·21	·15	—	—	·63	—	·30	·17	—	·88	24
25	—	—	·09	·10	—	—	·15	—	—	·05	—	·14	25
26	—	·06	—	—	—	·08	·02	—	—	—	—	·42	26
27	—	·07	—	—	—	—	—	—	—	·36	—	·02	X 27
28	·01	·06	·02	—	—	·21	·10	—	1·62	—	—	·04	28
29	—	X	·05	—	·10	·01	·34	·11	—	—	·43	·01	29
30	·09	X	·01	—	—	—	·01	—	—	·05	·39	·01	X 30
31	·04	X	—	X	—	X	—	·44	X	·46	X	·24	31
99 Total	3·27	3.60	1·16	1·34	3.64	·57	3.89	3.05	2.53	1·53	3·21	6·53	YEAR'S TOTAL 34·32
Rain Days.	23	24	15	15	10	7	16	16	5	12	10	26	179

425

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Broadwater, East Malling
in the County of Kent
by C. B. Mercer

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Malling
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
16 1	·08	·01	·01	—	·45	—	—	—	·12	·08	·28	—	1
2	·42	·05	·29	—	·10	—	—	—	·01	·29	—	—	2
3	·01	·39	·35	—	·01	—	·04	—	·08	·27	·41	—	3
4	·17	·07	—	—	—	·26	·01	—	·07	·03	·36	—	4
5	·01	·01	·01	—	·09	·16	·04	—	—	·06	·39	—	5
6	·02	·09	·22	·39	·01	·30	·39	—	—	·03	·35	—	6
7	—	—	·90	—	·34	·07	·01	—	—	·02	·80	·03	7
8	—	—	·05	—	·29	—	—	—	—	·01	—	·21	8
9	—	—	·12	—	·30	·02	—	—	—	·01	—	·19	9
10	—	·14	·02	·07	—	·38	·25	—	—	·01	—	·45	10
11	·04	·21	—	·13	—	·27	·01	—	—	—	—	—	11
12	·03	·09	—	·06	·30	·20	·05	—	—	·08	—	—	12
13	·01	·43	·21	·13	—	·21	·08	·19	—	·06	—	—	13
14	—	·45	·04	·02	·17	—	·01	·01	—	—	·02	·15	14
15	—	·19	·15	—	—	—	—	·90	—	—	—	·13	15
16	·01	·07	·14	·17	—	—	·27	·09	—	—	—	—	16
17	·14	—	—	·07	—	—	·09	·10	·30	·67	—	—	17
18	·01	·10	—	·01	—	—	·01	·09	·07	·15	—	·02	18
19	·12	—	·04	·11	—	·07	—	—	·25	·01	·38	·04	19
20	·11	—	·15	·09	—	·01	—	—	·01	—	1·02	·35	20
21	·01	—	·37	—	—	—	—	·01	—	—	·07	·18	21
22	—	·04	·11	·01	·01	·02	—	—	—	·01	—	·39	22
23	·04	—	·14	—	—	·46	·01	·01	—	·03	—	·06	23
24	—	·40	·01	—	·01	·07	—	—	—	·25	—	·30	24
25	—	·74	·19	—	—	—	—	·40	—	—	—	—	25
26	—	·25	·04	—	—	·05	—	·01	—	·11	·08	—	26
27	—	·07	·67	—	—	·12	—	·64	·02	·20	—	—	27
28	—	·37	·12	—	—	·06	—	·02	·15	·02	—	·20	28
29	—	·15	·01	—	·01	·17	—	·66	·05	·26	—	—	29
30	—	X	—	—	·02	·01	—	·29	—	·29	—	·02	30
31	—	X	—	X	—	X	—	—	X	·24	X	·06	31
99 Total	1·23	4·32	4·36	1·26	2·11	2·85	1·27	3·42	1·13	3·19	4·16	2·78	YEAR'S TOTAL 32·08
Rain Days.	16	21	24	12	14	19	14	14	11	24	11	16	196

W. 8,000, VIII. 16

407

REGISTER OF RAINFALL IN 1917

Kept at Broadwater, East Malling

in the County of Kent

by C. B. Mercer

Lat. Long.

Time of Observation 9. AM

Nearest Railway Station Malling

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 166 ft.

FORM A. BRITISH RAINFALL 7. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	·02	·28	—	—	—	1.27	·10	—	·07	—	1
2	—	—	—	·11	—	—	—	·24	—	—	·16	—	2
3	·01	—	—	·18	—	—	·03	·68	—	·16	·10	—	3
4	—	·13	·19	·01	—	—	·08	—	—	·36	—	—	4
5	·25	—	·02	·25	—	—	·01	—	·27	·16	·03	—	5
6	—	—	—	·13	—	·11	—	—	·06	·16	·10	·04	6
7	·19	—	—	·01	—	—	·01	—	·01	·86	—	·05	7
8	·08	—	—	·10	—	—	·43	·15	·03	·25	·20	·20	8
9	—	—	·03	·11	—	—	·49	·04	—	·11	·10	1.00	9
10	·28	—	·15	·12	—	—	·01	·13	—	—	·01	·01	10
11	·08	·02	·29	·33	—	—	—	·18	·09	·28	—	—	11
12	·07	·04	·05	·08	—	—	—	·13	—	·75	—	—	12
13	—	·01	·11	·03	—	—	—	—	·02	·05	—	—	13
14	—	—	·06	·21	—	—	—	—	—	—	—	—	14
15	·04	—	—	·02	—	—	·01	·03	—	·12	—	·03	15
16	·19	—	—	·22	·33	—	·03	—	—	—	—	·36	16
17	—	·12	—	·05	·55	—	·20	—	·28	—	—	—	17
18	—	—	—	·12	·09	·03	·07	·12	·23	·36	—	·05	18
19	—	·24	·07	—	·21	·14	—	·02	·20	·01	—	—	19
20	—	·05	·07	—	1.12	·01	·22	·04	—	—	·05	—	20
21	—	—	·10	·02	·05	·01	—	—	—	·05	—	—	21
22	—	—	·16	—	—	·30	—	·16	—	·12	—	—	22
23	—	—	·01	—	·25	—	—	·11	—	·10	—	—	23
24	—	·09	—	—	—	—	·02	·01	—	·16	·04	—	24
25	—	·02	·03	—	—	·13	—	—	·02	·03	·03	—	25
26	—	—	—	—	—	·02	—	·23	·02	·01	·87	—	26
27	—	—	·03	—	—	—	—	·75	—	—	·02	·40	27
28	—	—	·05	—	—	1.47	—	·30	—	—	—	·09	28
29	—	X	·10	—	·06	·14	·66	—	—	·36	—	·–	29
30	·05	X	·40	—	—	—	1.48	·16	—	—	—	·04	30
31	·04	X	·27	X	—	X	·73	·02	X	·10	X	·09	31
99 Total	1.33	·72	2.21	2.38	2.66	2.36	4.48	4.77	1.33	4.56	1.78	2.36	YEAR'S TOTAL 30.94
Rain Days.	12	9	20	19	8	10	16	20	12	21	13	12	172

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
9.1.19

REGISTER OF RAINFALL IN 1918

Kept at Broadwater, East Malling
in the County of Kent
by C. B. Mercer

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Malling
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
18 1	—	—	·05	—	—	—	—	—	—	—	·13	·15	1
2	—	·04	·02	—	—	—	—	·29	—	—	·47	·17	2
3	—	—	·10	·09	·39	—	—	·08	—	·03	·36	·03	3
4	—	·05	—	·02	·73	—	—	·08	·26	—	·57	·02	4
5	—	·10	—	—	·29	—	—	·07	·12	—	—	·03	5
6	·18	·04	—	·17	·24	—	—	·15	·11	—	—	·06	6
7	·02	·09	—	·09	·35	—	—	·02	·23	·07	—	—	7
8	·06	·12	—	·02	·02	—	—	—	·16	—	—	·09	8
9	·04	·03	—	·02	—	·09	—	—	·36	·26	—	·18	9
10	·02	—	—	·11	—	·05	·46	—	·31	·04	—	·35	10
11	·02	—	—	·03	·03	—	·12	—	·05	·65	—	—	11
12	—	·09	—	—	·20	—	·15	—	·05	·12	—	—	12
13	·04	—	—	·02	·07	—	·12	—	·07	—	—	·01	13
14	·12	·02	—	·01	·02	·12	·03	—	·13	·21	—	·13	14
15	1·20	—	—	·63	—	·12	1·45	—	—	·01	—	—	15
16	·33	—	—	·16	—	·11	·05	—	·05	—	—	—	16
17	·24	—	—	·16	·21	·33	·38	·03	·01	—	—	·23	17
18	·34	—	—	·02	—	·16	·01	—	·43	·07	—	·06	18
19	·08	—	·07	·08	—	·54	·03	—	·01	·26	—	·14	19
20	·05	·14	—	·29	—	·02	·73	—	·16	·37	—	—	20
21	·14	—	—	·01	—	·01	·12	—	·33	·11	—	·01	21
22	·08	·02	—	—	·01	—	·11	—	·53	—	—	·16	22
23	·05	—	—	—	·10	—	·70	·09	·02	—	—	·07	23
24	—	·24	—	—	·11	—	·03	—	·21	—	·14	—	24
25	·01	—	—	—	—	·08	·12	·28	—	—	—	·01	25
26	—	—	—	—	—	·01	·40	·05	·04	—	·11	·10	26
27	—	·01	—	·15	·04	—	—	·18	·01	·03	·10	·03	27
28	·02	·02	·16	·05	—	—	—	·13	—	—	·05	·06	28
29	—	X	—	·05	—	—	—	—	1·15	—	·30	·15	29
30	·01	X	·45	—	—	—	—	—	·05	·04	·01	—	30
31	—	X	·01	X	—	X	—	—	X	·02	X	·01	31
99 Total	3.05	1.01	·86	2.18	2.21	1·64	5.01	1.45	4.85	2·29	2.24	2.25	YEAR'S TOTAL 29·04
Rain Days.	20	14	7	20	15	12	17	12	24	15	10	23	189

W. 8,000, IX. 17.

Eve Dh

384

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Broadwater, East Malling
in the County of Kent
by C. B. Mercer

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Malling
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·04	·01	—	·03	—	·13	—	—	·26	·06	·70	1
2	·23	—	·01	—	·02	—	·03	—	—	—	·07	·42	2
3	·26	—	·38	—	—	—	·38	·03	·13	—		·20	3
4	·20	—	·49	—	—	·04	·03	·04	·02	—	·14	·16	4
5	·07	·23	·66	—	—	—	—	—	·06	—	·09	·28	5
6	·08	—	·04	—	—	—	—	—	—	·03	·03	·14	6
7	·07	—	·36	—	—	—	—	—	—	—	·14	—	7
8	·37	—	·07	—	—	—	—	—	—	—	·15	—	8
9	·58	—	·02	·12	—	—	—	—	—	·01	·16	—	9
10	·51	—	·06	·05	—	—	—	—	—	—	—	·06	10
11	·17	—	·25	·28	·01	—	·05	—	—	—	—	·01	11
12	·03	—	·02	·05	—	—	·52	—	—	·07	—	—	12
13	·02	·05	—	·40	—	—	—	—	—	·03	·03	·05	13
14	·27	—	—	·24	—	—	—	—	·25	—	—	·02	14
15	·22	·04	·02	·13	—	—	·01	—	—	·11	·03	—	15
16	·11	·47	—	·01	—	—	·01	—	—	—	·05	·15	16
17	—	·32	·03	·01	—	—	—	—	·05	—	·15	·06	17
18	—	·06	·04	—	—	—	—	—	—	—	·09	·05	18
19	·02	·12	·30	—	—	·05	·21	·06	·04	—	—	—	19
20	·11	·07	·07	—	—	·90	·15	·10	·01	—	·03	·62	20
21	—	·15	·03	—	—	—	·09	—	—	—	·07	·01	21
22	—	·14	—	—	—	·01	·17	—	·40	—	—	·22	22
23	—	—	—	—	—	·09	·04	—	·09	—	·03	·04	23
24	—	—	—	·11	—	·03	—	·05	·01	·03	·11	·02	24
25	·15	—	—	—	·12	—	—	·28	—	—	—	·03	25
26	·03	·11	·16	—	—	—	·05	·01	·09	—	—	·33	26
27	·30	·02	·03	1·25	—	—	—	·24	—	·34	·03	·09	27
28	·01	—	·20	·10	—	—	·03	·59	—	—	·60	·39	28
29	·07		—	·04	—	—	—	·69	—	—	·08	·09	29
30	·13		·01	·24	—	·02	—	·50	—	·07	·12	·74	30
31	—		—		—		·05	·01		·07		·06	31
99 TOTAL	4·28	1·82	3·26	3·03	·18	1·14	1·95	2·60	1·15	1·02	2·26	4·34	YEAR'S TOTAL 27·03
Days with ·01 in. or more	24	13	22	14	4	7	16	12	11	10	21	25	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6X MR 361

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Broadwater, East-Malling
in the County of Kent
by C. B. Mercer.

Lat. Long.
Time of Observation 9. AM
Nearest Railway Station Malling
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·24

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·22	·02	—	·17	—	—	·41	—	·23	1
2	—	—	·12	—	·01	—	·01	·21	—	·16	—	·11	2
3	—	—	—	·09	·17	·03	—	·01	·10	·01	—	·07	3
4	—	·08	—	·08	·01	—	·45	·03	·11	·03	—	·05	4
5	—	—	·04	—	·04	—	·42	·06	—	—	—	—	5
6	—	—	·11	—	·09	—	·20	—	—	—	—	·04	6
7	·11	·02	—	·07	·03	—	·05	—	—	—	—	·06	7
8	—	—	—	·04	·06	—	·12	·01	—	—	—	—	8
9	·30	·03	—	·02	·04	—	·02	—	—	—	—	—	9
10	·55	·10	·06	·17	—	·03	·15	—	—	—	—	—	10
11	·35	—	·06	·20	·01	·01	·46	—	—	—	—	·06	11
12	·12	—	·02	·21	·03	·12	·02	—	—	—	—	—	12
13	·35	—	·12	·04	—	·01	—	—	·02	—	·05	—	13
14	·01	—	·26	·24	—	·09	—	—	·08	·05	·25	—	14
15	—	·02	·05	·19	—	—	—	—	·54	·09	·09	—	15
16	—	—	·03	·02	·09	—	—	—	·18	—	—	·04	16
17	·02	—	·[illegible]1	·08	·16	—	—	—	·81	—	—	·12	17
18	·03	—	·02	·01	·06	—	—	1·20	·80	—	—	·10	18
19	·10	—	—	·22	—	—	—	—	·01	—	—	·09	19
20	—	·24	—	·27	—	·41	—	—	·40	—	—	·02	20
21	—	—	—	·01	—	—	·70	—	·39	—	—	·08	21
22	·07	—	—	·41	—	—	·41	—	·08	—	—	·30	22
23	—	—	—	·02	—	—	·01	—	—	—	—	·43	23
24	—	—	·03	·01	—	—	—	—	·03	—	·02	·02	24
25	—	·03	·01	·03	·13	—	·09	—	·01	—	—	—	25
26	·06		·04	·08	—	—	·01	—	—	—	—	·04	26
27	·22	·06	·01	·18	—	·05	·07	—	—	—	·18	·17	27
28	·36	·01	·08	·05	·11	—	·15	—	—	—	·13	·03	28
29	·43	—	·04	·03	·04	—	·01	—	—	—	·05	·04	29
30	—	X	—	·01	—	—	·09	—	·16	—	·25	·13	30
31	—	X	—	X	—	X	·01	—	X	·29	X	·16	31
99 Total	3·08	·59	1·11	3·00	1·10	·75	3·62	1·52	3·72	1·04	1·02	2·39	Year's Total 22·94
Days with ·01 in. or more	15	9	18	27	17	8	21	6	15	7	8	22	173
Days with ·04 in. or more	12	4	11	18	11	4	14	3	11	5	7	19	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE

EASTRY

KENT

1911-14, 1916-18

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Eastry.

in the County of Kent

by L. A. Fa

l

lation.

5 in.

Ground ft. 10

Sea Level 85 ft.

m.

Name Sandwich.

Distance 2¼ m. Direction NE

IMPORTANT NOTE daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·03	·31				·11		·04	·02		1
2	·07		·03		·20						·07	·06	2
3	·18	·05		·10	·06					·19	·07	·16	3
4	·06		·05	·11						·29	·20	·13	4
5	·13	·02		·01						·01		·27	5
6	·35									·01		·22	6
7	·02									·96	·27	·61	7
8	·05		·02							·06	·48	·17	8
9	·14		·10	·04						·10	·58	·05	9
10		·05		·05						·03	·11	·66	10
11	·63		·01								·88		11
12	·05		·71			·05				·04	·08	·01	12
13			·04		·35	·63			·41	1·07	·07	·24	13
14		·08			·02	·02				·07		·27	14
15		·04	·27						·01		·02	·04	15
16						·24				·01	·18	·08	16
17	·01		·02			·05					·18	·14	17
18		·10	·03								·66	·18	18
19					·12	·04			·20		·24	·14	19
20	·02	·01			·01			·52	·03	·19	·01	·55	20
21	·02	·03						·12	·20	·70		·20	21
22	·01		·98					·02		·33		·58	22
23		·12	·09			1·30			·11	·13	·12	·10	23
24		·03	·09			·04	·16	·04		·66	~~·01~~	·33	24
25		·02	·23	·02		·09		·49		·02	·14	·02	25
26			·29	·17		·01				·28	·22	·16	26
27		·15	·06	·10					·16	·40		·02	27
28		·18		·16								·01	28
29			·01			·12			·15	·15			29
30				·01	·21	·01			·04	·27		·01	30
31													31
Total	1·84	·88	3·06	1·08	·97	2·60	·16	1·30	1·31	6·01	4·58	5·41.	TOTAL for year
No. of Rain Days.	15	13	18	11	7	12	1	6	9	23	20	27	29·20.

W. 8,000, X. '11.

Total Wet Days. 162.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Eastry.

in the County of Kent.

by L. A. Fawssett.

RAIN GAUGE
Pattern Regulation.
Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 85 ft.

Time of Observation 9 AM.

Nearest Railway Station
Name Sandwich.
Distance 2¼ m. Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·03	·31				·11		·04	·02		1
2	·07		·03		·20						·07	·06	2
3	·18	·05		·10	·06					·19	·07	·16	3
4	·06		·05	·11						·29	·20	·13	4
5	·13	·02		·01						·01		·27	5
6	·35									·01		·22	6
7	·02									·96	·27	·61	7
8	·05		·02							·06	·48	·17	8
9	·14		·10	·04						·10	·58	·05	9
10		·05		·05						·03	·11	·66	10
11	·63		·01								·88		11
12	·05		·71			·05				·04	·08	·01	12
13			·04		·35	·63			·41	1·07	·07	·24	13
14		·08			·02	·02				·07		·27	14
15		·04	·27						·01		·02	·04	15
16						·24				·01	·16	·08	16
17	·01		·02			·05					·18	·14	17
18		·10	·03								·66	·18	18
19					·12	·04			·20		·24	·14	19
20	·02	·01			·01			·52	·03	·19	·01	·55	20
21	·02	·03						·12	·20	·70		·20	21
22	·01		·98					·02		·33		·58	22
23		·12	·09			1·30			·11	·13	·12	·10	23
24		·03	·09			·04	·16	·04		·66	~~·01~~	·33	24
25		·02	·23	·02		·09		·49		·02	·14	·02	25
26			·29	·17		·01				·28	·22	·16	26
27		·15	·06	·10					·16	·40		·02	27
28		·18		·16								·01	28
29			·01			·12			·15	·15			29
30				·01	·21	·01			·04	·27		·01	30
31													31
Total	1·84	·88	3·06	1·08	·97	2·60	·16	1·30	1·31	6·01	4·58	5·41.	TOTAL for year
No. of Rain Days.	15	13	18	11	7	12	1	6	9	23	20	27	29·20.

W. 8,000, X. '11.

Total Wet Days. 162.

REGISTER OF RAINFALL IN 1912

Ex DL

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Eastry Brewery

in the County of Kent 2

by Leonard A Faussett = continued by Thomas Nevill Cheatle

Lat. 51·1 Long. 1·7

Time of Observation 9 a.m.

Nearest Railway Station Sandwich

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12	·03		·30	·12		·05	·64		·23	1
2		·15	·17			·09	·08	·02	·01	·15			2
3	·07	·05	·01			·39	·29	·08	·01	·04		·01	3
4	·29		·74		·09	·66					·18		4
5	·16	·14	·09			·07		·31			·13	·02	5
6	·46	·09			·01		·15	·58					6
7	·18		·02		·08	·20		·22				·02	7
8	·19	·13	·21			·13		·04	·26				8
9			·02	·09			·14	·10	·01			·04	9
10		·05						·08	·07		·05	·27	10
11		·11			·01	·07		·35	·12			·14	11
12		·24	·01		·02			·20				·04	12
13		·04				·25	·23	·08			·32	·02	13
14		·01	·04		·15			·13	·08	·05	·04		14
15		·01	·05		·07	·70		·01			·04	·21	15
16	·18		·07		·14			·04		·03	·01		16
17	·30		·53			·01		·03				·02	17
18	·01		·28				·19	·28		·11	·10	·37	18
19	·03	·12	·16		·02		·38	·23					19
20	·06	·02	·71					·09		·91	·03		20
21		·05	·30				·02	·04		·31	·11		21
22	·03	·17	·03				·15	·04					22
23	·35	·12	·21		·93			·59	·01	·06	·10	·03	23
24	·08	·05	·01		·01			·10		·12		·11	24
25	·09					·20		1·13			·24	·28	25
26							·10	·82		·18	·43	·54	26
27			·02				·07			·06		·14	27
28		·01						·08		·58	·28	·12	28
29				·20			·04	·12	1·19	·24	·14		29
30						·03		·28	1·82	·28	·03		30
31	·01						·16	·09					31
Total	2·49	1·56	3·80	·32	1·53	3·10	2·12	6·16	3·63	3·76	2·23	2·61	YEAR'S TOTAL 33·31
Rain Days.	16	18	21	3	11	13	14	28	11	15	16	18	184

W. 7,500, XI. 12

cor. by own-stats 6.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. JAN 1914

Kept at Eastry

in the County of Kent

by T. Nevill-Cheatle

2

Lat. 51·1 Long. 1·7

Time of Observation 9 a.m.

Nearest Railway Station Sandwich

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·38	·03	·03		·24					·11	·03	1
2	·02	·18					·37			·01	·12		2
3				·55	·17					·22		·07	3
4	·06		·06				·05		·07		·03		4
5	·02	·03	·01	·01			·23		·21	·07	·04	·03	5
6	·11				·02	·13		·03		·41	·14		6
7		·10	·12	·02		·01				·32			7
8			·04	·06	·20					·30	·17		8
9		·02	·04	·03	·27		·04	1·32	·10				9
10	·01 ·10			·10							·51 ~~·57~~		10
11	·51			·41						·32	·02		11
12				·02				·04			·44		12
13	·27							·06			·33		13
14	·10		·08				·47		1·03	·21	·14		14
15	·18	·03	·16	·12			·11						15
16	·29		·42	·20					·39			·01	16
17	·13	·02		·07			·15		·29			·10	17
18	·08		·16	·09			·03	·04	·19		·06		18
19	·13		·09		·02		·11	·07	·49				19
20	·77		·04	·06		·69				·38			20
21	·06		·07	·06	·10		·02			·77	·90		21
22	·23		·21				·19						22
23			·02						·04			·50	23
24	·01					·05		·03					24
25			·20	·30		·14				·02			25
26	·07									·37		·15	26
27		·04	·01		·03					·14			27
28	·13		·19							·16		·03	28
29	·27		·09	·02	·15			·03			·04	·34	29
30	·45		·13	·33	·10			·20		·15		·37	30
31			·40					·21		·06		·01	31
Total	3·90	·80	2·57	2·48	1·06	1·26	1·77	2·03	2·81	3·91	3·05	1·64	YEAR'S TOTAL 27·28
Rain Days.	21	8	21	18	9	6	11	10	9	16	14	11	154

W.7,000, XI. 13

Exd D L   and for pt. WD 9.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 JAN 1915

Kept at Eastry Brewery. Eastry.
in the County of Kent. 2
by T. Nevill Cheatle.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Same as in [illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·17

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	·03	.	.	.	.	.	.	.	·75	1
2	.	.	-	-	.	.	.	.	.	.	·14	.	2
3	.	.	·07	·03	·17	.	·05	.	.	.	.	·25	3
4	.	.	.	·21	.	.	·15	.	.	.	.	.	4
5	·22	.	·06	·36	·05	·03	.	.	.	.	·41	·41	5
6	.	.	.	·17	·01	·50	·30	·30		.	.	.	6
7	.	·38	·18	·08	.	.	·06	.	.	.	.	·31	7
8	.	·08	·37	.	.	.	.	.	.	.	.	·15	8
9	·36	.	·82	·14	.	.	.	.	.	.	.	·03	9
10	·12	.	.	·02	.	.	.	.	.	.	·02	1-11	10
11	.	·42	·28	.	·05	.	.	.	.	.	.	·12	11
12	.	·02	·06	.	.	·02	.	.	·27		·44	·32	12
13	.	·28	·17	.	.	.	.	·03	·20	·17	·05	·68	13
14	.	·18	·30	.	.	.	.	.	.	·30	.	·39	14
15	.	.	·19	.	.	.	·54	.	·10	.	.	·54	15
16	·07	·21	·02	.	.	.	·82	.	.	.	·74	·05	16
17	0·2	·12	·05	.	.	.	.	.	.	×	·13	–	17
18	.	·11	·32	.	.	.	.	.	29	·25	·02	·18	18
19	.	·03	·56	.	.	.	.	.	.	·43	.	·45	19
20	.	·19	·46	.	.	·03	.	.	·02	·20	·37	-	20
21	.	·67	·07	.	.	.	·04 (21st)	.	.	·36	.	·59	21
22	.	·02	.	·04	·24	·83	2-5·30 PM (22nd) 1·17	·20	.	·10	.	·03	22
23	.	.	·62	.	·18	·22	·35	.	.	·08	.	·14	23
24	.	.	.	·30	.	.	.		.	.	.	·07	24
25	.	.	·06	.	.	.	.	.	.	·31	·03	-	25
26	·13	.	·03	.	.	.	.	.	.	·12	.	·25	26
27	.	.	·12	.	·03	.	.	.	.	.	12	·58	27
28	.	.	.	.	.	.	.	.	.	·10	.	.	28
29	·02	.	.	.	.	.	.	.	.	.	·30	-·32	29
30	·01	X	·01	·02	.	.	.	.	.	·95	.	—	30
31	.	X	.	X	·36	X	.	.	X	·11	X	·02	31
Total	·95	2·71	4·82	1·40	1·09	1·63	3·48	·53	·88	3·48	·75 ~~2·77~~ 3·52	·17 ~~7·91~~ 7·16	YEAR'S TOTAL inches 31·65
Rain Days.	8	13	21	11	8	6	9	3	5	13	12	24	Total wet days ~~133~~

W. 8,000. X. 14.

Exact copy is entered on form each day

End C S E

340

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at the Eastry Brewery

in the County of Kent

by T. Neville Cheattle

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge — 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level — ft.

entered at 9 AM

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05								·03	·10	·51		1
2	·36	·12	·05		·14					·56			2
3		·50	·40			·16	·01			·17	·42		3
4	·11	·12	·26			·10			·01	·03	·23		4
5	·04			·04	·04	·50	·55			·01	·47		5
6	·01	·11	·50	·25		·16	·16				·67	·02	6
7	·10		·58		·33	·07	·23				·50	·02	7
8		·03										·04	8
9					·42	·22						·19	9
10	·03	·06		·13		·17	·03		·01	·07		·26	10
11		·10	·06	·05		·12					·01	·08	11
12					·80	·36	·04			·15		·46	12
13		·11	·16	·06	·12	·05	·81					·17	13
14		·53	·14	·10		·03		·11				·09	14
15		·12					·02					·03	15
16			·05	·12			·03					·02	16
17	·15			·05			·03		·25	·59		·01	17
18	·10	·15	·03	·09				·21	·06	·13	·85	-	18
19	·15	·02		·11				·16	·16		·86	·05	19
20	·06		·12								·15	·47	20
21			·64	·15						·03	·12	·22	21
22			·25	·21		·01						·73	22
23			·15	·05		·10		·03		·02	·04	·08	23
24		·75								·43	·02	·28	24
25	·02	·08	·27	·02	·03	·02		·27		·31	·10		25
26		·05				·20				·15	·06		26
27		·58	·64			·10		·10		·84		·02	27
28		·68	·20						·14	·54		·06	28
29		·16						·83	·10	·50		·25	29
30		×				·23		·40	·04	·28			30
31		×		×		×			×	·04	×	·03	31
Total	1·18	4·27	4·50	1·43	1·88	2·60	1·91	2·11	·80	4·95	501	3·58 ~~22~~	YEAR'S TOTAL 34·22
Rain Days.	12	18	17	14	7	17	10	8	9	19	15	22	168

W. 8,000, VIII. 16

2·60 correct not 2·58 *

2·11 correct not 1·91

5·01 correct not 5·00

3·58 correct not 3·48

333

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at Eastry Brewery
in the County of Kent
by T. Newell Cheale

Lat. Long.
Time of Observation 9.A.M.
Nearest Railway Station Sandwich S.E.&C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-			snow ·19				1·83	·17		·03		1
2	·02			snow ·34				·45		·05	·07		2
3				·28				·80		·07			3
4	·02	snow ·23	·09				·05	·01		·18			4
5	·16								·10	·08	·04		5
6	·64					·07					·28		6
7	·40			·27			·02			·74			7
8			·02	·17			·22	·57		·30	·20	·22	8
9	·32		·05	·11 snow				·02		·10	·06	1·06	9
10	·12			·07				·11			·07		10
11	·12		·50	·25						·33		·07	11
12	·16		·07					·04		·13		·01	12
13	·04		·07		·04				·13	·24			13
14	·06			·22			·02			·03			14
15	snow ·16			·02	·40			·19			·01	·05	15
16	snow ·15	·01		·07	·25					·15		·27	16
17	·14			·12	·46		·06		·10			snow ·08	17
18	·10			·13			·08		·06				18
19		·10	·15	·02			·03		·10				19
20	·02	·21	·09		·06	·08	·03	·30			·09		20
21		·02	snow ·02		·06	·52		·08			·03	·09	21
22			·15		·07	·24		·05		·14		·05	22
23								·10					23
24								·04		·11	·05		24
25			·09									snow ·03	25
26			·24						·01		·54	snow ·08	26
27						·13		1·20				snow ·13	27
28			·07			·40		·46				snow ·04	28
29	snow ·27		·			·07	·75	·11		·34			29
30		X	·15		·03	·02	·40	·13		·31		·20	30
31		X	·20	X		X	1·56		X	·01	X	·02	31
Total	2·90	·57	1·96	2·26	1·37	1·53	3·22	6·49	·67	3·31	1·47	2·40	YEAR'S TOTAL 28·15
Rain Days.	17	5	15	14	8	8	11	18	7	17	12	15	147

W. 8 000, IX. 17.

5·79

Exd 10 DE

31

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

24.1.19

Kept at Eastry Brewery.

in the County of Kent

by T. Nevill Cheale

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Eastry (East Kent Railway)

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·04								09	·06	1
2	·01	·04	·03					·24				·07	2
3	·02		·03	·22	·08			·03		·02		·03	3
4		·03		·01	·87			·02	·35		1·80	·03	4
5		·07	·01	·03	·17			·04	·04	·05		·01	5
6	·16	·04		·06	·50			·03	·07			·04	6
7		·03			·10				·50		·05		7
8		·01		·01					·25	·12		·02	8
9	·03	·01	·02	·03		·08			·40		·20	·01	9
10	·05						·15		·21	·03	·08	·19	10
11				·04	·07		·03		·38	·43	·13	·05	11
12	·09	·09			·18		·03		·02	·32		·01	12
13	·18	·08	·01		·13				·10			·07	13
14	·21					·07	·12		·10	·16		·09	14
15	1·51			·31			·03			·08		·07	15
16	·14			·09		·20			·02			·19	16
17	·25			·07		·22	·03	·03				·16	17
18	·18			·02					·76			·01	18
19	·14		·33	·08					·02	·25		·12	19
20	·07	·05					1·36		·22	·75			20
21	·08						·08		·03	·10		·05	21
22	·11						·14		·70			·16	22
23	·04			·02	·21		·69	·06				·05	23
24		·21		·01	·16	·06			·02			~~[illegible]~~	24
25	·01						·09				·06		25
26							·17	·12	·03		·09	·09	26
27				·08			·05	·08		·03	·10	·06	27
28		·03	·32					·04			·18	·07	28
29								·01	1·02		·10	·05	29
30		✕	·33						·15	·07	·05	·09	30
31		✕		✕		✕			✕	·03	✕		31
Total	3·23	·70	1·12	1·08	2·47	·63	2·97	·70	5·39	2·44	2·93	1·85	YEAR'S TOTAL 25·51
Rain Days.	18	13	9	15	10	5	13	11	21	14	~~12~~ 14	26	~~167~~ 169

W, 6,500, VII. 18. W W C

EASTWELL PARK
GDNS
KENT
1912

FORM A.
BRITISH RAINFALL.
15 JAN 1913

REGI

Kept at Eastwell Pa ... Vyle.

in the County of Ken ... m

... d in.

by J. G. Westo ... round 3 ft. 6 in.

... a Level ... ft.

NOTE.—Rain should be measured d ... structions for the measurement of rain and particulars as to the British ... ," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·2	·8			·36	·22		·6	·76	~~16~~	20	1
2		·4	·8			·21	·10			·13			2
3	·4		·4		·4	·62		·18				·8	3
4	·24		·68	·12	·6	·32		·3			·14		4
5	·18	·4			·8			·26			·20		5
6	·48				·10	·30		·62					6
7	·4		·24			·10		·47				·4	7
8	·28	·28			·2	·6		·31	·8			·2	8
9						·26	·3						9
10		·4						·16	·4		·6	·42	10
11	·2	·32	·4					·5	·8			16	11
12	·2	·30			·6	·84	·4	·18				8	12
13		·18	·4			·6	·23				·44		13
14			·6		·8	·2		·11	·2				14
15	·8	·2	·6		·16	·24		·4			·6	32	15
16			·16					·11		·5			16
17			·54		·2			·5		·14	·4	·6	17
18	·24		·32			2	·6	·35		8	·4	·42	18
19	·2	20	·20				·73	·40		66			19
20	·2	·4	·52					·18			·6		20
21		·6	·32					·10		·22	·16		21
22	·6	·5	·6				·4	·10					22
23	·34	·24	·30		6		·2	·54	·12		·12	·5	23
24	·24							·24		·6		·10	24
25	·4	·2						1·12			·15	·42	25
26	·10							·64		30	·28	·54	26
27	7						·4			·10		·24	27
28		·4	·4				·4	·4		·62	·36	16	28
29				·6			·2	·20	1·12	·16	·20		29
30				~~·6~~			·23	·92	2·10	·32			30
31					·6			·14					31
Total	2·51	1·69	3·78	·18	·7~~8~~4 74	3·41	1·80	7·~~5~~4 7·54	3·62	3·60	2·31	3·31	34·69 Total for Year 34·89
No. of Rain Days	18	16	18	2	11	13	13	26	8	13	14	16	168

6,000, X1 '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
15 JAN 1913

Kept at Eastwell Park Gardens
in the County of Kent 2
by J. G. Weston / head gardener

Lat. ______ Long. ______
Nearest Railway Station Wye.
Time of Observation 9. a. m
Diameter of Rain Gauge dial in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " Sea Level ______ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·2	·8			·36	·22		·6	·76	~~16~~	20	1
2		·4	·8			·21	·10			·13			2
3	·4		·4		·4	·62		·18				·8	3
4	·24		·68	·12	·6	·32		·3			·14		4
5	·18	·4			·8			·26			·20		5
6	·48				·10	·30		·62					6
7	·4		·24			·10		·47				·4	7
8	·28	·28			·2	·6		·31	·8			·2	8
9						·26	·3						9
10		·4						·16	·4		·6	·42	10
11	·2	·32	·4					·5	·8			16	11
12	·2	·30			·6	·84	·4	·18				8	12
13		·18	·4			·6	·23				·44		13
14			·6		·8	·2		·11	·2				14
15	·8	·2	·6		·16	·24		·4			·6	32	15
16			·16					·11		·5			16
17			·54		·2			·5		·14	·4	·6	17
18	·24		·32			2	·6	·35		8	·4	·42	18
19	·2	20	·20				·73	·40		66			19
20	·2	·4	·52					·18			·6		20
21		·6	·32					·10		·22	·16		21
22	·6	·5	·6				·4	·10					22
23	·34	·24	·30		·6		·2	·54	·12		·12	·5	23
24	·24							·24		·6		·10	24
25	·4	·2						1·12			·15	·42	25
26	·10							·64		·30	·28	·54	26
27	7						·4			·10		·24	27
28		·4	·4				·4	·4		·62	·36	16	28
29				·6			·2	·20	1·12	·16	·20		29
30				~~·6~~			·23	·92	2·10	·32			30
31					·6			·14					31
Total	2·51	1·89	3·78	·18	·74 ·74	3·41	1·80	7·54 7·54	3·62	3·60	2·31	3·31	Total for Year 34·69 34·69
No. of Rain Days	18	16	18	2	11	13	13	26	8	13	14	16	168

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

✓

RE

EDENBRIDGE
CLUNY
KENT
1911 - 13

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at 'Cluny' Ed

in the County of Kent

by James L Boyson

on

5 in.

Ground 1 ft. 6 in.

Sea Level 160 ft.

A M

Name Edenbridge Town

Distance 4/500 M Direction SE

IMPORTANT NOTE. should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05	—	—	0.57	—	—	—	0.02	—	—	0.04	—	1
2	0.07	—	—	0.13	0.22	—	—	—	—	—	0.18	0.14	2
3	—	0.01	—	—	0.13	—	—	—	—	—	0.07	0.01	3
4	0.08	0.01	0.05	0.12 S	—	—	—	—	0.01	0.35	0.20	0.31	4
5	—	0.02	—	0.24 S	—	—	—	—	—	0.67	0.02	0.32	5
6	0.30	—	0.01	0.01 S	—	—	—	—	—	—	—	0.20	6
7	0.01	—	0.02	—	—	—	—	—	—	0.37	0.36	0.58	7
8	0.08	—	0.04	—	—	—	—	—	—	—	0.41	0.22	8
9	0.25	—	0.10	0.03	—	—	—	—	—	—	0.10	0.06	9
10	0.01	0.09	0.06	0.04	—	—	—	—	—	—	—	0.87	10
11	0.39	—	0.04	—	—	—	—	—	—	—	0.92	—	11
12	0.01	—	0.63	—	—	—	—	—	—	—	0.03	—	12
13	—	—	0.07	—	0.09	—	—	—	0.46	0.11	0.03	0.20	13
14	—	0.06	0.02	—	0.23	—	—	—	—	—	—	0.52	14
15	—	0.03	0.27	—	—	—	—	—	—	—	0.04	—	15
16	—	—	—	—	—	0.22	—	—	—	—	0.39	0.10	16
17	—	—	—	—	—	0.04	—	—	—	—	1.24	0.19	17
18	—	0.11	0.03	0.01	—	—	—	—	—	—	1.21	0.31	18
19	—	0.01	—	—	0.01	0.20	—	—	0.21	0.05	0.26	0.18	19
20	0.01	—	—	—	—	—	—	0.25	0.02	0.24	—	0.88	20
21	0.02	0.11	0.01	—	—	—	—	0.23	0.02	0.24	—	0.16	21
22	0.02	—	0.23	—	—	0.09	—	0.08	—	0.38	—	0.51	22
23	—	0.18	0.02	—	—	0.69	—	—	0.28	0.07	0.01	0.14	23
24	—	0.10	0.01	—	—	0.15	0.03	0.01	—	0.48	—	0.28	24
25	—	0.02	0.20 S	0.03	—	0.14	—	—	—	—	0.01	—	25
26	—	—	0.14	0.17	0.17	0.14	—	—	—	0.25	0.04 S	0.19	26
27	—	0.25	0.16	0.37	—	—	—	—	0.07	0.40	—	0.10	27
28	—	0.19	—	0.17	—	—	—	0.03	—	—	0.07	—	28
29	—		—	0.35	—	0.24	0.29	—	0.15	0.22	—	—	29
30	—		—	0.01	—	0.01	—	0.04	—	0.28	—	—	30
31	—		—		0.70		—	—	~~1.22~~	—		—	31
Total	1.30	1.19	2.11	2.25	1.55	1.92	0.32	0.66	1.22	4.11	5.63	6.47	TOTAL for year 28.73
No. of Rain Days.	13	14	19	14	7	10	2	7	8	14	20	22	150

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at 'Cluny' Edenbridge

in the County of Kent

by James L. Boyson

4

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 160 ft.

Time of Observation 7.30 AM

Nearest Railway Station
Name Edenbridge Town
Distance 4/500 1/4 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05	—	—	0.57	—	—	—	0.02	—	—	0.04	—	1
2	0.07	—	—	0.13	0.22	—	—	—	—	—	0.18	0.14	2
3	—	0.01	—	—	0.13	—	—	—	—	—	0.07	0.01	3
4	0.08	0.01	0.05	0.12 S	—	—	—	—	0.01	0.35	0.20	0.31	4
5	—	0.02	—	0.24 S	—	—	—	—	—	0.67	0.02	0.32	5
6	0.30	—	0.01	0.01 S	—	—	—	—	—	—	—	0.20	6
7	0.01	—	0.02	—	—	—	—	—	—	0.37	0.36	0.58	7
8	0.08	—	0.04	—	—	—	—	—	—	—	0.41	0.22	8
9	0.25	—	0.10	0.03	—	—	—	—	—	—	0.10	0.06	9
10	0.01	0.09	0.06	0.04	—	—	—	—	—	—	—	0.87	10
11	0.39	—	0.04	—	—	—	—	—	—	—	0.92	—	11
12	0.01	—	0.63	—	—	—	—	—	—	—	0.03	—	12
13	—	—	0.07	—	0.09	—	—	—	0.46	0.11	0.03	0.20	13
14	—	0.06	0.02	—	0.23	—	—	—	—	—	—	0.52	14
15	—	0.03	0.27	—	—	—	—	—	—	—	0.04	—	15
16	—	—	—	—	—	0.22	—	—	—	—	0.39	0.10	16
17	—	—	—	—	—	0.04	—	—	—	—	1.24	0.19	17
18	—	0.11	0.03	0.01	—	—	—	—	—	—	1.21	0.31	18
19	—	0.01	—	—	0.01	0.20	—	—	0.21	0.05	0.26	0.18	19
20	0.01	—	—	—	—	—	—	0.25	0.02	0.24	—	0.88	20
21	0.02	0.11	0.01	—	—	—	—	0.23	0.02	0.24	—	0.16	21
22	0.02	—	0.23	—	—	0.09	—	0.08	—	0.38	—	0.51	22
23	—	0.18	0.02	—	—	0.69	—	—	0.28	0.07	0.01	0.14	23
24	—	0.10	0.01	—	—	0.15	0.03	0.01	—	0.48	—	0.28	24
25	—	0.02	0.20 S	0.03	—	0.14	—	—	—	—	0.01	—	25
26	—	—	0.14	0.17	0.17	0.14	—	—	—	0.25	0.04 S	0.19	26
27	—	0.25	0.16	0.37	—	—	—	—	0.07	0.40	—	0.10	27
28	—	0.19	—	0.17	—	—	—	0.03	—	—	0.07	—	28
29	—		—	0.35	—	0.24	0.29	—	0.15	0.22	—	—	29
30	—		—	0.01	—	0.01	—	0.04	—	0.28	—	—	30
31	—		—		0.70		—	—	~~E.22~~	—		—	31
Total	1.30	1.19	2.11	2.25	1.55	1.92	0.32	0.66	1.22	4.11	5.63	6.47	TOTAL for year 28.73
No. of Rain Days.	13	14	19	14	7	10	2	7	8	14	20	22	150

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
7 JAN 1913

Ex. H Gb

Kept at 'Cluny' Edenbridge
in the County of Kent 4
by James L Boyson

Lat. Long.
Time of Observation 7.30 am
Nearest Railway Station Edenbridge Town. LB. & SC
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	0.20	0.01	—	0.05	0.26	—	0.09	0.61	—	0.22	1
2	—	0.01 S	0.49	—	—	0.04	0.21	0.22	0.01	0.01	—	—	2
3	0.02	0.07 S	0.06	—	—	0.16	0.01	0.31	—	—	—	0.05	3
4	0.17	0.03 S	0.62	—	0.08	0.21	—	0.03	—	—	0.06	—	4
5	0.08	0.02 S	0.12	—	—	—	—	0.36	—	—	0.23	0.02	5
6	0.62	0.03	—	—	0.01	—	—	0.09	—	—	0.01	0.06	6
7	—	—	0.01	—	0.11	0.35	—	0.33	—	—	—	0.04	7
8	0.23	0.38	0.33	—	—	0.30	—	0.56	—	—	0.01	0.01	8
9	0.02	0.10	—	0.04	—	0.24	0.04	—	—	—	—	0.05	9
10	0.01	0.04	—	—	—	—	—	0.24	—	—	0.04	0.29	10
11	0.03	0.43	—	—	—	0.02	—	0.14	0.04	—	—	0.21	11
12	—	0.13	0.01	—	0.12	0.03	—	0.19	—	—	0.02	0.02	12
13	0.01	—	0.01	—	—	0.01	—	—	—	—	0.21	0.01	13
14	—	—	0.01	—	0.03	—	—	0.35	—	0.02	—	—	14
15	0.01	—	0.11	—	0.12	0.75	—	—	—	—	—	0.31	15
16	0.15	—	0.11	—	0.06	0.07	—	0.06	—	0.06	0.05	—	16
17	0.50	—	0.45	—	—	0.03	—	0.05	—	—	0.09	0.08	17
18	0.15	—	0.23	—	—	—	—	0.05	—	0.04	—	0.07	18
19	0.12	0.11	0.17	—	—	—	0.08	0.39	—	—	0.01	—	19
20	0.01	0.05	0.34	—	—	0.01	0.03	0.24	—	0.47	0.04	—	20
21	~~0.06~~	0.02	0.66	—	—	—	—	0.02	—	0.09	0.05	—	21
22	0.06	0.22	0.09	—	—	—	0.01	0.14	—	—	—	—	22
23	0.26	0.17	0.33	—	—	—	—	0.46	—	0.13	0.14	0.03	23
24	0.03	0.01	—	—	—	0.40	0.02	0.23	—	—	—	0.12	24
25	0.05	—	—	—	—	0.14	—	0.86	—	—	0.27	0.22	25
26	—	—	—	—	—	—	—	0.29	—	0.31	0.33	0.62	26
27	—	—	—	—	—	—	—	—	—	0.16	—	0.20	27
28	—	0.04	—	—	—	0.02	0.23	0.02	0.04	0.96	0.75	0.16	28
29	—	0.01	—	0.01	—	0.04	0.07	0.25	1.13	0.10	0.04	—	29
30	—		—	—	0.40	0.63	0.11	0.06	1.68	0.36	—	—	30
31	—		0.07		—		0.16	0.07		—		—	31
Total	2.53	1.87	4.42	0.06	0.93	3.50	1.23	6.01	2.99	3.32	2.35	2.79	YEAR'S TOTAL 32.00
Rain Days.	19	18	20	3	8	19	12	26	6	13	17	20	181

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Kept at 'Cluny' Edenbridge

in the County of Kent

by James L Boyson

4

Lat. Long.

Time of Observation 7·30 AM

Nearest Railway Station Edenbridge Town

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·27	0·04	0·53	—	—	—	—	0·05	0·03	0·03	0·08	1
2	0·08	0·16	—	—	—	—	0·08	—	—	0·04	0·17	0·01	2
3	—	—	0·04	0·22	0·21	—	—	—	—	0·08	—	0·09	3
4	0·28	—	0·01	0·01	0·05	—	0·01	—	—	0·09	0·02	0·02	4
5	0·16	0·01	—	—	—	0·02	0·15	—	0·39	0·01	0·06	0·04	5
6	0·18	0·05	0·10	—	—	0·05	0·18	—	0·01	0·12	0·05	0·08	6
7	—	0·21	0·01	—	0·03	0·02	0·01	0·05	—	0·68	0·01	0·01	7
8	—	0·01	0·02	0·01	0·12	0·01	—	—	—	0·13	0·07	—	8
9	—	0·09	—	0·02	0·06	—	0·02	—	0·04	—	0·01	0·01	9
10	0·01	—	—	0·07	—	—	0·05	0·01	—	—	0·14	—	10
11	0·51	—	—	0·44	—	—	—	—	—	0·71	0·66	—	11
12	—	—	—	—	0·01	—	—	—	—	0·01	0·51	—	12
13	0·15	—	0·01	—	—	—	—	—	—	—	0·09	—	13
14	0·13	—	0·07	0·05	—	—	0·79	0·01	0·05	0·11	0·23	—	14
15	0·19	0·01	0·15	0·15	—	—	0·25	—	0·02	—	—	—	15
16	0·18	—	0·52	0·31	—	—	—	—	0·27	—	—	—	16
17	0·09	0·04	0·03	0·05	—	—	0·24	—	—	—	—	—	17
18	0·01	—	0·06	0·11	—	—	0·07	—	—	—	0·10	—	18
19	0·25	—	0·16	—	0·07	—	0·09	—	0·33	—	—	—	19
20	0·60	—	0·14	0·05	—	0·02	—	—	—	0·44	—	—	20
21	0·02	—	0·18	0·06	—	—	—	—	0·01	0·44	0·68	—	21
22	0·36	—	0·28	—	—	—	—	—	0·10	0·02	—	—	22
23	—	—	0·18	—	—	0·01	0·02	0·13	0·02	—	—	0·60	23
24	0·02	—	—	0·03	—	—	—	0·03	—	—	0·02	—	24
25	—	—	—	0·15	—	—	—	—	—	—	—	—	25
26	—	—	0·11	0·01	—	—	—	0·21	—	0·82	—	0·21	26
27	—	—	0·05	0·03	0·95	—	—	—	—	0·06	—	—	27
28	0·16	—	0·32	0·05	—	—	—	—	—	0·18	—	—	28
29	0·07		0·04	0·43	0·09	—	—	0·42	—	—	—	—	29
30	0·42		—	0·15	—	—	—	0·22	—	0·22	—	—	30
31	—		0·02		—		—	0·61	—	0·14		—	31
													YEAR'S TOTAL
Total	3·87	0·85	2·54	2·93	1·59	0·13	1·96	1·69	1·29	4·33	2·85	1·15	25·18 ✓
Rain Days.	20	9	22	21	9	6	13	9	11	19	16	10	165 ✓

W. 7,500, XI. ·12

Ex. f. 6.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
8- JAN 1914

Kept at 'Cluny' Edenbridge
in the County of Kent
by James L Boyson

Lat. Long.
Time of Observation 7.30 AM
Nearest Railway Station Edenbridge Town
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.27	0.04	0.53	—	—	—	—	0.05	RD 0.04	0.03	0.08	1
2	0.08	0.16	—	D T	—	—	0.08	—	T	0.04	0.17	0.01	2
3	D 0.005	—	0.04	0.22	0.21	—	—	—	—	0.08	—	W 0.10	3
4	0.28	—	RD 0.02	0.01	0.05	—	0.01	—	—	0.09	U 0.03	W 0.03	4
5	0.16	0.01	D 0.005	—	—	0.02	0.15	—	0.39	0.01	0.06	0.04	5
6	0.18	0.05	0.10	—	—	U 0.07	0.18	—	0.01	0.12	0.05	0.08	6
7	0.005	0.21	0.01	—	0.03	0.02	0.01	0.05	—	0.68	0.01	0.01	7
8	D T	0.01	0.02	0.01	U 0.13	U 0.02	—	—	—	0.13	0.07	—	8
9	D T	0.09	—	0.02	U 0.07	—	0.02	T	RD 0.05	—	0.01	0.01	9
10	0.01	—	—	0.07	—	—	0.05	U 0.02	—	—	0.14	—	10
11	0.51	—	—	W 0.45	—	—	—	—	—	0.71	0.66	—	11
12	—	D 0.005	—	—	0.01	—	—	—	—	0.01	0.51	—	12
13	0.15	—	0.01	—	—	—	—	—	D T	—	0.09	—	13
14	0.13	S T	0.07	0.05	—	—	0.79	0.01	0.05	0.11	0.23	—	14
15	0.19	0.01	0.15	0.15	—	—	U 0.26	—	0.02	—	—	—	15
16	0.18	—	0.52	VW 0.32	—	—	—	—	0.27	—	—	—	16
17	0.09	0.02	0.03	0.05	—	—	0.24	—	—	—	—	—	17
18	0.01	—	0.07	VW 0.12	—	—	0.07	—	—	—	0.10	—	18
19	0.25	—	0.16	—	0.07	T	0.09	—	0.33	—	—	—	19
20	0.60	—	0.15	0.05	—	0.02	—	—	—	0.44	—	—	20
21	0.02	—	0.18	0.06	—	—	—	—	U 0.02	0.44	0.68	—	21
22	0.36	—	0.28	—	—	—	—	T	0.10	0.02	—	—	22
23	—	—	0.19	—	—	0.01	0.02	0.13	0.02	D T	D 0.01	0.60	23
24	RD 0.03	—	—	0.03	—	D 0.005	—	0.03	D 0.005	—	U 0.03	—	24
25	—	—	—	0.15	—	—	—	—	—	—	—	U 0.005	25
26	—	—	0.11	0.01	—	—	—	0.21	D T	0.82	—	0.21	26
27	—	—	0.05	U 0.04	0.95	—	—	—	—	0.06	—	—	27
28	0.16	—	0.32	0.05	—	—	—	—	—	0.18	—	—	28
29	0.07	✓	0.04	0.43	0.09	—	—	0.42	—	D 0.005	—	—	29
30	0.42	✓	—	0.15	—	—	—	0.22	D 0.01	0.22	—	—	30
31	—		0.02		—		—	0.61	—	0.14		—	31
Total	3.89	0.835	2.585	2.97	1.61	0.165	1.97	1.70	1.325	4.345	2.88	1.175	YEAR'S TOTAL 25.45
Rain Days.	21	10	22 23	21	9	7	13	9	12 13	20	17	15 1X	171 175

W.7,000, XI. 13 T. trace. D. dew. R.D. rain & dew. S. snow. W. windy. V.W. very windy. U. cause of discrepancy unknown.

W D cor. 26.III.12

RE

EDENBRIDGE

BASSETTS FARM

KENT

1911

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at Bassett's Farm

in the County of Kent

by the misses Renault

apanned

5 in.

Ground 1 ft. in.

Sea Level 200 ft.

m Cowden ~~2 miles~~ W

Name

Distance ~~2 m.~~ 1½ miles Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0.31	–	0.02	–	0.02	–	–	0.05	–	0.10	1
2	–	–	0.03	0.62	–	–	–	0.07	–	–	0.04	–	2
3	0.05	–	–	0.12	0.27	–	0.03	–	–	–	0.14	0.19	3
4	–	0.04	–	–	0.22	–	–	–	–	–	0.11	–	4
5	0.17	0.01	0.05	–	–	–	–	–	–	0.73	0.30	0.42	5
6	–	0.01	–	0.62	–	–	–	–	–	0.53	–	0.29	6
7	0.32	–	0.09	0.02	–	–	–	–	–	–	0.02	0.39	7
8	0.03	–	0.01	0.01	–	–	–	–	–	0.41	0.57	0.22	8
9	0.16	–	0.07	0.04	–	–	–	–	–	–	0.50	0.07	9
10	0.18	–	–	–	–	–	–	–	–	–	0.08	0.84	10
11	0.36	0.09	0.10	0.06	–	–	–	–	–	–	–	–	11
12	–	–	0.06	–	–	–	–	–	–	–	1.09	–	12
13	–	–	0.07	–	–	–	–	–	0.55	–	0.07	–	13
14	–	–	0.06	–	0.07	–	–	–	–	0.17	0.04	0.21	14
15	–	0.07	–	–	0.34	–	–	–	–	–	–	0.57	15
16	–	0.03	0.30	–	–	–	–	–	–	0.01	0.10	0.06	16
17	–	–	–	–	–	0.30	–	–	–	–	0.48	–	17
18	–	–	–	–	–	0.05	–	–	–	–	0.97	0.24	18
19	–	0.13	0.12	–	–	0.02	–	–	–	–	1.05	0.41	19
20	–	–	–	–	–	0.08	–	–	0.13		0.27	0.13	20
21	0.02	–	0.03	–	–	–	–	–	0.15	0.38	0.06	0.85	21
22	–	0.17	–	–	–	–	–	0.17	–	0.84	–	0.13	22
23	–	–	0.27	–	–	0.12	–	0.28	–	0.15	–	0.43	23
24	0.04	0.26	0.03	–	–	0.97	–	0.12	0.27	0.09	–	0.13	24
25	–	0.16	–	–	–	0.08	0.07	0.04	–	0.47	–	0.38	25
26	–	0.06	0.20	0.05	–	0.15	–	0.08	0.05	–	0.02	–	26
27	–	–	0.15	0.15	0.08	0.19	–	–	–	0.26	0.09	0.19	27
28	–	0.23	–	0.45	–	–	–	–	–	0.44	–	0.13	28
29	–		–	0.15	–	–	–	0.04	–	–	–	–	29
30	–		–	–	–	0.13	0.29	–	0.18	0.28	–	–	30
31	–	.31	–	.02	0.08	.02	–	0.02	.05	0.34	.10	–	31
Total	1.33	~~1.26~~ 1.57	~~1.45~~ 1.64	~~2.29~~ 2.31	~~1.08~~ 1.06	~~2.[illegible]~~ 2.11	~~0.41~~ .39	0.75	~~1.32~~ 1.38	~~5.15~~ 5.10	~~6.00~~ 6.10	~~6.38~~ 6.28	TOTAL for year 50.02
No. of Rain Days.	9	~~12~~ 13	~~17~~ 16	~~11~~ 12	~~7~~ 6	~~10~~ 11	~~4~~ 3	8	~~6~~ 7	~~16~~ 15	~~19~~ 20	~~21~~ 20	140

W. 8,000, X. '11.

140

W D corr. 26. III. 12

[illegible] 4/85

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bassett's Farm. Edenbridge

in the County of Kent

by the misses Renault

RAIN GAUGE
Pattern ordinary japanned
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 200 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Cowden ~~2 miles~~ W
Distance ~~2 m.~~ 1⅛ miles Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.31	—	0.02	—	0.02	—	—	0.05	—	0.10	1
2	—	—	0.03	0.62	—	—	—	0.07	—	—	0.04	—	2
3	0.05	—	—	0.12	0.27	—	0.03	—	—	—	0.14	0.19	3
4	—	0.04	—	—	0.22	—	—	—	—	—	0.11	—	4
5	0.17	0.01	0.05	—	—	—	—	—	—	0.73	0.30	0.42	5
6	—	0.01	—	0.62	—	—	—	—	—	0.53	—	0.29	6
7	0.32	—	0.09	0.02	—	—	—	—	—	—	0.02	0.39	7
8	0.03	—	0.01	0.01	—	—	—	—	—	0.41	0.57	0.22	8
9	0.16	—	0.07	0.04	—	—	—	—	—	—	0.50	0.07	9
10	0.18	—	—	—	—	—	—	—	—	—	0.08	0.84	10
11	0.36	0.09	0.10	0.06	—	—	—	—	—	—	—	—	11
12	—	—	0.06	—	—	—	—	—	—	—	1.09	—	12
13	—	—	0.07	—	—	—	—	—	0.55	—	0.07	—	13
14	—	—	0.06	—	0.07	—	—	—	—	0.17	0.04	0.21	14
15	—	0.07	—	—	0.34	—	—	—	—	—	—	0.57	15
16	—	0.03	0.30	—	—	—	—	—	—	0.01	0.10	0.06	16
17	—	—	—	—	—	0.30	—	—	—	—	0.48	—	17
18	—	—	—	—	—	0.05	—	—	—	—	0.97	0.24	18
19	—	0.13	0.12	—	—	0.02	—	—	—		1.05	0.41	19
20	—	—	—	—	—	0.08	—	—	0.13		0.27	0.13	20
21	0.02	—	0.03	—	—	—	—	—	0.15	0.38	0.06	0.85	21
22	—	0.17	—	—	—	—	—	0.17	—	0.84	—	0.13	22
23	—	—	0.27	—	—	0.12	—	0.28	—	0.15	—	0.43	23
24	0.04	0.26	0.03	—	—	0.97	—	0.12	0.27	0.09	—	0.13	24
25	—	0.16	—	—	—	0.08	0.07	0.04	—	0.47	—	0.38	25
26	—	0.06	0.20	0.05	—	0.15	—	0.01	0.05	—	0.02	—	26
27	—	—	0.15	0.15	0.08	0.19	—	—	—	0.26	0.09	0.19	27
28	—	0.23	—	0.45	—	—	—	—	—	0.44	—	0.13	28
29	—		—	0.15	—	—	—	0.04	—	—	—	—	29
30	—		—	—	—	0.13	0.29	—	0.18	0.28	—	—	30
31	—	·31	—	·02	0.08	·02	—	0.02	·05	0.34	·10	—	31
Total	1.33	~~1.26~~ 1.57	~~1.65~~ 1.64	~~2.29~~ 2.31	~~1.08~~ 1.06	~~2.09~~ 2.11	~~0.41~~ ·39	0.75	~~1.33~~ 1.38	~~5.15~~ 5.10	~~6.00~~ 6.10	~~6.38~~ 6.28	TOTAL for year 30.02
No. of Rain Days.	9	~~12~~ 13	~~17~~ 16	~~11~~ 12	~~7~~ 6	~~10~~ 11	~~4~~ 3	8	~~6~~ 7	~~16~~ 15	~~19~~ 20	~~21~~ 20	140

W. 8,000, X. '11.

140

EYNSFORD HILL

KENT

1915-20

RE

FORM A.
BRITISH RAINFALL.

8. [illegible] 1916

Kept at Eynsford

in the County of KE

by ARTHUR

a.m day after entry

Eynsford

ain Gauge (as 8 in.

bove Ground before) 1 ft. in.

, Sea Level about 358 ft.

IMPORTANT N

previous day. If an

requested to add the r

for it at the end of t

the selection and plac

Organization are given

Dr. H. R. Mill, 62, C

nd the result entered to the

niversal rule, he is earnestly

year in the space provided

rement of rain,

British Rainfall

n application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06	·07		·03				·03			·34	1
2		·12	·14	·11	·02			·33	·03	·03		·09	2
3		·01	·03	·21	·05			·51	·17			·45	3
4								·01			·36	·25	4
5		·24			·03			·03		·15	·02	·24	5
6		·02		·30			·45					·10	6
7		·28	·01				·22	·02				·19	7
8		·50	·03	·08			·06	·13			·02		8
9		·04		·05		·05		·06		·06		·44	9
10						·08					·30	·43	10
11											·65	·06	11
12		·05		·46	·47			·59		·08	·55		12
13		·61		·01	1·43			·14					13
14		·04					·13		·04			·29	14
15					·05			·37				·14	15
16		·27					·65				·39	·07	16
17		·42	Snow 1" deep		1·00		·03						17
18		·04			·46						·10	·02	18
19		·23	·10				·04			·10			19
20		·01		·02	·04							·25	20
21										·01		·06	21
22		·07	·03	·05			·50		·02			·13	22
23			·05			·03	·64			·30		·23	23
24		·09	·03	·02			·42		·25	·12	·01	·16	24
25			·13	·24			·16					·18	25
26		·05										·39	26
27		·02				·06	·20			·28		·08	27
28		·03							·74	·10			28
29						·47	·23	·12			·24	·02	29
30		×						·12	·03		·45	·25	30
31		×		×		×			×	·56	×	·06	31
Total	3·48	3·20	·62	1·55	3·58	·69	3·73	2·43	1·31	1·79	3·09	4·92	YEAR'S TOTAL 30·39
Rain Days.		21	10	11	10	5	13	12	8	11	11	25	~~137~~ (11 months)

W. 8,000. X. 15. Feb 24.25 Snow 5" deep. Also March 18 (not 17) Snow 1" deep

RE[illegible] IN 1915

FORM A.
BRITISH RAINFALL.
8 [illegible] 1916

Kept at Eynsford Hill
in the County of KENT
by ARTHUR MEE

Lat. Long.
Time of Observation 9 a.m day after entry
Nearest Railway Station Eynsford
Diameter of Funnel of Rain Gauge (as 8 in.
Height of top of Gauge above Ground before) 1 ft. in.
" " " " Sea Level about 358 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06	·07		·03				·03			·34	1
2		·12	·14	·11	·02			·33	·03	·03		·09	2
3		·01	·03	·21	·05			·51	·17			·45	3
4								·01			·36	·25	4
5		·24			·03			·03		·15	·02	·24	5
6		·02		·30			·45					·10	6
7		·28	·01				·22	·02				·19	7
8		·50	·03	·08			·06	·13			·02		8
9		·04		·05		·05		·06		·06		·44	9
10						·08					·30	·43	10
11											·65	·06	11
12		·05		·46	·47			·59		·08	·55		12
13		·61		·01	1·43			·14					13
14		·04					·13		·04			·29	14
15					·05			·37				·14	15
16		·27					·65				·39	·07	16
17		·42	Snow 1" deep		1·00		·03						17
18		·04			·46						·10	·02	18
19		·23	·10				·04			·10			19
20		·01		·02	·04							·25	20
21										·01		·06	21
22		·07	·03	·05			·50		·02			·13	22
23			·05			·03	·64			·30		·23	23
24		·09	·03	·02			·42		·25	·12	·01	·16	24
25			·13	·24			·16					·18	25
26		·05										·39	26
27		·02				·06	·20			·28		·08	27
28		·03							·74	·10			28
29						·47	·23	·12			·24	·02	29
30		X						·12	·03		·45	·25	30
31		X		X		X			X	·56	X	·06	31
Total	3·48	3·20	·62	1·55	3·58	·69	3·73	2·43	1·31	1·79	3·09	4·92	YEAR'S TOTAL 30·39
Rain Days.		21	10	11	10	5	13	12	8	11	11	25	~~137~~ (11 months)

W. 8,000. X. 15. Feb 24.25 Snow 5" deep. Also March 18 (not 17) Snow 1" deep

EYNSFORD HILL
KENT

attached to A ?Ms A.

January 11, 1916

Carle Salter Esq.,
British Rainfall Organization,
62, Camden Square, N.W.

Dear Sir,

I am glad the rainfall figures are in order, but am sorry if there seems to be any obscurity about the snow in February. We put the figures down as they appeared on the dial each day, and I can only think that the snow was probably a long time in melting, so that the register would perhaps record it over several days even if at all. The figures certainly represent the record on the dial, and I am afraid that any confusion as to snow is one of the things that you understand much better than I do.

Many thanks for the pamphlets.

Yours sincerely,

Arthur Mee

1 W 7W 463

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1. JAN. 1917

Kept at Eynsford Hill
in the County of Kent
by Arthur Lee.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Eynsford
Diameter of Funnel of Rain Gauge [illegible] in.
Height of top of Gauge above Ground [illegible] ft. in.
" " " " Sea Level before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·18				·14	·12	·21		1
2	·2	·09	·07		·2		·01		·07	·25	·01		2
3		·49	·25				·04		·11	·25	·45		3
4	·16	·04				·33			·07		·52		4
5		·02	·01	·01	·12	·15	·09			·06	·33		5
6		·1		·1		·16	·14			·09	·44		6
7	·04			·02	·25	·08	·07				·48	·02	7
8					·18							·3	8
9					·29								9
10	·01	·08	·13	·02		·44	·04			·02		·26	10
11	·03	·14	·08	·06		·28						·02	11
12		·02		·02		·05	·06			·07			12
13		·2	·15	·07	·33		·01	·01		·02			13
14		·28	·03		·09			·02			·01		14
15		·11	·12				·03	·2				·11	15
16		·02	·13	·14			·22	·1					16
17	·1	·07		·02			·04	·01	·27	·42			17
18	·02	·07		·21				·13	·03	·18			18
19	·1	·04	·07	·09				·01	·1		·28	·21	19
20	·15		·16									·41	20
21							·15					·16	21
22	·01		·25							·03			22
23			·13			·12	·01			·11	·05		23
24			·04			·04				·18	·06		24
25			·25					·22		·23	·06		25
26			·1					·12		·09			26
27	·02		·67	·18		·22			·03	·28			27
28			·54			·16			·13	·23	·03		28
29		·05				·14		·69	·03	·28			29
30		╳			·3			·30		·17			30
31		╳		╳		╳			╳		╳		31
Total	·84	1·82	3·18	·94	1·94	2·20	·91	1·81	·98	3·08	2·93	1·49	YEAR'S TOTAL 22,12
Rain Days.	11	16	18	12	9	12	13	11	10	19	13	8	152

W. 8,000, VIII. 16

✓ see June 28

444

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
5 JAN 1918

Kept at Eynsford Hill

in the County of Kent

by Arthur Mee

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Eynsford

Diameter of Funnel of Rain Gauge as before in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level abt 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	Snow	·01	·11	—	—	—	1·5	·06	—	—	—	1
2	0	〃	—	·14	—	—	—	·29	—	—	·16	—	2
3		〃	—	·11	—	—	—	·58	—	·07	·01	—	3
4		〃	Snow	—	—	—	·30	·05	—	·22	—	—	4
5		·06	·11	—	—	—	—	—	·39	—	·05	—	5
6		·04	·04	·22	—	·07	—	—	·12	·02	·05	—	6
7		—	—	—	—	—	·05	—	—	·46	—	·01	7
8		—	—	·07	—	—	·49	—	·02	·11	·1	·2	8
9		—	·01	—	—	—	·29	·12	—	—	—	·68	9
10		—	·12	·06	—	—	—	·02	—	—	·01	·13	10
11		·03	·31	·22	—	—	—	·03	·19	·29	—	—	11
12	Regret Records not taken for January	·01	·02	·08	—	—	—	·04	—	·45	—	—	12
13		—	·07	·01	—	—	—	—	·01	·03	—	·01	13
14		—	·03	·13	—	—	—	·04	—	—	—	—	14
15		—	—	—	—	—	·01	—	—	·05	—	—	15
16		·06	—	·07	·23	—	·02	—	—	·24	—	Snow	16
17		·01	—	·07	·68	—	·18	—	·11	·20	—	—	17
18		·03	—	·14	—	—	·06	·08	·16	—	—	—	18
19		·07	·07	—	·24	·30	—	—	·05	—	·03	—	19
20		·1	·06	—	·74	—	—	—	—	—	—	—	20
21		—	·01	—	—	—	·08	—	—	—	·01	—	21
22		—	·08	—	—	—	—	·02	—	·1	—	—	22
23		·11	·01	—	·19	·02	—	·07	—	·04	—	·05	23
24		—	—	—	—	·07	—	—	—	·08	—	—	24
25		—	·04	—	—	—	—	—	—	—	—	—	25
26		·01	(·09)	—	—	—	—	·19	—	—	·54	Snow	26
27		—	·02	—	—	—	—	·61	·01	—	—	—	27
28		·01	·01	—	(·10)	·52	—	·09	—	—	—	·05	28
29		—	—	—	—	·12	·47	—	—	—	—	·17	29
30		X	·20	—	—	—	·50	·04	—	—	—	·06	30
31		X	·03	X	—	X	·82	—	X	—	X	Snow	31
Total		·54	1·34	1·43	2·21	1·10	3·27?	3·27	1·12	2·36	·96	1·36	YEAR'S TOTAL ~~19·46~~ Days:
Rain Days.		12	20	~~14~~ 13	6	6	12	16	10	14	9	9	~~128~~

? 1·52   ? 1·50.

W DL cnd by mm stats (S+c)

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9 · 1 · 19

Kept at Eynsford Hill
in the County of Kent
by Arthur Mee

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Eynsford
Diameter of Funnel of Rain Gauge as in.
Height of top of Gauge above Ground before ft. in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	·02	—	—	—		1
2	—	·02	—	·02	—	—	—	·27	—	—	·19		2
3	—	—	·14	·02	·57	—	—	·10	—	—	·03		3
4	—	·08	·10	—	—	—	—	·02	·17	—	—		4
5	—	·02	—	·02	·23	—	—	·05	·10	·05	·03		5
6	—	·11	—	·25	·26	—	—	·03	·02	—	—		6
7	(·30) Snow	·02	—	·13	·30	—	—	—	·04	·03	—		7
8	—	·10	—	—	—	—	—	—	·11	—	I much regret that the figures were not taken for the following days of this year AM		8
9	—	—	·02	·03	—	—	(·21)	—	·28	·09			9
10	·01	—	—	·12	—	·11	·36	—	·04	·07			10
11	·07	—	—	·03	·2	—	·25	—	·02	·34			11
12	—	·03	—	—	·10	—	·11	—	(·06)	·02			12
13	Snow	·02	—	·04	·03	—	·11	—	·03	—			13
14	(·08)	—	—	—	—	·51	·03	—	·07	·22			14
15	1·24	—	—	Snow ·48	—	·07	·04	—	—	—			15
16	(·38)	—	—	·32	—	·04	·02	—	·07	·03			16
17	·45	—	—	·11	·02	·07	1·36	·06	—	·07			17
18	(·51)	—	—	·07	—	·10	·06	—	·39	·49			18
19	·18	—	·07	·09	—	·02	·05	—	—	·25			19
20	·07	·08	—	·40	—	·03	·46	—	·15	·43			20
21	·11	—	—	·38	—	—	·07	—	·24	·05			21
22	·06	—	—	·02	·06	—	·05	—	·30	·02			22
23	·07	—	—	·07	·13	—	·70	·13	—	·07			23
24	—	·22	—	·07	·02	·05	(·06)	—	·09	·07			24
25	—	—	—	·03	—	·02	·65	·12	—	—			25
26	—	—	—	·06	—	—	·48	·06	—	—			26
27	—	·07	—	·19	—	—	·05	·08	·02	—			27
28	—	—	·24	·03	—	—	—	·02	—	·03			28
29	·07	—	—	—	—	—	—	—	·96	·06			29
30	—	✕	·28	—	—	—	—	—	·05	—			30
31	—	✕	·01	✕	—	✕		—	✕	—	✕		31
Total	($3\frac{46}{100}$)	$\frac{71}{100}$	$\frac{86}{100}$	$2\frac{80}{100}$	$1\frac{74}{100}$	$\frac{90}{100}$	$5\cdot\frac{26}{100}$	$\frac{96}{100}$	$3\frac{21}{100}$	$2\frac{21}{100}$			YEAR'S TOTAL
Rain Days.	13	11	7	23	11	10	18	12	20	18			

W. 8,000, IX. 17.

Duplicate

cnd for author &c

REGISTER OF RAINFALL IN 1919

a very poor return

FORM A. BRITISH RAINFALL

12 JAN 20

Kept at Eynsford Hill
in the County of Kent
by Pattern [illegible]

Lat. .... Long. all
Time of Observation 9 a.m. as
Nearest Railway Station before
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Not Taken	Snow	—	—	—	—	·22	—	—	·13	·15	·67	1
2		—	—	—	·04	—	·07	—	·05	—	·10	·13	2
3		—	·43	—	—	—	·10	—	—	—	·05	·23	3
4		Snow	·31	—	—	·05	·60	—	·02~~0~~	·05	·05	·20	4
5		Snow	·69	—	—	—	—	·01~~0~~	—	—	—	·23	5
6		—	·01	—	—	—	—	—	—	—	·03	·10	6
7		—	·25	—	—	—	—	—	—	—	·05	—	7
8	—	—	·04	—	—	—	—	—	—	—	·10	—	8
9	—	—	—	·04	·14	—	—	—	—	—	·15	—	9
10	—	—	·05	—	—	—	—	—	—	—	·13	—	10
11	—	—	·16	·23	—	—	·10	—	—	·03	—	—	11
12	—	—	·02	·02	—	—	·43	—	—	·03	—	—	12
13	·02	—	—	·18	—	—	—	—	—	—	—	—	13
14	·22	·02	—	·44	—	—	·23	—	·01	—	—	·11	14
15	·19	·12	·02	·11	—	—	—	—	·32	·15	—	—	15
16	—	·07	·10	·05	—	—	—	—	—	—	·07	—	16
17	—	·42	—	—	—	—	—	—	—	—	·03	—	17
18	—	—	—	—	—	—	—	—	·07	—	·07	—	18
19	—	·14	·35	—	·03	—	·25	—	·04	—	—	·05	19
20	·07	·10	·40	—	—	·97	·60	·08	—	—	—	—	20
21	·14	—	·01	—	—	—	·08	·13	—	—	—	—	21
22	—	—	·03	—	—	—	—	—	·26	—	—	—	22
23	—	—	—	—	—	—	·22	—	·30	—	·03	·15	23
24	—	—	—	·16	—	·05	·23	·05	—	·10	—	—	24
25	—	—	—	—	·12	—	—	·08	—	—	·03	—	25
26	—	·20	—	·01	—	—	·06	—	·098	—	—	·25	26
27	—	·05	·10	·37	—	—	—	·10	—	—	—	·02	27
28	—	·01	·10	·50	—	—	·07	·60	—	—	·18	·13	28
29	Snow	—	·08	·12	—	—	—	·35	—	·35	—	·09	29
30	Snow	╳	—	·23	—	·05	—	·30	—	—	·03	·41	30
31	Snow	╳	·08	╳	—	╳	·05	—	╳	—	╳	·05	31
Total	~~unfor~~	1·137	3·23 ~~3·14~~	2·46 ~~2·46~~	·33 ✓	1·12 ✓	3·31 ✓	1·70 ~~1·82~~	1·34 ✓	·84 ✓	1·25 ✓	2·92 ~~2·65~~	YEAR'S TOTAL ~~19·91~~
Rain Days.	~~8?~~	9 ✓	19 ✓	13 ✓	4 ✓	4 ✓	15 ✓	9	9 ✓	7 ✓	~~14~~ 16	15 ✓	~~126~~

max daily fall in 0·97 in as June 20

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Eynsford Hill
in the County of Kent
by Arthur Mee

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Eynsford
Diameter of Funnel of Rain Gauge as before
Height of top of Gauge above Ground ft. in.
" " " " Sea Level about 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form. Row do not print

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03						·25			·07		·14	1
2			·05	·21	·03			·16	·04			·07	2
3		·01		·02		·08						·05	3
4		·08		·41			·36	·02	·02	·03		·03	4
5					·04		·53	·24	·06				5
6			·05		·09		·13					·05	6
7			·14	·18	·04		·11					·02	7
8				·19	·08		·21					·01	8
9	·18	·03					·01						9
10	·33	·02		·10							·05		10
11	·17		·05				·18						11
12	·04		·03	·10		·33	·23					Snow	12
13	·20		·10	·04							·06		13
14			·18	·18		·13			·09	·32	·18		14
15				·23					·22	·09	·09		15
16				·02		·09			·13				16
17					·09	·40			1·03			·01	17
18							1·19		·27				18
19	·15			·40									19
20		·30		·27		·23			·17			·02	20
21							·71	·02	·78				21
22				·35					·07			·28	22
23							·34					·23	23
24													24
25			·03	·09			·11						25
26			·07	·06									26
27	·19	·05		·16		·09	·02						27
28	·28		·07	·09	·07		·09				·18	·02	28
29	·47		·13						·16		·02	·19	29
30		X	·04			·05	·05		·16		·21	·15	30
31	·01	X		X		X			X	·30	X	·08	31
TOTAL	2·05	·49	·88	3·10	·44	1·40	3·33 ~~4·52~~	1·63 ~~·44~~	3·20	·81	·79	1·35	YEAR'S TOTAL 19·47
Days with ·01 in. or more	11	6	12	18	7	8	15	5	13	5	7	15	122
	9	3	9	16	6	8	15	3	12	4	6	9	98

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.